



Engineers

1854 Fuller Road, Suite 2
P. O. Box 65156
West Des Moines, IA 50265-0156
515-221-9832
Fax 515-222-2625

Foulke

CON 12-15

Doc #13700

CON 12-15

1999 MAY 10 P 3:13

DEPT. OF
NATURAL RESOURCES

May 7, 1999

COPY

Mr. Paul D. Vos
Pella Swine Services
608 Monroe Street
Pella, Iowa 50219-1115

**RE: Monitoring Well Sampling
Pella Swine Services
West 8th Street (Near RR)
Pella, Iowa**

Dear Mr. Vos:

Enclosed you will find a copy of the monitoring well sampling results conducted on April 21, 1999. Only four (4) wells at the site were located prior to sampling. The fifth well could not be located even with a metal detector. The static water levels for the existing monitoring wells are as follows:

<u>Well #</u>	<u>SWL</u>
B-1	3.0'
B-2	4.76'
B-3	4.64'
B-5	5.5'

MPS Engineers appreciates the opportunity to perform required monitoring well sampling for Pella Swine Services. If we can be of service for your environmental needs in the future or you have questions, please do not hesitate to call me at (515) 221-9832.

Sincerely,
MPS Engineers


Jerrod D. Robinson
Project Manager/Geologist

cc: Mr. Lambert A. Nnadi, Iowa Department of Natural Resources (IDNR)

13700

ANALYTICAL REPORT

Page 1 of 2

Report To
Amit Pradhan MPS Engineers 1854 Fuller Rd., Suite 2 P.O. Box 65156 Des Moines, IA 50265

Sample Information
Work Order: 1904.0734 Date Received: 04/22/99 02:00 PM Collector: Kurt Haiar Collector Phone: 515-221-9832 Report Date: 05/06/99

Site Information
Pella Swine Services, Job #1338 W. 8th Street Pella, IA

Comments

Sample No	Description	Date Collected	Matrix	Detection	Method	Analyst	Date
Analyte			Analysis Result	Limit			Analyzed
1908710	B-2	4/21/99 10:25:00 AM	water				
1,1-Dichloroethylene			13.9 ug/L	1.	EPA 8260	EPP	04/28/99
Trichloroethylene			< 1. ug/L	1.	EPA 8260	EPP	04/28/99
Tetrachloroethylene			2. ug/L	1.	EPA 8260	EPP	04/28/99
1908711	B-5	4/21/99 10:40:00 AM	water				
1,1-Dichloroethylene			4.1 ug/L	1.	EPA 8260	EPP	04/29/99
Trichloroethylene			< 1. ug/L	1.	EPA 8260	EPP	04/29/99
Tetrachloroethylene			3.6 ug/L	1.	EPA 8260	EPP	04/29/99
1908712	B-3	4/21/99 10:55:00 AM	water				
1,1-Dichloroethylene			< 1. ug/L	1.	EPA 8260	EPP	04/29/99
Trichloroethylene			< 1. ug/L	1.	EPA 8260	EPP	04/29/99
Tetrachloroethylene			< 1. ug/L	1.	EPA 8260	EPP	04/29/99
1908713	B-1	4/21/99 11:15:00 AM	water				
1,1-Dichloroethylene			< 1. ug/L	1.	EPA 8260	EPP	04/28/99
Trichloroethylene			< 1. ug/L	1.	EPA 8260	EPP	04/28/99
Tetrachloroethylene			< 1. ug/L	1.	EPA 8260	EPP	04/28/99


< = less than; ug/L = ppb; mg/L = ppm; mg/kg = ppm

Work Order: 1904.0734

Report Date: 5/6/99

Page 2 of 2

Sample No	Description	Date Collected	Matrix	Detection				
Analyte			Analysis Result	Limit	Method	Analyst	Date	Analyzed



Jeff King
Keystone Laboratories, Inc.

< = less than; ug/L = ppb; mg/L = ppm; mg/kg = ppm

PRINT OR TYPE INFORMATION BELOW SAMPLER: <u>KURT HAIAR</u> SITE NAME: <u>PELLA SWINE SERVICES</u> ADDRESS: <u>W. 8th STREET</u> CITY/ST/ZIP: <u>PELLA, IA 50219</u> PHONE: _____		REPORT TO: NAME: <u>AMIT PRAHDAN</u> COMPANY NAME: <u>MPS ENGINEERS</u> ADDRESS: <u>1854 FULLER RD, STE 2, PO BOX 65156</u> CITY/ST/ZIP: <u>WEST DES MOINES, IA 50265</u> PHONE: <u>515 221 9832</u> FAX: <u>515 222 2625</u>		BILL TO: NAME: <u>AMIT PRAHDAN</u> COMPANY NAME: <u>MPS ENGINEERS</u> ADDRESS: <u>1854 FULLER RD, STE 2, PO BOX 65156</u> CITY/ST/ZIP: <u>WEST DES MOINES, IA 50265</u> PHONE: <u>515 221 9832</u> Keystone Quote No.: _____ (If Applicable)	
--	--	---	--	--	--

CLIENT SAMPLE NUMBER	DATE	TIME	SAMPLE LOCATION	NO. OF CONTAINERS	MATRIX	GRAB/COMPOSITE	ANALYSES REQUIRED										LAB USE ONLY	
							1,1 DCE	PCE	TCE								LABORATORY WORK ORDER NO.	LABORATORY SAMPLE NUMBER
MW-2 B-2	4/21/99	10:25		3	H ₂ O	G	X	X	X								1904.0734	1908710
MW-5 B-5	↓	10:40		↓	↓	↓	↓	↓	↓									08711
MW-3 B-3	↓	10:55		↓	↓	↓	↓	↓	↓									08712
MW-1 B-1	↓	11:15		↓	↓	↓	↓	↓	↓									08713

Relinquished by: (Signature) <u>Kurt H</u>	Date <u>4/21/99</u>	Received by: (Signature) <u>Al Wiggins</u>	Date _____	Turn-Around: ☒ Standard ☐ Rush	Remarks: <u># 1338</u>
	Time <u>1:30P</u>		Time _____		
Relinquished by: (Signature)	Date _____	Received for Lab by: (Signature)	Date <u>4-22-99</u>		
	Time _____		Time <u>2:00</u>		