

Table 1 - Groundwater Results (ug/L)

May-06	GP-1	GP-5	GP-7	GP-8	Dup 1	GP-12	Ingestion	Enclosed Space	Plastic Water Line
Benzene	<0.025	<1	<1	227	223	<1	5	1,540	290
Toluene	<0.025	<1	<1	7.26	7.22	<1	1,000	20,190	7,300
Ethylbenzene	<0.025	<1	<1	9.4	8.78	<1	700	46,000	3,700
Xylene	<0.075	<3	<3	9.1	8.45	<3	10,000	-	73,000
TEH-D	189,000	<349	<714	1,820	1,580	<300	1,200	2,200,000	75,000
TEH-G	89,300	<349	<714	2,710	2,210	<300	-	-	-
TEH-WO	1,740	<349	<714	300	<300	<300	400	-	40,000

Jul-07	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7	Ingestion	Enclosed Space	Plastic Water Line
Benzene	<2	1	<1	<2	<1	<2	<1	5	1,540	290
Toluene	<2	<1	<1	<2	<1	<2	<1	1,000	20,190	7,300
Ethylbenzene	<2	<1	<1	<2	<1	<2	<1	700	46,000	3,700
Xylene	<4	<2	<2	<4	<2	<4	<2	10,000	-	73,000
TEH-D	3,700	700	100	<100	<100	<100	<100	1,200	2,200,000	75,000
TEH-G	<100	<100	<100	<100	<100	<100	<100	-	-	-
TEH-WO	<100	<100	<100	<100	<100	<100	<100	400	-	40,000

Jun-08*	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7	Ingestion	Enclosed Space	Plastic Water Line
Benzene	<1	1	<1	<2	NOT SAMPLED, wells destroyed during site demolition			5	1,540	290
Toluene	<1	1	<1	<2				1,000	20,190	7,300
Ethylbenzene	<1	<1	<1	<2				700	46,000	3,700
Xylene	<2	4	<2	<2				10,000	-	73,000
TEH-D	400	900	<100	<100				1,200	2,200,000	75,000
TEH-G	<100	<100	<100	<100				-	-	-
TEH-WO	<100	<100	<100	<100				400	-	40,000

*Unusually high groundwater levels during 2008 sampling event