



State Hygienic Laboratory

CON 12-15
Doc #27185

The University of Iowa

TAMI RICE
IDNR CONTAMINATED SITES
LAND QUALITY BUREAU
502 E 9TH STREET
DES MOINES, IA 50319-0034

Accession Number | 30962
Date Sample Finalized | 2012-05-31 14:02
Date Received | 2012-05-14 15:47
Sample Source | Non-Drinking Water
Project | WMSF
Date Collected | 2012-05-14 12:55
Collection Site | mw-6
Collection Town | PALO
Sample Description | ground water
Client Reference | 7537/3814
Collector | rice tami s.
Phone | 515/281-4420

Note: The sample date and/or time is missing or postdated.

Project: Thermogas-Palo

Upon arrival, sample met container and preservation requirements for the analysis requested. Please review carefully your sample results for additional analyte comments or method exceptions.

Paperwork lists collection time as 12:55; per label 12:50.

Results of Analyses

Ammonia as N, LAC 10-107-06-1J

Units | mg/L
Date Analyzed | 2012-05-22 11:16
Analyst | JAB
Analyzed In | Ankeny
Date Verified | 2012-05-25 13:09
Verifier | JE

Analyte	Result	Quant Limit
Ammonia nitrogen as N	<0.050	0.05

Nitrate + Nitrite as N, LAC 10-107-04-1J

Units | mg/L
Date Analyzed | 2012-05-31 13:29
Analyst | JE
Analyzed In | Ankeny
Date Verified | 2012-05-31 14:02
Verifier | TAB

Analyte	Result	Quant Limit
Nitrate + Nitrite nitrogen as N	14	0.1

GCMS Pesticides, EPA 8270

Units | ug/L
Date Analyzed | 2012-05-21 10:48
Analyst | SES, TC
Analysis Prep | Prep by Separatory Funnel, EPA 3510 NP
Analyzed In | Iowa City
Date Verified | 2012-05-23 10:57
Verifier | TC

Analyte	Result	Quant Limit
EPTC	<0.1	0.1
Butylate	<0.1	0.1
Propachlor	<0.1	0.1
Desisopropyl atrazine	<0.1	0.1
Trifluralin	<0.1	0.1



State Hygienic Laboratory

The University of Iowa

Accession Number | 30962

Analyte	Result	Quant Limit
Desethyl atrazine	<0.1	0.1
Prometon	<0.1	0.1
Simazine	<0.1	0.1
Atrazine	<0.1	0.1
Propazine	<0.1	0.1
Dimethenamid	<0.1	0.1
Metribuzin	<0.1	0.1
Acetochlor	<0.1	0.1
Alachlor	0.7	0.1
Ametryn	<0.1	0.1
Metolachlor	1.5	0.1
Cyanazine	<0.1	0.1
Butachlor	<0.1	0.1

Note: This data was generated using an agency-approved method (EPA, USGS, FDA, etc.) extended to determine analytes not specifically included in the method. Acceptable QC demonstrated.

Prep by Separatory Funnel, EPA 3510 NP

Units	ug/L	Analyzed In	Iowa City
Date Analyzed	2012-05-16 07:10	Date Verified	2012-05-17 14:29
Analyst	GJ	Verifier	PM

Description of Units used within this report

mg/L = Milligrams per Liter
ug/L = Micrograms per Liter

The result(s) of this report relate only to the items analyzed. This report shall not be reproduced except in full without the written approval of the laboratory.

Iowa Environmental Laboratory IDs are: Ankeny #397, Iowa City/Coralville #027, Lakeside #393.

If you have any questions, please call Client Services at 800/421-IOWA (4692) or 319/335-4500. Thank you.



State Hygienic Laboratory

The University of Iowa

TAMI RICE
 IDNR CONTAMINATED SITES
 LAND QUALITY BUREAU
 502 E 9TH STREET
 DES MOINES, IA 50319-0034

Accession Number	30963
Date Sample Finalized	2012-06-04 14:44
Date Received	2012-05-14 15:47
Sample Source	Non-Drinking Water
Project	WMSF
Date Collected	2012-05-14 12:30
Collection Site	mw-2
Collection Town	PALO
Sample Description	ground water
Client Reference	7537/3814
Collector	rice tami s.
Phone	515/281-4420

Note: Project: Thermogas-Palo

Upon arrival, sample met container and preservation requirements for the analysis requested. Please review carefully your sample results for additional analyte comments or method exceptions.

Results of Analyses

Ammonia as N, LAC 10-107-06-1J

Units	mg/L	Analyzed In	Ankeny
Date Analyzed	2012-05-22 11:16	Date Verified	2012-05-25 13:09
Analyst	JAB	Verifier	JE

Analyte	Result	Quant Limit
Ammonia nitrogen as N	<0.050	0.05

Nitrate + Nitrite as N, LAC 10-107-04-1J

Units	mg/L	Analyzed In	Ankeny
Date Analyzed	2012-06-04 11:22	Date Verified	2012-06-04 14:44
Analyst	JE	Verifier	DS

Analyte	Result	Quant Limit
Nitrate + Nitrite nitrogen as N	11	0.1

GCMS Pesticides, EPA 8270

Units	ug/L	Analyzed In	Iowa City
Date Analyzed	2012-05-21 11:19	Date Verified	2012-05-23 10:58
Analyst	SES, TC	Verifier	TC
Analysis Prep	Prep by Separatory Funnel, EPA 3510 NP		

Analyte	Result	Quant Limit
EPTC	<0.1	0.1
Butylate	<0.1	0.1
Propachlor	<0.1	0.1
Desisopropyl atrazine	<0.1	0.1
Trifluralin	<0.1	0.1
Desethyl atrazine	<0.1	0.1
Prometon	<0.1	0.1



State Hygienic Laboratory

The University of Iowa

Accession Number | 30963

Analyte	Result	Quant Limit
Simazine	<0.1	0.1
Atrazine	<0.1	0.1
Propazine	<0.1	0.1
Dimethenamid	<0.1	0.1
Metribuzin	<0.1	0.1
Acetochlor	<0.1	0.1
Alachlor	<0.1	0.1
Ametryn	<0.1	0.1
Metolachlor	0.2	0.1
Cyanazine	<0.1	0.1
Butachlor	<0.1	0.1

Note: This data was generated using an agency-approved method (EPA, USGS, FDA, etc.) extended to determine analytes not specifically included in the method. Acceptable QC demonstrated.

Prep by Separatory Funnel, EPA 3510 NP

Units | ug/L
 Date Analyzed | 2012-05-16 07:10
 Analyst | GJ

Analyzed In | Iowa City
 Date Verified | 2012-05-17 14:29
 Verifier | PM

Description of Units used within this report

mg/L = Milligrams per Liter
 ug/L = Micrograms per Liter

The result(s) of this report relate only to the items analyzed. This report shall not be reproduced except in full without the written approval of the laboratory.

Iowa Environmental Laboratory IDs are: Ankeny #397, Iowa City/Coralville #027, Lakeside #393.

If you have any questions, please call Client Services at 800/421-IOWA (4692) or 319/335-4500. Thank you.



State Hygienic Laboratory

The University of Iowa

TAMI RICE
IDNR CONTAMINATED SITES
LAND QUALITY BUREAU
502 E 9TH STREET
DES MOINES, IA 50319-0034

Accession Number	30964
Date Sample Finalized	2012-05-31 14:02
Date Received	2012-05-14 15:47
Sample Source	Non-Drinking Water
Project	WMSF
Date Collected	2012-05-14 12:15
Collection Site	mw-3
Collection Town	PALO
Sample Description	ground water
Client Reference	7537/3814
Collector	rice tami s.
Phone	515/281-4420

Note: Project: Thermogas-Palo

Upon arrival, sample met container and preservation requirements for the analysis requested. Please review carefully your sample results for additional analyte comments or method exceptions.

Results of Analyses

Ammonia as N, LAC 10-107-06-1J

Units	mg/L	Analyzed In	Ankeny
Date Analyzed	2012-05-22 11:16	Date Verified	2012-05-25 13:09
Analyst	JAB	Verifier	JE

Analyte	Result	Quant Limit
Ammonia nitrogen as N	<0.050	0.05

Nitrate + Nitrite as N, LAC 10-107-04-1J

Units	mg/L	Analyzed In	Ankeny
Date Analyzed	2012-05-31 13:29	Date Verified	2012-05-31 14:02
Analyst	JE	Verifier	TAB

Analyte	Result	Quant Limit
Nitrate + Nitrite nitrogen as N	7.2	0.1

GCMS Pesticides, EPA 8270

Units	ug/L	Analyzed In	Iowa City
Date Analyzed	2012-05-21 11:49	Date Verified	2012-05-23 10:59
Analyst	SES, TC	Verifier	TC
Analysis Prep	Prep by Separatory Funnel, EPA 3510 NP		

Analyte	Result	Quant Limit
EPTC	<0.1	0.1
Butylate	<0.1	0.1
Propachlor	<0.1	0.1
Desisopropyl atrazine	<0.1	0.1
Trifluralin	<0.1	0.1
Desethyl atrazine	0.1	0.1
Prometon	<0.1	0.1



State Hygienic Laboratory

The University of Iowa

Accession Number | 30964

Analyte	Result	Quant Limit
Simazine	<0.1	0.1
Atrazine	<0.1	0.1
Propazine	<0.1	0.1
Dimethenamid	<0.1	0.1
Metribuzin	<0.1	0.1
Acetochlor	<0.1	0.1
Alachlor	<0.1	0.1
Ametryn	<0.1	0.1
Metolachlor	<0.1	0.1
Cyanazine	<0.1	0.1
Butachlor	<0.1	0.1

Note: This data was generated using an agency-approved method (EPA, USGS, FDA, etc.) extended to determine analytes not specifically included in the method. Acceptable QC demonstrated.

Prep by Separatory Funnel, EPA 3510 NP

Units | ug/L
 Date Analyzed | 2012-05-16 07:10
 Analyst | GJ

Analyzed In | Iowa City
 Date Verified | 2012-05-17 14:29
 Verifier | PM

Description of Units used within this report

mg/L = Milligrams per Liter
 ug/L = Micrograms per Liter

The result(s) of this report relate only to the items analyzed. This report shall not be reproduced except in full without the written approval of the laboratory.

Iowa Environmental Laboratory IDs are: Ankeny #397, Iowa City/Coralville #027, Lakeside #393.

If you have any questions, please call Client Services at 800/421-IOWA (4692) or 319/335-4500. Thank you.



State Hygienic Laboratory

The University of Iowa

TAMI RICE
 IDNR CONTAMINATED SITES
 LAND QUALITY BUREAU
 502 E 9TH STREET
 DES MOINES, IA 50319-0034

Accession Number	30965
Date Sample Finalized	2012-05-31 14:02
Date Received	2012-05-14 15:47
Sample Source	Non-Drinking Water
Project	WMSF
Date Collected	2012-05-14 12:40
Collection Site	mw-4
Collection Town	PALO
Sample Description	ground water
Client Reference	7537/3814
Collector	rice tami s.
Phone	515/281-4420

Note: Project: Thermogas-Palo

Upon arrival, sample met container and preservation requirements for the analysis requested. Please review carefully your sample results for additional analyte comments or method exceptions.

Results of Analyses

Ammonia as N, LAC 10-107-06-1J

Units	mg/L	Analyzed In	Ankeny
Date Analyzed	2012-05-22 11:16	Date Verified	2012-05-25 13:09
Analyst	JAB	Verifier	JE

Analyte	Result	Quant Limit
Ammonia nitrogen as N	<0.050	0.05

Nitrate + Nitrite as N, LAC 10-107-04-1J

Units	mg/L	Analyzed In	Ankeny
Date Analyzed	2012-05-31 13:29	Date Verified	2012-05-31 14:02
Analyst	JE	Verifier	TAB

Analyte	Result	Quant Limit
Nitrate + Nitrite nitrogen as N	12	0.1

GCMS Pesticides, EPA 8270

Units	ug/L	Analyzed In	Iowa City
Date Analyzed	2012-05-21 12:20	Date Verified	2012-05-23 11:01
Analyst	SES, TC	Verifier	TC
Analysis Prep	Prep by Separatory Funnel, EPA 3510 NP		

Analyte	Result	Quant Limit
EPTC	<0.1	0.1
Butylate	<0.1	0.1
Propachlor	<0.1	0.1
Desisopropyl atrazine	0.1	0.1
Trifluralin	<0.1	0.1
Desethyl atrazine	<0.1	0.1
Prometon	<0.1	0.1



State Hygienic Laboratory

The University of Iowa

Accession Number | 30965

Analyte	Result	Quant Limit
Simazine	<0.1	0.1
Atrazine	<0.1	0.1
Propazine	<0.1	0.1
Dimethenamid	<0.1	0.1
Metribuzin	<0.1	0.1
Acetochlor	<0.1	0.1
Alachlor	<0.1	0.1
Ametryn	<0.1	0.1
Metolachlor	<0.1	0.1
Cyanazine	<0.1	0.1
Butachlor	<0.1	0.1

Note: This data was generated using an agency-approved method (EPA, USGS, FDA, etc.) extended to determine analytes not specifically included in the method. Acceptable QC demonstrated.

Prep by Separatory Funnel, EPA 3510 NP

Units | ug/L
 Date Analyzed | 2012-05-16 07:10
 Analyst | GJ

Analyzed In | Iowa City
 Date Verified | 2012-05-17 14:29
 Verifier | PM

Description of Units used within this report

mg/L = Milligrams per Liter
 ug/L = Micrograms per Liter

The result(s) of this report relate only to the items analyzed. This report shall not be reproduced except in full without the written approval of the laboratory.

Iowa Environmental Laboratory IDs are: Ankeny #397, Iowa City/Coralville #027, Lakeside #393.

If you have any questions, please call Client Services at 800/421-IOWA (4692) or 319/335-4500. Thank you.



State Hygienic Laboratory

The University of Iowa

TAMI RICE
 IDNR CONTAMINATED SITES
 LAND QUALITY BUREAU
 502 E 9TH STREET
 DES MOINES, IA 50319-0034

Accession Number	30966
Date Sample Finalized	2012-05-31 14:03
Date Received	2012-05-14 15:47
Sample Source	Non-Drinking Water
Project	WMSF
Date Collected	2012-05-14 12:35
Collection Site	mw-5
Collection Town	PALO
Sample Description	ground water
Client Reference	7537/3814
Collector	rice tami s.
Phone	515/281-4420

Note: Project: Thermogas-Palo

Upon arrival, sample met container and preservation requirements for the analysis requested. Please review carefully your sample results for additional analyte comments or method exceptions.

Results of Analyses

Ammonia as N, LAC 10-107-06-1J

Units	mg/L	Analyzed In	Ankeny
Date Analyzed	2012-05-22 11:16	Date Verified	2012-05-25 13:09
Analyst	JAB	Verifier	JE

Analyte	Result	Quant Limit
Ammonia nitrogen as N	<0.050	0.05

Nitrate + Nitrite as N, LAC 10-107-04-1J

Units	mg/L	Analyzed In	Ankeny
Date Analyzed	2012-05-31 13:29	Date Verified	2012-05-31 14:03
Analyst	JE	Verifier	TAB

Analyte	Result	Quant Limit
Nitrate + Nitrite nitrogen as N	6.5	0.1

GCMS Pesticides, EPA 8270

Units	ug/L	Analyzed In	Iowa City
Date Analyzed	2012-05-21 12:51	Date Verified	2012-05-23 11:01
Analyst	SES, TC	Verifier	TC
Analysis Prep	Prep by Separatory Funnel, EPA 3510 NP		

Analyte	Result	Quant Limit
EPTC	<0.1	0.1
Butylate	<0.1	0.1
Propachlor	<0.1	0.1
Desisopropyl atrazine	<0.1	0.1
Trifluralin	<0.1	0.1
Desethyl atrazine	<0.1	0.1
Prometon	<0.1	0.1



State Hygienic Laboratory

The University of Iowa

Accession Number | 30966

Analyte	Result	Quant Limit
Simazine	<0.1	0.1
Atrazine	<0.1	0.1
Propazine	<0.1	0.1
Dimethenamid	<0.1	0.1
Metribuzin	<0.1	0.1
Acetochlor	<0.1	0.1
Alachlor	<0.1	0.1
Ametryn	<0.1	0.1
Metolachlor	<0.1	0.1
Cyanazine	<0.1	0.1
Butachlor	<0.1	0.1

Note: This data was generated using an agency-approved method (EPA, USGS, FDA, etc.) extended to determine analytes not specifically included in the method. Acceptable QC demonstrated.

Prep by Separatory Funnel, EPA 3510 NP

Units | ug/L
Date Analyzed | 2012-05-16 07:10
Analyst | GJ

Analyzed In | Iowa City
Date Verified | 2012-05-17 14:29
Verifier | PM

Description of Units used within this report

mg/L = Milligrams per Liter

ug/L = Micrograms per Liter

The result(s) of this report relate only to the items analyzed. This report shall not be reproduced except in full without the written approval of the laboratory.

Iowa Environmental Laboratory IDs are: Ankeny #397, Iowa City/Coralville #027, Lakeside #393.

If you have any questions, please call Client Services at 800/421-IOWA (4692) or 319/335-4500. Thank you.



State Hygienic Laboratory

The University of Iowa

TAMI RICE
 IDNR CONTAMINATED SITES
 LAND QUALITY BUREAU
 502 E 9TH STREET
 DES MOINES, IA 50319-0034

Accession Number	30967
Date Sample Finalized	2012-06-04 14:44
Date Received	2012-05-14 15:47
Sample Source	Non-Drinking Water
Project	WMSF
Date Collected	2012-05-14 12:50
Collection Site	mw-1
Collection Town	PALO
Sample Description	ground water
Client Reference	7537/3814
Collector	rice tami s.
Phone	515/281-4420

Note: Project: Thermogas-Palo

Upon arrival, sample met container and preservation requirements for the analysis requested. Please review carefully your sample results for additional analyte comments or method exceptions.

Results of Analyses

Ammonia as N, LAC 10-107-06-1J

Units	mg/L
Date Analyzed	2012-05-29 11:48
Analyst	JAB

Analyzed In	Ankeny
Date Verified	2012-05-31 11:25
Verifier	TAB

Analyte	Result	Quant Limit
Ammonia nitrogen as N	27	0.05

Nitrate + Nitrite as N, LAC 10-107-04-1J

Units	mg/L
Date Analyzed	2012-06-04 11:22
Analyst	JE

Analyzed In	Ankeny
Date Verified	2012-06-04 14:44
Verifier	DS

Analyte	Result	Quant Limit
Nitrate + Nitrite nitrogen as N	55	0.1

GCMS Pesticides, EPA 8270

Units	ug/L
Date Analyzed	2012-05-21 13:22
Analyst	SES, TC
Analysis Prep	Prep by Separatory Funnel, EPA 3510 NP

Analyzed In	Iowa City
Date Verified	2012-05-23 11:42
Verifier	TC

Analyte	Result	Quant Limit
EPTC	<0.1	0.1
Butylate	1.5	0.1
Propachlor	<0.1	0.1
Desisopropyl atrazine	<0.1	0.1
Trifluralin	<0.1	0.1
Desethyl atrazine	0.2	0.1
Prometon	<0.1	0.1



State Hygienic Laboratory

The University of Iowa

Accession Number | 30967

Analyte	Result	Quant Limit
Simazine	<0.1	0.1
Atrazine	1.8	0.5
Propazine	<0.1	0.1
Dimethenamid	<0.1	0.1
Metribuzin	<0.1	0.1
Acetochlor	<0.1	0.1
Alachlor	110	10.
Ametryn	<0.1	0.1
Metolachlor	56	10.
Cyanazine	<0.1	0.1
Butachlor	<0.1	0.1

Analyte	Result	Quant Limit
Carbofuran	0.4	0.1

Note: This data was generated using an agency-approved method (EPA, USGS, FDA, etc.) extended to determine analytes not specifically included in the method. Acceptable QC demonstrated.

Prep by Separatory Funnel, EPA 3510 NP

Units		ug/L	Analyzed In		Iowa City
Date Analyzed		2012-05-16 07:10	Date Verified		2012-05-17 14:29
Analyst		GJ	Verifier		PM

Description of Units used within this report

mg/L = Milligrams per Liter
 ug/L = Micrograms per Liter

The result(s) of this report relate only to the items analyzed. This report shall not be reproduced except in full without the written approval of the laboratory.

Iowa Environmental Laboratory IDs are: Ankeny #397, Iowa City/Coralville #027, Lakeside #393.

If you have any questions, please call Client Services at 800/421-IOWA (4692) or 319/335-4500. Thank you.



State Hygienic Laboratory

The University of Iowa

TAMI RICE
 IDNR CONTAMINATED SITES
 LAND QUALITY BUREAU
 502 E 9TH STREET
 DES MOINES, IA 50319-0034

Accession Number	30968
Date Sample Finalized	2012-05-31 14:03
Date Received	2012-05-14 15:47
Sample Source	Non-Drinking Water
Project	WMSF
Date Collected	2012-05-14 12:25
Collection Site	supply well
Collection Town	PALO
Sample Description	ground water
Client Reference	7537/3814
Collector	rice tami s.
Phone	515/281-4420

Note: Project: Thermogas-Palo

Upon arrival, sample met container and preservation requirements for the analysis requested. Please review carefully your sample results for additional analyte comments or method exceptions.

Results of Analyses

Ammonia as N, LAC 10-107-06-1J

Units	mg/L	Analyzed In	Ankeny
Date Analyzed	2012-05-29 08:22	Date Verified	2012-05-29 13:01
Analyst	JE, JAB	Verifier	TAB
Analysis Prep	Ammonia distillation		

Analyte	Result	Quant Limit
Ammonia nitrogen as N	2.0	0.05

Nitrate + Nitrite as N, LAC 10-107-04-1J

Units	mg/L	Analyzed In	Ankeny
Date Analyzed	2012-05-31 13:29	Date Verified	2012-05-31 14:03
Analyst	JE	Verifier	TAB

Analyte	Result	Quant Limit
Nitrate + Nitrite nitrogen as N	<0.10	0.1

GCMS Pesticides, EPA 8270

Units	ug/L	Analyzed In	Iowa City
Date Analyzed	2012-05-21 14:29	Date Verified	2012-05-23 11:02
Analyst	SES, TC	Verifier	TC
Analysis Prep	Prep by Separatory Funnel, EPA 3510 NP		

Analyte	Result	Quant Limit
EPTC	<0.1	0.1
Butylate	<0.1	0.1
Propachlor	<0.1	0.1
Desisopropyl atrazine	<0.1	0.1
Trifluralin	<0.1	0.1
Desethyl atrazine	<0.1	0.1



State Hygienic Laboratory

The University of Iowa

Accession Number | 30968

Analyte	Result	Quant Limit
Prometon	<0.1	0.1
Simazine	<0.1	0.1
Atrazine	<0.1	0.1
Propazine	<0.1	0.1
Dimethenamid	<0.1	0.1
Metribuzin	<0.1	0.1
Acetochlor	<0.1	0.1
Alachlor	<0.1	0.1
Ametryn	<0.1	0.1
Metolachlor	<0.1	0.1
Cyanazine	<0.1	0.1
Butachlor	<0.1	0.1

Note: This data was generated using an agency-approved method (EPA, USGS, FDA, etc.) extended to determine analytes not specifically included in the method. Acceptable QC demonstrated.

Prep by Separatory Funnel, EPA 3510 NP

Units | ug/L
 Date Analyzed | 2012-05-16 07:10
 Analyst | GJ

Analyzed In | Iowa City
 Date Verified | 2012-05-17 14:29
 Verifier | PM

Description of Units used within this report

mg/L = Milligrams per Liter
 ug/L = Micrograms per Liter

The result(s) of this report relate only to the items analyzed. This report shall not be reproduced except in full without the written approval of the laboratory.

Iowa Environmental Laboratory IDs are: Ankeny #397, Iowa City/Coralville #027, Lakeside #393.

If you have any questions, please call Client Services at 800/421-IOWA (4692) or 319/335-4500. Thank you.

Sample Type/Matrices: (Must check one)

- ▼ Water
 - Waste Water
 - Drinking Water
 - Surface Water
 - Ground Water
 - Other _____
- ▼ Solids
 - Soil
 - Foliage
 - Sludge
 - Sediment

DNR Project Codes: (Must check one)

- 17WSTECH
- WQUST
- 04WQFS
- 05WQFK
- 07WQER
- WMSF
- WQSWR
- 16WSCOMP

REPORT TO:

Name of Person: Tami Rice
 IDNR & Office: Contaminated Sites/Wallace Bldg
 Street Address: 502 E 9th Street
 City, State, Zip: Des Moines, Iowa 50319
 Phone Number: 515-281-4420
 Fax Number: 515-281-8895
 E-MAIL: tami.rice@dnr.iowa.gov

BILL TO: same as Report to:

Complete the following information only for public water supply

PWS Name: _____
 PWS ID: _____ Water Facility ID #: _____ Sampling Point ID: _____
 Sample Category: CH TC RA PB RP RT SP RP
*choose one *choose one
 CH—Chemical, TC—Coliform, RA—Radionuclides, PB—Lead RT – Routine, SP – Special, RP— Repeat
 Chlorine Residual: Free _____ mg/L Total _____ mg/L

Environmental Sample Collection Form

Requested Analyses

Analysis and Method Requested: Common Herbicides, Ammonia as nitrogen, & Nitrate-nitrite as nitrogen

Complete the following information. Please use one form per site.

Collection Site: MW-1, MW-2, MW-3, MW-4, MW-5, MW-6, Supply Number of bottles submitted
Specific sample location/SHL bottle #(s) well per collection site: 2
 Collection Location: Palo, Iowa
(Town, County, GPS, Township, Section, Road Intersection, etc)
 Collection Date/Time: 2012/05/14 12:15 Client Reference: 7537/3814
Year mm dd Military time Additional client information if needed
 Collector's Name: Tami S. Rice Collector's Phone #: 515-281-4420
Please print
 Collector's Signature: Tami S. Rice

Chain of Custody/Tracking Signatures

Relinquished by: Tami S. Rice Date/Time: 2012/05/14 3:44 PM
 Received by: _____ Date/Time: _____
 Relinquished by: _____ Date/Time: _____
 Received by: _____ Date/Time: _____
SHL Custodian

For SHL use only. Please do not write below here.

SAMPLE INTACT: Yes No pH: _____ TEMPERATURE: 4.8
 Comments: 7-#18 7-#2

Place Label Here

Place Label Here

Place Label Here

State Hygienic Laboratory

Lakeside Laboratories
 1838 Highway 86
 Milford, IA 51951
 Phone #: 712-337-3669 ext. 6
 Fax #: 712-337-0227

2220 S. Ankeny Blvd
 Ankeny, IA 50021
 Phone #: 515-725-1600
 Fax #: 515-725-1642

U of I Research Park
 Iowa City, IA 52242-5002
 Phone #: 319-335-4500
 Fax #: 319-335-4555

http://www.uhl.uiowa.edu

IDNR Contaminated Sites Use Only: Project: Thermogas Thermogas - Palo Cost center: 7537 Activity code: 3814		Comments:				Analysis Requested										Sample Labels - SHL USE ONLY		
Collection Site	Date year/mm/dd	Time military	sample matrix see below or identify other	# of Bottles	Common Herbicides	Ammonia as N	Nitrate -Nitrite as N											
MW-6 MW-6	2012/05/14	12:55	GW	2	✓	✓	✓											
MW-2	2012/05/14	12:30	GW	2	✓	✓	✓											
MW-3	2012/05/14	12:15	GW	2	✓	✓	✓											
MW-4	2012/05/14	12:40	GW	2	✓	✓	✓											
MW-5	2012/05/14	12:35	GW	2	✓	✓	✓											
MW-6 MW-1	2012/05/14	12:40 12:50	GW	2	✓	✓	✓											
Supply well	2012/05/14	12:25	GW	2	✓	✓	✓											

Sample Type/Matrices: ▼ Water
 Waste Water
 Drinking Water
 Surface Water
 Ground Water

▼ Solids
 Soil
 Foliage
 Sludge
 Sediment

Print Form