IOWA DEPARTMENT OF NATURAL RESOURCES LAND & WATERS BUREAU WALLACE STATE OFFICE BUILDING

KOSZTA ACCESS WMA BANK STABILIZATION IOWA COUNTY, IOWA PROJECT NUMBER: 17-06-48-01

JANUARY 14, 2022

This Addendum is issued to modify, explain or correct the original Drawings and Specifications, and is hereby made a part of the Contract Documents. Please attach this Addendum to the Project Manual in your possession. Insert the number and issue date of this Addendum in the blank space provided on the Proposal Form.

Plans:

1. Sheet C.01 – ESTIMATED PROJECT QUANTITIES

ADD: ITEM NO. 12 – 2599 – Placement of Broken Concrete (Class E Revetment); 130 TONS.

2. Sheet C.01 – ESTIMATE REFERENCE SECTION

ADD:

ITEM NO. 12.

- A. Place broken up concrete along with Class E revetment.
- B. Approximately 130 tons have been delivered to project site.
- C. This item is for placement only.

Sheet C.01 has been superseded by the attached Sheet C.01.

SPECIFICATIONS:

1. 00300 PROPOSAL, PAGE 2

ADD:

ITEM NO 12 – 2599 – Placement of Broken Concrete (Class E Revetment); 130 TONS.

2. "Addendum No. 1 01/14/2022", has been added.

Proposal 00300 (2 pages) has been superseded by the attached Proposal 00300 (2 pages).

ESTIMATED PROJECT QUANTITIES

| ITEM N | O. ITEM | UNIT | TOTAL | | |
|-------------|--|------|-------|--|--|
| 1 | 2101 - Clear+Grub Brush Removal | 1 | LS | | |
| 2 | 2104 - Class 10, Channel | 926 | СҮ | | |
| 3 | 2113 - Engineering Fabric | 800 | SY | | |
| 4 | 2127 - Reconstruction of Roadbed - Blading & Shaping | 6.7 | STA | | |
| 5 | 2312 - Granular Surfacing on Road, 1-IN. Crushed Stone | 110 | TON | | |
| 6 | 2312 - Granular Surfacing on Road, 2-IN. Crushed Stone | 22 | TON | | |
| 7 | 2507 - Class E Revetment | 1210 | TON | | |
| 8 | 2518 - Safety Closure | 1 | EA | | |
| 9 | 2528 - Traffic Control | 1 | LS | | |
| 10 | | 1 | LS | | |
| 11 | 2601 - Seeding and Fertilizing, Rural | 1 | ACRE | | |
| 12 | 2599 - Placement of Broken Concrete (Class E Revetment) | 130 | TON | | |
| | | | | | |
| | I | _ | | | |
| | | | | | |
| | | _ | | | |
| | | | | | |
| | | _ | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | ESTIMATE REFERENCE INFORMATION | | | | |
| ITEM NO. | DESCRIPTION | | | | |
| 2 | Removal will include at least one large 48" diameter tree. The tree shall be completely removed, including the root ball. The tree, root ball and all other brush shall be moved/pushed to the designated area. For bank shaping as needed. Obtain DNR Field Engineer approval of bank shaping before placeing any revetment. Dispose of any excess spoil off site. | | | | |
| 3 | 2-foot minimum overlap on all seams. DOT approved source. | | | | |
| 4 | A. Repair all potholes by scarifying surrounding area to depth of pothole and recompacting. Re-establish roadway crown - 4% positive drainage each way from centerline; 4% across the width in banked sections. C. Remove any high shoulder areas, before spreading new rock. D. STA 100+00 - 101+05 is a NEW road - blade/cut organic material off before spreading rock. Dispose of spoil off-site. | | | | |
| 5,6 | 1-inch/2-inch crushed stone or approved equal. Blade cnd mechanically roll after dumping rock. DOT approved source. | | | | |
| 7 | A. Embankment slope armoring.B. Place at the direction of DNR Field Engineer.C. DOT approved source. | | | | |
| 8 | A. Follow DOT Spec Section 2518 for safety closure set up. | | | | |
| 11 | A. Seed/fertilize all disturbed areas.B. Dot approved source | | | | |
| | | | | | |

GENERAL NOTES

Verify actual locations and elevations with DNR Engineer.

All work shall conform to and be performed in accordance with all ordinances.

The contractor shall visit the site and inspect the project area and t themselves with the actual job conditions prior to bidding and the visit the project site shall not relieve the contractor from performin to the plans, specification, special provisions and contract.

The contractor shall verify, at the site, all dimensions and condition shall notify the DNR Engineer of any discrepancies, omissions, and, proceeding with the work.

It shall be the contractor's responsibility to provide waste areas or material (excavated material or broken concrete) which is not desi into the work involved on this project. No payment for overhaul w hauled to these sites. No material shall be placed within the rightstated in the plans or approved by the DNR Engineer.

The contractor shall not disturb desirable grass areas and desirable construction limits. The contractor will not be permitted to park o equipment or use these areas for storage of materials. Storage, pawill be subject to the approval of the DNR Engineer.

Where utilities and fixtures are shown as Existing on the plans or econstruction area, it shall be the responsibility of the contractor to of those utilities prior to the beginning of any construction. The co access to these facilities for necessary modification of services. Un structures and utilities have been plotted from available surveys ar their locations must be considered approximate only. It is possible existence of which is presently not known or shown. It is the contracter determine their existence and exact location and to avoid damage additional compensation will be allowed to the contractor for any i caused by such work.

The contractor shall shape graded area to maintain surface drainage finish grade.

The contractor is expected to have materials, equipment, and labo to install and maintain erosion control features on the project. This fence, rock ditch checks, silt basins or silt dikes.

| | <u></u> |
|--|---|
| | CONSULTANT |
| applicable codes and | SNO2 |
| applicable codes and | Ŭ |
| thoroughly familiarize | |
| start of work. Failure to | |
| ng the work in accordance | |
| | |
| ns shown on the plans and | |
| /or conflicts prior to | |
| | L S: 54 |
| disposal sites for excess | CECE |
| irable to be incorporated vill be allowed for material | |
| of-way, unless specifically | |
| , | OWA DEPARTMENT OF NATURAL RESOURCES ENGINEERING SERVICES - WALLACE BULLING 502 E, 9TH ST., DES MOINES, IA 50319-0034 |
| e trees outside the | EP DES VI |
| or service vehicles and | |
| arking and service areas | |
| | |
| encountered within the | |
| o notify the DNR Engineer | |
| ontractor shall be afforded nderground facilities, | |
| nd records and therefore | |
| e there may be others, the | |
| ractor's responsibility to thereto. No claims for | |
| interference or delay | |
| | |
| ge. All elevations are to | |
| | |
| or available on a daily basis | |
| is may involve seeding, silt | IES AND GENERAL INFOI RIP RAP FOR: KOSZTA ACCESS WMA |
| | |
| | SS SS |
| | |
| | GENER RIP RAP FOR: A C C E: |
| | |
| | ZI, ZI, |
| | |
| | |
| | |
| | QUANTITIES AND GENERAL INFORMATI RIP RAP FOR: KOSZTA ACCESS WMA |
| | 0 |
| | |
| | |
| | |
| | DRAWN BY, PROJECT NUMBER: |
| | BLF 17-06-48-01 |
| | SHEET No. |
| | C.01 |
| | |
| | |

Time and Date of Letting 11:00 AM, January 20, 2022

Project Description and Location

BANK STABILIZATION KOSZTA ACCESS WMA IOWA COUNTY, Iowa

Project No.

17-06-48-01

| Proposal of: | | | | |
|--------------------|---------------------------|------------------------------------|---------------------------|--|
| | | (Name of Bidder) | | |
| Located at: | | | | |
| | (Address) | (Telep | ephone include area code) | |
| | | | | |
| Amount of | Specified completion date | Approx. or Specified Starting Date | Liquidated Damages | |
| Proposal Guarantee | or Number of Working Days | or Number of Working Days | Per Day | |
| \$6,250.00 | September 30, 2022 | N/A | \$100.00 | |

The undersigned hereby agrees, if awarded the contract, to execute the proposed contract and to furnish an approved performance bond in a amount not less than 100 percent of the contract award within 30 days after the date of approval of award of the contract, and to provide all labor, materials, and equipment required to complete the project designated above, for the price hereinafter set forth, in strict compliance with the contract documents prepared by the lowa Department of Natural Resources.

The undersigned agrees, if awarded the contract, to commence the work within a reasonable time after the preconstruction conference or by the specific starting date, if so specified, and to complete the work within the contract period, or to pay liquidated damages in the amount stipulated herein for each calendar day the work remains uncompleted after the expiration of the contract period or any authorized reduction thereof.

A proposal guarantee in the amount stipulated herein is included with this proposal, to be forfeited to the Iowa Department of Natural Resources if the undersigned fails to execute the contract and furnish an approved performance bond, if awarded the contract.

By virtue of statutory authority, preference will be given to products and provisions grown and coal produced within the state of Iowa, and also, a resident bidder shall be allowed a preference against a nonresident bidder from a state or foreign country which gives or requires a preference to bidders from that state or foreign country on projects in which there are no federal funds involved.

ΒY

| (Iowa Contractor Registration No.) | (Signed) | (Date) |
|------------------------------------|----------------|--------------|
| (FID/EIN/SSN) | (Phone Number) | (Fax Number) |
| | (Email A | ddress) |

By signing and submitting the proposal, the bidder:

 Gives an unsworn declaration on behalf of each person, firm, association, partnership, or corporation has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action in restraint of free competitive bidding in connection with such contract, and is not under debarment currently by the Federal government for a criminal violation which is reasonably related to bidding and contracting procedures; and 2. Affirms to have examined the plans, specifications, and job site to become acquainted with the adjacent areas, means of approach to the site, conditions of the actual job site, and the facilities for delivering, storing, placing, and handling of materials and equipment.

SCHEDULE OF PRICES

Project Description and Location

BANK STABILIZATION, KOSZTA ACCESS WMA, IOWA COUNTY

Name of Bidder

THE "UNIT PRICE" AND "AMOUNT" COLUMNS MUST BE FILLED IN FOR THIS PROPOSAL TO BE CONSIDERED COMPLETE. IF THERE IS A DISCREPANCY BETWEEN UNIT BID PRICES, EXTENSIONS, OR TOTAL AMOUNTS OF BID, THE UNIT PRICES SHALL GOVERN.

| ltem No. | Description | Estimated Quantity | | Unit Price | Amount |
|-------------|--|-----------------------|------|------------|--------|
| 1 | 2101 - Clear+Grub Brush Removal | 1 | LS | | |
| 2 | 2104 - Class 10, Channel | 926 | СҮ | | |
| 3 | 2113 - Engineering Fabric | 800 | SY | | |
| 4 | 2127 - Reconstruction of Roadbed - Blading & Shaping | 6.7 | STA | | |
| 5 | 2312 - Granular Surfacing on Road, 1-IN. Crushed Stone | 110 | TON | | |
| 6 | 2312 - Granular Surfacing on Road, 2-IN. Crushed Stone | 22 | TON | | |
| 7 | 2507 - Class E Revetment | 1210 | TON | | |
| 8 | 2518 - Safety Closure | 1 | EA | | |
| 9 | 2528 - Traffic Control | 1 | LS | | |
| 10 | 2533 - Mobilization | 1 | LS | | |
| 11 | 2601 - Seeding and Fertilizing, Rural | 1 | ACRE | | |
| 12 | 2599 – Placement of Broken Concrete (Class E Revetment) | 130 | TON | | |
| | | | | Total | |

| Bidder Acknowledges Receipt of Any Issued Addenda | а |
|---|---|
| Below | |
| | |

Addendum No. 1

(Number and Date)

01/14/2022

List of Subcontractors (Attach additional pages, if necessary)