SNYDER & ASSOCIATES

IOWA | MISSOURI | NEBRASKA | SOUTH DAKOTA | WISCONSIN

January 16, 2026

Mr. Trent Lambert
Iowa DNR Field Office 2
2300 15th Street SW
Mason City, IA 50401

RE: PUBLIC NOTICE OF ANTIDEGRADATION ALTERNATIVES ANALYSIS
WEBSTER CITY WASTEWATER TREATMENT PLANT
CITY OF WEBSTER CITY

Dear Mr. Lambert:

The enclosed Public Notice has been submitted to your office as required by the "Iowa Antidegradation Implementation Procedure" effective February 17, 2010. Further information regarding the "Iowa Antidegradation Implementation Procedure" may be obtained on the Iowa DNR's web site at:

https://www.iowadnr.gov/Environmental-Protection/Water-Quality/Water-Quality-Standards/Antidegradation

Please feel free to contact me if there are any questions or comments regarding the Public Notice at 515-964-2020 or cpedersen@snyder-associates.com.

Sincerely,

SNYDER & ASSOCIATES, INC.

Christoffer Pedersen

Christoffer Pedersen, P.E.
Project Engineer

CAP/cap

Enclosure

cc: City of Webster City

Received
JAN 16 2026
Iowa DNR
Field Office #2

2727 SW SNYDER BOULEVARD | P.O. Box 1159 | ANKENY, IA 50023-0974
P: 515-964-2020 | F: 515-964-7938 | SNYDER-ASSOCIATES.COM

Public Notice

Antidegradation Alternatives Analysis for City of Webster City Wastewater Treatment Facility

Notice Date: January 16, 2026

Notice is hereby given that the City of Webster City has completed a draft Antidegradation Alternatives Analysis for discharge of treated wastewater to either the Boone River via an unnamed creek and ox bow lake (Outfall 001) or direct discharge to the Boone River (Outfall 003). The action being considered is construction of improvements to Webster City's Wastewater Treatment Facility. The unnamed creek is protected for Class A2 secondary contact recreational, and B(WW-2) warm water beneficial uses. The Boone River is protected for Class A1 primary contact recreational, Class B(WW-1) warm water, and Class HH human consumption beneficial uses.

Anyone wishing to comment on the proposed alternative must do so in writing within 30 days of the date shown at the top of this notice. Comments may be submitted to the City of Webster City by hand delivery, mail or email: John Harrenstein, City of Webster City, 400 Second Street, P.O. Box 217, Webster City, IA 50595, jharrenstein@webstercity.com.

Copies of this notice and the draft Antidegradation Alternatives Analysis are on file and available for public inspection from 8:00 AM to 5:00 PM Monday through Friday at the above address. Copies of this information may be requested by contacting the City of Webster City at 515-832-9151 or the above email address. The City of Webster City will submit a summary of comments received and Webster City's responses to the Iowa Department of Natural Resources with the final Antidegradation Alternatives Analysis subject to IDNR review and approval.