

**SOLID WASTE COMPOSTING PERMIT AMENDMENT REQUEST****3/21/22 lbh**

For: City of Davenport Compost Facility  
P.O. Box 3606  
2707 Railroad Avenue  
Davenport, IA 52808

**Permit #82-SDP-12-93P-COM**  
Expires 3/3/23

IDNR - Theresa Stiner  
515-725-8315  
[Theresa.stiner@dnr.iowa.gov](mailto:Theresa.stiner@dnr.iowa.gov)

Dear Theresa Stiner,

The **City of Davenport Compost Facility**, Pat Linehan, has requested **EnviroNET** to complete and submit a Solid Waste Composting Permit Amendment Request on their behalf.

Per Feb., 3, 2022 Compost Permit Compliance Inspection FOCD #83997 performed by Brian Lee, noted biosolids tonnage processed at the facility, the (wet) tonnage accepted over the last few years appeared to be over the amount in the permit. (note per Brian – however the tonnage amount in the permit is not specified as wet or dry tons.) 2021 last year - 26,605 tons wet solids received.

Current Permit authorizes the “acceptance and composting of up to **23,750 tons** of municipal wastewater treatment sludge annually”

This Solid Waste Composting Permit Amendment requests a higher acceptance tonnage for processing. Pat Linehan, Operations Supervisor, City of Davenport Compost Facility, has requested a new amended permit tonnage amount of 29,000.

Permit Amendment authorizing the “acceptance and composting of up to **29,000 tons** of municipal wastewater treatment sludge annually”

Please let me know if you have any questions, or if you need any else.

Please let me know if this is acceptable, and what is required for this to be processed, and documented.

Best Regards,



Lindsay Holt  
Director of Operations

(o) 563-323-2262

[lindsay@environetmidwest.com](mailto:lindsay@environetmidwest.com)

1225 E. River Drive #101, Davenport, IA 52803

|