

DIRECTOR KAYLA LYON

JUNE 03, 2022

CALVIN EHLTS, MANAGER CLEAR RESULT 4651 8th AVE MARION, IA 52302

SUBJECT: Appliance Demanufacturing Inspection - Linn CSG

Permit Number: 51-ADP-01-02

Enclosed is the report of the recent survey of the above system conducted by Chad Kehrli of this office.

We believe you will find the report self-explanatory and strongly encourage you to take action on the requirements listed near the end.

If you have any questions about the inspection or report, please contact Mr. Kehrli or this office at 563.927.2640

Sincerely,

Tom McCarthy

Tom E. Mc Canthy

Environmental Specialist Senior, Field Office # FO1

Cc: IDNR Solid Waste Section -

Efile: 57 ADP Marion Linn CSG 053122 cltr cek

PPLIANCE DEMANU	JFACTURING	(ADP) PER	MIT INS	PECTION FORM	
ADP- 01 - 0	02	County:	Linn		
G				Phone Number:	319-721-9599
8th Ave.		City/St	ate/Zip:	Marion, IA 5230)2
Calvin Ehlts				Phone Number:	319-721-9599
as above		City/St	ate/Zip:	same	
Rick High					
Calvin Ehlts					
Jacob Parker					
05/31/2022		Date of La	st Insped	ction: 04/07/201	.6
	PPLIANCE DEMANUADP- 01 - 0 8th Ave. Calvin Ehlts as above Rick High Calvin Ehlts Jacob Parker	PPLIANCE DEMANUFACTURING ADP- 01 - 02 8th Ave. Calvin Ehlts as above Rick High Calvin Ehlts Jacob Parker	PPLIANCE DEMANUFACTURING (ADP) PER ADP- 01 - 02 County: 8th Ave. City/St Calvin Ehlts as above City/St Rick High Calvin Ehlts Jacob Parker	PPLIANCE DEMANUFACTURING (ADP) PERMIT INS ADP- 01 - 02 County: Linn Bath Ave. City/State/Zip: Calvin Ehlts Rick High Calvin Ehlts Jacob Parker	Phone Number: 8th Ave. City/State/Zip: Marion, IA 5230 Phone Number: Calvin Ehlts Rick High Calvin Ehlts Jacob Parker

Storage & Handling

IAC 567 Cha	pter 118.4: Appliance Storage & Handling Prior to Demanufacturing	Yes	No	NA
118.4(1)	Are appliances being stored to prevent capacitors, refrigerant lines, compressors, and components containing mercury from being damaged and allowing a release into the environment?	×		
118.4(2)	Are appliances being handled in a way which prevents damage, cuts, or breaks in refrigerant lines, compressors, capacitors and components containing mercury from being damaged and allowing a release into the environment?	×		
118.4(3)	Are less than 1,000 appliances being stored prior to demanufacturing?	\boxtimes		
118.4(4)	Are appliances being demanufactured in 270 days or less?	\boxtimes		

Comments:

Efforts are made to process appliances within a few days of receipt.

Operations

IAC 567 Cha	pter 118.7: Fixed Facility & Mobile Operations	Yes	No	NA
118.7(1)	Is demanufacturing taking place on an impervious floor (including but not limited to concrete, ceramic tile, or metal)?	\boxtimes		
118.7(2)	Is the point of demanufacturing located 50 feet or more from a well and any water of the state?	\boxtimes		
118.7(5)	Is a unique marking system (minimum of nine inches square) being applied to the appliances after demanufacturing?	\boxtimes		

Comments:

Training

IAC 567 Chap	oter 118.8: Training	Yes	No	NA
118.8	Has at least one owner or employee completed a Department-approved training course?	\boxtimes		
118.8	Is one trained person on site at all times when appliances are being demanufactured?	\boxtimes		

Comments:

01/2022 Page 1 of 6 DNR Form 542-0140

^{*}Be advised your facility may require, due to either SIC code or onsite management practices, an NPDES General Permit #1 (Stormwater permit).

Refrigerant Recovery

IAC 567 Chapte	er 118.6: Permit Application Requirements	Yes	No	NA
118.6(8)	Is a copy of the EPA Refrigerant Recovery or Recycling Device Acquisition Certification available onsite?	\boxtimes		
608 CAA (CFR)	Is a copy of the EPA Refrigerant Reclaimer's Certification available onsite if reclamation (purification) is taking place at the facility?			\boxtimes
IAC 567 Chapte	er 118.9: Refrigerant Removal Requirements	Yes	No	NA
118.9(2)	If refrigerant is removed at a location other than a permitted ADP facility, is there documentation that it was removed by a service or repair facility certified for the removal of refrigerant?			\boxtimes
118.9(3)	Is removal of refrigerant being done in an area where the temperature of the surrounding air and that of the appliance being demanufactured is 45 degrees Fahrenheit or greater?	\boxtimes		
IAC 567 Chapte	er 118.13: Record Keeping & Reporting	Yes	No	NA
118.13(2)"a" & 118.13(2)"g"	Are the number and type of refrigerant containing appliances being tracked, as well as the amount of refrigerant removed?	\boxtimes		
118.13(3)"a"	Are bills of lading being kept as to where refrigerants are being shipped for disposal?	\boxtimes		

Comments:

Oil

IAC 567 Chapter 118.9: Refrigerant Removal Requirements		Yes	No	NA
118.9(5)	If compressor oil is being removed from the refrigeration units, is it being stored in accordance with 567-119.5 (Note: AST must be large enough and on an impermeable surface to prevent spills, meet API construction standards, have absorbent material available, have a gauge to monitor liquid level, & meet Ch. 567-135 &136 if UST)		×	

Comments:

Once compressor oil is removed it is placed in a 55 gallon drum. This drum sit on top of a drum platform that has secondary containment. At the time of this inspection, a gauge to monitor liquid levels in the drum was not present. Following this inspection a gauge was ordered and a purchase receipt was provided.

Ammonia Gas Refrigerant

IAC 567 Chapter	r 118.9: Refrigerant Removal Requirements	Yes	No	NA
118.9(6)"a"	Is the ammonia gas being vented into water and is the resulting wastewater being properly disposed of?			×
118.9(6)" <i>e</i> "	Is sodium chromate being properly stored in DOT-approved containers labeled with a proper EPA-approved chromium label stating "chromium" or "hazardous waste"?			X
118.9(6)"g"	Does the facility have an EPA ID number (RCRA)?			\boxtimes
118.9(6)"h" & 118.9(6)"i"	Is asbestos insulation being removed and handled properly?			×
IAC 567 Chapter	IAC 567 Chapter 118.13: Record Keeping & Reporting		No	NA
118.13(2)"a"(2)	Are records being kept on the number of sodium chromate—containing appliances being demanufactured			×
118.13(2)"f"	Are records being kept on the number of sodium chromate—containing appliances shipped to another demanufacturer			×
118.13(3)"a" & 118.13(3)"b"	Are records being kept on the shipment of sodium chromate (name of the facility to which sodium chromate was shipped, the date of each shipment, the amount shipped and the name and address of the transporter)?			×

Comments:

01/2022 Page 2 of 6 DNR Form 542-0140

Mercury Components

IAC 567 Chap	oter 118.10: Mercury-Containing Component Removal & Disposal	Yes	No	NA
118.10(1)	Are all components containing mercury being removed?	\boxtimes		
118.10(2)	Are mercury components being stored in containers with a proper EPA-approved label stating "Universal Waste-Mercury Containing Equipment", or Waste Mercury-Containing Equipment" in both English and the predominant language of any non-English-reading workers?	\boxtimes		
118.10(3)	Is the date when the first mercury-containing component was placed in the container affixed to the container?	X		
118.10(4)	Storage of mercury is limited to one year, after which, it must be transported to an EPA-approved recycler/recovery facility. Has storage been under one year?	X		
118.10(8)	Are fluorescent tubes, lamps, bulbs, etc., being placed in a container and packaged to prevent breakage to an EPA-approved recycler?	X		
IAC 567 Chap	oter 118.13: Record Keeping & Reporting	Yes	No	NA
118.13(2)	Are records being kept on the number of mercury-containing appliances being demanufactured, number of mercury switches removed, number of fluorescent tubes removed, as well as the number of mercury thermocouples being removed?		⊠	
118.13(3)	Are records or bills of ladings being kept on the shipment of mercury-containing components?	\boxtimes		

Comments:

Records are kept, but do not contain the number of mercury-containing appliances being demanufactured, the number of mercury switches removed, or the number of mercury thermocouples being removed. I was informed they typically only find mercury switches on the older chest freezers, and mercury thermocouples in hot water heaters (older style). I was told that a historical records review by the company has indicated approximately 0.5% of all chest freezers had a mercury switch. Facility personnel agreed to begin keeping records as noted above.

PCB Capacitors

IAC 567 Chap	oter 118.11: Capacitor Removal Requirements	Yes	No	NA
118.11(4)"a"	Does the facility have an EPA TSCA ID number for capacitor storage (required if facility has no RCRA ID #)?	\boxtimes		
118.11(4)"b"	Are PCB items being stored in a manner that provides adequate protection from the elements and adequate secondary containment? (Note: Storage must take place on an impervious material above the 100-year floodwater elevation)	X		
118.11(4)"c"	Is the point of demanufacturing located above the 100-year flood water elevation?	\boxtimes		
118.11(4)"d"	Are PCB storage containers filled to two inches of absorbent material in the bottom?	\boxtimes		
118.11(4)" <i>e</i> "	Are PCB containers DOT-approved and labeled with a 6" by 6" yellow label stating "PCBs" as described in CFR part 761.45?	\boxtimes		
118.11(4)"g"	Is the storage for non leaking small PCB capacitors that do not comply with the requirements in 118.11(4) "a" to "f" stored for less than 30 days from the date of removal and a notation places on the PCB capacitor indicating the date the item was removed from the appliance?			×
118.11(4)"f" & 118.11(4)"h"	Is the date when the first capacitor was placed in the storage container on the label? Storage of capacitors is limited to 270 days, after which they must be transported to an EPA-approved landfill or incinerator. This burial or incineration must be documented (within one year of the date on the container) and this record kept by the demanufacturer for three years from the date the PCB waste was accepted by the initial transporter.			
IAC 567 Chapter 118.13: Record Keeping & Reporting		Yes	No	NA
118.13(2)	Are records being kept on the number of PCB-containing appliances being demanufactured, number of PCB capacitors and ballasts as well as the date the first PCB-containing item was placed in the storage drum that is in use on December 31? number of mercury thermocouples being removed?		×	

01/2022 Page 3 of 6 DNR Form 542-0140

DNR APPLIANCE DEMANUFACTURING (ADP) PERMIT INSPECTION

118.13(3)"a" & 118.13(3)"b"	Are records being kept on the shipment of PCB components and the documentation of destruction or receipt from a regional collection center for all PCB materials shipped?	\boxtimes	
118.13(3)"d"	Are records being kept documenting inspections of the PCB storage area as required by 118.11(4)"h"?	\boxtimes	

Comments:

Records are being kept of the number of capacitors, etc., but records are not being kept on the number of PCB containing appliances being demanufactured. Facility personnel agreed to begin recording this information as well.

Spills

IAC 567 Chap	IAC 567 Chapter 118.12: Spills		No	NA
118.12(1)	Are spill records being kept and has the facility reported spills that resulted in a hazardous condition?			\boxtimes
118.12(2)	Is a mercury spill kit on hand?	\boxtimes		

Comments:

Reporting

IAC 567 Chap	oter 118.13. Record Keeping & Reporting	Yes	No	NA
118.13(2)	Are records being kept on appliances demanufactured in separate categories, as well as the number of each component, amount of refrigerant, etc?		\boxtimes	
118.13(3)	Are records being kept on all hazardous waste manifest and bills of lading for shipments of refrigerant, mercury switches, PCB-containing material, and kept on site for a minimum of three years?	×		
118.13(3)"f"	Are copies of annual reports (containing all the record keeping requirements) that have been sent to the Department Central Office being retained for at least three years?	\boxtimes		

Comments:

See above comments on record keeping

Processing

IAC 567 Chapter 118.15: Shredding of Appliances		Yes	No	NA
118.15(1)	Has fluff from shredding been tested at least quarterly for PCBs, and TCLP for heavy metals? Have these results been sent to the department within 30 days of the end of each quarter?			\boxtimes
118.15(1)	Have the results from fluff testing been submitted to the department within 30 days of the end of each quarter? And are these records being kept on site for a minimum of three years?			\boxtimes
118.15(3)	Are appliances being demanufactured before shredding or processing?			\boxtimes
118.15(3)	If appliances are being accepted from demanufacturers for recycle/disposal, have the appliances been demanufactured in accordance with Federal regulations and state laws from which the appliances were received?			×

Comments:

Summary of Requirements	Compliance Date:
Begin keeping records of number of mercury-containing appliances being demanufactured, number of mercury switches removed, and number of mercury thermocouples being removed	Immediate
Begin keeping records of the number of PCB containing appliances being demanufactured, and number of PCB capacitors.	Immediate

01/2022 Page 4 of 6 DNR Form 542-0140

DNR APPLIANCE DEMANUFACTURING (ADP) PERMIT INSPECTION **Summary of Reminders Compliance Date:** None **Summary of Recommendations Compliance Date:** None Attach facility photos (if applicable) on page 6. Chal Kelne Chad Kehrli Tom E. Mc Cantly Inspector: Reviewer: Tom McCarthy 06/03/2022 06/03/2022

Date:

Date:

DNR APPLIANCE DEMANUFACTURING (ADP) PERMIT INSPECTION **Facility Photographs (if applicable)**

01/2022 Page 6 of 6 DNR Form 542-0140