

# APPLIANCE DEMANUFACTURING ANNUAL REPORT

## January 1, 2022 – December 31, 2022

**42-ADP-03-21**

Please make address corrections as necessary

**REPORT IS DUE ON OR BEFORE  
January 31, 2023**

**CON 12-1-1**  
**Doc # 105810**

COREY WHITNEY  
COREY WHITNEY  
209 MOORHEAD  
IOWA FALLS IA 50176

RECEIVED

FEB 01 2023

Send completed form to:  
Iowa Department of Natural Resources  
Land Quality Bureau  
502 East Ninth Street  
Des Moines, Iowa 50319-0034  
Or Email: [Becky.jolly@dnr.iowa.gov](mailto:Becky.jolly@dnr.iowa.gov)  
Or Fax: 515-725-8202, Attn: Sue Johnson

**Attach additional pages if necessary.**

- Are appliances containing refrigerants accepted at this facility?       Yes     No
- Are appliances containing mercury accepted at this facility?       Yes     No
- Are appliances containing sodium chromate accepted at this facility?       Yes     No
- Are appliances containing PCB capacitors and ballasts accepted at this facility?       Yes     No

Number of Appliances Demanufactured in each category			
TYPE OF APPLIANCE	NUMBER	TYPE OF APPLIANCE	NUMBER
Refrigerators and freezers	220	Furnaces	85
Commercial coolers	0	Clothes washers and dryers	400
Air-conditioning units	20	Dishwashers	80
Dehumidifiers	30	Microwave Ovens	100
Gas Water Heaters	75	Stoves/ Ovens or Other items containing Mercury, refrigerant or PCB-containing articles.	105

Storage Dates	
Date the first item was placed in the mercury storage drum that is in use on December 31.	Date the first PCB-containing item was placed in the storage drum that is in use on December 31. <span style="float: right; font-family: cursive;">8-26-2022</span>

### Component Removal

TYPE OF COMPONENT	NUMBER	TYPE OF COMPONENT	NUMBER
Number of mercury switches removed. (Not in lbs)	2	Amount of Refrigerant Removed	1 50 pound cylinder
Number of mercury thermocouples removed. (Not in lbs)		Number of PCB capacitors removed. (Not in lbs)	45
Number of fluorescent tubes removed. (Not in lbs)	3	Number of PCB ballasts removed. (Not in lbs)	

### Sodium Chromate Appliances

Number of sodium chromate containing appliances shipped to another demanufacturer	
---	--

### 47 Certification

I certify under penalty of law that I am the owner, operator, or authorized representative of the owner or operator and that I have examined and am familiar with the information reported above, and that I believe the information is true, accurate and complete.

Signature: <i>g w h</i>	Name & Agency of Person Certifying (please type or print)	Date:	Telephone Number: 641-640-1066
Email: <i>[Signature]</i>			Fax Number:

**Additional Comments:**

*I have an other 50 pound cylinder of refrigerant. I'm going to get a 100 pound cylinder and transfer it to that. They said it is \$150 dollars to get rid of it as 50 or 100 pound cylinder so trying to save money.*

*In accordance with Iowa Administrative Code 567 Chapter 118.13(1) – Annual reports with the information required in subrule 118.13(2) are due January 31 each year for the activities of the previous calendar year shall be retained at the facility for at least three years.*

**Questions? Call or email:** Susan Johnson, [susan.johnson@dnr.iowa.gov](mailto:susan.johnson@dnr.iowa.gov), 515-217-0872  
**Please mail completed form to:** Land Quality Bureau, 502 East 9<sup>th</sup> Street, Des Moines, IA 50319