

DIRECTOR KAYLA LYON

JULY 20, 2023

TROY MITCHELL FORWARD AIR FINAL MILE LLC 9440 WRIGHT BROS. CT, SW CEDAR RAPIDS, IA 52404

SUBJECT: Appliance Demanufacturing Inspection – Linn - Forward AIR FINAL MILE **Permit Number: 57-ADP-04-06**

Enclosed is the report of the recent survey of the above system conducted by Chad Kehrli of this office.

We believe you will find the report self-explanatory and strongly encourage you to take action on the requirement listed near the end.

If you have any questions about the inspection or report, please contact Mr. Kehrli or this office at 563.927.2640

Sincerely,

Cimber Sawer

Amber Sauser

Environmental Specialist Senior, Field Office # FO1

Cc: IDNR Solid Waste Section

Efile: 57 ADP Cedar Rapids Forward Air Final Mile 071823 cvltr cek

DNR APPLIANCE DEMANUFACTURING (A	ADP) PERMIT INSPECTION					
,	IOWA DEPARTMENT OF N	IATURAL RESOUR	CES			
APPLIANCE	DEMANUFACTURING (A	DP) PERMIT INS	PECTION FORM			
Permit No.: <u>57</u> -ADP- <u>04</u>	- <u>06</u> C	County: Linn				
Facility Name: Forward Air Final N	Mile LLC		Phone Number: 3	319-981	L-1948	
Facility Address: 9440 Wright Bro	s Ct., SW	_ City/State/Zip:	Cedar Rapids, Iow	a 5240)4	
Responsible Official: Troy Mitche	ell		Phone Number:	Same		
Mailing Address: jmitchell@fowar	dair.com	City/State/Zip:	Same			
Person(s) Present: 1. Troy Mit	chell					
2.						
3.						
Date of This Inspection: 07/18/20	23 C	Pate of Last Inspec	ction: 02/15/2019			
*Be advised your facility may require, d	ue to either SIC code or onsite	e management prac	tices, an NPDES Gener	al Permi	it #1	
(Stormwater permit).						
Changes Q Handling						
Storage & Handling						
IAC 567 Chapter 118.4: Appliance S	torage & Handling Prior to	Demanufacturing	g	Yes	No	NA
	ored to prevent capacitors, re					
components containing environment?	mercury from being damaged	d and allowing a rel	ease into the			
Are appliances being ha	ndled in a way which prevent	s damage, cuts, or l	reaks in refrigerant			

Comments:

118.4(2)

118.4(3)

118.4(4)

Once appliances are demanufactured they are placed into an open top trailer. This trailer holds approximately 70 appliances. When this trailer is full the appliances are delivered to Alter Metal Recycling and an empty trailer is brought back.

 \boxtimes

lines, compressors, capacitors and components containing mercury from being damaged and

Are less than 1,000 appliances being stored prior to demanufacturing?

Are appliances being demanufactured in 270 days or less?

allowing a release into the environment?

Operations

IAC 567 Chai	AC 567 Chapter 118.7: Fixed Facility & Mobile Operations			NA
118.7(1)	Is demanufacturing taking place on an impervious floor (including but not limited to concrete, ceramic tile, or metal)?	Yes	No 🗆	
118.7(2)	Is the point of demanufacturing located 50 feet or more from a well and any water of the state?	\boxtimes		
118.7(5)	Is a unique marking system (minimum of nine inches square) being applied to the appliances after demanufacturing?	\boxtimes		

Comments:

Training

IAC 567 Chapter 118.8: Training		Yes	No	NA
118.8	Is at least one owner or employee completed a Department-approved training course?	\boxtimes		
118.8	Is one trained person on site at all times when appliances are being demanufactured?	\boxtimes		

Comments:

Troy Mitchel has been certified since 2009 and performs the majority of the demanufacturing.

Refrigerant Recovery

IAC 567 Chapte	er 118.6: Permit Application Requirements	Yes	No	NA
118.6(8)	Is a copy of the EPA Refrigerant Recovery or Recycling Device Acquisition Certification available onsite?	\boxtimes		
608 CAA (CFR)	Is a copy of the EPA Refrigerant Reclaimer's Certification available onsite if reclamation (purification) is taking place at the facility?			
IAC 567 Chapter 118.9: Refrigerant Removal Requirements		Yes	No	NA
118.9(2)	If refrigerant is removed at a location other than a permitted ADP facility, is there documentation that it was removed by a service or repair facility certified for the removal of refrigerant?			\boxtimes
118.9(3)	Is removal of refrigerant being done in an area where the temperature of the surrounding air and that of the appliance being demanufactured is 45 degrees Fahrenheit or greater?	\boxtimes		
IAC 567 Chapte	er 118.13: Record Keeping & Reporting	Yes	No	NA
118.13(2)"a" & 118.13(2)"g"	Are the number and type of refrigerant containing appliances being tracked, as well as the amount of refrigerant removed?	\boxtimes		
118.13(3)"a"	Are bills of lading being kept as to where refrigerants are being shipped for disposal?	\boxtimes		

Comments:

New refrigerant recovery equipment was recently put into use. After this inspection Mr. Mitchel submitted an EPA Refrigerant Recovery Certification form to Ms. Sue Johnson, with this Department, reflecting the change in equipment.

Oil

IAC 567 Chapter 118.9: Refrigerant Removal Requirements		Yes	No	NA
118.9(5)	If compressor oil is being removed from the refrigeration units, is it being stored in accordance with 567-119.5 (Note: AST must be large enough and on an impermeable surface to prevent spills, meet API construction standards, have absorbent material available, have a gauge to monitor liquid level, & meet Ch. 567-135 &136 if UST)			

Comments:

Compressor oil is being removed from refrigeration units. The storage tanks do not have a gauge to monitor the liquid level. Mr. Mitchel stated he will work with their Health and Safety personnel to equip the tanks with a gauge or purchase new tanks that can meet this requirement.

Ammonia Gas Refrigerant

IAC 567 Chapter	r 118.9: Refrigerant Removal Requirements	Yes	No	NA
118.9(6)"a"	Is the ammonia gas being vented into water and is the resulting wastewater being properly disposed of?			\boxtimes
118.9(6)" <i>e</i> "	Is sodium chromate being properly stored in DOT-approved containers labeled with a proper EPA-approved chromium label stating "chromium" or "hazardous waste"?			\boxtimes
118.9(6)"g"	Does the facility have an EPA ID number (RCRA)?			\boxtimes
118.9(6)"h" & 118.9(6)"i"	Is asbestos insulation being removed and handled properly?			\boxtimes
IAC 567 Chapter	r 118.13: Record Keeping & Reporting	Yes	No	NA
118.13(2)"a"(2)	Are records being kept on the number of sodium chromate—containing appliances being demanufactured			\boxtimes
118.13(2)"f"	Are records being kept on the number of sodium chromate—containing appliances shipped to another demanufacturer			\boxtimes

DNR APPLIANCE DEMANUFACTURING (ADP) PERMIT INSPECTION

118.13(3)"a"	Are records being kept on the shipment of sodium chromate (name of the facility to which		
&	sodium chromate was shipped, the date of each shipment, the amount shipped and the		\boxtimes
118.13(3)"b"	name and address of the transporter)?		

Comments:

Mercury Components

IAC 567 Chap	oter 118.10: Mercury-Containing Component Removal & Disposal	Yes	No	NA
118.10(1)	Are all components containing mercury being removed?	\boxtimes		
118.10(2)	Are mercury components being stored in containers with a proper EPA-approved label stating "Universal Waste-Mercury Containing Equipment", or Waste Mercury-Containing Equipment" in both English and the predominant language of any non-English-reading workers?	\boxtimes		
118.10(3)	Is the date when the first mercury-containing component was placed in the container affixed to the container?	\boxtimes		
118.10(4)	Storage of mercury is limited to one year, after which, it must be transported to an EPA-approved recycler/recovery facility. Has storage been under one year?	\boxtimes		
118.10(8)	Are fluorescent tubes, lamps, bulbs, etc., being placed in a container and packaged to prevent breakage to an EPA-approved recycler?	\boxtimes		
IAC 567 Chap	oter 118.13: Record Keeping & Reporting	Yes	No	NA
118.13(2)	Are records being kept on the number of mercury-containing appliances being demanufactured, number of mercury switches removed, number of fluorescent tubes removed, as well as the number of mercury thermocouples being removed?	\boxtimes		
118.13(3)	Are records or bills of ladings being kept on the shipment of mercury-containing components?	\boxtimes		

Comments:

Bills of ladings were available at the time of my inspection. All items recovered that need proper disposal are shipped to TRC in Owatonna, Minnesota.

PCB Capacitors						
IAC 567 Chap	ter 118.11: Capacitor Removal Requirements	Yes	No	NA		
118.11(4)"a"	Does the facility have an EPA TSCA ID number for capacitor storage (required if facility has no RCRA ID #)?	\boxtimes				
118.11(4)"b"	Are PCB items being stored in a manner that provides adequate protection from the elements and adequate secondary containment? (Note: Storage must take place on an impervious material above the 100-year floodwater elevation)	\boxtimes				
118.11(4)"c"	Is the point of demanufacturing located above the 100-year flood water elevation?	\boxtimes				
118.11(4)"d"	Are PCB storage containers filled to two inches of absorbent material in the bottom?	\boxtimes				
118.11(4)" <i>e</i> "	Are PCB containers DOT-approved and labeled with a 6" by 6" yellow label stating "PCBs" as described in CFR part 761.45?	\boxtimes				
118.11(4)"g"	Is the storage for non leaking small PCB capacitors that do not comply with the requirements in 118.11(4) "a" to "f" stored for less than 30 days from the date of removal and a notation places on the PCB capacitor indicating the date the item was removed from the appliance?			\boxtimes		
118.11(4)"f" & 118.11(4)"h"	Is the date when the first capacitor was placed in the storage container on the label? Storage of capacitors is limited to 270 days, after which they must be transported to an EPA-approved landfill or incinerator. This burial or incineration must be documented (within one year of the date on the container) and this record kept by the demanufacturer for three years from the date the PCB waste was accepted by the initial transporter.					
IAC 567 Chapter 118.13: Record Keeping & Reporting		Yes	No	NA		
118.13(2)	Are records being kept on the number of PCB containing appliances being demanufactured, number of PCB capacitors and ballasts as well as the date the first PCB-containing item was placed in the storage drum that is in use on December 31? number of mercury thermocouples being removed?	\boxtimes				

DNR APPLIANCE DEMANUFACTURING (ADP) PERMIT INSPECTION 118.13(3)"a" Are records being kept on the shipment of PCB components and the documentation of \boxtimes destruction or receipt from a regional collection center for all PCB materials shipped?

118.13(3)"b" Are records being kept documenting inspections of the PCB storage area as required by \boxtimes 118.13(3)"d" 118.11(4)"h"?

Comments:

This facilities EPA TSCA # is IAW000000613. PCB capacitors and ballasts are shipped to TRC in Owatonna, Minnesota for final disposal.

Spills

IAC 567 Chapter 118.12: Spills		Yes	No	NA
118.12(1)	Are spill records being kept and has the facility reported spills that resulted in a hazardous condition?			
118.12(2)	Is a mercury spill kit on hand?	\boxtimes		

Comments:

Reporting

IAC 567 Chap	oter 118.13. Record Keeping & Reporting	Yes	No	NA
118.13(2)	Are records being kept on appliances demanufactured in separate categories, as well as the number of each component, amount of refrigerant, etc?	\boxtimes		
118.13(3)	Are records being kept on all hazardous waste manifest and bills of lading for shipments of refrigerant, mercury switches, PCB-containing material, and kept on site for a minimum of three years?	\boxtimes		
118.13(3)"f"	Are copies of annual reports (containing all the record keeping requirements) that have been sent to the Department Central Office being retained for at least three years?	\boxtimes		

Comments:

Processing

IAC 567 Chap	oter 118.15: Shredding of Appliances	Yes	No	NA
118.15(1)	Has fluff from shredding been tested at least quarterly for PCBs, and TCLP for heavy metals? Have these results being sent to the department within 30 days of the end of each quarter?			
118.15(1)	Have the results from fluff testing been submitted to the department within 30 days of the end of each quarter? And are these records being kept on site for a minimum of three years?			
118.15(3)	Are appliances being demanufactured before shredding or processing?			
118.15(3)	If appliances are being accepted from demanufacturers for recycle/disposal, have the appliances been demanufactured in accordance with Federal regulations and state laws from which the appliances were received?			

Comments:

Summary of Requirements	Compliance Date:
Equip the compressor oil storage tanks with a gauge to monitor the liquid level.	Immediately

DNR APPLIANCE DEMANUFACTURING (ADP) PERMIT INSPECTION

Summary of Reminders			Compliance Date:
Summary of Basemmendations			Compliance Date:
Summary of Recommendations			Compliance Date:
Attach facility photos (if applicable) on page 6.			
Inspector: ChaO Kelne	Reviewer:	amberSauser	
Date: 07/20/2023		07/04/2023	