

DIRECTOR KAYLA LYON

GOVERNOR KIM REYNOLDS

LT. GOVERNOR ADAM GREGG

AUGUST 10, 2023

DOUG BRUENING BRUENING RECYCLING 503 3RD AVENUE EAST CRESCO, IA 52136

SUBJECT: Compliance Evaluation Inspection: Bruening Recycling, Permit No. 45-ADP-01-06

Dear Mr. Bruening:

Enclosed you will find a copy of my Compliance Evaluation Inspection report conducted at the Bruening Recycling Facility on August 8, 2023.

You should find this report self-explanatory. All requirements are to be completed as specified in the report. You are encouraged to consider the recommendations.

Please review this report, and if you have any questions, do not hesitate to contact me at 563-920-1840 or jason.gearhart@dnr.iowa.gov.

Your cooperation and time during this inspection was appreciated.

Sincerely,

Jason Gearhart | Environmental Specialist

Field Office One

P 563-927-2640 ext. 304 | C 563-920-1840 lowa Department of Natural Resources 1101 Commercial Ct. Ste. 10

Manchester, IA 52057

c: DNR Solid Waste section Becky Jolly, Susan Johnson (e-mail)
Doug Bruening

Efile: 45 SW Cresco Bruening Recycling 080823 ins jag

IOWA DEPARTMENT OF NATURAL RESOURCES APPLIANCE DEMANUFACTURING (ADP) PERMIT INSPECTION FORM

Permit No.:45-ADP-01-06	County: Howard
Facility Name: Bruening Recycling	Facility Address:
	101 3 rd Ave. SW
	Cresco, Iowa 52136
Phone Number: 563-547-8060	
Responsible Official: Doug Bruening	Mailing Address:
	503 3 rd Ave East
Phone Number: 563-547-8060	Cresco, Iowa 52136
Person(s) Present:	
1) Doug Bruening	
, 5	
Date of This Inspection: 08/08/2023	Date of Last Inspection: 07/27/2022
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	

^{*}Be advised your facility may require, due to either SIC code or onsite management practices, an NPDES General Permit #1 (Stormwater permit).

	IAC 567 CI	napter 118.4: Appliance Storage & Handling Prior to Demanufacturing	Yes	No	NA
Handling	118.4(1)	Are appliances being stored to prevent capacitors, refrigerant lines, compressors, and components containing mercury from being damaged and allowing a release into the environment?	\boxtimes		
Storage & H	118.4(2)	Are appliances being handled in a way which prevents damage, cuts, or breaks in refrigerant lines, compressors, capacitors and components containing mercury from being damaged and allowing a release into the environment?	\boxtimes		
St	118.4(3)	Are less than 1,000 appliances being stored prior to demanufacturing?	\boxtimes		
	118.4(4)	Are appliances being demanufactured in 270 days or less?	\boxtimes		

Comments: There were approximately 50-75 appliances on site. All appliances were stored upright in a way to prevent damage and release to the environment.

ions		napter 118.7: Fixed Facility & Mobile Operations	Yes	No	NA
=		Is demanufacturing taking place on an impervious floor (including but not limited to concrete, ceramic tile, or metal)?	\boxtimes		
) pera	118.7(2)	Is the point of demanufacturing located 50 feet or more from a well and any water of the state?	\boxtimes		
	118.7(5)	Is a unique marking system (minimum of nine inches square) being applied to the appliances after demanufacturing?	\boxtimes		

Comments: Demanufacturing takes place on an impervious concrete floor located more than 50 feet from a well or a water of the state.

Mr. Bruening uses the unique marking "4" on all demanufactured appliances.

bu	IAC 567 CI	hapter 118.8: Training	Yes	No	NA
aining	118.8	Has at least one owner or employee completed a Department-approved training course?	\boxtimes		
Tra	118.8	Is one trained person on site at all times when appliances are being demanufactured?	\boxtimes		

Comments: Mr. Bruening has completed the Department-approved training. Mr. Bruening has another person help out as needed. No demanufacturing is done without Mr. Bruening present.

	IAC 567 CI	napter 118.6: Permit Application Requirements	Yes	No	NA
	118.6(8)	Is a copy of the EPA Refrigerant Recovery or Recycling Device Acquisition Certification available onsite?	\boxtimes		
	608 CAA (CFR)	Is a copy of the EPA Refrigerant Reclaimer's Certification available onsite if reclamation (purification) is taking place at the facility?			\boxtimes
ecovery	IAC 567 CI	napter 118.9: Refrigerant Removal Requirements	Yes	No	NA
~	118.9(2)	If refrigerant is removed at a location other than a permitted ADP facility, is there documentation that it was removed by a service or repair facility certified for the removal of refrigerant?			
Refrigerant	118.9(3)	Is removal of refrigerant being done in an area where the temperature of the surrounding air and that of the appliance being demanufactured is 45 degrees Fahrenheit or greater?	\boxtimes		
2	IAC 567 CI	napter 118.13: Record Keeping & Reporting	Yes	No	NA
	118.13(2)" <i>a</i> " & 118.13(2)" <i>g</i> "	Are the number and type of refrigerant containing appliances being tracked, as well as the amount of refrigerant removed?	\boxtimes		
	118.13(3)" <i>a</i> "	Are bills of lading being kept as to where refrigerants are being shipped for disposal?		\boxtimes	

Comments: Mr. Bruening does get some air conditioner units that have been drained of refrigerant by local plumbing companies. It was discussed that every business/individual bringing appliances with refrigerants removed should sign a statement verifying proper removal and to maintain these records.

Bills of lading were not stored on site. Mr. Bruening stated that they are stored at his home, but he was unable to find the records as his wife had misplaced them . It was discussed and Mr. Bruening agreed to make copies and have them available onsite at the facility going forward.

	IAC 567 CI	napter 118.9: Refrigerant Removal Requirements	Yes	No	NA
iō	118.9(5)	If compressor oil is being removed from the refrigeration units, is it being stored in accordance with 567-119.5 (Note: AST must be large enough and on an impermeable surface to prevent spills, meet API construction standards, have absorbent material available, have a gauge to monitor liquid level, & meet Ch. 567-135 &136 if UST)	\boxtimes		

Comments:

rant	IAC 567 C	hapter 118.9: Refrigerant Removal Requirements	Yes	No	NA
	118.9(6)" <i>a</i> "	Is the ammonia gas being vented into water and is the resulting wastewater being properly disposed of?			
Refrigerant	118.9(6)"e"	Is sodium chromate being properly stored in DOT-approved containers labeled with a proper EPA-approved chromium label stating "chromium" or "hazardous waste"?			
Refri	118.9(6)" <i>g</i> "	Does the facility have an EPA ID number (RCRA)?			\boxtimes
Gas F	118.9(6)" <i>h</i> " & 118.9(6)" <i>i</i> "	Is asbestos insulation being removed and handled properly?			
onia	IAC 567 C	hapter 118.13: Record Keeping & Reporting	Yes	No	NA
Ammonia	118.13(2)"a"(Are records being kept on the number of sodium chromate–containing appliances being demanufactured			\boxtimes
	118.13(2)" <i>f</i> "	Are records being kept on the number of sodium chromate–containing appliances shipped to another demanufacturer			
	118.13(3)"a" 118.13(3)"b"				\boxtimes

Comments: This facility does not demanufacture ammonia-gas operated appliances.

	IAC 567 C	hapter 118.10: Mercury-Containing Component Removal & Disposal	Yes	No	NA
S	118.10(1)	Are all components containing mercury being removed?	\boxtimes		
	118.10(2)	Are mercury components being stored in containers with a proper EPA- approved label stating "Universal Waste-Mercury Containing Equipment", or Waste Mercury-Containing Equipment" in both English and the predominant language of any non-English-reading workers?	\boxtimes		
onent	118.10(3)	Is the date when the first mercury-containing component was placed in the container affixed to the container?	\boxtimes		
Components	118.10(4)	Storage of mercury is limited to one year, after which, it must be transported to an EPA-approved recycler/recovery facility. Has storage been under one year?	\boxtimes		
Mercury	118.10(8)	Are fluorescent tubes, lamps, bulbs, etc., being placed in a container and packaged to prevent breakage to an EPA-approved recycler?			\boxtimes
Me	IAC 567 C	hapter 118.13: Record Keeping & Reporting	Yes	No	NA
	118.13(2)	Are records being kept on the number of mercury-containing appliances being demanufactured, number of mercury switches removed, number of fluorescent tubes removed, as well as the number of mercury thermocouples being removed?	\boxtimes		
	118.13(3)	Are records or bills of ladings being kept on the shipment of mercury-containing components?		\boxtimes	

Comments: This facility does not take fluorescent tubes. Records were readily available on appliances that have been demanufactured. Bills of lading were kept at Mr. Bruening's home and were not available for inspection. It was discussed to keep a copy of the bills of lading at the facility going forward.

	IAC 567 Ch	apter 118.11: Capacitor Removal Requirements	Yes	No	NA
	118.11(4)" <i>a</i> "	Does the facility have an EPA TSCA ID number for capacitor storage (required if facility has no RCRA ID #)?	\boxtimes		
	118.11(4)" <i>b</i> "	Are PCB items being stored in a manner that provides adequate protection from the elements and adequate secondary containment? (Note: Storage must take place on an impervious material above the 100-year floodwater elevation)	\boxtimes		
S	118.11(4)" <i>c</i> "	Is the point of demanufacturing located above the 100-year flood water elevation?			
Capacitors	118.11(4)" <i>d</i> "	Are PCB storage containers filled to two inches of absorbent material in the bottom?			
Capa	118.11(4)"e"	Are PCB containers DOT-approved and labeled with a 6" by 6" yellow label stating "PCBs" as described in CFR part 761.45?			
PCB	118.11(4)" <i>g</i> "	Is the storage for non-leaking small PCB capacitors that do not comply with the requirements in 118.11(4) "a" to "f" stored for less than 30 days from the date of removal and a notation places on the PCB capacitor indicating the date the item was removed from the appliance?	\boxtimes		
	118.11(4)"f" & 118.11(4)"h"	Is the date when the first capacitor was placed in the storage container on the label? Storage of capacitors is limited to 270 days, after which they must be transported to an EPA-approved landfill or incinerator. This burial or incineration must be documented (within one year of the date on the container) and this record kept by the demanufacturer for three years from the date the PCB waste was accepted by the initial transporter.			

Comments: PCB'S are stored in a container within a container, both of which contain a layer of floor dry in the bottom to capture any leaks.

	IAC 567 Ch	apter 118.13: Record Keeping & Reporting	Yes	No	NA
Capacitors	118.13(2)	Are records being kept on the number of PCB containing appliances being demanufactured, number of PCB capacitors and ballasts as well as the date the first PCB-containing item was placed in the storage drum that is in use on December 31? Number of mercury thermocouples being removed?	\boxtimes		
PCB Ca	118.13(3)"a" & 118.13(3)"b"	Are records being kept on the shipment of PCB components and the documentation of destruction or receipt from a regional collection center for all PCB materials shipped?	\boxtimes		
	118.13(3)" <i>d</i> "	Are records being kept documenting inspections of the PCB storage area as required by 118.11(4)"h"?	\boxtimes		

Comments:

(0)	IAC 567 C	hapter 118.12: Spills	Yes	No	NA
Spills	118.12(1)	Are spill records being kept and has the facility reported spills that resulted in a hazardous condition?			\boxtimes
	118.12(2)	Is a mercury spill kit on hand?	\boxtimes		

Comments: This facility has never had a reportable mercury spill. This facility has never had a mercury spill. There was a mercury spill kit on site.

	IAC 567 C	hapter 118.13. Record Keeping & Reporting	Yes	No	NA
ting	118.13(2)	Are records being kept on appliances demanufactured in separate categories, as well as the number of each component, amount of refrigerant, etc?	\boxtimes		
Reporting	118.13(3)	Are records being kept on all hazardous waste manifest and bills of lading for shipments of refrigerant, mercury switches, PCB-containing material, and kept on site for a minimum of three years?		\boxtimes	
	118.13(3)" <i>f</i> "	Are copies of annual reports (containing all the record keeping requirements) that have been sent to the Department Central Office being retained for at least three years?	\boxtimes		

Comments: Records of bills of lading are not stored on site. Mr. Bruening will keep a copy on site going forward.

Processing	IAC 567 Chapter 118.15: Shredding of Appliances			No	NA
	118.15(1)	Has fluff from shredding been tested at least quarterly for PCBs, and TCLP for heavy metals? Have these results being sent to the department within 30 days of the end of each quarter?			\boxtimes
	118.15(1)	Have the results from fluff testing been submitted to the department within 30 days of the end of each quarter? And are these records being kept on site for a minimum of three years?			
	118.15(3)	Are appliances being demanufactured before shredding or processing?			\boxtimes
	118.15(3)	If appliances are being accepted from demanufacturers for recycle/disposal, have the appliances been demanufactured in accordance with Federal regulations and state laws from which the appliances were received?			\boxtimes

Comments: No shredding is done at this facility.

Summary of Requirements:	Compliance Date:
1) Keep records (on site) of all hazardous waste manifests and bills of lading for shipment of refrigerants, mercury and PCB components.	Continuous
2) When accepting appliances with refrigerant removed have the individual/business sign a statement verifying the refrigerant was removed properly and maintain these records for at least three years.	Continuous

Summary of Reminders:						
1)						
Inspector: <u>Jason Gearhart</u>	Reviewer: Amber Sauser Combu Souter					
Date: <u>08/10/2023</u>	Date: <u>08/10/2023</u>					

Facility Photographs (if applicable)