

DIRECTOR KAYLA LYON

NOVEMBER 17, 2023

STAR APPLIANCE ATTN: PATRICK HESER 600 44TH STREET MARION, IA 52302

SUBJECT: Compliance Evaluation Inspection: Permit No. 57-ADP-05-11

Dear Mr. Heser:

Enclosed you will find a copy of the Compliance Evaluation Inspection report conducted at the Star Appliance facility on November 14, 2023.

You should find this report self-explanatory. All requirements are to be completed as specified in the report. Submit verification, via email, that each of the requirements has been addressed by 12/18/2023.

Please review this report, and if you have any questions, do not hesitate to contact me at 563-920-1840 or jason.gearhart@dnr.iowa.gov

The cooperation and time of Barry Zinker and Shianna McKinney during this inspection was appreciated.

Sincerely,

- A LU

Jason Gearhart | Environmental Specialist

Field Office One

P 563-927-2640 ext. 304 | C 563-920-1840 lowa Department of Natural Resources 1101 Commercial Ct. Ste. 10

Manchester, IA 52057

c: DNR Solid Waste section Becky Jolly (e-mail)

Efile: 57 SW Marion Star Appliance ADP 111423 ins jag

IOWA DEPARTMENT OF NATURAL RESOURCES APPLIANCE DEMANUFACTURING (ADP) PERMIT INSPECTION FORM

Permit No.:57-ADP-05-11	County: Linn
Facility Name: Star Appliance	Facility Address:
	600 44 th Street
Phone Number: 319-373-2911	Marion, IA 52302
Responsible Official: Patrick Heser	Mailing Address:
Phone Number: 319-373-2911	600 44 th Street
	Marion, IA 52302
Person(s) Present:	
Barry Zinker	
Shianna McKinney	
Date of This Inspection: 11/14/2023	Date of Last Inspection: 05/12/2011
*D 1 · 1	ADDEG C ID :: UI (C)

^{*}Be advised your facility may require, due to either SIC code or onsite management practices, an NPDES General Permit #1 (Stormwater permit).

	IAC 567 CI	napter 118.4: Appliance Storage & Handling Prior to Demanufacturing	Yes	No	NA
Handling	118.4(1)	Are appliances being stored to prevent capacitors, refrigerant lines, compressors, and components containing mercury from being damaged and allowing a release into the environment?	\boxtimes		
Storage & H	118.4(2)	Are appliances being handled in a way which prevents damage, cuts, or breaks in refrigerant lines, compressors, capacitors and components containing mercury from being damaged and allowing a release into the environment?	\boxtimes		
St	118.4(3)	Are less than 1,000 appliances being stored prior to demanufacturing?	\boxtimes		
	118.4(4)	Are appliances being demanufactured in 270 days or less?	\boxtimes		

Comments: This facility's financial assurance allows for storage of up to 50 appliances. There were 3 appliances in the process of being demanufactured on the day of the inspection.

ns		napter 118.7: Fixed Facility & Mobile Operations	Yes	No	NA
tions		Is demanufacturing taking place on an impervious floor (including but not limited to concrete, ceramic tile, or metal)?	\boxtimes		
bera	118.7(2)	Is the point of demanufacturing located 50 feet or more from a well and any water of the state?	\boxtimes		
	118.7(5)	Is a unique marking system (minimum of nine inches square) being applied to the appliances after demanufacturing?	\boxtimes		

Comments: This facility processes appliances in the southeast corner of the building on a concrete floor near the loading dock. The facility marks demanufactured appliances with a red S and star.

Training		hapter 118.8: Training	Yes	No	NA
	118.8	Has at least one owner or employee completed a Department-approved training course?	\boxtimes		
	118.8	Is one trained person on site at all times when appliances are being demanufactured?	\boxtimes		

Comments: Mr. Heser and Mr. Zinker have both completed the department-approved training. One of them is on site when the demanufacturing takes place.

IAC 567	Chapter 118.6: Permit Application Requirements	Yes	No	NA
118.6(8)	Is a copy of the EPA Refrigerant Recovery or Recycling Device Acquisition Certification available onsite?			
608 CAA (CFR)	Is a copy of the EPA Refrigerant Reclaimer's Certification available onsite if reclamation (purification) is taking place at the facility?			\boxtimes
IAC 567	Chapter 118.9: Refrigerant Removal Requirements	Yes	No	NA
118.9(2)	If refrigerant is removed at a location other than a permitted ADP facility, is there documentation that it was removed by a service or repair facility certified for the removal of refrigerant?			
118.9(3)	Is removal of refrigerant being done in an area where the temperature of the surrounding air and that of the appliance being demanufactured is 45 degrees Fahrenheit or greater?	\boxtimes		
IAC 567	Chapter 118.13: Record Keeping & Reporting	Yes	No	NA
118.13(2)" <i>a</i> " & 118.13(2)" <i>g</i> "	a well as the amount of references and	\boxtimes		
118.13(3)" <i>a</i> "	Are hills of lading being kent as to where refrigerants are being shipped for	\boxtimes		

Comments: This facility only processes appliances from customers. All refrigerant is removed on site and records were available tracking appliances being processed. Republic Companies out of Cedar Rapids disposes of the refrigerants, bills of lading were available during the inspection.

	IAC 567 CH	napter 118.9: Refrigerant Removal Requirements	Yes	No	NA
iō	118.9(5)	If compressor oil is being removed from the refrigeration units, is it being stored in accordance with 567-119.5 (Note: AST must be large enough and on an impermeable surface to prevent spills, meet API construction standards, have absorbent material available, have a gauge to monitor liquid level, & meet Ch. 567-135 & 136 if UST)			\boxtimes

Comments: This facility is not removing compressor oil.

	IAC 567 C	hapter 118.9: Refrigerant Removal Requirements	Yes	No	NA
	118.9(6)" <i>a</i> "	Is the ammonia gas being vented into water and is the resulting wastewater being properly disposed of?			\boxtimes
Refrigerant	118.9(6)"e"	Is sodium chromate being properly stored in DOT-approved containers labeled with a proper EPA-approved chromium label stating "chromium" or "hazardous waste"?			
efri	118.9(6)" <i>g</i> "	Does the facility have an EPA ID number (RCRA)?			
Gas	118.9(6)" <i>h</i> " & 118.9(6)" <i>i</i> "	Is asbestos insulation being removed and handled properly?			\boxtimes
onia	IAC 567 C	hapter 118.13: Record Keeping & Reporting	Yes	No	NA
Ammonia	118.13(2)"a"(Are records being kept on the number of sodium chromate–containing appliances being demanufactured			\boxtimes
	118.13(2)" <i>f</i> "	Are records being kept on the number of sodium chromate–containing appliances shipped to another demanufacturer			\boxtimes
	118.13(3)"a" 118.13(3)"b'				\boxtimes

Comments: This facility does not process appliances containing ammonia, asbestos, or sodium chromate.

	IAC 567 C	hapter 118.10: Mercury-Containing Component Removal & Disposal	Yes	No	NA
	118.10(1)	Are all components containing mercury being removed?	\boxtimes		
S	118.10(2)	Are mercury components being stored in containers with a proper EPA-approved label stating "Universal Waste-Mercury Containing Equipment", or Waste Mercury-Containing Equipment" in both English and the predominant language of any non-English-reading workers?		\boxtimes	
onent	118.10(3)	Is the date when the first mercury-containing component was placed in the container affixed to the container?			\boxtimes
Components	118.10(4)	Storage of mercury is limited to one year, after which, it must be transported to an EPA-approved recycler/recovery facility. Has storage been under one year?	\boxtimes		
Mercury	118.10(8)	Are fluorescent tubes, lamps, bulbs, etc., being placed in a container and packaged to prevent breakage to an EPA-approved recycler?	\boxtimes		
Me	IAC 567 C	hapter 118.13: Record Keeping & Reporting	Yes	No	NA
	118.13(2)	Are records being kept on the number of mercury-containing appliances being demanufactured, number of mercury switches removed, number of fluorescent tubes removed, as well as the number of mercury thermocouples being removed?	\boxtimes		
	118.13(3)	Are records or bills of ladings being kept on the shipment of mercury-containing components?	\boxtimes		

Comments: Retrofit Companies INC in Minnesota recycles the PCB's, bulbs and mercury switches. Mr. Zinker stated that this facility rarely receives mercury switches as they are not processing many older appliances. There was a mercury storage container, however, there was not a universal waste label on it. It was discussed to contact their vendor to get the proper labels. Records and bills of lading were available during the inspection.

	IAC 567 Ch	napter 118.11: Capacitor Removal Requirements	Yes	No	NA
	118.11(4)" <i>a</i> "	Does the facility have an EPA TSCA ID number for capacitor storage (required if facility has no RCRA ID #)?	\boxtimes		
	118.11(4)" <i>b</i> "	Are PCB items being stored in a manner that provides adequate protection from the elements and adequate secondary containment? (Note: Storage must take place on an impervious material above the 100-year floodwater elevation)	\boxtimes		
S	118.11(4)"c"	Is the point of demanufacturing located above the 100-year flood water elevation?	\boxtimes		
Capacitors	118.11(4)" <i>d</i> "	Are PCB storage containers filled to two inches of absorbent material in the bottom?	\boxtimes		
Сара	118.11(4)"e"	Are PCB containers DOT-approved and labeled with a 6" by 6" yellow label stating "PCBs" as described in CFR part 761.45?		\boxtimes	
PCB	118.11(4)"g"	Is the storage for non-leaking small PCB capacitors that do not comply with the requirements in 118.11(4) "a" to "f" stored for less than 30 days from the date of removal and a notation places on the PCB capacitor indicating the date the item was removed from the appliance?			\boxtimes
	118.11(4)"f" & 118.11(4)"h"	Is the date when the first capacitor was placed in the storage container on the label? Storage of capacitors is limited to 270 days, after which they must be transported to an EPA-approved landfill or incinerator. This burial or incineration must be documented (within one year of the date on the container) and this record kept by the demanufacturer for three years from the date the PCB waste was accepted by the initial transporter.		\boxtimes	

Comments: PCB storage containers are filled with 2 inches of sand. There was one PCB capacitor in the container, however, the container did not have the appropriate 6x6 yellow PCB label nor the date the first PCB was placed in it. It was discussed to reach out to the vendor to get labels. Mr. Zinker stated that PCB's are not stored for more than 270 days.

	IAC 567 Ch	apter 118.13: Record Keeping & Reporting	Yes	No	NA
Capacitors	118.13(2)	Are records being kept on the number of PCB containing appliances being demanufactured, number of PCB capacitors and ballasts as well as the date the first PCB-containing item was placed in the storage drum that is in use on December 31? Number of mercury thermocouples being removed?	\boxtimes		
PCB Cap	118.13(3)"a" & 118.13(3)"b"	Are records being kept on the shipment of PCB components and the documentation of destruction or receipt from a regional collection center for all PCB materials shipped?	\boxtimes		
	118.13(3)" <i>d</i> "	Are records being kept documenting inspections of the PCB storage area as required by 118.11(4)"h"?		\boxtimes	

Comments: This facility did not have a 30-day inspection sheet to inspect PCB storage area. Mr. Zinker stated that he regularly checks the area and keeps everything clean. Create an inspection sheet and document that the PCB storage area is checked monthly to ensure PCB's are not stored longer than 270 days, the containers aren't leaking and etc. Records were available tracking PCB's and bills of lading for shipment to a disposal facility.

Spills	IAC 567 C	hapter 118.12: Spills	Yes	No	NA
	118.12(1)	Are spill records being kept and has the facility reported spills that resulted in a hazardous condition?			
	118.12(2)	Is a mercury spill kit on hand?			

Comments: This facility does not have a mercury spill kit on site. It was discussed for them to get one. This facility has not had a spill to date.

	IAC 567 C	hapter 118.13. Record Keeping & Reporting	Yes	No	NA
ting	118.13(2)	Are records being kept on appliances demanufactured in separate categories, as well as the number of each component, amount of refrigerant, etc?	\boxtimes		
Reporting	118.13(3)	Are records being kept on all hazardous waste manifest and bills of lading for shipments of refrigerant, mercury switches, PCB-containing material, and kept on site for a minimum of three years?	\boxtimes		
	118.13(3)" <i>f</i> "	Are copies of annual reports (containing all the record keeping requirements) that have been sent to the Department Central Office being retained for at least three years?	\boxtimes		

Comments: Records were available during the inspection. This facility was reminded to retain records for three <u>years.</u>

Processing	IAC 567 Chapter 118.15: Shredding of Appliances		Yes	No	NA
	118.15(1)	Has fluff from shredding been tested at least quarterly for PCBs, and TCLP for heavy metals? Have these results being sent to the department within 30 days of the end of each quarter?			\boxtimes
	118.15(1)	Have the results from fluff testing been submitted to the department within 30 days of the end of each quarter? And are these records being kept on site for a minimum of three years?			
	118.15(3)	Are appliances being demanufactured before shredding or processing?			
	118.15(3)	If appliances are being accepted from demanufacturers for recycle/disposal, have the appliances been demanufactured in accordance with Federal regulations and state laws from which the appliances were received?			\boxtimes

Comments: This facility does not shred appliances.

Summary of Requirements:	Compliance Date:		
1) Inspect the PCB storage area every 30 days and document the inspection	Continuous		
2) Obtain a mercury spill kit	12/18/2023		
3) Obtain proper labels for PCB, mercury switch, and bulb storage containers	12/18/2023		

Summary of Reminders:

- 1) Continue to submit annual report to DNR and keep records for a minimum of three years.
- 2) Do not store PCB's and bulbs longer than 270 days or mercury switches for more than one year.

Inspector: Jason Gearhart

Date: 11/17/2023

Reviewer: Amber Sauser

amber Sawer

Date: 11/17/2023