CON 12-1-1 Doc # 108782

APPLIANCE DEMANUFACTURING ANNUAL REPORT

JANUARY 1, 2023 - DECEMBER 31, 2023

			REPORT	IS DUE ON OR		
Permit Number: 05-SDP-04-07			BEFORE			
Responsible Official: Tami Anderson)ar. <u>(00)</u>	JANU	JARY 31 ST		
Facility Name: Audubon County Transfe	. //· <u>C 1</u> .3	Send completed form to:				
Address: 1881 215th St			Iowa DNR Land Quality Bureau			
City, State Zip: Audubon, IA 50025	CHI THE STATES	502 E 9 th St				
ATTACH ADDITIONAL PAGES IF NECESSARY.			Des Moines, IA 50319-0034 OR FAX: 515-725-8202			
Are appliances containing refrigerants accepted at this facility?			☐ No			
Are appliances containing mercury accepted at this facility?			☐ No			
Are appliances containing sodium chromate accepted at this facility?			☐ No			
Are appliances containing PCB capacitors	and ballasts accep	ted at this facility? Xes	☐ No			
Number of A	Appliances Dem	anufactured in each catego	ry			
TYPE OF APPLIANCE	NUMBER	TYPE OF APPLIAN	CE	NUMBER		
Refrigerators and freezers	frigerators and freezers Furnaces			7		
Commercial coolers		Clothes washers and dryers		61		
Air-conditioning units		Dishwashers		27		
Dehumidifiers	s. LE(X) – Annuel e	Microwave Ovens	ith Iowu Admin	100 - 100 - 100 - 101 -		
Gas Water Heaters	ies of the previous	Stoves/ Ovens or Other items containing Merc) are due lanui st three years. vuu	subrule 22 3.13(2) Jacoby For et lau		
		refrigerant or PCB-containing				
Storage Dates						
Date the first item was placed in the	1	ate the first PCB-containing ite				
mercury storage drum that is in use		in the storage drum that is in use of December 31.				
on December 31.	ן טי	ecember 51.				
Component Removal						
TYPE OF COMPONENT	NUMBER	TYPE OF COMPONE	ENT	NUMBER		
Number of mercury switches removed. (Not in lbs)		Amount of Refrigerant Remo	oved			
Number of mercury thermocouples removed. (Not in lbs)		Number of PCB capacitors re (Not in lbs)				
Number of fluorescent tubes removed. (Not in lbs)	- -	Number of PCB ballasts rem (Not in lbs)	oved.	-		
		nate Appliances				
Number of sodium chromate containing a	ppliances					

Questions? Call or email: Susan Johnson, susan.johnson@dnr.iowa.gov, 515-217-0872

Please mail completed form to: Land Quality Bureau, 502 E 9th St, Des Moines IA 50319

04/2021 cmc

shipped to another demanufacturer

0		Co .		1000
	PTI	fica	TIC	าท
-	1 61		616	/ B B

I certify under penalty of law that I am the owner, operator, or authorized representative of the owner or operator and that I have examined and am familiar with the information reported above, and that I believe the information is true, accurate and complete.

Name & Agency of Person Certifying (please type or print)		Tami Anderson					
Telephone Number:	712-563-3589	Fax Num	ber:		P i	1 6	1
Email: audcoswm@ic	owatelecom.net						- 1
Signature: 2MM	inderson		Date:	1/03/2024	١.,,	Ls	ī
		*.					
Additional Comments:	REC	EIVED					
	JAN	1 0 5 2024					

In accordance with Iowa Administrative Code 567 Chapter 118.13(1) – Annual reports with the information required in subrule 118.13(2) are due January 31 each year for the activities of the previous calendar year shall be retained at the facility for at least three years.