## APPLIANCE DEMANUFACTURING ANNUAL REPORT January 1, 2023 – December 31, 2023

## 33-ADP-01-10

Please make address corrections as necessary

REPORT IS DUE ON OR BEFORE January 31, 2024

Send completed form to:
Iowa Department of Natural Resources
Land Quality Bureau
502 East Ninth Street
Des Moines, Iowa 50319-0034
Or Email: Becky.jolly@dnr.jowa.gov

Or Fax: 515-725-8202, Attn: Sue Johnson

KURT YEAROUS KURT YEAROUS 982 FAIRFIELD STREET ARLINGTON IA 50606

Attac	h ac	idition	ıal pa	iges i	f ne	cessa	ry.

Are	appliances	containing	refrigerants accepted at this facility?	Yes	ONe
Are	appliances	containing	mercury accepted at this facility?	√Yes	ONo
Are	appliances	containing	sodium chromate accepted at this facility?	OYes	ØN0
	appliances	containing	PCB capacitors and ballasts accepted at	ØYes	ÔΝο

Number of App	oliances Den	nanufactured in each category	
TYPE OF APPLIANCE	NUMBER	TYPE OF APPLIANCE	NUMBER
Refrigerators and freezers	40	Furnaces	3
Commercial coolers	0	Clothes washers and dryers	150
Air-conditioning units	7	Dishwashers	50
Dehumidifiers	0	Microwave Ovens	ю
Gas Water Heaters	Ø	Stoves/ Ovens or Other items containing Mercury, refrigerant or PCB-containing articles.	0

10 mm	Storage Dates	(6)
Date the first item was placed in the mercury storage drum that is in use on December 31.	Date the first PCB-containing item was placed in the storage drum that is in use on December 31.	

TYPE OF COMPONENT	NUMBER	TWE OF COMPONENT	
THE OF COMPONENT	NUMBER	TYPE OF COMPONENT	NUMBER
Number of mercury switches removed. (Not in lbs)	0	Amount of Refrigerant Removed	202BS
Number of mercury thermocouples removed.(Not in lbs)	0	Number of PCB capacitors removed. (Not in lbs)	Q.
Number of fluorescent tubes removed.(Not in lbs)	8	Number of PCB ballasts removed. (Not in lbs)	B

	chromate containing to another demanufacturer	
l certify under penalty of	<sup>34</sup> Certification flaw that I am the owner operator, or authorized repres	sentative of the owner or operator and that I have
Signature:	ar with the information reported above and that I believe  Name & Agency of Person Certif  (please type or print)	
Email:		Fax Number:

Sodium Chromate Appliances

Additional Comments:

In accordance with lowa Administrative Code 567 Chapter 118.13(1) – Annual reports with the information required in subrule 118.13(2) are due January 31 each year for the activities of the previous calendar year shall be retained at the facility for at least three years.

DNR form rev 3/13

542-8005