



February 26, 2024

Mr. Chad Stobbe, Environmental Specialist Senior  
Land Quality Bureau  
Iowa Department of Natural Resources  
502 East 9<sup>th</sup> Street  
Des Moines, Iowa 50319-0034

**RE: 2023 Annual Water Quality Report  
Goose Lake Quarry BUD 23-BUD-15-03**

Dear Mr. Stobbe:

Attached is a copy of the 2023 Annual Water Quality Report for the Goose Lake Quarry Beneficial Use Determination (BUD) project. This report is prepared as required in Special Provision 10.h. of the Permit (Doc #105560).

Sincerely,

**HLW ENGINEERING GROUP**

A handwritten signature in blue ink, appearing to read "Todd Whipple", is written over the company name.

Todd Whipple, CPG  
Project Manager

**cc: Morgan Schuler, Environmental Specialist, Wendling Quarries, Inc.**

# **2023 ANNUAL GROUNDWATER QUALITY REPORT**

## **FOR THE GOOSE LAKE QUARRY BENEFICIAL USE DETERMINATION (BUD) 23-BUD-15-03P GOOSE LAKE, IOWA**

**by:**

**HLW Engineering Group  
204 West Broad Street  
P.O. Box 314  
Story City, Iowa 50248  
(515) 733-4144**

**February, 2024**



**6048-23A.320**

# Table of Contents

## Certification

### Section 1.0 Background Information

### Section 2.0 Monitoring Activities & Data Evaluation

### Section 3.0 Recommendations

## Figures

**Figure 1 – Site Plan**

**Figure 2 – Water Table Contour Map**

## Tables in IDNR Format

**Table 1 – Monitoring Program Summary**

**Table 2 – Monitoring Program Implementation Schedule**

~~Table 3 – Monitoring Well Maintenance Performance Reevaluation Schedule – Not Used~~

**Table 4 – Monitoring Well Data Summary**

**Table 4A – Supplemental Water Elevation Data**

**Table 5 – Background and GWPS Summary**

**Table 6 – Summary of Current Year Detections**

**Table 7 – Summary of Ongoing and Newly Identified SSI (*Interwell*)**

~~Table 8 – Summary of Ongoing and Newly Identified SSL - Not Used~~

~~Table 9 – Analytical Data Summary - Not Used~~

~~Table 10 – Historic SSI and SSL - Not Used~~

~~Table 11 – Corrective Action Trend Analysis - Not Used~~

~~Table 12 – Leachate Levels - Not Used~~


~~Table 13 – Gas Monitoring Summary - Not Used~~

## Appendices

**Appendix A - Statistical Report**

**Appendix B - Laboratory Reports for Report Period**

## Certification

Prepared by: 

Date: 2-26-2024

Typed: Todd Whipple, CPG

# Section 1.0 Background Information

## 1.1 Report Format

This report is prepared in accordance with Special Provision 10h of Beneficial Use Determination (BUD) Permit dated January 23, 2023 (Doc #105560). The statistical evaluation of water quality data is in accordance with Special Provisions 10c., 10.d., and 10.f.

IDNR Standardized Tables 1, 2, 4, 5, 6, and 7 are utilized as warranted in this report to convey data. Note that numerous IDNR Standardized tables do not apply to the Goose Lake BUD and are not included. Also, the various IDNR Standardized Tables utilized may not be referenced in consecutive order in the text below.

## 1.2 Report Priority

This report is recommended to be considered low priority at the present time.

*This report is prepared based on preliminary and incomplete water quality databases that do not yet include a sufficient number of sample collection episodes to perform all statistical evaluations that are warranted.*

*Supplemental water quality data collection over time is warranted to satisfy the minimum data requirements and appropriate evaluation by both interwell and intrawell statistical methods.*

## 1.3 Period of Report Coverage

Water quality data includes a running compilation of data beginning on August 28, 2018. Interwell statistical evaluations herein are based upon comparison of the current year (2023) water quality result to the background data from MW-3 and MW-4. Note that there are only 7 sample results available for the downgradient sample collection point designated “sump, or sump 1”. There are now 13 sample results from MW-1, MW-2, MW-3, and MW-4. Interwell statistical evaluations require a minimum of five (5) background episodes in the background wells and will become more robust with each additional background episode.

The intrawell statistical evaluations herein are also based upon comparison of the 5 most recent water quality results to an insufficient background pool (8 rounds of data). Intrawell statistical evaluations require a minimum of eight (8) background episodes for those frequently detected compounds and thirteen (13) background episodes for those infrequently detected compounds. Intrawell statistics will also become more robust with each additional sample collection episode.

## 1.4 Current Site Map

Figure 1 is attached illustrating the current site features and monitoring well locations.

## 1.5 Site Status and Applicable Rules

### **Site Location**

The Goose Lake Quarry is located at 3715 – 137<sup>th</sup> Street, Goose Lake, Iowa (in SE<sup>1</sup>/<sub>4</sub> SE<sup>1</sup>/<sub>4</sub> Section 21 and SW<sup>1</sup>/<sub>4</sub>SW<sup>1</sup>/<sub>4</sub> Section 22, T83N, R5E). The site encompasses approximately 80 acres. The facility is situated approximately 1 mile north-northeast of the corporate limits of Goose Lake, Iowa. The facility operates under the Iowa Department of Natural Resources (IDNR) Permit Number 23-BUD-15-03.

### **Site Layout**

The site is situated in the uplands between tributaries to Deep Creek located to the north and to the south. The quarry is actively receiving beneficial use materials.

### **Applicable Rules**

Iowa Administrative Code (IAC) 567-108 is applicable to the site.

## 1.6 Summary of Hydrologic Monitoring System Plan (HMSP)

The approved HMSP includes four (4) monitoring wells designated MW-1, MW-2, MW-3, and MW-4 and an open water body designated as the quarry sump (Sump-1). The Site Plan and the approved monitoring network is illustrated on Figure 1. The current HMSP water quality findings and the HMSP Implementation Schedule is itemized in Table 1 and Table 2.

A Water Table Contour Map (Figure 2) dated September 13, 2023 is included with this report. The Water Table Contour Map illustrates the water table surface and the effects of the topography and the dewatering sump located within the quarry. The excavated dewatering sump is 70 feet x 125 feet and is 29 feet deep. The quarry floor near the sump is at elevation 674.8.

The water surface in the quarry sump was estimated at elevation 665 on December 20, 2019. We note that the water surface in the sump has also historically been estimated at elevation 668. The interpretation is made that the water level in the sump varies between elevation 665 and 668.

Available water elevation data is included in Table 4 and Table 4A. The wells are interpreted to be appropriately located to detect impact, should it occur. No changes or modifications to the site monitoring wells themselves are recommended.

## Section 2.0 Monitoring Activities & Data Evaluation

The “Results of Groundwater Statistics for Goose Lake Quarry, Semi-annual Monitoring Events in 2023” dated October, 2023 is included in Appendix A. The report includes evaluations of the May 10, 2023 data and the September 13, 2023 data. The statistical evaluations are prepared by Otter Creek Environmental Services, LLC.

A current year summary of Analytical Results for the site monitoring points is included in *Attachment A* of the October 2023 Otter Creek Report (Appendix A). A comprehensive summary of Analytical Results for the first eleven (13) episodes is included in *Attachment B* of the October 2023 Otter Creek Report (Appendix A).

- 2.1 Current Detection Monitoring Activities  
The background wells are MW-3 and MW-4. The downgradient monitoring points are MW-1, MW-2, Sump 1.
- 2.2 Current Assessment Monitoring Activities  
*Not warranted at this time.*
- 2.3 Current Corrective Action Monitoring Activities  
*Not warranted at this time.*

The Analytical Reports for the May 10, 2023 and the September 13, 2023 sampling events are included in Appendix B.

The most current Time Series Plots for all compounds in each downgradient well (MW-1, MW-2, and Sump) are included in *Attachment C* (May results) and *Attachment E* (September results) of the October 2023 Otter Creek Report (Appendix A) and visually illustrate the detected compound concentrations over time in each well.

Groundwater Protection Standards (GWPS) have been defined as the drinking water MCL (USEPA 40-CFR-Part 141) or a health-based concentration published as a Statewide Standard for Protected Groundwater under IAC 567, Chapter 137, as designated in Special Provision 10.c. of the Permit.

Note that GWPS for some of the compounds tested (either as primary USEPA MCL (USEPA 40-CFR-Part 141) or Statewide Standards for Protected Groundwater (IAC 567, Chapter 137)) do not exist. Examples of compounds that are tested at the Goose Lake facility where a GWPS doesn't exist include aluminum\*, COD, chloride\*, iron\*, magnesium, sulfate\*, TOX, and TSS. Those compounds designated with an asterisk have USEPA National Secondary Drinking Water Regulations (NSDWRs) published. NSDWRs (or secondary standards) are non-enforceable guidelines regulating contaminants that may cause cosmetic effects (such as skin or tooth discoloration) or aesthetic effects (such as taste, odor, or color) in drinking water. EPA recommends secondary standards to water supply systems but does not require systems to comply with the standard.

## **INTERWELL METHODS**

Upgradient Data, Table 1, *Attachment C* (Spring data) and Upgradient Data, Table 1, *Attachment E* (Fall data), to the October 2023 Statistical Evaluation Report (Appendix A) includes a summary of the most comprehensive background data. The calculated interwell Prediction Limits are summarized on Table 5.

### *STATISTICALLY SIGNIFICANT INCREASES (SSI)/EXCEEDANCES OF LIMITS*

The detected concentration of each compound is compared to the current site prediction limit for each respective compound calculated based on the background data set. A detected concentration for a compound that is in excess of the calculated site prediction limit is recorded as a Statistically Significant Increase (SSI) at detection monitoring wells.

The evaluation of SSI is summarized in Table 6, where *current year* exceedances of the Prediction Limits are summarized. An ongoing summary of the compound concentrations that have inconsistently exceeded the prediction limit over time (beginning September 17, 2019) are summarized in Table 7 (for MW-1, MW-2, and Sump). All exceedances of the prediction limits are highlighted in brown.

### **INTRAWELL METHODS**

It is deemed important to include Intrawell Statistical Evaluation at this site for two (2) reasons. First, intrawell statistical methods will better address anticipated future site conditions where discernible hydraulic gradients change and where limited wells exist. And second, where the Sump-1 sample (an open water body that experiences some surface water inflow) may not be readily compared to groundwater data from bedrock wells.

A summary of the Intrawell Statistics is included in Summary Statistics and Intermediate Computations for Combined Shewhart-CUSUM Control Charts, Attachment D (Spring data), Table 1; and Summary Statistics and Intermediate Computations for Combined Shewhart-CUSUM Control Charts, Attachment F (Fall Data), Table 1, to the October 2023 Statistical Evaluation Report (Appendix A). Note that the background is insufficient at all monitoring points, as only 7-8 background data point are available (a minimum of 13 background rounds of data are recommended).

### *STATISTICALLY SIGNIFICANT INCREASES (SSI)/EXCEEDANCES OF LIMITS*

The detected concentration of each compound is compared to the control limit for each respective compound calculated based on the preliminary intrawell background data set. A detected concentration for a compound that is in excess of the control limit is recorded as a Statistically Significant Increase (SSI) at detection monitoring wells. *The Control Limits are considered preliminary at this time and the findings should not be considered binding at this time.*

*There were no Intrawell Control Limit exceedances for the water samples collected in 2023. It follows that there were no compounds in 2023 that were recorded as SSI by both Interwell and Intrawell methods.*

It is further noted that all detected concentrations of compounds that are recorded as SSI are well below the Groundwater Protection Standards (GWPS).

Table 1 is attached summarizing the findings of the statistical evaluations (Interwell only).



IAC 567, Chapter 108 does not have a requirement to collect Appendix II samples in the event of a detected SSI. Additional testing requirements are at the discretion of the IDNR based on any perceived release from the facility. No release is interpreted based on water quality findings to date. Further all current detections are well below applicable GWPS.

### **CONFIDENCE INTERVAL EVALUATION/ STATISTICALLY SIGNIFICANT LEVELS (SSL)**

The detections that exceed the current site prediction/control limits are utilized to calculate the 95% lower confidence limits (LCL) in accordance with the 2009 Unified Guidance for Statistical Analysis of Groundwater Monitoring Data at RCRA Facilities by US EPA. The 95% LCL values are compared to applicable GWPS. Any 95% LCL value that exceeds an applicable GWPS is recorded as a Statistically Significant Level (SSL).

Table 7 includes a summary of the Confidence Limits (95% LCL) compared to the GWPS. *There are no Statistically Significant Levels (SSL) recorded to date.* Please note that this finding satisfies the requirements of Special Provision 10.f. of the Beneficial Use Determination (BUD) Permit, dated January 23, 2023 (Doc #105560).

### **RESPONSES TO WATER QUALITY RESULTS**

Detected concentrations in groundwater and in the sump are well below applicable GWPS.

The reported manganese concentration at MW-2 on September 28, 2021 (301 ug/L) slightly exceeded the Iowa Statewide Standard published in IAC 567, Chapter 137 (300 ug/L). Recognition of this result prompted review of water quality limits from other sources other than those published in IAC 137.

It is noted that manganese does not have a published Federal Drinking Water Maximum Contaminant Limit (is not regulated under Federal Drinking Water rules). The Federal rule manages the compound manganese much the same way it manages COD, chloride, iron, magnesium, and sulfate where health effects are not sufficient to pose problems.

Based on the minor nature of the water quality findings to date (and the few recorded prediction/control limit exceedances), there is no recommendation to perform additional sampling (assessment monitoring) in accordance with IAC 113.10(6) at this time.

### **ASSESSMENT MONITORING**

Assessment monitoring is not recommended at this time at any well.

Thirteen (13) background sample collection episodes should be available for use in the background database in 2024 at MW-1, MW-2, MW-3, and MW-4. There should be a minimum of eight (8) background sample collection episodes available for use in the background database in 2024 at Sump-1. The updated background in 2024 will provide a more comprehensive and accurate representation of water quality over time.


## Section 3.0 Recommendations

Continue semi-annual detection monitoring in accordance with the approved HMSP in accordance with Provision 10.d. of the Permit.

Prepare a Water Quality Report for 2024 based on sampling that will be performed in the Spring and Fall of 2024 in accordance with Provision 10.h. of the Permit.

Upon completion of thirteen (13) rounds of background water quality sampling (2024), calculate the Intrawell Control Limits for those compounds that are detected less than 25% of the time.

## Figures




**FIGURE: 1**


REVISION	NO.	DATE
DRAWN	DRA	PROJECT NO. 6048
		DATE 12-5-23

**SITE PLAN**  
**GOOSE LAKE #23-BUD-15-03**  
**GOOSE LAKE, IOWA**

HLW Engineering Group  
 204 West Broad Street, P.O. Box 314  
 Story City, Iowa 50248  
 Phone: (515) 733-4144  
 FAX: (515) 733-4146



WATER ELEVATION SEPTEMBER 13, 2023	
WELL	ELEV.
MW-1	659.82
MW-2	661.53
MW-3	668.30
MW-4	664.60
SUMP	665.00




REVISION		NO.	DATE
DRAWN		PROJECT NO.	DATE
DRA		6048	12-5-23

**FIGURE: 2**  
**GROUNDWATER CONTOURS**

GOOSE LAKE #23-BUD-15-03  
GOOSE LAKE, IOWA

HLW Engineering Group  
204 West Broad Street, P.O. Box 314  
Story City, Iowa 50248  
Phone: (515) 733-4144  
FAX: (515) 733-4146



## Tables (in IDNR Format)

### Table Index

**Table 1 – Monitoring Program Summary**

**Table 2 – Monitoring Program Implementation Schedule**

~~Table 3 – Monitoring Well Maintenance Performance Reevaluation Schedule – Not Used~~

**Table 4 – Monitoring Well Maintenance Performance Reevaluation Summary**

**Table 4A – Supplemental Water Elevation Data**

**Table 5 – Background and GWPS Summary**

**Table 6 – Summary of Current Year Detections**

**Table 7 – Summary of Ongoing and Newly Identified SSI (Interwell)**

~~Table 8 – Summary of Ongoing and Newly Identified SSL - Not Used~~

~~Table 9 – Analytical Data Summary - Not Used~~

~~Table 10 – Historic SSI and SSL - Not Used~~

~~Table 12 – Leachate Levels - Not Used~~

~~Table 13 – Gas Monitoring Summary - Not Used~~

**Table 1 – Monitoring Program Summary**

**Table 1**  
**Monitoring Program Summary**  
**Annual Water Quality Report**  
**Goose Lake Quarry BUD**  
**Permit No. 23-BUD-15-03**

Monitoring Well	Formation	Current Monitoring Program	Change for next sampling event	Historic - Constituents w/ SSI	Spring 2023- Constituents w/ SSI	Fall 2023 - Constituents w/ SSI	Historic - Constituents w/ SSL	Spring 2023 - Constituents w/ SSL	Fall 2023 - Constituents w/ SSL	Total # of Samples in each monitoring program since August 28, 2018		
										Detection	Assessment	Corrective Action
MW-1	Limestone	Downgradient - Detection	None	Barium, selenium, sulfate, vanadium	None	None	NA	NA	NA	13	0	0
MW-2	Limestone	Downgradient - Detection	None	Barium, chromium, fluoride, manganese, sulfate	sulfate	sulfate	NA	NA	NA	13	0	0
MW-3	Limestone	Background	None	NA	NA	NA	NA	NA	NA	13	0	0
MW-4	Limestone	Background	None	NA	NA	NA	NA	NA	NA	13	0	0
Sump	Limestone	Downgradient - Detection	None	barium, boron, chloride, manganese, sulfate	barium, boron, sulfate	barium, boron, sulfate	NA	NA	NA	8	0	0



**Table 2 – Monitoring Program Implementation Schedule**

**Table 2**  
**Monitoring Program Implementation Schedule**  
**Annual Water Quality Report**  
**Goose Lake Quarry BUD**  
**Permit No. 23-BUD-15-03**

Monitoring Well	Recent Sampling Dates	Upcoming Sampling Dates and Constituents		Full Appendix II Sample Dates	
		March, 2023	September, 2023	Previously Collected	Next Event
MW-1	8-28-18; 11-14-18; 1-10-19; 4-1-19; 9-17-19; 4-6-20; 9-24-20; 4/27/2021; 9/28/2021; 5/11/2022; 9/14/2022; 5/10/2023; 9/13/2023	see Constituents List Below	see Constituents List Below	N/A	N/A
MW-2	8-28-18; 11-14-18; 1-10-19; 4-1-19; 9-17-19; 4-6-20; 9-24-20; 4/27/2021; 9/28/2021; 5/11/2022; 9/14/2022; 5/10/2023; 9/13/2023	see Constituents List Below	see Constituents List Below	N/A	N/A
MW-3	8-28-18; 11-14-18; 1-10-19; 4-1-19; 9-17-19; 4-6-20; 9-24-20; 4/27/2021; 9/28/2021; 5/11/2022; 9/14/2022; 5/10/2023; 9/13/2023	see Constituents List Below	see Constituents List Below	N/A	N/A
MW-4	8-28-18; 11-14-18; 1-10-19; 4-1-19; 9-17-19; 4-6-20; 9-24-20; 4/27/2021; 9/28/2021; 5/11/2022; 9/14/2022; 5/10/2023; 9/13/2023	see Constituents List Below	see Constituents List Below	N/A	N/A
Sump	4-6-20; 9-24-20; 4/27/2021; 9/28/2021; 5/11/2022; 9/14/2022; 5/10/2023; 9/13/2023	see Constituents List Below	see Constituents List Below	N/A	N/A

Constituent List
Aluminum
Ammonia Nitrogen
Antimony (Sb)
Arsenic (As)
Barium (Ba)
Beryllium (Be)
Boron (B)
Cadmium (Cd)
COD
Chloride
Chromium (Cr)
Cobalt (Co)
Copper (Cu)
Flouride (Fl)
Formaldehyde
Iron (Fe)
Lead (Pb)
Magnesium (Mg)
Manganese (Mn)
Mercury (Hg)
Methyl Etyl Ketone
Molybdenum (Mo)
Nickel (Ni)
Phenols
Selenium (Se)
Silver (Ag)
Sulfate
Thallium (Tl)
TOX
TSS
Vanadium (V)
Zinc (Zn)

**Table 4 – Monitoring Well Data Summary**

**Table 4**  
**Monitoring Well Maintenance and Performance Summary**  
**Annual Water Quality Report**  
**Goose Lake Quarry BUD**  
**Permit No. 23-BUD-15-03**

Well	Top of casing	Top of Screen	Total Depth		Date of Measurements		Maximum Depth Discrepancy (ft)
					5/10/2023	9/13/2023	
MW-1	716.42	649.55	77.17	Groundwater Level (ft)	49.7	56.6	0
				Groundwater Elevation (Ft MSL)	666.72	659.82	
				Measured Well Depth (ft)	77.17	77.17	
				Submerged (+) or Exposed screen (-)	17.17	10.27	
MW-2	709.47	632.2	87.27	Groundwater Level (ft)	42.74	47.94	0.44
				Groundwater Elevation (Ft MSL)	666.73	661.53	
				Measured Well Depth (ft)	86.83	86.83	
				Submerged (+) or Exposed screen (-)	34.53	29.33	
MW-3	736.56	669.4	77.17	Groundwater Level (ft)	62.16	68.26	0
				Groundwater Elevation (Ft MSL)	674.4	668.3	
				Measured Well Depth (ft)	77.17	77.17	
				Submerged (+) or Exposed screen (-)	5	-1.1	
MW-4	756.33	648.4	118	Groundwater Level (ft)	84.83	91.73	0
				Groundwater Elevation (Ft MSL)	671.5	664.6	
				Measured Well Depth (ft)	118	118	
				Submerged (+) or Exposed screen (-)	23.1	16.2	

**Table 4A – Supplemental Water Elevation Data**

**Table 4A**  
**Water Elevation Data**  
**Annual Water Quality Report**  
**Goose Lake Quarry BUD**  
**Permit No. 23-BUD-15-03**

Well	Date	Top Casing Elevation	SWL	Water Elevation	Well	Date	Top Casing Elevation	SWL	Water Elevation	Well	Date	Top Casing Elevation	SWL	Water Elevation	Well	Date	Top Casing Elevation	SWL	Water Elevation
MW-1	12/20/2019	716.42	48.45	667.97	MW-2	12/20/2019	709.47	43.66	665.81	MW-3	12/20/2019	736.56	62.12	674.44	MW-4	12/20/2019	756.33	85.65	670.68
MW-1	4/6/2020	716.42	49.10	667.32	MW-2	4/6/2020	709.47	39.24	670.23	MW-3	4/6/2020	736.56	61.16	675.40	MW-4	4/6/2020	756.33	85.53	670.80
MW-1	9/24/2020	716.42	52.00	664.42	MW-2	9/24/2020	709.47	41.64	667.83	MW-3	9/24/2020	736.56	62.11	674.45	MW-4	9/24/2020	756.33	86.83	669.50
MW-1	4/27/2021	716.42	47.70	668.72	MW-2	4/27/2021	709.47	41.34	668.13	MW-3	4/27/2021	736.56	59.46	677.10	MW-4	4/27/2021	756.33	83.33	673.00
MW-1	9/28/2021	716.42	55.90	660.52	MW-2	9/28/2021	709.47	44.64	664.83	MW-3	9/28/2021	736.56	66.06	670.50	MW-4	9/28/2021	756.33	91.93	664.40
MW-1	5/11/2022	716.42	53.50	662.92	MW-2	5/11/2022	709.47	44.94	664.53	MW-3	5/11/2022	736.56	65.76	670.80	MW-4	5/11/2022	756.33	89.23	667.10
MW-1	9/14/2022	716.42	56.40	660.02	MW-2	9/14/2022	709.47	50.24	659.23	MW-3	9/14/2022	736.56	67.46	669.10	MW-4	9/14/2022	756.33	92.13	664.20
MW-1	5/10/2023	716.42	49.70	666.72	MW-2	5/10/2023	709.47	42.74	666.73	MW-3	5/10/2023	736.56	62.16	674.40	MW-4	5/10/2023	756.33	84.83	671.50
MW-1	9/13/2023	716.42	56.60	659.82	MW-2	9/13/2023	709.47	47.94	661.53	MW-3	9/13/2023	736.56	68.26	668.30	MW-4	9/13/2023	756.33	91.73	664.60

## **Table 5 – Background and GWPS Summary**

**Table 5**  
**Background and GWPS Summary**  
**Annual Water Quality Report**  
**Goose Lake Quarry BUD**  
**Permit No. 23-BUD-15-03**

**Interwell Background Wells ( MW-3 and MW-4)**

Constituent	Units	Model Type	Samples - N	Detections	Mean	SD	Prediction Limit	Confidence	GWPS	Source
Aluminum	µg/l	nonparametric	24	16			870.0000	0.99	NA	SS
Ammonia Nitrogen	mg/L	nonparametric	26	2			0.2600	0.99	30	SS
Antimony (Sb)	µg/l	nonparametric	26	0			5.0000	0.99	6	SS
Arsenic (As)	µg/l	nonparametric	26	0			10.0000	0.99	10	SS
Barium (Ba)	µg/l	normal	26	22	38.6462	11.2798	67.2065		2000	SS
Beryllium (Be)	µg/l	nonparametric	26	0			1.0000	0.99	4	SS
Boron (B)	µg/l	nonparametric	25	4			31.0000	0.99	6000	SS
Cadmium (Cd)	µg/l	nonparametric	26	0			0.4000	0.99	5	SS
COD	mg/L	nonparametric	26	10			20.0000	0.99	NA	SS
Chloride	mg/L	nonparametric	25	21			34.1000	0.99	250	SS
Chromium (Cr)	µg/l	normal	26	20	7.8438	4.7999	19.9971		100	SS
Cobalt (Co)	µg/l	nonparametric	26	1			<b>3.3700</b>	0.99	2.1	SS
Copper (Cu)	µg/l	nonparametric	26	10			32.6000	0.99	1300	SS
Flouride (Fl)	mg/L	nonparametric	26	11			0.3000		4	SS
Formaldehyde	µg/l	nonparametric	26	0			100.0000	0.99	1000	SS
Iron (Fe)	µg/l	lognormal	25	21	5.0305	1.2391	3565.0804		NA	SS
Lead (Pb)	µg/l	nonparametric	26	3			3.0100	0.99	15	SS
Magnesium (Mg)	mg/L	nonparametric	26	22			72.0000		NA	SS
Manganese (Mn)	µg/l	nonparametric	24	8			145.0000	0.99	300	SS
Mercury (Hg)	µg/l	nonparametric	26	0			2.0000	0.99	2	SS
Methyl Etyl Ketone	µg/l	nonparametric	24	0			10.0000	0.99	4000	SS
Molybdenum (Mo)	µg/l	nonparametric	26	4			10.0000	0.99	40	SS
Nickel (Ni)	µg/l	nonparametric	26	7			5.0500	0.99	100	SS
Phenols	µg/l	nonparametric	23	4			16.0000	0.99	2000	SS
Selenium (Se)	µg/l	nonparametric	26	0			5.0000	0.99	50	SS
Silver (Ag)	µg/l	nonparametric	26	0			0.5000	0.99	100	SS
Sulfate	mg/L	normal	26	22	7.2484	4.4852	18.6454		NA	SS
Thallium (Tl)	µg/l	nonparametric	25	0			2.0000	0.99	2	SS
TOX	mg/L	nonparametric	23	9			0.0270	0.99	NA	SS
TSS	mg/L	lognormal	25	20	3.8289	1.1156	783.4315		NA	SS
Vanadium (V)	µg/l	nonparametric	25	3			1.9200	0.99	35	SS
Zinc (Zn)	µg/l	normal	26	17	9.6623	7.9118	29.6949		2000	SS

**Intrawell Background**

Constituent	Units	Model Type	Samples - N	Detections	Mean	SD	Prediction Limit	Confidence	GWPS	Source
See Following Pages for INTRAWELL Control Limits										

**3.3700** = Prediction limit exceeds the GWPS. A Site-Specific GWPS is warranted



Table 1

Summary Statistics and Intermediate Computations  
for Combined Shewhart-CUSUM Control Charts

Constituent	Units	Well	N(back)	N(mon)	N(tot)	Mean	SD	R(i-1)	R(i)	S(i-1)	S(i)	Limit	Type	Conf	
Aluminum, total	ug/L	MW-1	8	5	13	295.3625	422.9416	100.0000	100.0000	295.3625	295.3625	3044.4831	normal		
Aluminum, total	ug/L	MW-2	8	5	13	192.5375	223.5234	100.0000	100.0000	192.5375	192.5375	1645.4399	normal		
Aluminum, total	ug/L	MW-3	8	4	13	210.2125	172.5289	100.0000	100.0000	210.2125	210.2125	1331.6502	normal		
Aluminum, total	ug/L	MW-4	7	5	13	77.5571	31.4196	100.0000	100.0000	77.5571	77.5571	281.7844	normal		
Ammonia nitrogen	mg/L	MW-1	8	5	13			0.1000	0.1000			0.1300	nonpar	.99	**
Ammonia nitrogen	mg/L	MW-2	8	5	13			0.1000	0.1000			0.2300	nonpar	.99	**
Ammonia nitrogen	mg/L	MW-3	8	5	13			0.1000	0.1000			0.2600	nonpar	.99	**
Ammonia nitrogen	mg/L	MW-4	8	5	13			0.1000	0.1000			0.1200	nonpar	.99	**
Antimony, total	ug/L	MW-1	8	5	13			5.0000	5.0000			5.0000	nonpar	.99	**
Antimony, total	ug/L	MW-2	8	5	13			5.0000	5.0000			5.0000	nonpar	.99	**
Antimony, total	ug/L	MW-3	8	5	13			5.0000	5.0000			5.0000	nonpar	.99	**
Antimony, total	ug/L	MW-4	8	5	13			5.0000	5.0000			5.0000	nonpar	.99	**
Arsenic, total	ug/L	MW-1	8	5	13			10.0000	10.0000			10.0000	nonpar	.99	**
Arsenic, total	ug/L	MW-2	8	5	13			10.0000	10.0000			10.0000	nonpar	.99	**
Arsenic, total	ug/L	MW-3	8	5	13			10.0000	10.0000			10.0000	nonpar	.99	**
Arsenic, total	ug/L	MW-4	8	5	13			10.0000	10.0000			10.0000	nonpar	.99	**
Barium, total	ug/L	MW-1	8	5	13	60.2750	16.6684	32.3000	44.1000	60.2750	60.2750	168.6198	normal		
Barium, total	ug/L	MW-2	8	5	13	72.9625	32.1116	61.0000	60.0000	72.9625	72.9625	281.6881	normal		
Barium, total	ug/L	MW-3	8	5	13	30.7750	6.6257	26.9000	27.6000	55.8730	46.0724	73.8417	normal		
Barium, total	ug/L	MW-4	8	5	13	43.3000	4.9742	38.9000	41.4000	43.3000	43.3000	75.6324	normal		
Beryllium, total	ug/L	MW-1	8	5	13			1.0000	1.0000			1.0000	nonpar	.99	**
Beryllium, total	ug/L	MW-2	8	5	13			1.0000	1.0000			1.0000	nonpar	.99	**
Beryllium, total	ug/L	MW-3	8	5	13			1.0000	1.0000			1.0000	nonpar	.99	**
Beryllium, total	ug/L	MW-4	8	5	13			1.0000	1.0000			1.0000	nonpar	.99	**
Boron, total	ug/L	MW-1	8	5	13	21.7625	3.8000	20.0000	20.0000	21.7625	21.7625	46.4623	normal		
Boron, total	ug/L	MW-2	8	5	13	30.3750	13.7966	20.0000	20.0000	30.3750	30.3750	120.0526	normal		
Boron, total	ug/L	MW-3	8	5	13			20.0000	20.0000			20.0000	nonpar	.99	**
Boron, total	ug/L	MW-4	7	5	13	21.7143	4.1115	20.0000	20.0000	21.7143	21.7143	48.4393	normal		
Cadmium, total	ug/L	MW-1	8	5	13			0.4000	0.4000			0.4000	nonpar	.99	**
Cadmium, total	ug/L	MW-2	8	5	13			0.4000	0.4000			0.4000	nonpar	.99	**
Cadmium, total	ug/L	MW-3	8	5	13			0.4000	0.4000			0.4000	nonpar	.99	**
Cadmium, total	ug/L	MW-4	8	5	13			0.4000	0.4000			0.4000	nonpar	.99	**
Chemical oxygen demand	mg/L	MW-1	8	5	13	8.6250	2.8253	6.0000	10.0000	8.6250	8.6250	26.9892	normal		
Chemical oxygen demand	mg/L	MW-2	8	5	13	8.3750	3.5431	14.0000	10.0000	10.4569	8.3750	31.4052	normal		
Chemical oxygen demand	mg/L	MW-3	8	5	13	9.1250	3.0443	20.0000	10.0000	16.9557	9.1250	28.9131	normal		
Chemical oxygen demand	mg/L	MW-4	8	5	13	10.6250	4.3404	14.0000	10.0000	10.6250	10.6250	38.8378	normal		
Chloride	mg/L	MW-1	8	5	13	5.8200	2.4947	11.6000	4.8100	9.1053	5.8200	22.0355	normal		
Chloride	mg/L	MW-2	8	5	13	29.1675	28.1862	2.7400	2.7500	29.1675	29.1675	212.3775	normal		
Chloride	mg/L	MW-3	8	5	13	1.3752	1.3315	0.6110	0.6330	1.3752	1.3752	10.0303	normal		
Chloride	mg/L	MW-4	8	5	13	10.7650	11.4330	2.8800	2.7400	10.7650	10.7650	85.0797	normal		
Chromium, total	ug/L	MW-1	8	5	13	5.2988	4.0865	2.5900	7.1200	5.2988	5.2988	31.8611	normal		
Chromium, total	ug/L	MW-2	6	5	13	6.2000	1.2036	5.1300	3.4800	10.0792	6.2000	14.0234	normal		
Chromium, total	ug/L	MW-3	8	5	13	7.3575	6.3409	4.8400	4.6100	7.3575	7.3575	48.5731	normal		
Chromium, total	ug/L	MW-4	8	5	13	7.5900	4.6921	8.6000	12.1000	7.5900	7.5900	38.0883	normal		
Cobalt, total	ug/L	MW-1	8	5	13			2.0000	2.0000			2.0000	nonpar	.99	**
Cobalt, total	ug/L	MW-2	8	5	13			2.0000	2.0000			2.0000	nonpar	.99	**

N(back) and N(mon) = Non-outlier measurements in the background and monitoring periods.

N(tot) = All independent measurements for that constituent and well.

For transformed data, mean and SD in transformed units and control limit in original units.

Conf = confidence level for passing initial test or one of two verification resamples (nonparametric test only).

\* - Insufficient Data.

\*\* - Detection Frequency < 25%.

\*\*\* - Zero Variance.

Table 1

Summary Statistics and Intermediate Computations  
for Combined Shewhart-CUSUM Control Charts

Constituent	Units	Well	N(back)	N(mon)	N(tot)	Mean	SD	R(i-1)	R(i)	S(i-1)	S(i)	Limit	Type	Conf	
Cobalt, total	ug/L	MW-3	8	5	13			2.0000	2.0000			2.0000	nonpar	.99	**
Cobalt, total	ug/L	MW-4	8	5	13			2.0000	2.0000			2.0000	nonpar	.99	**
Copper, total	ug/L	MW-1	8	5	13	3.9662	1.8957	3.0000	3.0000	3.9662	3.9662	16.2886	normal		
Copper, total	ug/L	MW-2	8	5	13	2.6725	1.1713	3.0000	3.0000	2.6725	2.6725	10.2858	normal		
Copper, total	ug/L	MW-3	8	5	13	7.3413	10.3878	3.0000	3.0000	7.3413	7.3413	74.8616	normal		
Copper, total	ug/L	MW-4	8	5	13	3.0838	2.0070	3.0000	3.0000	3.0838	3.0838	16.1294	normal		
Fluoride	mg/L	MW-1	8	5	13	0.1406	0.0651	0.1380	0.1010	0.1406	0.1406	0.5635	normal		
Fluoride	mg/L	MW-2	8	5	13	0.1781	0.1119	0.1360	0.1140	0.1781	0.1781	0.9055	normal		
Fluoride	mg/L	MW-3	8	5	13	0.1205	0.0431	0.1040	0.1000	0.1205	0.1205	0.4003	normal		
Fluoride	mg/L	MW-4	8	5	13	0.1548	0.0681	0.1500	0.1240	0.1548	0.1548	0.5972	normal		
Formaldehyde	ug/L	MW-1	8	5	13			100.0000	100.0000			100.0000	nonpar	.99	**
Formaldehyde	ug/L	MW-2	8	5	13			100.0000	100.0000			100.0000	nonpar	.99	**
Formaldehyde	ug/L	MW-3	8	5	13			100.0000	100.0000			100.0000	nonpar	.99	**
Formaldehyde	ug/L	MW-4	8	5	13			100.0000	100.0000			100.0000	nonpar	.99	**
Iron, total	ug/L	MW-1	8	5	13	232.1375	256.1545	10.0000	79.4000	232.1375	232.1375	1897.1415	normal		
Iron, total	ug/L	MW-2	8	5	13	414.6125	502.0142	18.3000	15.4000	414.6125	414.6125	3677.7047	normal		
Iron, total	ug/L	MW-3	8	4	13	485.8500	557.5418	22.9000	35.1000	485.8500	485.8500	4109.8717	normal		
Iron, total	ug/L	MW-4	8	5	13	273.4000	351.1964	35.4000	55.4000	273.4000	273.4000	2556.1763	normal		
Lead, total	ug/L	MW-1	8	5	13			2.0000	2.0000			2.0000	nonpar	.99	**
Lead, total	ug/L	MW-2	8	5	13			2.0000	2.0000			2.2100	nonpar	.99	**
Lead, total	ug/L	MW-3	8	5	13			2.0000	2.0000			2.4100	nonpar	.99	**
Lead, total	ug/L	MW-4	8	5	13			2.0000	2.0000			3.0100	nonpar	.99	**
Magnesium, total	mg/L	MW-1	8	5	13	39.3125	9.1299	34.0000	50.3000	39.3125	41.1701	98.6570	normal		
Magnesium, total	mg/L	MW-2	8	5	13	60.7625	12.3983	52.6000	49.9000	60.7625	60.7625	141.3512	normal		
Magnesium, total	mg/L	MW-3	8	5	13	26.5625	4.8447	23.0000	24.0000	39.7409	32.3336	58.0531	normal		
Magnesium, total	mg/L	MW-4	8	5	13	51.7250	9.0714	45.1000	46.7000	51.7250	51.7250	110.6892	normal		
Manganese, total	ug/L	MW-1	8	5	13	31.3875	21.5201	20.0000	20.0000	31.3875	31.3875	171.2683	normal		
Manganese, total	ug/L	MW-2	8	5	13	67.3500	34.2578	20.0000	23.5000	70.4190	67.3500	290.0255	normal		
Manganese, total	ug/L	MW-3	8	4	13	38.1250	27.8922	20.0000	20.0000	38.1250	38.1250	219.4245	normal		
Manganese, total	ug/L	MW-4	7	5	13	21.3429	2.1801	20.0000	20.0000	21.3429	21.3429	35.5135	normal		
Mercury, total	ug/L	MW-1	8	5	13			2.0000	2.0000			2.0000	nonpar	.99	**
Mercury, total	ug/L	MW-2	8	5	13			2.0000	2.0000			2.0000	nonpar	.99	**
Mercury, total	ug/L	MW-3	8	5	13			2.0000	2.0000			2.0000	nonpar	.99	**
Mercury, total	ug/L	MW-4	8	5	13			2.0000	2.0000			2.0000	nonpar	.99	**
Methyl ethyl ketone	ug/L	MW-1	8	5	13			10.0000	10.0000			10.0000	nonpar	.99	**
Methyl ethyl ketone	ug/L	MW-2	8	5	13			10.0000	10.0000			10.0000	nonpar	.99	**
Methyl ethyl ketone	ug/L	MW-3	8	5	13			10.0000	10.0000			10.0000	nonpar	.99	**
Methyl ethyl ketone	ug/L	MW-4	8	5	13			10.0000	10.0000			10.0000	nonpar	.99	**
Molybdenum, total	ug/L	MW-1	8	5	13	2.0888	0.1795	10.0000	10.0000	2.0888	2.0888	3.2554	normal		
Molybdenum, total	ug/L	MW-2	8	5	13	3.2550	2.0221	10.0000	10.0000	3.2550	3.2550	16.3984	normal		
Molybdenum, total	ug/L	MW-3	8	5	13	2.3863	0.7607	10.0000	10.0000	2.3863	2.3863	7.3310	normal		
Molybdenum, total	ug/L	MW-4	8	5	13	2.3800	0.7205	10.0000	10.0000	2.3800	2.3800	7.0632	normal		
Nickel, total	ug/L	MW-1	8	5	13	1.3188	0.7304	1.0000	1.0000	1.3188	1.3188	6.0664	normal		
Nickel, total	ug/L	MW-2	6	5	13	1.0950	0.2004	1.0000	1.0000	1.0950	1.0950	2.3974	normal		
Nickel, total	ug/L	MW-3	8	5	13	1.6000	0.9365	1.0000	1.0000	1.6000	1.6000	7.6873	normal		
Nickel, total	ug/L	MW-4	8	5	13	1.2488	0.5285	1.0000	1.0000	1.2488	1.2488	4.6843	normal		

N(back) and N(mon) = Non-outlier measurements in the background and monitoring periods.

N(tot) = All independent measurements for that constituent and well.

For transformed data, mean and SD in transformed units and control limit in original units.

Conf = confidence level for passing initial test or one of two verification resamples (nonparametric test only).

\* - Insufficient Data.

\*\* - Detection Frequency < 25%.

\*\*\* - Zero Variance.

Table 1

Summary Statistics and Intermediate Computations  
for Combined Shewhart-CUSUM Control Charts

Constituent	Units	Well	N(back)	N(mon)	N(tot)	Mean	SD	R(i-1)	R(i)	S(i-1)	S(i)	Limit	Type	Conf	
Phenols	ug/L	MW-1	8	5	13	9.8750	7.7724	8.0000	8.0000	9.8750	9.8750	60.3958	normal		
Phenols	ug/L	MW-2	8	5	13	7.5000	4.7208	8.0000	8.0000	7.5000	7.5000	38.1850	normal		
Phenols	ug/L	MW-3	8	5	13	8.0000	6.1644	8.0000	8.0000	8.0000	8.0000	48.0687	normal		
Phenols	ug/L	MW-4	8	5	13	8.3125	8.0487	8.0000	8.0000	8.3125	8.3125	60.6289	normal		
Selenium, total	ug/L	MW-1	8	5	13	5.5413	0.9765	5.0000	5.0000	5.5413	5.5413	11.8882	normal		
Selenium, total	ug/L	MW-2	8	5	13			5.0000	5.0000			5.0000	nonpar	.99	**
Selenium, total	ug/L	MW-3	8	5	13			5.0000	5.0000			5.0000	nonpar	.99	**
Selenium, total	ug/L	MW-4	8	5	13			5.0000	5.0000			5.0000	nonpar	.99	**
Silver, total	ug/L	MW-1	8	5	13			0.5000	0.5000			0.5000	nonpar	.99	**
Silver, total	ug/L	MW-2	8	5	13			0.5000	0.5000			0.5000	nonpar	.99	**
Silver, total	ug/L	MW-3	8	5	13			0.5000	0.5000			0.5000	nonpar	.99	**
Silver, total	ug/L	MW-4	8	5	13			0.5000	0.5000			0.5000	nonpar	.99	**
Sulfate	mg/L	MW-1	8	5	13	28.0150	25.1579	13.8000	10.9000	28.0150	28.0150	191.5417	normal		
Sulfate	mg/L	MW-2	8	5	13	27.0000	4.5416	23.8000	20.7000	27.0000	27.0000	56.5201	normal		
Sulfate	mg/L	MW-3	8	5	13	4.5625	0.4935	5.1200	5.5700	4.7445	5.2585	7.7702	normal		
Sulfate	mg/L	MW-4	8	5	13	9.9363	6.6715	0.1000	8.9300	9.9363	9.9363	53.3012	normal		
Thallium, total	ug/L	MW-1	8	5	13			3.0000	3.0000			2.0000	nonpar	.99	**
Thallium, total	ug/L	MW-2	8	5	13			3.0000	3.0000			2.0000	nonpar	.99	**
Thallium, total	ug/L	MW-3	8	5	13			3.0000	3.0000			2.0000	nonpar	.99	**
Thallium, total	ug/L	MW-4	8	5	13			3.0000	3.0000			2.0000	nonpar	.99	**
Total organic halogen	mg/L	MW-1	7	5	13	0.0066	0.0022	0.0100	0.0120	0.0066	0.0098	0.0210	normal		
Total organic halogen	mg/L	MW-2	8	5	13	0.0289	0.0325	0.0100	0.0120	0.0289	0.0289	0.2401	normal		
Total organic halogen	mg/L	MW-3	8	5	13	0.0161	0.0139	0.0100	0.0100	0.0161	0.0161	0.1067	normal		
Total organic halogen	mg/L	MW-4	6	5	13	0.0142	0.0048	0.0100	0.0100	0.0142	0.0142	0.0453	normal		
Total suspended solids	mg/L	MW-1	8	5	13	31.1250	21.1284	11.0000	9.0000	31.1250	31.1250	168.4598	normal		
Total suspended solids	mg/L	MW-2	8	5	13	53.6250	47.6443	8.0000	8.0000	53.6250	53.6250	363.3131	normal		
Total suspended solids	mg/L	MW-3	8	5	13	83.1250	43.1126	15.0000	29.0000	160.6498	83.1250	363.3569	normal		
Total suspended solids	mg/L	MW-4	6	5	13	26.6667	11.3078	11.0000	8.0000	26.6667	26.6667	100.1675	normal		
Vanadium, total	ug/L	MW-1	8	5	13	1.2188	0.4051	1.0000	1.0000	1.2188	1.2188	3.8516	normal		
Vanadium, total	ug/L	MW-2	8	5	13	1.0813	0.1524	1.0000	1.0000	1.0813	1.0813	2.0716	normal		
Vanadium, total	ug/L	MW-3	8	5	13			1.0000	1.0000			1.4100	nonpar	.99	**
Vanadium, total	ug/L	MW-4	8	5	13			1.0000	1.0000			1.2600	nonpar	.99	**
Zinc, total	ug/L	MW-1	8	5	13	14.3588	9.9482	8.5000	13.5000	14.3588	14.3588	79.0220	normal		
Zinc, total	ug/L	MW-2	8	5	13	7.4325	3.2733	5.3400	5.1300	7.4325	7.4325	28.7091	normal		
Zinc, total	ug/L	MW-3	8	5	13	11.2038	6.8501	8.3600	5.0000	11.2038	11.2038	55.7291	normal		
Zinc, total	ug/L	MW-4	8	5	13	14.4125	8.7494	8.8500	7.8100	14.4125	14.4125	71.2839	normal		

N(back) and N(mon) = Non-outlier measurements in the background and monitoring periods.

N(tot) = All independent measurements for that constituent and well.

For transformed data, mean and SD in transformed units and control limit in original units.

Conf = confidence level for passing initial test or one of two verification resamples (nonparametric test only).

\* - Insufficient Data.

\*\* - Detection Frequency < 25%.

\*\*\* - Zero Variance.

**Table 6 – Summary of Current Year Exceedances above Prediction Limits  
(Interwell)**

**Table 6**  
**Summary of Well/Detected Constituent Pairs that Exceed the Prediction Limit**  
**Annual Water Quality Report**  
**Goose Lake Quarry BUD**  
**Permit No. 23-BUD-15-03**

<b>Well</b>	<b>Date</b>	<b>Compound</b>	<b>Result (ug/L)</b>	<b>Prediction Limit (ug/L)</b>	<b>GWPS (ug/L)</b>	<b>Monitoring Program</b>
MW-2	5/10/2023	Sulfate	23.8	20.5	250*	Detection Monitoring
MW-2	9/13/2023	Sulfate	20.7	18.6	250*	Detection Monitoring
Sump	5/10/2023	Barium	97.60	68.4	2000	Detection Monitoring
Sump	9/13/2023	Barium	133.00	67.2	2000	Detection Monitoring
Sump	5/10/2023	Boron	60.5	31.0	6000	Detection Monitoring
Sump	9/13/2023	Boron	81.1	31.0	6000	Detection Monitoring
Sump	5/10/2023	Sulfate	76.7	20.5	250*	Detection Monitoring
Sump	9/13/2023	Sulfate	20.1	18.6	250*	Detection Monitoring

\* = USEPA Recommendation as a Secondary MCL (non binding).

**Table 7 – Summary of Ongoing and Newly Identified SSI (*Interwell*)**

**Table 7**  
**Summary of Ongoing & Newly Identified SSI**  
**Annual Water Quality Report**  
**Goose Lake Quarry BUD**  
**Permit No. 23-BUD-15-03**

KEY:	SSI	SSL LCL>GWPS
------	-----	--------------

Note: The absence of shading indicates that the condition does not exist.

Monitoring Well	Compound	Units	Sample Date	Each Result	Prediction Limit	95% LCL (ug/L)	GWPS Limit	SSI		Resamples Due	5th Background Sample
								Initial Exceedance	Resamples Due		
MW-1	Barium	ug/L	9/17/2019	87.50	65.4320	---	2,000	9/17/2019	NA	9/17/2019	
MW-1	Barium	ug/L	4/6/2020	72.80	63.4396	---	2,000	9/17/2019	NA	9/17/2019	
MW-1	Barium	ug/L	9/24/2020	45.90	61.9617	---	2,000	9/17/2019	NA	9/17/2019	
MW-1	Barium	ug/L	4/27/2021	43.00	60.0740	43.6805	2,000	9/17/2019	NA	9/17/2019	
MW-1	Barium	ug/L	9/28/2021	41.80	73.5207	38.1291	2,000	9/17/2019	NA	9/17/2019	
MW-1	Barium	ug/L	5/11/2022	49.10	71.7596	42.128	2,000	9/17/2019	NA	9/17/2019	
MW-1	Barium	ug/L	9/14/2022	40.70	69.7633	40.400	2,000	9/17/2019	NA	9/17/2019	
MW-1	Barium	ug/L	5/10/2023	32.30	68.3582	35.016	2,000	9/17/2019	NA	9/17/2019	
MW-1	Barium	ug/L	9/13/2023	44.10	67.2065	35.431	2,000	9/17/2019	NA	9/17/2019	
MW-1	Cadmium	ug/L	9/17/2019	<0.4	0.4000	---	5	5/11/2022	NA	9/17/2019	
MW-1	Cadmium	ug/L	4/6/2020	<0.4	0.4000	---	5	5/11/2022	NA	9/17/2019	
MW-1	Cadmium	ug/L	9/24/2020	<0.4	0.4000	---	5	5/11/2022	NA	9/17/2019	
MW-1	Cadmium	ug/L	4/27/2021	<0.4	0.4000	0.200	5	5/11/2022	NA	9/17/2019	
MW-1	Cadmium	ug/L	9/28/2021	<0.4	0.4000	0.200	5	5/11/2022	NA	9/17/2019	
MW-1	Cadmium	ug/L	5/11/2022	1.02	0.4000	0.050	5	5/11/2022	NA	9/17/2019	
MW-1	Cadmium	ug/L	9/14/2022	<0.4	0.4000	0.050	5	5/11/2022	NA	9/17/2019	
MW-1	Cadmium	ug/L	5/10/2023	<0.4	0.4000	0.050	5	5/11/2022	NA	9/17/2019	
MW-1	Cadmium	ug/L	9/13/2023	<0.4	0.4000	0.050	5	5/11/2022	NA	9/17/2019	
MW-1	Selenium	ug/L	9/17/2019	7.45	5.0000	---	50	9/17/2019	NA	9/17/2019	
MW-1	Selenium	ug/L	4/6/2020	6.73	5.0000	---	50	9/17/2019	NA	9/17/2019	
MW-1	Selenium	ug/L	9/24/2020	<5.00	5.0000	---	50	9/17/2019	NA	9/17/2019	
MW-1	Selenium	ug/L	4/27/2021	<5.00	5.0000	2.4859	50	9/17/2019	NA	9/17/2019	
MW-1	Selenium	ug/L	9/28/2021	<5.00	5.0000	1.7259	50	9/17/2019	NA	9/17/2019	
MW-1	Selenium	ug/L	5/11/2022	<5.00	5.0000	2.500	50	9/17/2019	NA	9/17/2019	
MW-1	Selenium	ug/L	9/14/2022	<5.00	5.0000	2.500	50	9/17/2019	NA	9/17/2019	
MW-1	Selenium	ug/L	5/10/2023	<5.00	5.0000	2.500	50	9/17/2019	NA	9/17/2019	
MW-1	Selenium	ug/L	9/13/2023	<5.00	5.0000	2.500	50	9/17/2019	NA	9/17/2019	
MW-1	Sulfate	mg/L	9/17/2019	82.80	27.7099	---	250*	9/17/2019	NA	9/17/2019	
MW-1	Sulfate	mg/L	4/6/2020	30.40	24.8692	---	250*	9/17/2019	NA	9/17/2019	
MW-1	Sulfate	mg/L	9/24/2020	12.00	22.9755	---	250*	9/17/2019	NA	9/17/2019	
MW-1	Sulfate	mg/L	4/27/2021	7.72	21.5802	3.3692	250*	9/17/2019	NA	9/17/2019	
MW-1	Sulfate	mg/L	9/28/2021	10.80	21.9178	6.3336	250*	9/17/2019	NA	9/17/2019	
MW-1	Sulfate	mg/L	5/11/2022	11.90	20.1254	8.874	250*	9/17/2019	NA	9/17/2019	
MW-1	Sulfate	mg/L	9/14/2022	8.97	21.2893	8.234	250*	9/17/2019	NA	9/17/2019	
MW-1	Sulfate	mg/L	5/10/2023	13.80	20.5351	9.616	250*	9/17/2019	NA	9/17/2019	
MW-1	Sulfate	mg/L	9/13/2023	10.90	18.6454	9.649	250*	9/17/2019	NA	9/17/2019	
MW-1	Vanadium	ug/L	9/17/2019	1.88	1.4100	---	35	9/17/2019	NA	9/17/2019	
MW-1	Vanadium	ug/L	4/6/2020	<1.00	1.4100	---	35	9/17/2019	NA	9/17/2019	
MW-1	Vanadium	ug/L	9/24/2020	<1.00	1.4100	---	35	9/17/2019	NA	9/17/2019	
MW-1	Vanadium	ug/L	4/27/2021	<1.00	1.4100	0.2474	35	9/17/2019	NA	9/17/2019	
MW-1	Vanadium	ug/L	9/28/2021	<1.00	5.7600	0.500	35	9/17/2019	NA	9/17/2019	
MW-1	Vanadium	ug/L	5/11/2022	1.27	1.9200	0.359	35	9/17/2019	NA	9/17/2019	
MW-1	Vanadium	ug/L	9/14/2022	<1.00	1.9200	0.359	35	9/17/2019	NA	9/17/2019	
MW-1	Vanadium	ug/L	5/10/2023	<1.00	1.9200	0.359	35	9/17/2019	NA	9/17/2019	
MW-1	Vanadium	ug/L	9/13/2023	<1.00	1.9200	0.359	35	9/17/2019	NA	9/17/2019	

\* = USEPA Recommendation as a Secondary MCL (non binding).

**Table 7**  
**Summary of Ongoing & Newly Identified SSI**  
**Annual Water Quality Report**  
**Goose Lake Quarry BUD**  
**Permit No. 23-BUD-15-03**

KEY:	SSI	SSL LCL>GWPS
------	-----	--------------

Note: The absence of shading indicates that the condition does not exist.

Monitoring Well	Compound	Units	Sample Date	Each Result	Prediction Limit	95% LCL (ug/L)	GWPS Limit	SSI		Resamples Due	5th Background Sample
								Initial Exceedance	Resamples Due		
MW-2	Barium	ug/L	9/17/2019	58.60	65.4320	---	2,000	4/6/2020	NA	9/17/2019	
MW-2	Barium	ug/L	4/6/2020	64.80	63.4396	---	2,000	4/6/2020	NA	9/17/2019	
MW-2	Barium	ug/L	9/24/2020	56.60	61.9617	---	2,000	4/6/2020	NA	9/17/2019	
MW-2	Barium	ug/L	4/27/2021	57.10	60.0740	56.001	2,000	4/6/2020	NA	9/17/2019	
MW-2	Barium	ug/L	9/28/2021	75.00	73.5207	55.918	2,000	4/6/2020	NA	9/17/2019	
MW-2	Barium	ug/L	5/11/2022	63.00	71.7596	55.513	2,000	4/6/2020	NA	9/17/2019	
MW-2	Barium	ug/L	9/14/2022	54.10	69.7633	54.299	2,000	4/6/2020	NA	9/17/2019	
MW-2	Barium	ug/L	5/10/2023	61.00	68.3582	55.743	2,000	4/6/2020	NA	9/17/2019	
MW-2	Barium	ug/L	9/13/2023	60.00	67.2065	56.212	2,000	4/6/2020	NA	9/17/2019	
MW-2	Cadmium	ug/L	9/17/2019	<0.4	0.400	---	5	5/11/2022	NA	9/17/2019	
MW-2	Cadmium	ug/L	4/6/2020	<0.4	0.400	---	5	5/11/2022	NA	9/17/2019	
MW-2	Cadmium	ug/L	9/24/2020	<0.4	0.400	---	5	5/11/2022	NA	9/17/2019	
MW-2	Cadmium	ug/L	4/27/2021	<0.4	0.400	0.200	5	5/11/2022	NA	9/17/2019	
MW-2	Cadmium	ug/L	9/28/2021	<0.4	0.400	0.200	5	5/11/2022	NA	9/17/2019	
MW-2	Cadmium	ug/L	5/11/2022	0.67	0.400	0.114	5	5/11/2022	NA	9/17/2019	
MW-2	Cadmium	ug/L	9/14/2022	<0.4	0.400	0.114	5	5/11/2022	NA	9/17/2019	
MW-2	Cadmium	ug/L	5/10/2023	<0.4	0.400	0.114	5	5/11/2022	NA	9/17/2019	
MW-2	Cadmium	ug/L	9/13/2023	<0.4	0.400	0.114	5	5/11/2022	NA	9/17/2019	
MW-2	Chromium	ug/L	9/17/2019	7.46	22.5591	---	100	9/28/2021	NA	9/17/2019	
MW-2	Chromium	ug/L	4/6/2020	6.65	22.0413	---	100	9/28/2021	NA	9/17/2019	
MW-2	Chromium	ug/L	9/24/2020	5.13	20.3033	---	100	9/28/2021	NA	9/17/2019	
MW-2	Chromium	ug/L	4/27/2021	6.87	22.2996	5.668	100	9/28/2021	NA	9/17/2019	
MW-2	Chromium	ug/L	9/28/2021	23.00	22.6783	3.114	100	9/28/2021	NA	9/17/2019	
MW-2	Chromium	ug/L	5/11/2022	15.00	21.8168	5.385	100	9/28/2021	NA	9/17/2019	
MW-2	Chromium	ug/L	9/14/2022	5.96	20.9272	5.801	100	9/28/2021	NA	9/17/2019	
MW-2	Chromium	ug/L	5/10/2023	5.13	20.2469	4.969	100	9/28/2021	NA	9/17/2019	
MW-2	Chromium	ug/L	9/13/2023	3.48	19.9970	2.911	100	9/28/2021	NA	9/17/2019	
MW-2	Fluoride	mg/L	9/17/2019	0.430	0.3000	---	4	9/17/2019	NA	9/17/2019	
MW-2	Fluoride	mg/L	4/6/2020	0.229	0.3000	---	4	9/17/2019	NA	9/17/2019	
MW-2	Fluoride	mg/L	9/24/2020	0.128	0.3763	---	4	9/17/2019	NA	9/17/2019	
MW-2	Fluoride	mg/L	4/27/2021	0.151	0.3577	0.116	4	9/17/2019	NA	9/17/2019	
MW-2	Fluoride	mg/L	9/28/2021	0.228	0.3464	0.139	4	9/17/2019	NA	9/17/2019	
MW-2	Fluoride	mg/L	5/11/2022	0.122	0.3329	0.115	4	9/17/2019	NA	9/17/2019	
MW-2	Fluoride	mg/L	9/14/2022	0.158	0.3241	0.126	4	9/17/2019	NA	9/17/2019	
MW-2	Fluoride	mg/L	5/10/2023	0.136	0.3000	0.120	4	9/17/2019	NA	9/17/2019	
MW-2	Fluoride	mg/L	9/13/2023	0.114	0.0300	0.116	4	9/17/2019	NA	9/17/2019	
MW-2	Manganese	ug/L	9/17/2019	57.00	102.0000	---	300	4/6/2020	NA	9/17/2019	
MW-2	Manganese	ug/L	4/6/2020	108.00	102.0000	---	300	4/6/2020	NA	9/17/2019	
MW-2	Manganese	ug/L	9/24/2020	<20.0	102.0000	---	300	4/6/2020	NA	9/17/2019	
MW-2	Manganese	ug/L	4/27/2021	95.00	102.0000	29.379	300	4/6/2020	NA	9/17/2019	
MW-2	Manganese	ug/L	9/28/2021	301.00	102.0000	22.033	300	4/6/2020	NA	9/17/2019	
MW-2	Manganese	ug/L	5/11/2022	70.90	145.0000	9.801	300	4/6/2020	NA	9/17/2019	
MW-2	Manganese	ug/L	9/14/2022	37.60	145.0000	23.124	300	4/6/2020	NA	9/17/2019	
MW-2	Manganese	ug/L	5/10/2023	<20.0	145.0000	0.000	300	4/6/2020	NA	9/17/2019	
MW-2	Manganese	ug/L	9/13/2023	23.50	145.0000	12.851	300	4/6/2020	NA	9/17/2019	
MW-2	Sulfate	mg/L	9/17/2019	23.40	27.7099	---	250*	9/24/2020	NA	9/17/2019	
MW-2	Sulfate	mg/L	4/6/2020	24.30	24.8692	---	250*	9/24/2020	NA	9/17/2019	
MW-2	Sulfate	mg/L	9/24/2020	24.00	22.9755	---	250*	9/24/2020	NA	9/17/2019	
MW-2	Sulfate	mg/L	4/27/2021	24.40	21.5802	23.6353	250*	9/24/2020	NA	9/17/2019	
MW-2	Sulfate	mg/L	9/28/2021	25.40	21.9178	23.9988	250*	9/24/2020	NA	9/17/2019	
MW-2	Sulfate	mg/L	5/11/2022	25.70	20.1254	24.177	250*	9/24/2020	NA	9/17/2019	
MW-2	Sulfate	mg/L	9/14/2022	24.40	21.2893	24.390	250*	9/24/2020	NA	9/17/2019	
MW-2	Sulfate	mg/L	5/10/2023	23.80	20.5351	24.062	250*	9/24/2020	NA	9/17/2019	
MW-2	Sulfate	mg/L	9/13/2023	20.70	18.6454	21.814	250*	9/24/2020	NA	9/17/2019	

\* = USEPA Recommendation as a Secondary MCL (non binding).



**Table 7**  
**Summary of Ongoing & Newly Identified SSI**  
**Annual Water Quality Report**  
**Goose Lake Quarry BUD**  
**Permit No. 23-BUD-15-03**

KEY:	SSI	SSL LCL>GWPS
------	-----	--------------

Note: The absence of shading indicates that the condition does not exist

Monitoring Well	Compound	Units	Sample Date	Each Result	Prediction Limit	95% LCL (ug/L)	GWPS Limit	SSI		Resamples Due	5th Background Sample
								Initial Exceedance	Resamples Due		
Sump	Barium	ug/L	4/6/2020	109.00	63.4396	---	2000	4/6/2020	NA	5/11/2022	
Sump	Barium	ug/L	9/24/2020	108.00	61.9617	---	2000	4/6/2020	NA	5/11/2022	
Sump	Barium	ug/L	4/27/2021	93.10	60.0740	---	2000	4/6/2020	NA	5/11/2022	
Sump	Barium	ug/L	9/28/2021	127.00	73.5207	97.259	2000	4/6/2020	NA	5/11/2022	
Sump	Barium	ug/L	5/11/2022	98.80	71.7596	93.869	2000	4/6/2020	NA	5/11/2022	
Sump	Barium	ug/L	9/14/2022	79.00	69.7633	82.025	2000	4/6/2020	NA	5/11/2022	
Sump	Barium	ug/L	5/10/2023	97.60	68.3582	83.455	2000	4/6/2020	NA	5/11/2022	
Sump	Barium	ug/L	9/13/2023	133.00	67.2065	82.609	2000	4/6/2020	NA	5/11/2022	
Sump	Boron	ug/L	4/6/2020	40.50	31.0000	---	6000	4/6/2020	NA	5/11/2022	
Sump	Boron	ug/L	9/24/2020	54.80	31.0000	---	6000	4/6/2020	NA	5/11/2022	
Sump	Boron	ug/L	4/27/2021	34.20	31.0000	---	6000	4/6/2020	NA	5/11/2022	
Sump	Boron	ug/L	9/28/2021	30.40	31.0000	30.687	6000	4/6/2020	NA	5/11/2022	
Sump	Boron	ug/L	5/11/2022	36.60	31.0000	29.614	6000	4/6/2020	NA	5/11/2022	
Sump	Boron	ug/L	9/14/2022	63.50	31.0000	28.097	6000	4/6/2020	NA	5/11/2022	
Sump	Boron	ug/L	5/10/2023	60.50	31.0000	33.293	6000	4/6/2020	NA	5/11/2022	
Sump	Boron	ug/L	9/13/2023	81.10	31.0000	44.578	6000	4/6/2020	NA	5/11/2022	
Sump	Chloride	mg/L	4/6/2020	35.500	34.1000	---	250*	4/6/2020	NA	5/11/2022	
Sump	Chloride	mg/L	9/24/2020	29.300	34.1000	---	250*	4/6/2020	NA	5/11/2022	
Sump	Chloride	mg/L	4/27/2021	23.600	34.1000	---	250*	4/6/2020	NA	5/11/2022	
Sump	Chloride	mg/L	9/28/2021	19.000	34.1000	20.665	250*	4/6/2020	NA	5/11/2022	
Sump	Chloride	mg/L	5/11/2022	13.000	34.1000	15.237	250*	4/6/2020	NA	5/11/2022	
Sump	Chloride	mg/L	9/14/2022	11.900	34.1000	12.144	250*	4/6/2020	NA	5/11/2022	
Sump	Chloride	mg/L	5/10/2023	22.400	34.1000	12.261	250*	4/6/2020	NA	5/11/2022	
Sump	Chloride	mg/L	9/13/2023	22.900	34.1000	12.432	250*	4/6/2020	NA	5/11/2022	
Sump	Manganese	ug/L	4/6/2020	<20	102.0000	---	300	9/24/2020	NA	5/11/2022	
Sump	Manganese	ug/L	9/24/2020	103.00	102.0000	---	300	9/24/2020	NA	5/11/2022	
Sump	Manganese	ug/L	4/27/2021	<20	102.0000	---	300	9/24/2020	NA	5/11/2022	
Sump	Manganese	ug/L	9/28/2021	21.50	102.0000	0.000	300	9/24/2020	NA	5/11/2022	
Sump	Manganese	ug/L	5/11/2022	<20	145.0000	0.000	300	9/24/2020	NA	5/11/2022	
Sump	Manganese	ug/L	9/14/2022	<20	145.0000	7.895	300	9/24/2020	NA	5/11/2022	
Sump	Manganese	ug/L	5/10/2023	<20	145.0000	7.895	300	9/24/2020	NA	5/11/2022	
Sump	Manganese	ug/L	9/13/2023	<20	145.0000	10.000	300	9/24/2020	NA	5/11/2022	
Sump	Sulfate	mg/L	4/6/2020	122.00	24.8692	---	250*	4/6/2020	NA	5/11/2022	
Sump	Sulfate	mg/L	9/24/2020	66.80	22.9755	---	250*	4/6/2020	NA	5/11/2022	
Sump	Sulfate	mg/L	4/27/2021	120.00	21.5802	---	250*	4/6/2020	NA	5/11/2022	
Sump	Sulfate	mg/L	9/28/2021	33.60	21.9178	48.298	250*	4/6/2020	NA	5/11/2022	
Sump	Sulfate	mg/L	5/11/2022	39.00	20.1254	30.608	250*	4/6/2020	NA	5/11/2022	
Sump	Sulfate	mg/L	9/14/2022	43.60	21.2893	23.683	250*	4/6/2020	NA	5/11/2022	
Sump	Sulfate	mg/L	5/10/2023	76.70	20.5351	31.408	250*	4/6/2020	NA	5/11/2022	
Sump	Sulfate	mg/L	9/13/2023	20.10	18.6454	24.461	250*	4/6/2020	NA	5/11/2022	

\* = USEPA Recommendation as a Secondary MCL (non binding).

# Appendix A

## Statistical Report (Combined Spring & Fall Data)

---

# **Results of the Ground Water Statistics**

## **for Goose Lake Quarry**

**Semi-Annual Monitoring Events in 2023**

*Prepared for:*  
Goose Lake Quarry  
3715 137<sup>th</sup> Street  
Goose Lake, IA 52750

*Prepared by:*  
Jeffrey A. Holmgren  
**Otter Creek Environmental Services, L.L.C.**  
40W565 Foxwick Court  
Elgin, IL 60124  
(847) 464-1355

**October 2023**

---

## INTRODUCTION

This report contains the results of the statistical analyses used to evaluate the ground water data obtained during the 2023 semi-annual monitoring events at Goose Lake Quarry. The ground water at Goose Lake Quarry is monitored by wells MW-1, MW-2, MW-3, MW-4, and Sump Grab/Sump Composite. These monitoring wells were sampled on May 10, 2023 and September 13, 2023 and analyzed for the parameters required by permit.

The statistical plan is designed to detect a release from the facility at the earliest indication so that it is protective of human health and the environment. Both interwell and intrawell methodologies are described and then applied to the Goose Lake Quarry data. The statistical plan conforms with IAC 567, Chapter 113.10, USEPA Guidance document (“*Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Unified Guidance*”, March 2009), and the American Society for Testing and Materials (ASTM) standard D6312-98, *Developing Appropriate Statistical Approaches for Ground-Water Detection Monitoring Programs*.

## Ground Water Monitoring Program

The groundwater monitoring network for Goose Lake Quarry includes wells MW-1, MW-2, MW-3, MW-4, and Sump Grab/Sump Composite. Each of the groundwater monitoring wells is to be sampled at least semiannually and analyzed for the detection monitoring parameters listed below.

### Detection monitoring constituents for Goose Lake Quarry

Aluminum, Total	Fluoride	Thallium, Total
Antimony, Total	Iron, Total	Vanadium, Total
Arsenic, Total	Lead, Total	Zinc, Total
Barium, Total	Magnesium, Total	Total suspended solids (TSS)
Beryllium, Total	Manganese, Total	Chemical oxygen demand (COD)
Boron, Total	Mercury, Total	Total Organic Halogen (TOX)
Cadmium, Total	Molybdenum, Total	Phenols
Chloride	Nickel, Total	Nitrogen ammonia
Chromium, Total	Selenium, Total	Formaldehyde
Cobalt, Total	Silver, Total	Methyl ethyl ketone
Copper, Total	Sulfate	

The ground water data obtained during the first and second semi-annual monitoring events in 2023 are summarized in Attachment A. The historical ground water data obtained from August 2018 through 2023 are summarized in Attachment B.

## STATISTICAL METHODOLOGIES FOR DETECTION MONITORING

IAC 567, Chapter 113.10(4) provides several options for statistically evaluating the ground water data at those wells that monitor the open cells or contiguous MSWLF units. The preferred methods for comparing ground water data are using either prediction limits or using control charts. Both of these methods were applied to the Goose Lake Quarry data using the DUMPStat<sup>®</sup> statistical program. DUMPStat<sup>®</sup> is a program for the statistical analysis of groundwater monitoring data using methods described in “Statistical Methods for Groundwater Monitoring” by Dr. Robert D. Gibbons. The DUMPStat program is completely consistent

with all USEPA regulations and guidance and the ASTM D6312-98 guidance. Ground water statistics are to be done on the constituents listed.

### **Interwell Statistics: Upgradient versus Downgradient Comparisons**

Interwell statistics are appropriate when the upgradient and downgradient wells monitor the same ground water formation and there is similar variability in the upgradient and downgradient zones. Site prediction limits are determined by pooling the historical ground water data from hydraulically upgradient wells. This statistical method compares the current downgradient determinations to site prediction limits and checks for exceedances. The type of prediction limit utilized (e.g., parametric or nonparametric) is based on the detection frequency and the data distribution of each parameter in the background data. The distribution of the background data is tested for normality using the Shapiro-Wilk test (Gibbons, 1994 and USEPA 1992). If the constituent is normally distributed, a normal prediction limit is used. If normality is rejected by the Shapiro-Wilk test, the background data is transformed by taking the natural logarithm. The Shapiro-Wilk test is then reapplied on the transformed data. If it is not rejected, lognormal prediction limits are used. If after transforming the data, normality is still rejected, nonparametric prediction limits are used for that analyte. The nonparametric prediction limit is the largest determination in the background measurements. For constituents where the background detection frequency is greater than 0% but less than 50%, nonparametric prediction limits will be used. If the detection frequency is 0% after thirteen samples have been collected, the practical quantitation limit (PQL) becomes the nonparametric prediction limit.

### **Intrawell statistics**

Intrawell statistics are appropriate for facilities where the upgradient wells do not accurately characterize the natural ground water conditions downgradient from the facility. This may be due to different hydrogeological conditions where the wells are screened, having too few upgradient wells to account for the spatial variability, or the site exhibiting no definable hydraulic gradient. Intrawell statistics compare new measurements to the historical data at each ground water monitoring well independently. It is recommended that at least eight background samples be obtained prior to performing the statistics.

The most useful technique for intrawell comparisons is the combined Shewhart-CUSUM control chart. This control chart procedure is useful because it will detect releases both in terms of the constituent concentration and cumulative increases. This method is also extremely sensitive to sudden and gradual releases. A requirement for constructing these control charts is that the parameter is detected at a frequency greater than or equal to 25%, otherwise the data variance is not properly defined.

The combined Shewhart-CUSUM control chart assumes that the data are independent and normally distributed with a fixed mean and a constant variance. Independent data is much more critical than the normality assumption. To achieve independence, it is recommended that data are collected no more frequently than quarterly to account for seasonal variation. The combined Shewhart-CUSUM control chart is extremely robust to deviations from normality. Because the control charts do not use a specific multiplier based on a normal distribution, it is more conservative to assume normality.

It is recommended that at least eight rounds of data be available to provide a reliable estimate of the mean and standard deviation of the parameter concentration, although the control charts will be generated with

as few as four data points. Having only four data points may produce greater uncertainty in the mean and standard deviation of the background data, leading to higher control limits, thus having a potentially high false negative rate.

Many groundwater monitoring parameters are not detected at a frequency great enough to generate the combined Shewhart-CUSUM control charts. For constituents that are detected less than 25% of the time at a particular well, the data should be plotted as a time series until a sufficient number of data points are available to provide a 99% confidence nonparametric prediction limit. Thirteen independent measurements (with 1 resample) are necessary to achieve a 99% confidence (1% false positive rate) nonparametric prediction limit. Eight independent measurements (for pass 1 of 2 resamples) are necessary to achieve a 99% confidence nonparametric prediction limit. The nonparametric prediction limit is the largest determination out of the data set collected for that well and parameter. If the detection frequency is 0% after thirteen samples have been collected, the practical quantitation limit (PQL) becomes the nonparametric prediction limit.

In developing the statistical background, the historical data must be thoroughly screened for anomalous data due to sampling error, analytical error, or simply by chance alone. An erroneous data point, if not removed prior to the mean and variance computations, would yield a larger control limit thus increasing the false negative rate. The DUMPStat<sup>®</sup> program screens for outliers using the Dixon test. If the Dixon test indicates an outlier, the value is compared to three times the median value for intrawell analyses. If the value fails both criteria of the two-stage screening, the value is considered a statistical outlier and will not be used in the mean and variance determinations. Anomalous data will still be plotted on the graphs (with a unique symbol) but will not be included in the calculations.

The verification resample plan is an integral function of the statistical plan to reduce the probability that anomalous data obtained after the background has been established, is indicative of a release.

The background data for each well and constituent is tested for existing trends using Sen's nonparametric estimate of trend. If contamination exists prior to completing the background, the control limits could be potentially high and this control chart method would not be able to detect an increasing trend unless the increase is severe.

### **First Semi-Annual Monitoring Event in 2023**

#### **Results of the Interwell Statistics**

The background data used in this statistical analysis includes the ground water data collected from ground water wells MW-3 and MW-4 during the period from August 2018 through the May 2023 data. A summary of the background data from monitoring wells MW-3 and MW-4 is listed in Attachment C, Table 1 "Upgradient Data". This statistical method compares the current downgradient determinations to site prediction limits and checks for exceedances.

Table 2 "Most Current Downgradient Monitoring Data", summarizes the May 2023 data from downgradient wells MW-1, MW-2, and Sump Comp compared to the site prediction limits. Prediction

limit exceedances are flagged with asterisks. For the most current data, the site prediction limit exceedances detected are summarized in the table below.

**Prediction Limit Exceedances at Goose Lake Quarry  
during the First Semi-Annual Monitoring Event in 2023**

Well	Parameter	Result	Prediction Limit	Prediction Limit Type	Verified/ Awaiting verification
MW-2	Sulfate, mg/L	23.8	20.5351	Lognormal	Verified
Sump Comp	Barium, µg/L	97.6	68.3582	Normal	Awaiting verification
	Boron, µg/L	60.5	31.0000	Nonparametric	Awaiting verification
	Sulfate, mg/L	76.7	20.5351	Lognormal	Awaiting verification

The detection frequencies of the parameters in the up and down gradient monitoring wells are summarized in Table 3. The constituents rarely detected (less than 50% in the upgradient wells) use nonparametric prediction limits.

Table 4 summarizes the results of the Shapiro-Wilk test. Table 5 is a summary of the statistics and prediction limits determined. Time series graphs of each of the parameters at each well with the corresponding prediction limits are attached.

A statistical power curve indicates the expected false assessments for the site as a whole. The false positive rate for interwell analyses is the percentage of failures when the upgradient versus downgradient true mean difference equals zero. False negative rate indicates the chance of missing contamination at a single well for a single constituent. The statistical power is a function of the number of wells included, the number of constituents compared, the detection frequencies, and the data distributions involved. For interwell analysis, the site-wide false positive rate is 7% and the test becomes sensitive to 4 standard deviation unit increases over background.

**Results of the Intrawell Statistics**

The monitoring constituents at wells MW-1, MW-2, MW-3, and MW-4 were evaluated using the combined Shewhart-CUSUM control chart method. The previous background included the five rounds of data obtained from 2018 through 2019. These comparisons should not be considered binding since a minimum of eight rounds of data is recommended. The background was updated to include the eight rounds of data from 2018 through April 2021. There is insufficient data to do intrawell comparisons for Sump Grab/Sump Composite.

A summary of the intrawell statistics is included in Attachment D, Table 1 “Summary Statistics and Intermediate Computations for Combined Shewhart-CUSUM Control Charts.” The control charts or time series graphs follow the summary table. For the May 2023 data, there were no control limit exceedances detected.

An increasing trend was detected in the updated background data for chromium at MW-1.

A control chart factor was selected to provide a balance of the site-wide false positive and false negative rates. A statistical power curve indicates the expected false assessments for the site as a whole. The site-wide false positive rate is 12% and the test becomes sensitive to 4 standard deviation units over background.

### **Second Semi-Annual Monitoring Event in 2023**

#### **Results of the Interwell Statistics**

The background data used in this statistical analysis includes the ground water data collected from ground water wells MW-3 and MW-4 during the period from August 2018 through the current data. A summary of the background data from monitoring wells MW-3 and MW-4 is listed in Attachment E, Table 1 “Upgradient Data”. This statistical method compares the current downgradient determinations to site prediction limits and checks for exceedances.

Table 2 “Most Current Downgradient Monitoring Data”, summarizes the current data from downgradient wells MW-1, MW-2, and Sump Grab compared to the site prediction limits. Prediction limit exceedances are flagged with asterisks. For the most current data, the site prediction limit exceedances detected are summarized in the table below.

**Prediction Limit Exceedances at Goose Lake Quarry  
during the Second Semi-Annual Monitoring Event in 2023**

Well	Parameter	Result	Prediction Limit	Prediction Limit Type	Verified/ Awaiting verification
MW-2	Sulfate, mg/L	20.7	18.6454	Normal	Verified
Sump Grab	Barium, µg/L	133	67.2065	Normal	Verified
	Boron, µg/L	81.1	31.0000	Nonparametric	Verified
	Sulfate, mg/L	20.1	18.6454	Normal	Verified

The detection frequencies of the parameters in the up and down gradient monitoring wells are summarized in Table 3. The constituents rarely detected (less than 50% in the upgradient wells) use nonparametric prediction limits.

Table 4 summarizes the results of the Shapiro-Wilk test. Table 5 is a summary of the statistics and prediction limits determined. Time series graphs of each of the parameters at each well with the corresponding prediction limits are attached.

A statistical power curve indicates the expected false assessments for the site as a whole. The false positive rate for interwell analyses is the percentage of failures when the upgradient versus downgradient true mean difference equals zero. False negative rate indicates the chance of missing contamination at a single well for a single constituent. The statistical power is a function of the number of wells included, the number of constituents compared, the detection frequencies, and the data distributions involved. For interwell analysis, the site-wide false positive rate is 5% and the test becomes sensitive to 4 standard deviation unit increases over background.



### **Results of the Intrawell Statistics**

The monitoring constituents at wells MW-1, MW-2, MW-3, and MW-4 were evaluated using the combined Shewhart-CUSUM control chart method. The background includes the eight rounds of data from 2018 through April 2021. There is insufficient data to do intrawell comparisons for Sump Grab.

A summary of the intrawell statistics is included in Attachment F, Table 1 “Summary Statistics and Intermediate Computations for Combined Shewhart-CUSUM Control Charts.” The control charts or time series graphs follow the summary table. For the most current data, there were no control limit exceedances detected.

An increasing trend was detected in the background data for chromium at MW-1.

A control chart factor was selected to provide a balance of the site-wide false positive and false negative rates. A statistical power curve indicates the expected false assessments for the site as a whole. The site-wide false positive rate is 12% and the test becomes sensitive to 4 standard deviation units over background.

### **CONCLUSIONS**

This document describes a comprehensive statistical plan designated for the Goose Lake Quarry. The groundwater monitoring network for Goose Lake Quarry includes wells MW-1, MW-2, MW-3, MW-4, and Sump Grab/Sump Composite. The ground water data was compared to background using prediction limits (interwell) and using control charts (intrawell). Following both semi-annual monitoring events in 2023, the only current statistical exceedances are verified site prediction limit exceedances for sulfate at MW-2 and barium, boron, and sulfate at Sump Grab/Sump Composite. Using intrawell comparisons, there are no current control limit exceedances detected.

**Attachment A**  
Ground Water Data

Table 1

## Analytical Data Summary for 5/10/2023

Constituents	Units	MW-1	MW-2	MW-3	MW-4	Sump Comp
Aluminum, total	ug/L	<100	<100	<100	<100	<100
Ammonia nitrogen	mg/L	<.10	<.10	<.10	<.10	.11
Antimony, total	ug/L	<5	<5	<5	<5	<5
Arsenic, total	ug/L	<10	<10	<10	<10	<10
Barium, total	ug/L	32.3	61.0	26.9	38.9	97.6
Beryllium, total	ug/L	<1	<1	<1	<1	<1
Boron, total	ug/L	<20.0	<20.0	<20.0	<20.0	60.5
Cadmium, total	ug/L	<.4	<.4	<.4	<.4	<.4
Chemical oxygen demand	mg/L	6	14	20	14	15
Chloride	mg/L	11,600	2,740	611	2,880	22,400
Chromium, total	ug/L	2.59	5.13	4.84	8.60	<1.00
Cobalt, total	ug/L	<2	<2	<2	<2	<2
Copper, total	ug/L	<3	<3	<3	<3	<3
Fluoride	mg/L	.138	.136	.104	.150	.167
Formaldehyde	ug/L	<100	<100	<100	<100	<100
Iron, total	ug/L	<10.0	18.3	22.9	35.4	38.2
Lead, total	ug/L	<2	<2	<2	<2	<2
Magnesium, total	mg/L	34.0	52.6	23.0	45.1	40.8
Manganese, total	ug/L	<20	<20	<20	<20	<20
Mercury, total	ug/L	<2	<2	<2	<2	<2
Methyl ethyl ketone	ug/L	<10	<10	<10	<10	<10
Molybdenum, total	ug/L	<10	<10	<10	<10	<10
Nickel, total	ug/L	<1	<1	<1	<1	<1
pH (Field)	SU					8.4
Phenols	ug/L	<8	<8	<8	<8	<8
Selenium, total	ug/L	<5	<5	<5	<5	<5
Silver, total	ug/L	<.5	<.5	<.5	<.5	<.5
Specific conductivity (Field)	uS					654
Sulfate	mg/L	13.80	23.80	5.12	<.10	76.70
Thallium, total	ug/L	<3	<3	<3	<3	<3
Total organic halogen	mg/L	<.01	<.01	<.01	<.01	<.01
Total suspended solids	mg/L	11	8	15	11	6
Vanadium, total	ug/L	<1	<1	<1	<1	<1
Zinc, total	ug/L	8.50	5.34	8.36	8.85	<5.00

\* - The displayed value is the arithmetic mean of multiple database matches.

Table 2

## Analytical Data Summary for 9/13/2023

Constituents	Units	MW-1	MW-2	MW-3	MW-4	Sump Grab
Aluminum, total	ug/L	<100	<100	<100	<100	<100
Ammonia nitrogen	mg/L	<.1	<.1	<.1	<.1	<.1
Antimony, total	ug/L	<5	<5	<5	<5	<5
Arsenic, total	ug/L	<10	<10	<10	<10	<10
Barium, total	ug/L	44.1	60.0	27.6	41.4	133.0
Beryllium, total	ug/L	<1	<1	<1	<1	<1
Boron, total	ug/L	<20.0	<20.0	<20.0	<20.0	81.1
Cadmium, total	ug/L	<.4	<.4	<.4	<.4	<.4
Chemical oxygen demand	mg/L	<10	<10	<10	<10	<10
Chloride	mg/L	4,810	2,750	633	2,740	22,900
Chromium, total	ug/L	7.12	3.48	4.61	12.10	<1.00
Cobalt, total	ug/L	<2	<2	<2	<2	<2
Copper, total	ug/L	<3	<3	<3	<3	<3
Field Temperature	F	54.7	54.0	52.9	52.5	69.4
Fluoride	mg/L	.101	.114	<.100	.124	.141
Formaldehyde	ug/L	<100	<100	<100	<100	<100
Iron, total	ug/L	79.4	15.4	35.1	55.4	<10.0
Lead, total	ug/L	<2	<2	<2	<2	<2
Magnesium, total	mg/L	50.3	49.9	24.0	46.7	43.0
Manganese, total	ug/L	<20.0	23.5	<20.0	<20.0	<20.0
Mercury, total	ug/L	<2	<2	<2	<2	<2
Methyl ethyl ketone	ug/L	<10	<10	<10	<10	<10
Molybdenum, total	ug/L	<10	<10	<10	<10	<10
Nickel, total	ug/L	<1	<1	<1	<1	<1
pH (Field)	SU	8.3	8.1	8.2	7.9	8.2
Phenols	ug/L	<8	<8	<8	<8	<8
Selenium, total	ug/L	<5	<5	<5	<5	<5
Silver, total	ug/L	<.5	<.5	<.5	<.5	<.5
Specific conductivity (Field)	uS	475	556	320	486	570
Sulfate	mg/L	10.90	20.70	5.57	8.93	20.10
Thallium, total	ug/L	<3	<3	<3	<3	<3
Total organic halogen	mg/L	.012	.012	<.010	.010	<.010
Total suspended solids	mg/L	9	8	29	8	1
Vanadium, total	ug/L	<1	<1	<1	<1	<1
Zinc, total	ug/L	13.50	5.13	<5.00	7.81	<5.00

\* - The displayed value is the arithmetic mean of multiple database matches.

**Attachment B**

Historical Ground Water Data

Table 1

Analytical Data Summary for MW-1

Constituents	Units	8/23/2018	11/14/2018	1/10/2019	4/1/2019	9/17/2019	4/6/2020	9/24/2020	4/27/2021	9/28/2021	5/11/2022	9/14/2022	5/10/2023	9/13/2023
Aluminum, total	ug/L	1070.0	26.2	47.0	65.7	877.0	89.5	53.5	134.0	<100.0	330.0	125.0	<100.0	<100.0
Ammonia nitrogen	mg/L	<.10	<.10	.13	<.10	<.10	<.10	<.10	<.10	<.10	<.10	<.10	<.10	<.10
Antimony, total	ug/L	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Arsenic, total	ug/L	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Barium, total	ug/L	77.8	51.6	49.0	54.6	87.5	72.8	45.9	43.0	41.8	49.1	40.7	32.3	44.1
Beryllium, total	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Boron, total	ug/L	21.3	<20.0	21.8	<20.0	<20.0	31.0	<20.0	<20.0	<20.0	<20.0	<20.0	<20.0	<20.0
Cadmium, total	ug/L	<.40	<.40	<.40	<.40	<.40	<.40	<.40	<.40	<.40	1.02	<.40	<.40	<.40
Chemical oxygen demand	mg/L	10	9	15	7	<6	<7	7	<7	<7	8	<7	6	<10
Chloride	mg/L	6.47	6.75	5.14	4.77	11.20	5.35	3.77	3.11	3.75	3.88	3.57	11.60	4.81
Chromium, total	ug/L	1.68	<1.00	1.58	3.46	8.86	9.68	4.83	11.30	2.44	12.30	8.33	2.59	7.12
Cobalt, total	ug/L	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Copper, total	ug/L	3.85	2.75	<2.00	6.80	3.44	4.17	<2.00	6.72	<3.00	3.50	<3.00	<3.00	<3.00
Field Temperature	F									55.2				54.7
Fluoride	mg/L	<.100	<.100	<.100	.102	.270	.212	.137	.104	.141	<.100	.108	.138	.101
Formaldehyde	ug/L	<100	<100	<100	<100	<100	<50	<50	<100	<100	<100	<100	<100	<100
Iron, total	ug/L	562.0	38.8	62.1	164.0	710.0	142.0	56.2	122.0	46.4	338.0	140.0	<10.0	79.4
Lead, total	ug/L	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Magnesium, total	mg/L	34.1	30.9	33.3	34.9	46.3	31.9	47.9	55.2	49.9	54.9	45.3	34.0	50.3
Manganese, total	ug/L	57.5	<20.0	<20.0	<20.0	73.6	<20.0	<20.0	<20.0	<20.0	31.4	<20.0	<20.0	<20.0
Mercury, total	ug/L	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Methyl ethyl ketone	ug/L	<10	<10	<10	<10	<100	<5	<5	<10	<5	<10	<10	<10	<10
Molybdenum, total	ug/L	2.22	<2.00	2.49	<2.00	<2.00	<2.00	<2.00	<10.00	<10.00	<10.00	<10.00	<10.00	<10.00
Nickel, total	ug/L	<1.00	<1.00	1.00	<1.00	1.47	<1.00	<1.00	3.08	<1.00	<1.00	<1.00	<1.00	<1.00
pH (Field)	SU						8.0			8.5	8.4	8.6		8.3
Phenols	ug/L	<5	<5	6	27	13	<5	13	<5	8	8	<5	<8	<8
Selenium, total	ug/L	<5.00	<5.00	5.15	<5.00	7.45	6.73	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00	<5.00
Silver, total	ug/L	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5
Specific conductivity (Field)	uS						520			530	544	459		475
Sulfate	mg/L	14.70	44.80	15.80	15.90	82.80	30.40	12.00	7.72	10.80	11.90	8.97	13.80	10.90
Thallium, total	ug/L	<2	<2	<2	<2	<2	<2	<2	<3	<3	<3	<3	<3	<3
Total organic halogen	mg/L	<.0050	.0066	.0094	<.0050	.0910	<.0100	<.0100	.0100	<.0200	<.0100	<.0100	<.0100	.0120
Total Organic Halogens-1	mg/L								.016					
Total Organic Halogens-2	mg/L								<.01					
Total suspended solids	mg/L	8	60	21	59	48	12	20	21	18	34	14	11	9
Vanadium, total	ug/L	1.87	<1.00	<1.00	<1.00	1.88	<1.00	<1.00	<1.00	<1.00	1.27	<1.00	<1.00	<1.00
Zinc, total	ug/L	<5.00	<5.00	<5.00	22.40	23.40	30.50	9.57	14.00	<5.00	15.00	11.10	8.50	13.50

\* - The displayed value is the arithmetic mean of multiple database matches.

Table 2

Analytical Data Summary for MW-2

Constituents	Units	8/23/2018	11/14/2018	1/10/2019	4/1/2019	9/17/2019	4/6/2020	9/24/2020	4/27/2021	9/28/2021	5/11/2022	9/14/2022	5/10/2023	9/13/2023
Aluminum, total	ug/L	111.0	547.0	550.0	18.4	134.0	59.8	20.1	<100.0	431.0	<100.0	<100.0	<100.0	<100.0
Ammonia nitrogen	mg/L	<.10	<.10	.23	<.10	<.10	<.10	<.10	<.10	<.10	<.10	<.10	<.10	<.10
Antimony, total	ug/L	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Arsenic, total	ug/L	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Barium, total	ug/L	151.0	75.3	61.2	59.1	58.6	64.8	56.6	57.1	75.0	63.0	54.1	61.0	60.0
Beryllium, total	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Boron, total	ug/L	22.2	49.6	49.3	41.3	20.6	<20.0	<20.0	<20.0	<20.0	<20.0	<20.0	<20.0	<20.0
Cadmium, total	ug/L	<.40	<.40	<.40	<.40	<.40	<.40	<.40	<.40	<.40	.67	<.40	<.40	<.40
Chemical oxygen demand	mg/L	8	11	16	<6	<6	8	<7	<7	<7	<7	<7	14	<10
Chloride	mg/L	59.40	60.80	63.10	32.70	7.79	3.18	2.89	3.48	2.99	2.90	2.75	2.74	2.75
Chromium, total	ug/L	<1.00	4.32	6.77	<1.00	7.46	6.65	5.13	6.87	23.00	15.00	5.96	5.13	3.48
Cobalt, total	ug/L	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Copper, total	ug/L	4.95	4.10	2.33	<2.00	<2.00	<2.00	<2.00	<3.00	5.45	<3.00	<3.00	<3.00	<3.00
Field Temperature	F									55				54
Fluoride	mg/L	<.100	<.100	<.100	.187	.430	.229	.128	.151	.228	.122	.158	.136	.114
Formaldehyde	ug/L	<100	<100	<100	<100	<100	<50	<50	<100	<100	<100	<100	<100	<100
Iron, total	ug/L	391.0	1180.0	1230.0	37.2	231.0	119.0	19.7	109.0	699.0	162.0	68.9	18.3	15.4
Lead, total	ug/L	<2.00	<2.00	2.21	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00
Magnesium, total	mg/L	54.8	73.2	84.6	61.7	58.5	47.8	50.0	55.5	54.9	51.6	44.6	52.6	49.9
Manganese, total	ug/L	35.4	104.0	81.7	37.7	57.0	108.0	<20.0	95.0	301.0	70.9	37.6	<20.0	23.5
Mercury, total	ug/L	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Methyl ethyl ketone	ug/L	<10	<10	<10	<10	<100	<5	<5	<10	<5	<10	<10	<10	<10
Molybdenum, total	ug/L	<2.00	3.77	7.53	4.74	<2.00	<2.00	<2.00	<10.00	<10.00	<10.00	<10.00	<10.00	<10.00
Nickel, total	ug/L	<1.00	1.50	3.22	<1.00	1.07	<1.00	<1.00	3.35	1.46	<1.00	<1.00	<1.00	<1.00
pH (Field)	SU							8.0		8.0	7.9	8.0		8.1
Phenols	ug/L	<5	<5	<5	18	6	<5	11	<5	8	<5	<5	<8	<8
Selenium, total	ug/L	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Silver, total	ug/L	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5
Specific conductivity (Field)	uS							573		548	550	525		556
Sulfate	mg/L	29.8	37.0	26.8	26.3	23.4	24.3	24.0	24.4	25.4	25.7	24.4	23.8	20.7
Thallium, total	ug/L	<2	<2	<2	<2	<2	<2	<2	<3	<3	<3	<3	<3	<3
Total organic halogen	mg/L	<.005	.020	.067	.011	.093	<.010	<.010	<.010	<.020	.012	.024	<.010	.012
Total Organic Halogens-1	mg/L								<.01					
Total Organic Halogens-2	mg/L								<.01					
Total suspended solids	mg/L	91	29	152	57	51	13	17	19	20	24	40	8	8
Vanadium, total	ug/L	<1.00	1.37	1.28	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Zinc, total	ug/L	<5.00	5.30	12.30	<5.00	12.10	9.28	5.48	<5.00	19.80	11.20	<5.00	5.34	5.13

\* - The displayed value is the arithmetic mean of multiple database matches.

Table 3

Analytical Data Summary for MW-3

Constituents	Units	8/23/2018	11/14/2018	1/10/2019	4/1/2019	9/17/2019	4/6/2020	9/24/2020	4/27/2021	9/28/2021	5/11/2022	9/14/2022	5/10/2023	9/13/2023
Aluminum, total	ug/L	22.9	219.0	99.0	58.8	575.0	248.0	193.0	266.0	2720.0	870.0	124.0	<100.0	<100.0
Ammonia nitrogen	mg/L	<.10	<.10	.26	<.10	<.10	<.10	<.10	<.10	<.10	<.10	<.10	<.10	<.10
Antimony, total	ug/L	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Arsenic, total	ug/L	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Barium, total	ug/L	33.2	25.9	21.1	26.5	42.9	33.8	29.3	33.5	79.0	44.6	31.4	26.9	27.6
Beryllium, total	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Boron, total	ug/L	<20.0	<20.0	20.0	<20.0	<20.0	<20.0	<20.0	<20.0	21.3	<20.0	<20.0	<20.0	<20.0
Cadmium, total	ug/L	<.4	<.4	<.4	<.4	<.4	<.4	<.4	<.4	<.4	<.4	<.4	<.4	<.4
Chemical oxygen demand	mg/L	7	14	11	13	7	<7	<7	<7	<7	<7	<7	20	<10
Chloride	mg/L	.834	4.610	1.480	1.060	.762	.715	.751	.790	.666	.853	.787	.611	.633
Chromium, total	ug/L	<1.00	1.62	4.08	4.00	16.40	11.20	4.26	16.30	13.50	8.11	6.86	4.84	4.61
Cobalt, total	ug/L	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00	3.37	<2.00	<2.00	<2.00	<2.00
Copper, total	ug/L	32.60	5.91	<2.00	3.08	7.33	<2.00	2.31	3.50	5.14	<3.00	<3.00	<3.00	<3.00
Field Temperature	F									54.5				52.9
Fluoride	mg/L	<.100	<.100	<.100	<.100	.220	.100	.144	<.100	<.100	<.100	<.100	.104	<.100
Formaldehyde	ug/L	<100	<100	<100	<100	<100	<50	<50	<100	<100	<100	<100	<100	<100
Iron, total	ug/L	27.8	177.0	130.0	116.0	1740.0	541.0	663.0	492.0	4830.0	1900.0	135.0	22.9	35.1
Lead, total	ug/L	<2.00	<2.00	<2.00	<2.00	2.41	<2.00	<2.00	<2.00	2.32	<2.00	<2.00	<2.00	<2.00
Magnesium, total	mg/L	22.0	22.2	24.2	25.5	36.6	27.1	24.7	30.2	62.8	42.6	21.6	23.0	24.0
Manganese, total	ug/L	<20.0	<20.0	<20.0	<20.0	102.0	45.2	38.4	39.4	451.0	145.0	<20.0	<20.0	<20.0
Mercury, total	ug/L	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Methyl ethyl ketone	ug/L	<10	<10	<10	<10	<100	<5	<5	<10	<5	<10	<10	<10	<10
Molybdenum, total	ug/L	<2.00	4.03	3.06	<2.00	<2.00	<2.00	<2.00	<10.00	<10.00	<10.00	<10.00	<10.00	<10.00
Nickel, total	ug/L	<1.00	1.17	1.60	<1.00	2.51	<1.00	<1.00	3.52	5.05	<1.00	<1.00	<1.00	<1.00
pH (Field)	SU							8.2		8.2		8.0		8.2
Phenols	ug/L	<5	<5	22	<5	<5	<5	12	<5	<5	<5	<5	<8	<8
Selenium, total	ug/L	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Silver, total	ug/L	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5
Specific conductivity (Field)	uS							315		319		332		320
Sulfate	mg/L	4.69	5.18	4.76	4.42	3.63	4.89	4.11	4.82	4.97	5.31	4.92	5.12	5.57
Thallium, total	ug/L	<2	<2	<2	<2	<2	<2	<2	<3	<3	<3	<3	<3	<3
Total organic halogen	mg/L	<.005	.009	.013	.017	.050	<.010	<.010	<.010	<.020	<.010	<.010	<.010	<.010
Total Organic Halogens-1	mg/L								<.01					
Total Organic Halogens-2	mg/L								<.01					
Total suspended solids	mg/L	75	41	29	97	138	144	48	93	126	632	315	15	29
Vanadium, total	ug/L	<1.00	<1.00	<1.00	<1.00	1.41	<1.00	<1.00	<1.00	5.76	1.92	<1.00	<1.00	<1.00
Zinc, total	ug/L	<5.00	20.10	<5.00	12.10	22.80	10.80	6.67	7.16	8.45	<5.00	8.32	8.36	<5.00

\* - The displayed value is the arithmetic mean of multiple database matches.



Table 4

Analytical Data Summary for MW-4

Constituents	Units	8/23/2018	8/28/2018	11/30/2018	1/10/2019	4/1/2019	9/17/2019	4/6/2020	9/24/2020	4/27/2021	9/28/2021	5/11/2022	9/14/2022	5/10/2023
Aluminum, total	ug/L	105.0		755.0	32.1	113.0	87.5	54.1	51.2	<100.0	<100.0	<100.0	<100.0	<100.0
Ammonia nitrogen	mg/L		<.10	<.10	.12	<.10	<.10	<.10	<.10	<.10	<.10	<.10	<.10	<.10
Antimony, total	ug/L		<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Arsenic, total	ug/L	<10		<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Barium, total	ug/L	49.7		34.5	38.6	47.4	44.4	46.2	44.5	41.1	44.3	41.8	36.3	38.9
Beryllium, total	ug/L	<1		<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Boron, total	ug/L		90.1	31.0	21.0	<20.0	<20.0	<20.0	<20.0	<20.0	<20.0	<20.0	<20.0	<20.0
Cadmium, total	ug/L	<.4		<.4	<.4	<.4	<.4	<.4	<.4	<.4	<.4	<.4	<.4	<.4
Chemical oxygen demand	mg/L		15	17	15	7	<6	<7	10	<7	<7	<7	<7	14
Chloride	mg/L	34.10		20.90	12.80	6.63	3.49	2.95	2.60	2.65	2.68	3.38	3.04	2.88
Chromium, total	ug/L	<1.00		4.82	2.12	9.75	13.30	10.00	6.73	13.00	12.90	9.66	5.18	8.60
Cobalt, total	ug/L		<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Copper, total	ug/L		<2.00	6.27	<2.00	6.40	<2.00	<2.00	<2.00	<3.00	3.44	<3.00	<3.00	<3.00
Field Temperature	F										54.1			
Fluoride	mg/L	<.100		<.100	<.100	.145	.300	.200	.152	.141	.160	.123	.144	.150
Formaldehyde	ug/L	<100		<100	<100	<100	<100	<50	<50	<100	<100	<100	<100	<100
Iron, total	ug/L	193.0		1130.0	69.2	211.0	198.0	107.0	204.0	75.0	101.0	97.4	44.3	35.4
Lead, total	ug/L	<2.00		<2.00	<2.00	3.01	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00	<2.00
Magnesium, total	mg/L		55.3	72.0	48.9	52.9	49.3	43.2	45.4	46.8	44.7	47.4	40.6	45.1
Manganese, total	ug/L		25.7	100.0	<20.0	20.9	<20.0	22.8	<20.0	<20.0	<20.0	<20.0	<20.0	<20.0
Mercury, total	ug/L	<2		<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Methyl ethyl ketone	ug/L	<10		<10	<10	<10	<100	<5	<5	<10	<5	<10	<10	<10
Molybdenum, total	ug/L	3.81		<2.00	3.23	<2.00	<2.00	<2.00	<2.00	<10.00	<10.00	<10.00	<10.00	<10.00
Nickel, total	ug/L	<1.00		<1.00	1.51	<1.00	<1.00	<1.00	<1.00	2.48	<1.00	<1.00	<1.00	<1.00
pH (Field)	SU								8.0		7.9	7.8	7.8	
Phenols	ug/L	16.0		<5.0	25.0	.5	<5.0	<5.0	5.0	<5.0	<5.0	<5.0	<5.0	<8.0
Selenium, total	ug/L		<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Silver, total	ug/L		<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5
Specific conductivity (Field)	uS								515		492	508	514	
Sulfate	mg/L		25.10	13.80	6.97	5.53	5.26	7.20	7.56	8.07	8.70	11.70	10.00	<.10
Thallium, total	ug/L		<2	<2	<2	<2	<2	<2	<2	<3	<3	<3	<3	<3
Total organic halogen	mg/L		.0609	.0230	.0150	.0130	.1100	<.0100	<.0100	.0140	<.0200	<.0100	.0270	<.0100
Total Organic Halogens-1	mg/L									.021				
Total Organic Halogens-2	mg/L									<.01				
Total suspended solids	mg/L		500	237	38	20	44	18	19	21	26	18	19	11
Vanadium, total	ug/L		<1.00	1.26	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
Zinc, total	ug/L		<5.00	18.80	<5.00	31.40	17.90	10.50	16.60	10.10	9.33	7.59	7.58	8.85

\* - The displayed value is the arithmetic mean of multiple database matches.

**Table 4**  
**Analytical Data Summary for MW-4**

Constituents	9/13/2023
Aluminum, total	<100.0
Ammonia nitrogen	<.10
Antimony, total	<5
Arsenic, total	<10
Barium, total	41.4
Beryllium, total	<1
Boron, total	<20.0
Cadmium, total	<.4
Chemical oxygen demand	<10
Chloride	2.74
Chromium, total	12.10
Cobalt, total	<2
Copper, total	<3.00
Field Temperature	52.5
Fluoride	.124
Formaldehyde	<100
Iron, total	55.4
Lead, total	<2.00
Magnesium, total	46.7
Manganese, total	<20.0
Mercury, total	<2
Methyl ethyl ketone	<10
Molybdenum, total	<10.00
Nickel, total	<1.00
pH (Field)	7.9
Phenols	<8.0
Selenium, total	<5
Silver, total	<.5
Specific conductivity (Field)	486
Sulfate	8.93
Thallium, total	<3
Total organic halogen	.0100
Total Organic Halogens-1	
Total Organic Halogens-2	
Total suspended solids	8
Vanadium, total	<1.00
Zinc, total	7.81

\* - The displayed value is the arithmetic mean of multiple database matches.

Table 5

## Analytical Data Summary for Sump Comp

Constituents	Units	5/10/2023
Aluminum, total	ug/L	<100
Ammonia nitrogen	mg/L	.11
Antimony, total	ug/L	<5
Arsenic, total	ug/L	<10
Barium, total	ug/L	97.6
Beryllium, total	ug/L	<1
Boron, total	ug/L	60.5
Cadmium, total	ug/L	<.4
Chemical oxygen demand	mg/L	15
Chloride	mg/L	22.4
Chromium, total	ug/L	<1
Cobalt, total	ug/L	<2
Copper, total	ug/L	<3
Fluoride	mg/L	.167
Formaldehyde	ug/L	<100
Iron, total	ug/L	38.2
Lead, total	ug/L	<2
Magnesium, total	mg/L	40.8
Manganese, total	ug/L	<20
Mercury, total	ug/L	<2
Methyl ethyl ketone	ug/L	<10
Molybdenum, total	ug/L	<10
Nickel, total	ug/L	<1
pH (Field)	SU	8.4
Phenols	ug/L	<8
Selenium, total	ug/L	<5
Silver, total	ug/L	<.5
Specific conductivity (Field)	uS	654
Sulfate	mg/L	76.7
Thallium, total	ug/L	<3
Total organic halogen	mg/L	<.01
Total suspended solids	mg/L	6
Vanadium, total	ug/L	<1
Zinc, total	ug/L	<5

\* - The displayed value is the arithmetic mean of multiple database matches.

Table 6

Analytical Data Summary for Sump Grab

Constituents	Units	4/6/2020	9/24/2020	4/27/2021	9/28/2021	5/11/2022	9/14/2022	9/13/2023
Aluminum, total	ug/L	47	158	<100	<100	<100	<100	<100
Ammonia nitrogen	mg/L	<.10	<.10	<.10	.25	<.10	<.10	<.10
Antimony, total	ug/L	<5	<5	<5	<5	<5	<5	<5
Arsenic, total	ug/L	<10	<10	<10	<10	<10	<10	<10
Barium, total	ug/L	109.0	108.0	93.1	127.0	98.8	79.0	133.0
Beryllium, total	ug/L	<1	<1	<1	<1	<1	<1	<1
Boron, total	ug/L	40.5	54.8	34.2	30.4	36.6	63.5	81.1
Cadmium, total	ug/L	<.4	<.4	<.4	<.4	<.4	<.4	<.4
Chemical oxygen demand	mg/L	7	9	<7	<7	<7	<7	<10
Chloride	mg/L	35.5	29.3	23.6	19.0	13.0	11.9	22.9
Chromium, total	ug/L	<1.0	1.5	<1.0	<1.0	<1.0	<1.0	<1.0
Cobalt, total	ug/L	<2	<2	<2	<2	<2	<2	<2
Copper, total	ug/L	<2.00	11.20	<3.00	5.68	11.00	<3.00	<3.00
Field Temperature	F				64.6			69.4
Fluoride	mg/L	.170	.159	.174	.136	.126	.147	.141
Formaldehyde	ug/L	<50	<50	<100	<100	<100	<100	<100
Iron, total	ug/L	55.0	3250.0	146.0	42.9	47.0	<10.0	<10.0
Lead, total	ug/L	<2	<2	<2	<2	<2	<2	<2
Magnesium, total	mg/L	37.4	34.6	41.5	39.4	37.4	31.4	43.0
Manganese, total	ug/L	<20.0	103.0	<20.0	21.5	<20.0	<20.0	<20.0
Mercury, total	ug/L	<2	<2	<2	<2	<2	<2	<2
Methyl ethyl ketone	ug/L		<5	<10	<5	<10	<10	<10
Molybdenum, total	ug/L	<2	<2	<10	<10	<10	<10	<10
Nickel, total	ug/L	<1	<1	<1	<1	<1	<1	<1
pH (Field)	SU		8.4		8.2	8.4	8.4	8.2
Phenols	ug/L	<5	6	5	9	<5	<5	<8
Selenium, total	ug/L	<5	<5	<5	<5	<5	<5	<5
Silver, total	ug/L	<.5	<.5	<.5	<.5	<.5	<.5	<.5
Specific conductivity (Field)	uS		665		586	510	445	570
Sulfate	mg/L	122.0	66.8	120.0	33.6	39.0	43.6	20.1
Thallium, total	ug/L	<2	<2	<3	<3	<3	<3	<3
Total organic halogen	mg/L		<.010	.024	<.020	<.010	.039	<.010
Total Organic Halogens-1	mg/L			.012				
Total Organic Halogens-2	mg/L			.036				
Total suspended solids	mg/L	7	10	6	4	5	5	1
Vanadium, total	ug/L	<1.00	1.71	<1.00	<1.00	<1.00	<1.00	<1.00
Zinc, total	ug/L	<5.0	22.5	<5.0	14.6	11.8	<5.0	<5.0

\* - The displayed value is the arithmetic mean of multiple database matches.

**Attachment C**

Summary Tables and Graphs for the Interwell Comparisons  
First Semi-Annual Monitoring Event in 2023

**Table 1**  
**Upgradient Data**

Constituent	Units	Well	Date		Result	Adjusted	
Aluminum, total	ug/L	MW-3	08/23/2018		22.9000		
Aluminum, total	ug/L	MW-3	11/14/2018		219.0000		
Aluminum, total	ug/L	MW-3	01/10/2019		99.0000		
Aluminum, total	ug/L	MW-3	04/01/2019		58.8000		
Aluminum, total	ug/L	MW-3	09/17/2019		575.0000		
Aluminum, total	ug/L	MW-3	04/06/2020		248.0000		
Aluminum, total	ug/L	MW-3	09/24/2020		193.0000		
Aluminum, total	ug/L	MW-3	04/27/2021		266.0000		
Aluminum, total	ug/L	MW-3	09/28/2021		2720.0000		*
Aluminum, total	ug/L	MW-3	05/11/2022		870.0000		
Aluminum, total	ug/L	MW-3	09/14/2022		124.0000		
Aluminum, total	ug/L	MW-3	05/10/2023	ND	100.0000		
Aluminum, total	ug/L	MW-4	08/23/2018		105.0000		
Aluminum, total	ug/L	MW-4	11/30/2018		755.0000		*
Aluminum, total	ug/L	MW-4	01/10/2019		32.1000		
Aluminum, total	ug/L	MW-4	04/01/2019		113.0000		
Aluminum, total	ug/L	MW-4	09/17/2019		87.5000		
Aluminum, total	ug/L	MW-4	04/06/2020		54.1000		
Aluminum, total	ug/L	MW-4	09/24/2020		51.2000		
Aluminum, total	ug/L	MW-4	04/27/2021	ND	100.0000		
Aluminum, total	ug/L	MW-4	09/28/2021	ND	100.0000		
Aluminum, total	ug/L	MW-4	05/11/2022	ND	100.0000		
Aluminum, total	ug/L	MW-4	09/14/2022	ND	100.0000		
Aluminum, total	ug/L	MW-4	05/10/2023	ND	100.0000		
Ammonia nitrogen	mg/L	MW-3	08/23/2018	ND	0.1000		
Ammonia nitrogen	mg/L	MW-3	11/14/2018	ND	0.1000		
Ammonia nitrogen	mg/L	MW-3	01/10/2019		0.2600		
Ammonia nitrogen	mg/L	MW-3	04/01/2019	ND	0.1000		
Ammonia nitrogen	mg/L	MW-3	09/17/2019	ND	0.1000		
Ammonia nitrogen	mg/L	MW-3	04/06/2020	ND	0.1000		
Ammonia nitrogen	mg/L	MW-3	09/24/2020	ND	0.1000		
Ammonia nitrogen	mg/L	MW-3	04/27/2021	ND	0.1000		
Ammonia nitrogen	mg/L	MW-3	09/28/2021	ND	0.1000		
Ammonia nitrogen	mg/L	MW-3	05/11/2022	ND	0.1000		
Ammonia nitrogen	mg/L	MW-3	09/14/2022	ND	0.1000		
Ammonia nitrogen	mg/L	MW-3	05/10/2023	ND	0.1000		
Ammonia nitrogen	mg/L	MW-4	08/28/2018	ND	0.1000		
Ammonia nitrogen	mg/L	MW-4	11/30/2018	ND	0.1000		
Ammonia nitrogen	mg/L	MW-4	01/10/2019		0.1200		
Ammonia nitrogen	mg/L	MW-4	04/01/2019	ND	0.1000		
Ammonia nitrogen	mg/L	MW-4	09/17/2019	ND	0.1000		
Ammonia nitrogen	mg/L	MW-4	04/06/2020	ND	0.1000		
Ammonia nitrogen	mg/L	MW-4	09/24/2020	ND	0.1000		
Ammonia nitrogen	mg/L	MW-4	04/27/2021	ND	0.1000		
Ammonia nitrogen	mg/L	MW-4	09/28/2021	ND	0.1000		
Ammonia nitrogen	mg/L	MW-4	05/11/2022	ND	0.1000		
Ammonia nitrogen	mg/L	MW-4	09/14/2022	ND	0.1000		
Ammonia nitrogen	mg/L	MW-4	05/10/2023	ND	0.1000		
Antimony, total	ug/L	MW-3	08/23/2018	ND	5.0000		
Antimony, total	ug/L	MW-3	11/14/2018	ND	5.0000		
Antimony, total	ug/L	MW-3	01/10/2019	ND	5.0000		
Antimony, total	ug/L	MW-3	04/01/2019	ND	5.0000		
Antimony, total	ug/L	MW-3	09/17/2019	ND	5.0000		
Antimony, total	ug/L	MW-3	04/06/2020	ND	5.0000		
Antimony, total	ug/L	MW-3	09/24/2020	ND	5.0000		
Antimony, total	ug/L	MW-3	04/27/2021	ND	5.0000		
Antimony, total	ug/L	MW-3	09/28/2021	ND	5.0000		
Antimony, total	ug/L	MW-3	05/11/2022	ND	5.0000		
Antimony, total	ug/L	MW-3	09/14/2022	ND	5.0000		
Antimony, total	ug/L	MW-3	05/10/2023	ND	5.0000		
Antimony, total	ug/L	MW-4	08/28/2018	ND	5.0000		
Antimony, total	ug/L	MW-4	11/30/2018	ND	5.0000		
Antimony, total	ug/L	MW-4	01/10/2019	ND	5.0000		
Antimony, total	ug/L	MW-4	04/01/2019	ND	5.0000		
Antimony, total	ug/L	MW-4	09/17/2019	ND	5.0000		
Antimony, total	ug/L	MW-4	04/06/2020	ND	5.0000		
Antimony, total	ug/L	MW-4	09/24/2020	ND	5.0000		
Antimony, total	ug/L	MW-4	04/27/2021	ND	5.0000		
Antimony, total	ug/L	MW-4	09/28/2021	ND	5.0000		
Antimony, total	ug/L	MW-4	05/11/2022	ND	5.0000		
Antimony, total	ug/L	MW-4	09/14/2022	ND	5.0000		
Antimony, total	ug/L	MW-4	05/10/2023	ND	5.0000		
Arsenic, total	ug/L	MW-3	08/23/2018	ND	10.0000		
Arsenic, total	ug/L	MW-3	11/14/2018	ND	10.0000		

\* - Outlier for that well and constituent.  
 \*\* - ND value replaced with median RL.  
 \*\*\* - ND value replaced with manual RL.  
 ND = Not detected, Result = detection limit.

**Table 1**  
**Upgradient Data**

Constituent	Units	Well	Date		Result	Adjusted	
Arsenic, total	ug/L	MW-3	01/10/2019	ND	10.0000		
Arsenic, total	ug/L	MW-3	04/01/2019	ND	10.0000		
Arsenic, total	ug/L	MW-3	09/17/2019	ND	10.0000		
Arsenic, total	ug/L	MW-3	04/06/2020	ND	10.0000		
Arsenic, total	ug/L	MW-3	09/24/2020	ND	10.0000		
Arsenic, total	ug/L	MW-3	04/27/2021	ND	10.0000		
Arsenic, total	ug/L	MW-3	09/28/2021	ND	10.0000		
Arsenic, total	ug/L	MW-3	05/11/2022	ND	10.0000		
Arsenic, total	ug/L	MW-3	09/14/2022	ND	10.0000		
Arsenic, total	ug/L	MW-3	05/10/2023	ND	10.0000		
Arsenic, total	ug/L	MW-4	08/23/2018	ND	10.0000		
Arsenic, total	ug/L	MW-4	11/30/2018	ND	10.0000		
Arsenic, total	ug/L	MW-4	01/10/2019	ND	10.0000		
Arsenic, total	ug/L	MW-4	04/01/2019	ND	10.0000		
Arsenic, total	ug/L	MW-4	09/17/2019	ND	10.0000		
Arsenic, total	ug/L	MW-4	04/06/2020	ND	10.0000		
Arsenic, total	ug/L	MW-4	09/24/2020	ND	10.0000		
Arsenic, total	ug/L	MW-4	04/27/2021	ND	10.0000		
Arsenic, total	ug/L	MW-4	09/28/2021	ND	10.0000		
Arsenic, total	ug/L	MW-4	05/11/2022	ND	10.0000		
Arsenic, total	ug/L	MW-4	09/14/2022	ND	10.0000		
Arsenic, total	ug/L	MW-4	05/10/2023	ND	10.0000		
Barium, total	ug/L	MW-3	08/23/2018		33.2000		
Barium, total	ug/L	MW-3	11/14/2018		25.9000		
Barium, total	ug/L	MW-3	01/10/2019		21.1000		
Barium, total	ug/L	MW-3	04/01/2019		26.5000		
Barium, total	ug/L	MW-3	09/17/2019		42.9000		
Barium, total	ug/L	MW-3	04/06/2020		33.8000		
Barium, total	ug/L	MW-3	09/24/2020		29.3000		
Barium, total	ug/L	MW-3	04/27/2021		33.5000		
Barium, total	ug/L	MW-3	09/28/2021		79.0000		
Barium, total	ug/L	MW-3	05/11/2022		44.6000		
Barium, total	ug/L	MW-3	09/14/2022		31.4000		
Barium, total	ug/L	MW-3	05/10/2023		26.9000		
Barium, total	ug/L	MW-4	08/23/2018		49.7000		
Barium, total	ug/L	MW-4	11/30/2018		34.5000		
Barium, total	ug/L	MW-4	01/10/2019		38.6000		
Barium, total	ug/L	MW-4	04/01/2019		47.4000		
Barium, total	ug/L	MW-4	09/17/2019		44.4000		
Barium, total	ug/L	MW-4	04/06/2020		46.2000		
Barium, total	ug/L	MW-4	09/24/2020		44.5000		
Barium, total	ug/L	MW-4	04/27/2021		41.1000		
Barium, total	ug/L	MW-4	09/28/2021		44.3000		
Barium, total	ug/L	MW-4	05/11/2022		41.8000		
Barium, total	ug/L	MW-4	09/14/2022		36.3000		
Barium, total	ug/L	MW-4	05/10/2023		38.9000		
Beryllium, total	ug/L	MW-3	08/23/2018	ND	1.0000		
Beryllium, total	ug/L	MW-3	11/14/2018	ND	1.0000		
Beryllium, total	ug/L	MW-3	01/10/2019	ND	1.0000		
Beryllium, total	ug/L	MW-3	04/01/2019	ND	1.0000		
Beryllium, total	ug/L	MW-3	09/17/2019	ND	1.0000		
Beryllium, total	ug/L	MW-3	04/06/2020	ND	1.0000		
Beryllium, total	ug/L	MW-3	09/24/2020	ND	1.0000		
Beryllium, total	ug/L	MW-3	04/27/2021	ND	1.0000		
Beryllium, total	ug/L	MW-3	09/28/2021	ND	1.0000		
Beryllium, total	ug/L	MW-3	05/11/2022	ND	1.0000		
Beryllium, total	ug/L	MW-3	09/14/2022	ND	1.0000		
Beryllium, total	ug/L	MW-3	05/10/2023	ND	1.0000		
Beryllium, total	ug/L	MW-4	08/23/2018	ND	1.0000		
Beryllium, total	ug/L	MW-4	11/30/2018	ND	1.0000		
Beryllium, total	ug/L	MW-4	01/10/2019	ND	1.0000		
Beryllium, total	ug/L	MW-4	04/01/2019	ND	1.0000		
Beryllium, total	ug/L	MW-4	09/17/2019	ND	1.0000		
Beryllium, total	ug/L	MW-4	04/06/2020	ND	1.0000		
Beryllium, total	ug/L	MW-4	09/24/2020	ND	1.0000		
Beryllium, total	ug/L	MW-4	04/27/2021	ND	1.0000		
Beryllium, total	ug/L	MW-4	09/28/2021	ND	1.0000		
Beryllium, total	ug/L	MW-4	05/11/2022	ND	1.0000		
Beryllium, total	ug/L	MW-4	09/14/2022	ND	1.0000		
Beryllium, total	ug/L	MW-4	05/10/2023	ND	1.0000		
Boron, total	ug/L	MW-3	08/23/2018	ND	20.0000		
Boron, total	ug/L	MW-3	11/14/2018	ND	20.0000		
Boron, total	ug/L	MW-3	01/10/2019		20.0000		
Boron, total	ug/L	MW-3	04/01/2019	ND	20.0000		

\* - Outlier for that well and constituent.  
 \*\* - ND value replaced with median RL.  
 \*\*\* - ND value replaced with manual RL.  
 ND = Not detected, Result = detection limit.

**Table 1**  
**Upgradient Data**

Constituent	Units	Well	Date		Result	Adjusted	
Boron, total	ug/L	MW-3	09/17/2019	ND	20.0000		
Boron, total	ug/L	MW-3	04/06/2020	ND	20.0000		
Boron, total	ug/L	MW-3	09/24/2020	ND	20.0000		
Boron, total	ug/L	MW-3	04/27/2021	ND	20.0000		
Boron, total	ug/L	MW-3	09/28/2021		21.3000		
Boron, total	ug/L	MW-3	05/11/2022	ND	20.0000		
Boron, total	ug/L	MW-3	09/14/2022	ND	20.0000		
Boron, total	ug/L	MW-3	05/10/2023	ND	20.0000		
Boron, total	ug/L	MW-4	08/28/2018		90.1000		*
Boron, total	ug/L	MW-4	11/30/2018		31.0000		
Boron, total	ug/L	MW-4	01/10/2019		21.0000		
Boron, total	ug/L	MW-4	04/01/2019	ND	20.0000		
Boron, total	ug/L	MW-4	09/17/2019	ND	20.0000		
Boron, total	ug/L	MW-4	04/06/2020	ND	20.0000		
Boron, total	ug/L	MW-4	09/24/2020	ND	20.0000		
Boron, total	ug/L	MW-4	04/27/2021	ND	20.0000		
Boron, total	ug/L	MW-4	09/28/2021	ND	20.0000		
Boron, total	ug/L	MW-4	05/11/2022	ND	20.0000		
Boron, total	ug/L	MW-4	09/14/2022	ND	20.0000		
Boron, total	ug/L	MW-4	05/10/2023	ND	20.0000		
Cadmium, total	ug/L	MW-3	08/23/2018	ND	0.4000		
Cadmium, total	ug/L	MW-3	11/14/2018	ND	0.4000		
Cadmium, total	ug/L	MW-3	01/10/2019	ND	0.4000		
Cadmium, total	ug/L	MW-3	04/01/2019	ND	0.4000		
Cadmium, total	ug/L	MW-3	09/17/2019	ND	0.4000		
Cadmium, total	ug/L	MW-3	04/06/2020	ND	0.4000		
Cadmium, total	ug/L	MW-3	09/24/2020	ND	0.4000		
Cadmium, total	ug/L	MW-3	04/27/2021	ND	0.4000		
Cadmium, total	ug/L	MW-3	09/28/2021	ND	0.4000		
Cadmium, total	ug/L	MW-3	05/11/2022	ND	0.4000		
Cadmium, total	ug/L	MW-3	09/14/2022	ND	0.4000		
Cadmium, total	ug/L	MW-3	05/10/2023	ND	0.4000		
Cadmium, total	ug/L	MW-4	08/23/2018	ND	0.4000		
Cadmium, total	ug/L	MW-4	11/30/2018	ND	0.4000		
Cadmium, total	ug/L	MW-4	01/10/2019	ND	0.4000		
Cadmium, total	ug/L	MW-4	04/01/2019	ND	0.4000		
Cadmium, total	ug/L	MW-4	09/17/2019	ND	0.4000		
Cadmium, total	ug/L	MW-4	04/06/2020	ND	0.4000		
Cadmium, total	ug/L	MW-4	09/24/2020	ND	0.4000		
Cadmium, total	ug/L	MW-4	04/27/2021	ND	0.4000		
Cadmium, total	ug/L	MW-4	09/28/2021	ND	0.4000		
Cadmium, total	ug/L	MW-4	05/11/2022	ND	0.4000		
Cadmium, total	ug/L	MW-4	09/14/2022	ND	0.4000		
Cadmium, total	ug/L	MW-4	05/10/2023	ND	0.4000		
Chemical oxygen demand	mg/L	MW-3	08/23/2018		7.0000		
Chemical oxygen demand	mg/L	MW-3	11/14/2018		14.0000		
Chemical oxygen demand	mg/L	MW-3	01/10/2019		11.0000		
Chemical oxygen demand	mg/L	MW-3	04/01/2019		13.0000		
Chemical oxygen demand	mg/L	MW-3	09/17/2019		7.0000		
Chemical oxygen demand	mg/L	MW-3	04/06/2020	ND	7.0000		
Chemical oxygen demand	mg/L	MW-3	09/24/2020	ND	7.0000		
Chemical oxygen demand	mg/L	MW-3	04/27/2021	ND	7.0000		
Chemical oxygen demand	mg/L	MW-3	09/28/2021	ND	7.0000		
Chemical oxygen demand	mg/L	MW-3	05/11/2022	ND	7.0000		
Chemical oxygen demand	mg/L	MW-3	09/14/2022	ND	7.0000		
Chemical oxygen demand	mg/L	MW-3	05/10/2023		20.0000		
Chemical oxygen demand	mg/L	MW-4	08/28/2018		15.0000		
Chemical oxygen demand	mg/L	MW-4	11/30/2018		17.0000		
Chemical oxygen demand	mg/L	MW-4	01/10/2019		15.0000		
Chemical oxygen demand	mg/L	MW-4	04/01/2019		7.0000		
Chemical oxygen demand	mg/L	MW-4	09/17/2019	ND	6.0000	7.0000	**
Chemical oxygen demand	mg/L	MW-4	04/06/2020	ND	7.0000		
Chemical oxygen demand	mg/L	MW-4	09/24/2020		10.0000		
Chemical oxygen demand	mg/L	MW-4	04/27/2021	ND	7.0000		
Chemical oxygen demand	mg/L	MW-4	09/28/2021	ND	7.0000		
Chemical oxygen demand	mg/L	MW-4	05/11/2022	ND	7.0000		
Chemical oxygen demand	mg/L	MW-4	09/14/2022	ND	7.0000		
Chemical oxygen demand	mg/L	MW-4	05/10/2023		14.0000		
Chloride	mg/L	MW-3	08/23/2018		0.8340		
Chloride	mg/L	MW-3	11/14/2018		4.6100		*
Chloride	mg/L	MW-3	01/10/2019		1.4800		
Chloride	mg/L	MW-3	04/01/2019		1.0600		
Chloride	mg/L	MW-3	09/17/2019		0.7620		
Chloride	mg/L	MW-3	04/06/2020		0.7150		

\* - Outlier for that well and constituent.  
 \*\* - ND value replaced with median RL.  
 \*\*\* - ND value replaced with manual RL.  
 ND = Not detected, Result = detection limit.



**Table 1**  
**Upgradient Data**

Constituent	Units	Well	Date		Result	Adjusted
Chloride	mg/L	MW-3	09/24/2020		0.7510	
Chloride	mg/L	MW-3	04/27/2021		0.7900	
Chloride	mg/L	MW-3	09/28/2021		0.6660	
Chloride	mg/L	MW-3	05/11/2022		0.8530	
Chloride	mg/L	MW-3	09/14/2022		0.7870	
Chloride	mg/L	MW-3	05/10/2023		0.6110	
Chloride	mg/L	MW-4	08/23/2018		34.1000	
Chloride	mg/L	MW-4	11/30/2018		20.9000	
Chloride	mg/L	MW-4	01/10/2019		12.8000	
Chloride	mg/L	MW-4	04/01/2019		6.6300	
Chloride	mg/L	MW-4	09/17/2019		3.4900	
Chloride	mg/L	MW-4	04/06/2020		2.9500	
Chloride	mg/L	MW-4	09/24/2020		2.6000	
Chloride	mg/L	MW-4	04/27/2021		2.6500	
Chloride	mg/L	MW-4	09/28/2021		2.6800	
Chloride	mg/L	MW-4	05/11/2022		3.3800	
Chloride	mg/L	MW-4	09/14/2022		3.0400	
Chloride	mg/L	MW-4	05/10/2023		2.8800	
Chromium, total	ug/L	MW-3	08/23/2018	ND	1.0000	
Chromium, total	ug/L	MW-3	11/14/2018		1.6200	
Chromium, total	ug/L	MW-3	01/10/2019		4.0800	
Chromium, total	ug/L	MW-3	04/01/2019		4.0000	
Chromium, total	ug/L	MW-3	09/17/2019		16.4000	
Chromium, total	ug/L	MW-3	04/06/2020		11.2000	
Chromium, total	ug/L	MW-3	09/24/2020		4.2600	
Chromium, total	ug/L	MW-3	04/27/2021		16.3000	
Chromium, total	ug/L	MW-3	09/28/2021		13.5000	
Chromium, total	ug/L	MW-3	05/11/2022		8.1100	
Chromium, total	ug/L	MW-3	09/14/2022		6.8600	
Chromium, total	ug/L	MW-3	05/10/2023		4.8400	
Chromium, total	ug/L	MW-4	08/23/2018	ND	1.0000	
Chromium, total	ug/L	MW-4	11/30/2018		4.8200	
Chromium, total	ug/L	MW-4	01/10/2019		2.1200	
Chromium, total	ug/L	MW-4	04/01/2019		9.7500	
Chromium, total	ug/L	MW-4	09/17/2019		13.3000	
Chromium, total	ug/L	MW-4	04/06/2020		10.0000	
Chromium, total	ug/L	MW-4	09/24/2020		6.7300	
Chromium, total	ug/L	MW-4	04/27/2021		13.0000	
Chromium, total	ug/L	MW-4	09/28/2021		12.9000	
Chromium, total	ug/L	MW-4	05/11/2022		9.6600	
Chromium, total	ug/L	MW-4	09/14/2022		5.1800	
Chromium, total	ug/L	MW-4	05/10/2023		8.6000	
Cobalt, total	ug/L	MW-3	08/23/2018	ND	2.0000	
Cobalt, total	ug/L	MW-3	11/14/2018	ND	2.0000	
Cobalt, total	ug/L	MW-3	01/10/2019	ND	2.0000	
Cobalt, total	ug/L	MW-3	04/01/2019	ND	2.0000	
Cobalt, total	ug/L	MW-3	09/17/2019	ND	2.0000	
Cobalt, total	ug/L	MW-3	04/06/2020	ND	2.0000	
Cobalt, total	ug/L	MW-3	09/24/2020	ND	2.0000	
Cobalt, total	ug/L	MW-3	04/27/2021	ND	2.0000	
Cobalt, total	ug/L	MW-3	09/28/2021		3.3700	
Cobalt, total	ug/L	MW-3	05/11/2022	ND	2.0000	
Cobalt, total	ug/L	MW-3	09/14/2022	ND	2.0000	
Cobalt, total	ug/L	MW-3	05/10/2023	ND	2.0000	
Cobalt, total	ug/L	MW-4	08/28/2018	ND	2.0000	
Cobalt, total	ug/L	MW-4	11/30/2018	ND	2.0000	
Cobalt, total	ug/L	MW-4	01/10/2019	ND	2.0000	
Cobalt, total	ug/L	MW-4	04/01/2019	ND	2.0000	
Cobalt, total	ug/L	MW-4	09/17/2019	ND	2.0000	
Cobalt, total	ug/L	MW-4	04/06/2020	ND	2.0000	
Cobalt, total	ug/L	MW-4	09/24/2020	ND	2.0000	
Cobalt, total	ug/L	MW-4	04/27/2021	ND	2.0000	
Cobalt, total	ug/L	MW-4	09/28/2021	ND	2.0000	
Cobalt, total	ug/L	MW-4	05/11/2022	ND	2.0000	
Cobalt, total	ug/L	MW-4	09/14/2022	ND	2.0000	
Cobalt, total	ug/L	MW-4	05/10/2023	ND	2.0000	
Copper, total	ug/L	MW-3	08/23/2018		32.6000	
Copper, total	ug/L	MW-3	11/14/2018		5.9100	
Copper, total	ug/L	MW-3	01/10/2019	ND	2.0000	
Copper, total	ug/L	MW-3	04/01/2019		3.0800	
Copper, total	ug/L	MW-3	09/17/2019		7.3300	
Copper, total	ug/L	MW-3	04/06/2020	ND	2.0000	
Copper, total	ug/L	MW-3	09/24/2020		2.3100	
Copper, total	ug/L	MW-3	04/27/2021		3.5000	

\* - Outlier for that well and constituent.  
 \*\* - ND value replaced with median RL.  
 \*\*\* - ND value replaced with manual RL.  
 ND = Not detected, Result = detection limit.

**Table 1**  
**Upgradient Data**

Constituent	Units	Well	Date		Result	Adjusted	
Copper, total	ug/L	MW-3	09/28/2021		5.1400		
Copper, total	ug/L	MW-3	05/11/2022	ND	3.0000	2.0000	**
Copper, total	ug/L	MW-3	09/14/2022	ND	3.0000	2.0000	**
Copper, total	ug/L	MW-3	05/10/2023	ND	3.0000	2.0000	**
Copper, total	ug/L	MW-4	08/28/2018	ND	2.0000		
Copper, total	ug/L	MW-4	11/30/2018		6.2700		
Copper, total	ug/L	MW-4	01/10/2019	ND	2.0000		
Copper, total	ug/L	MW-4	04/01/2019		6.4000		
Copper, total	ug/L	MW-4	09/17/2019	ND	2.0000		
Copper, total	ug/L	MW-4	04/06/2020	ND	2.0000		
Copper, total	ug/L	MW-4	09/24/2020	ND	2.0000		
Copper, total	ug/L	MW-4	04/27/2021	ND	3.0000	2.0000	**
Copper, total	ug/L	MW-4	09/28/2021		3.4400		
Copper, total	ug/L	MW-4	05/11/2022	ND	3.0000	2.0000	**
Copper, total	ug/L	MW-4	09/14/2022	ND	3.0000	2.0000	**
Copper, total	ug/L	MW-4	05/10/2023	ND	3.0000	2.0000	**
Fluoride	mg/L	MW-3	08/23/2018	ND	0.1000		
Fluoride	mg/L	MW-3	11/14/2018	ND	0.1000		
Fluoride	mg/L	MW-3	01/10/2019	ND	0.1000		
Fluoride	mg/L	MW-3	04/01/2019	ND	0.1000		
Fluoride	mg/L	MW-3	09/17/2019		0.2200		
Fluoride	mg/L	MW-3	04/06/2020		0.1000		
Fluoride	mg/L	MW-3	09/24/2020		0.1440		
Fluoride	mg/L	MW-3	04/27/2021	ND	0.1000		
Fluoride	mg/L	MW-3	09/28/2021	ND	0.1000		
Fluoride	mg/L	MW-3	05/11/2022	ND	0.1000		
Fluoride	mg/L	MW-3	09/14/2022	ND	0.1000		
Fluoride	mg/L	MW-3	05/10/2023		0.1040		
Fluoride	mg/L	MW-4	08/28/2018	ND	0.1000		
Fluoride	mg/L	MW-4	11/30/2018	ND	0.1000		
Fluoride	mg/L	MW-4	01/10/2019	ND	0.1000		
Fluoride	mg/L	MW-4	04/01/2019		0.1450		
Fluoride	mg/L	MW-4	09/17/2019		0.3000		
Fluoride	mg/L	MW-4	04/06/2020		0.2000		
Fluoride	mg/L	MW-4	09/24/2020		0.1520		
Fluoride	mg/L	MW-4	04/27/2021		0.1410		
Fluoride	mg/L	MW-4	09/28/2021		0.1600		
Fluoride	mg/L	MW-4	05/11/2022		0.1230		
Fluoride	mg/L	MW-4	09/14/2022		0.1440		
Fluoride	mg/L	MW-4	05/10/2023		0.1500		
Formaldehyde	ug/L	MW-3	08/23/2018	ND	100.0000		
Formaldehyde	ug/L	MW-3	11/14/2018	ND	100.0000		
Formaldehyde	ug/L	MW-3	01/10/2019	ND	100.0000		
Formaldehyde	ug/L	MW-3	04/01/2019	ND	100.0000		
Formaldehyde	ug/L	MW-3	09/17/2019	ND	100.0000		
Formaldehyde	ug/L	MW-3	04/06/2020	ND	50.0000	100.0000	**
Formaldehyde	ug/L	MW-3	09/24/2020	ND	50.0000	100.0000	**
Formaldehyde	ug/L	MW-3	04/27/2021	ND	100.0000		
Formaldehyde	ug/L	MW-3	09/28/2021	ND	100.0000		
Formaldehyde	ug/L	MW-3	05/11/2022	ND	100.0000		
Formaldehyde	ug/L	MW-3	09/14/2022	ND	100.0000		
Formaldehyde	ug/L	MW-3	05/10/2023	ND	100.0000		
Formaldehyde	ug/L	MW-4	08/28/2018	ND	100.0000		
Formaldehyde	ug/L	MW-4	11/30/2018	ND	100.0000		
Formaldehyde	ug/L	MW-4	01/10/2019	ND	100.0000		
Formaldehyde	ug/L	MW-4	04/01/2019	ND	100.0000		
Formaldehyde	ug/L	MW-4	09/17/2019	ND	100.0000		
Formaldehyde	ug/L	MW-4	04/06/2020	ND	50.0000	100.0000	**
Formaldehyde	ug/L	MW-4	09/24/2020	ND	50.0000	100.0000	**
Formaldehyde	ug/L	MW-4	04/27/2021	ND	100.0000		
Formaldehyde	ug/L	MW-4	09/28/2021	ND	100.0000		
Formaldehyde	ug/L	MW-4	05/11/2022	ND	100.0000		
Formaldehyde	ug/L	MW-4	09/14/2022	ND	100.0000		
Formaldehyde	ug/L	MW-4	05/10/2023	ND	100.0000		
Iron, total	ug/L	MW-3	08/23/2018		27.8000		
Iron, total	ug/L	MW-3	11/14/2018		177.0000		
Iron, total	ug/L	MW-3	01/10/2019		130.0000		
Iron, total	ug/L	MW-3	04/01/2019		116.0000		
Iron, total	ug/L	MW-3	09/17/2019		1740.0000		
Iron, total	ug/L	MW-3	04/06/2020		541.0000		
Iron, total	ug/L	MW-3	09/24/2020		663.0000		
Iron, total	ug/L	MW-3	04/27/2021		492.0000		
Iron, total	ug/L	MW-3	09/28/2021		4830.0000		*
Iron, total	ug/L	MW-3	05/11/2022		1900.0000		

\* - Outlier for that well and constituent.  
 \*\* - ND value replaced with median RL.  
 \*\*\* - ND value replaced with manual RL.  
 ND = Not detected, Result = detection limit.

**Table 1**  
**Upgradient Data**

Constituent	Units	Well	Date		Result	Adjusted	
Iron, total	ug/L	MW-3	09/14/2022		135.0000		
Iron, total	ug/L	MW-3	05/10/2023		22.9000		
Iron, total	ug/L	MW-4	08/28/2018		193.0000		
Iron, total	ug/L	MW-4	11/30/2018		1130.0000		
Iron, total	ug/L	MW-4	01/10/2019		69.2000		
Iron, total	ug/L	MW-4	04/01/2019		211.0000		
Iron, total	ug/L	MW-4	09/17/2019		198.0000		
Iron, total	ug/L	MW-4	04/06/2020		107.0000		
Iron, total	ug/L	MW-4	09/24/2020		204.0000		
Iron, total	ug/L	MW-4	04/27/2021		75.0000		
Iron, total	ug/L	MW-4	09/28/2021		101.0000		
Iron, total	ug/L	MW-4	05/11/2022		97.4000		
Iron, total	ug/L	MW-4	09/14/2022		44.3000		
Iron, total	ug/L	MW-4	05/10/2023		35.4000		
Lead, total	ug/L	MW-3	08/23/2018	ND	2.0000		
Lead, total	ug/L	MW-3	11/14/2018	ND	2.0000		
Lead, total	ug/L	MW-3	01/10/2019	ND	2.0000		
Lead, total	ug/L	MW-3	04/01/2019	ND	2.0000		
Lead, total	ug/L	MW-3	09/17/2019		2.4100		
Lead, total	ug/L	MW-3	04/06/2020	ND	2.0000		
Lead, total	ug/L	MW-3	09/24/2020	ND	2.0000		
Lead, total	ug/L	MW-3	04/27/2021	ND	2.0000		
Lead, total	ug/L	MW-3	09/28/2021		2.3200		
Lead, total	ug/L	MW-3	05/11/2022	ND	2.0000		
Lead, total	ug/L	MW-3	09/14/2022	ND	2.0000		
Lead, total	ug/L	MW-3	05/10/2023	ND	2.0000		
Lead, total	ug/L	MW-4	08/28/2018	ND	2.0000		
Lead, total	ug/L	MW-4	11/30/2018	ND	2.0000		
Lead, total	ug/L	MW-4	01/10/2019	ND	2.0000		
Lead, total	ug/L	MW-4	04/01/2019		3.0100		
Lead, total	ug/L	MW-4	09/17/2019	ND	2.0000		
Lead, total	ug/L	MW-4	04/06/2020	ND	2.0000		
Lead, total	ug/L	MW-4	09/24/2020	ND	2.0000		
Lead, total	ug/L	MW-4	04/27/2021	ND	2.0000		
Lead, total	ug/L	MW-4	09/28/2021	ND	2.0000		
Lead, total	ug/L	MW-4	05/11/2022	ND	2.0000		
Lead, total	ug/L	MW-4	09/14/2022	ND	2.0000		
Lead, total	ug/L	MW-4	05/10/2023	ND	2.0000		
Magnesium, total	mg/L	MW-3	08/23/2018		22.0000		
Magnesium, total	mg/L	MW-3	11/14/2018		22.2000		
Magnesium, total	mg/L	MW-3	01/10/2019		24.2000		
Magnesium, total	mg/L	MW-3	04/01/2019		25.5000		
Magnesium, total	mg/L	MW-3	09/17/2019		36.6000		
Magnesium, total	mg/L	MW-3	04/06/2020		27.1000		
Magnesium, total	mg/L	MW-3	09/24/2020		24.7000		
Magnesium, total	mg/L	MW-3	04/27/2021		30.2000		
Magnesium, total	mg/L	MW-3	09/28/2021		62.8000		
Magnesium, total	mg/L	MW-3	05/11/2022		42.6000		
Magnesium, total	mg/L	MW-3	09/14/2022		21.6000		
Magnesium, total	mg/L	MW-3	05/10/2023		23.0000		
Magnesium, total	mg/L	MW-4	08/28/2018		55.3000		
Magnesium, total	mg/L	MW-4	11/30/2018		72.0000		
Magnesium, total	mg/L	MW-4	01/10/2019		48.9000		
Magnesium, total	mg/L	MW-4	04/01/2019		52.9000		
Magnesium, total	mg/L	MW-4	09/17/2019		49.3000		
Magnesium, total	mg/L	MW-4	04/06/2020		43.2000		
Magnesium, total	mg/L	MW-4	09/24/2020		45.4000		
Magnesium, total	mg/L	MW-4	04/27/2021		46.8000		
Magnesium, total	mg/L	MW-4	09/28/2021		44.7000		
Magnesium, total	mg/L	MW-4	05/11/2022		47.4000		
Magnesium, total	mg/L	MW-4	09/14/2022		40.6000		
Magnesium, total	mg/L	MW-4	05/10/2023		45.1000		
Manganese, total	ug/L	MW-3	08/23/2018	ND	20.0000		
Manganese, total	ug/L	MW-3	11/14/2018	ND	20.0000		
Manganese, total	ug/L	MW-3	01/10/2019	ND	20.0000		
Manganese, total	ug/L	MW-3	04/01/2019	ND	20.0000		
Manganese, total	ug/L	MW-3	09/17/2019		102.0000		
Manganese, total	ug/L	MW-3	04/06/2020		45.2000		
Manganese, total	ug/L	MW-3	09/24/2020		38.4000		
Manganese, total	ug/L	MW-3	04/27/2021		39.4000		
Manganese, total	ug/L	MW-3	09/28/2021		451.0000	*	
Manganese, total	ug/L	MW-3	05/11/2022		145.0000		
Manganese, total	ug/L	MW-3	09/14/2022	ND	20.0000		
Manganese, total	ug/L	MW-3	05/10/2023	ND	20.0000		

\* - Outlier for that well and constituent.  
 \*\* - ND value replaced with median RL.  
 \*\*\* - ND value replaced with manual RL.  
 ND = Not detected, Result = detection limit.

**Table 1**  
**Upgradient Data**

Constituent	Units	Well	Date		Result	Adjusted	
Manganese, total	ug/L	MW-4	08/28/2018		25.7000		
Manganese, total	ug/L	MW-4	11/30/2018		100.0000		*
Manganese, total	ug/L	MW-4	01/10/2019	ND	20.0000		
Manganese, total	ug/L	MW-4	04/01/2019		20.9000		
Manganese, total	ug/L	MW-4	09/17/2019	ND	20.0000		
Manganese, total	ug/L	MW-4	04/06/2020		22.8000		
Manganese, total	ug/L	MW-4	09/24/2020	ND	20.0000		
Manganese, total	ug/L	MW-4	04/27/2021	ND	20.0000		
Manganese, total	ug/L	MW-4	09/28/2021	ND	20.0000		
Manganese, total	ug/L	MW-4	05/11/2022	ND	20.0000		
Manganese, total	ug/L	MW-4	09/14/2022	ND	20.0000		
Manganese, total	ug/L	MW-4	05/10/2023	ND	20.0000		
Mercury, total	ug/L	MW-3	08/23/2018	ND	2.0000		
Mercury, total	ug/L	MW-3	11/14/2018	ND	2.0000		
Mercury, total	ug/L	MW-3	01/10/2019	ND	2.0000		
Mercury, total	ug/L	MW-3	04/01/2019	ND	2.0000		
Mercury, total	ug/L	MW-3	09/17/2019	ND	2.0000		
Mercury, total	ug/L	MW-3	04/06/2020	ND	2.0000		
Mercury, total	ug/L	MW-3	09/24/2020	ND	2.0000		
Mercury, total	ug/L	MW-3	04/27/2021	ND	2.0000		
Mercury, total	ug/L	MW-3	09/28/2021	ND	2.0000		
Mercury, total	ug/L	MW-3	05/11/2022	ND	2.0000		
Mercury, total	ug/L	MW-3	09/14/2022	ND	2.0000		
Mercury, total	ug/L	MW-3	05/10/2023	ND	2.0000		
Mercury, total	ug/L	MW-4	08/28/2018	ND	2.0000		
Mercury, total	ug/L	MW-4	11/30/2018	ND	2.0000		
Mercury, total	ug/L	MW-4	01/10/2019	ND	2.0000		
Mercury, total	ug/L	MW-4	04/01/2019	ND	2.0000		
Mercury, total	ug/L	MW-4	09/17/2019	ND	2.0000		
Mercury, total	ug/L	MW-4	04/06/2020	ND	2.0000		
Mercury, total	ug/L	MW-4	09/24/2020	ND	2.0000		
Mercury, total	ug/L	MW-4	04/27/2021	ND	2.0000		
Mercury, total	ug/L	MW-4	09/28/2021	ND	2.0000		
Mercury, total	ug/L	MW-4	05/11/2022	ND	2.0000		
Mercury, total	ug/L	MW-4	09/14/2022	ND	2.0000		
Mercury, total	ug/L	MW-4	05/10/2023	ND	2.0000		
Methyl ethyl ketone	ug/L	MW-3	08/23/2018	ND	10.0000		
Methyl ethyl ketone	ug/L	MW-3	11/14/2018	ND	10.0000		
Methyl ethyl ketone	ug/L	MW-3	01/10/2019	ND	10.0000		
Methyl ethyl ketone	ug/L	MW-3	04/01/2019	ND	10.0000		
Methyl ethyl ketone	ug/L	MW-3	09/17/2019	ND	100.0000		*
Methyl ethyl ketone	ug/L	MW-3	04/06/2020	ND	5.0000	10.0000	**
Methyl ethyl ketone	ug/L	MW-3	09/24/2020	ND	5.0000	10.0000	**
Methyl ethyl ketone	ug/L	MW-3	04/27/2021	ND	10.0000		
Methyl ethyl ketone	ug/L	MW-3	09/28/2021	ND	5.0000	10.0000	**
Methyl ethyl ketone	ug/L	MW-3	05/11/2022	ND	10.0000		
Methyl ethyl ketone	ug/L	MW-3	09/14/2022	ND	10.0000		
Methyl ethyl ketone	ug/L	MW-3	05/10/2023	ND	10.0000		
Methyl ethyl ketone	ug/L	MW-4	08/28/2018	ND	10.0000		
Methyl ethyl ketone	ug/L	MW-4	11/30/2018	ND	10.0000		
Methyl ethyl ketone	ug/L	MW-4	01/10/2019	ND	10.0000		
Methyl ethyl ketone	ug/L	MW-4	04/01/2019	ND	10.0000		
Methyl ethyl ketone	ug/L	MW-4	09/17/2019	ND	100.0000		*
Methyl ethyl ketone	ug/L	MW-4	04/06/2020	ND	5.0000	10.0000	**
Methyl ethyl ketone	ug/L	MW-4	09/24/2020	ND	5.0000	10.0000	**
Methyl ethyl ketone	ug/L	MW-4	04/27/2021	ND	10.0000		
Methyl ethyl ketone	ug/L	MW-4	09/28/2021	ND	5.0000	10.0000	**
Methyl ethyl ketone	ug/L	MW-4	05/11/2022	ND	10.0000		
Methyl ethyl ketone	ug/L	MW-4	09/14/2022	ND	10.0000		
Methyl ethyl ketone	ug/L	MW-4	05/10/2023	ND	10.0000		
Molybdenum, total	ug/L	MW-3	08/23/2018	ND	2.0000		
Molybdenum, total	ug/L	MW-3	11/14/2018		4.0300		
Molybdenum, total	ug/L	MW-3	01/10/2019		3.0600		
Molybdenum, total	ug/L	MW-3	04/01/2019	ND	2.0000		
Molybdenum, total	ug/L	MW-3	09/17/2019	ND	2.0000		
Molybdenum, total	ug/L	MW-3	04/06/2020	ND	2.0000		
Molybdenum, total	ug/L	MW-3	09/24/2020	ND	2.0000		
Molybdenum, total	ug/L	MW-3	04/27/2021	ND	10.0000	2.0000	**
Molybdenum, total	ug/L	MW-3	09/28/2021	ND	10.0000	2.0000	**
Molybdenum, total	ug/L	MW-3	05/11/2022	ND	10.0000	2.0000	**
Molybdenum, total	ug/L	MW-3	09/14/2022	ND	10.0000	2.0000	**
Molybdenum, total	ug/L	MW-3	05/10/2023	ND	10.0000	2.0000	**
Molybdenum, total	ug/L	MW-4	08/28/2018		3.8100		
Molybdenum, total	ug/L	MW-4	11/30/2018	ND	2.0000		

\* - Outlier for that well and constituent.  
 \*\* - ND value replaced with median RL.  
 \*\*\* - ND value replaced with manual RL.  
 ND = Not detected, Result = detection limit.

**Table 1**  
**Upgradient Data**

Constituent	Units	Well	Date		Result	Adjusted	
Molybdenum, total	ug/L	MW-4	01/10/2019		3.2300		
Molybdenum, total	ug/L	MW-4	04/01/2019	ND	2.0000		
Molybdenum, total	ug/L	MW-4	09/17/2019	ND	2.0000		
Molybdenum, total	ug/L	MW-4	04/06/2020	ND	2.0000		
Molybdenum, total	ug/L	MW-4	09/24/2020	ND	2.0000		
Molybdenum, total	ug/L	MW-4	04/27/2021	ND	10.0000	2.0000	**
Molybdenum, total	ug/L	MW-4	09/28/2021	ND	10.0000	2.0000	**
Molybdenum, total	ug/L	MW-4	05/11/2022	ND	10.0000	2.0000	**
Molybdenum, total	ug/L	MW-4	09/14/2022	ND	10.0000	2.0000	**
Molybdenum, total	ug/L	MW-4	05/10/2023	ND	10.0000	2.0000	**
Nickel, total	ug/L	MW-3	08/23/2018	ND	1.0000		
Nickel, total	ug/L	MW-3	11/14/2018		1.1700		
Nickel, total	ug/L	MW-3	01/10/2019		1.6000		
Nickel, total	ug/L	MW-3	04/01/2019	ND	1.0000		
Nickel, total	ug/L	MW-3	09/17/2019		2.5100		
Nickel, total	ug/L	MW-3	04/06/2020	ND	1.0000		
Nickel, total	ug/L	MW-3	09/24/2020	ND	1.0000		
Nickel, total	ug/L	MW-3	04/27/2021		3.5200		
Nickel, total	ug/L	MW-3	09/28/2021		5.0500		
Nickel, total	ug/L	MW-3	05/11/2022	ND	1.0000		
Nickel, total	ug/L	MW-3	09/14/2022	ND	1.0000		
Nickel, total	ug/L	MW-3	05/10/2023	ND	1.0000		
Nickel, total	ug/L	MW-4	08/28/2018	ND	1.0000		
Nickel, total	ug/L	MW-4	11/30/2018	ND	1.0000		
Nickel, total	ug/L	MW-4	01/10/2019		1.5100		
Nickel, total	ug/L	MW-4	04/01/2019	ND	1.0000		
Nickel, total	ug/L	MW-4	09/17/2019	ND	1.0000		
Nickel, total	ug/L	MW-4	04/06/2020	ND	1.0000		
Nickel, total	ug/L	MW-4	09/24/2020	ND	1.0000		
Nickel, total	ug/L	MW-4	04/27/2021		2.4800		
Nickel, total	ug/L	MW-4	09/28/2021	ND	1.0000		
Nickel, total	ug/L	MW-4	05/11/2022	ND	1.0000		
Nickel, total	ug/L	MW-4	09/14/2022	ND	1.0000		
Nickel, total	ug/L	MW-4	05/10/2023	ND	1.0000		
Phenols	ug/L	MW-3	08/23/2018	ND	5.0000		
Phenols	ug/L	MW-3	11/14/2018	ND	5.0000		
Phenols	ug/L	MW-3	01/10/2019		22.0000		*
Phenols	ug/L	MW-3	04/01/2019	ND	5.0000		
Phenols	ug/L	MW-3	09/17/2019	ND	5.0000		
Phenols	ug/L	MW-3	04/06/2020	ND	5.0000		
Phenols	ug/L	MW-3	09/24/2020		12.0000		
Phenols	ug/L	MW-3	04/27/2021	ND	5.0000		
Phenols	ug/L	MW-3	09/28/2021	ND	5.0000		
Phenols	ug/L	MW-3	05/11/2022	ND	5.0000		
Phenols	ug/L	MW-3	09/14/2022	ND	5.0000		
Phenols	ug/L	MW-3	05/10/2023	ND	8.0000	5.0000	**
Phenols	ug/L	MW-4	08/28/2018		16.0000		*
Phenols	ug/L	MW-4	11/30/2018	ND	5.0000		
Phenols	ug/L	MW-4	01/10/2019		25.0000		*
Phenols	ug/L	MW-4	04/01/2019		0.5000		*
Phenols	ug/L	MW-4	09/17/2019	ND	5.0000		
Phenols	ug/L	MW-4	04/06/2020	ND	5.0000		
Phenols	ug/L	MW-4	09/24/2020		5.0000		
Phenols	ug/L	MW-4	04/27/2021	ND	5.0000		
Phenols	ug/L	MW-4	09/28/2021	ND	5.0000		
Phenols	ug/L	MW-4	05/11/2022	ND	5.0000		
Phenols	ug/L	MW-4	09/14/2022	ND	5.0000		
Phenols	ug/L	MW-4	05/10/2023	ND	8.0000	5.0000	**
Selenium, total	ug/L	MW-3	08/23/2018	ND	5.0000		
Selenium, total	ug/L	MW-3	11/14/2018	ND	5.0000		
Selenium, total	ug/L	MW-3	01/10/2019	ND	5.0000		
Selenium, total	ug/L	MW-3	04/01/2019	ND	5.0000		
Selenium, total	ug/L	MW-3	09/17/2019	ND	5.0000		
Selenium, total	ug/L	MW-3	04/06/2020	ND	5.0000		
Selenium, total	ug/L	MW-3	09/24/2020	ND	5.0000		
Selenium, total	ug/L	MW-3	04/27/2021	ND	5.0000		
Selenium, total	ug/L	MW-3	09/28/2021	ND	5.0000		
Selenium, total	ug/L	MW-3	05/11/2022	ND	5.0000		
Selenium, total	ug/L	MW-3	09/14/2022	ND	5.0000		
Selenium, total	ug/L	MW-3	05/10/2023	ND	5.0000		
Selenium, total	ug/L	MW-4	08/28/2018	ND	5.0000		
Selenium, total	ug/L	MW-4	11/30/2018	ND	5.0000		
Selenium, total	ug/L	MW-4	01/10/2019	ND	5.0000		
Selenium, total	ug/L	MW-4	04/01/2019	ND	5.0000		

\* - Outlier for that well and constituent.  
 \*\* - ND value replaced with median RL.  
 \*\*\* - ND value replaced with manual RL.  
 ND = Not detected, Result = detection limit.

**Table 1**  
**Upgradient Data**

Constituent	Units	Well	Date		Result	Adjusted	
Selenium, total	ug/L	MW-4	09/17/2019	ND	5.0000		
Selenium, total	ug/L	MW-4	04/06/2020	ND	5.0000		
Selenium, total	ug/L	MW-4	09/24/2020	ND	5.0000		
Selenium, total	ug/L	MW-4	04/27/2021	ND	5.0000		
Selenium, total	ug/L	MW-4	09/28/2021	ND	5.0000		
Selenium, total	ug/L	MW-4	05/11/2022	ND	5.0000		
Selenium, total	ug/L	MW-4	09/14/2022	ND	5.0000		
Selenium, total	ug/L	MW-4	05/10/2023	ND	5.0000		
Silver, total	ug/L	MW-3	08/23/2018	ND	0.5000		
Silver, total	ug/L	MW-3	11/14/2018	ND	0.5000		
Silver, total	ug/L	MW-3	01/10/2019	ND	0.5000		
Silver, total	ug/L	MW-3	04/01/2019	ND	0.5000		
Silver, total	ug/L	MW-3	09/17/2019	ND	0.5000		
Silver, total	ug/L	MW-3	04/06/2020	ND	0.5000		
Silver, total	ug/L	MW-3	09/24/2020	ND	0.5000		
Silver, total	ug/L	MW-3	04/27/2021	ND	0.5000		
Silver, total	ug/L	MW-3	09/28/2021	ND	0.5000		
Silver, total	ug/L	MW-3	05/11/2022	ND	0.5000		
Silver, total	ug/L	MW-3	09/14/2022	ND	0.5000		
Silver, total	ug/L	MW-3	05/10/2023	ND	0.5000		
Silver, total	ug/L	MW-4	08/28/2018	ND	0.5000		
Silver, total	ug/L	MW-4	11/30/2018	ND	0.5000		
Silver, total	ug/L	MW-4	01/10/2019	ND	0.5000		
Silver, total	ug/L	MW-4	04/01/2019	ND	0.5000		
Silver, total	ug/L	MW-4	09/17/2019	ND	0.5000		
Silver, total	ug/L	MW-4	04/06/2020	ND	0.5000		
Silver, total	ug/L	MW-4	09/24/2020	ND	0.5000		
Silver, total	ug/L	MW-4	04/27/2021	ND	0.5000		
Silver, total	ug/L	MW-4	09/28/2021	ND	0.5000		
Silver, total	ug/L	MW-4	05/11/2022	ND	0.5000		
Silver, total	ug/L	MW-4	09/14/2022	ND	0.5000		
Silver, total	ug/L	MW-4	05/10/2023	ND	0.5000		
Sulfate	mg/L	MW-3	08/23/2018		4.6900		
Sulfate	mg/L	MW-3	11/14/2018		5.1800		
Sulfate	mg/L	MW-3	01/10/2019		4.7600		
Sulfate	mg/L	MW-3	04/01/2019		4.4200		
Sulfate	mg/L	MW-3	09/17/2019		3.6300		
Sulfate	mg/L	MW-3	04/06/2020		4.8900		
Sulfate	mg/L	MW-3	09/24/2020		4.1100		
Sulfate	mg/L	MW-3	04/27/2021		4.8200		
Sulfate	mg/L	MW-3	09/28/2021		4.9700		
Sulfate	mg/L	MW-3	05/11/2022		5.3100		
Sulfate	mg/L	MW-3	09/14/2022		4.9200		
Sulfate	mg/L	MW-3	05/10/2023		5.1200		
Sulfate	mg/L	MW-4	08/28/2018		25.1000		
Sulfate	mg/L	MW-4	11/30/2018		13.8000		
Sulfate	mg/L	MW-4	01/10/2019		6.9700		
Sulfate	mg/L	MW-4	04/01/2019		5.5300		
Sulfate	mg/L	MW-4	09/17/2019		5.2600		
Sulfate	mg/L	MW-4	04/06/2020		7.2000		
Sulfate	mg/L	MW-4	09/24/2020		7.5600		
Sulfate	mg/L	MW-4	04/27/2021		8.0700		
Sulfate	mg/L	MW-4	09/28/2021		8.7000		
Sulfate	mg/L	MW-4	05/11/2022		11.7000		
Sulfate	mg/L	MW-4	09/14/2022		10.0000		
Sulfate	mg/L	MW-4	05/10/2023	ND	0.1000		*
Thallium, total	ug/L	MW-3	08/23/2018	ND	2.0000		
Thallium, total	ug/L	MW-3	11/14/2018	ND	2.0000		
Thallium, total	ug/L	MW-3	01/10/2019	ND	2.0000		
Thallium, total	ug/L	MW-3	04/01/2019	ND	2.0000		
Thallium, total	ug/L	MW-3	09/17/2019	ND	2.0000		
Thallium, total	ug/L	MW-3	04/06/2020	ND	2.0000		
Thallium, total	ug/L	MW-3	09/24/2020	ND	2.0000		
Thallium, total	ug/L	MW-3	04/27/2021	ND	3.0000	2.0000	**
Thallium, total	ug/L	MW-3	09/28/2021	ND	3.0000	2.0000	**
Thallium, total	ug/L	MW-3	05/11/2022	ND	3.0000	2.0000	**
Thallium, total	ug/L	MW-3	09/14/2022	ND	3.0000	2.0000	**
Thallium, total	ug/L	MW-3	05/10/2023	ND	3.0000	2.0000	**
Thallium, total	ug/L	MW-4	08/28/2018	ND	2.0000		
Thallium, total	ug/L	MW-4	11/30/2018	ND	2.0000		
Thallium, total	ug/L	MW-4	01/10/2019	ND	2.0000		
Thallium, total	ug/L	MW-4	04/01/2019	ND	2.0000		
Thallium, total	ug/L	MW-4	09/17/2019	ND	2.0000		

\* - Outlier for that well and constituent.  
 \*\* - ND value replaced with median RL.  
 \*\*\* - ND value replaced with manual RL.  
 ND = Not detected, Result = detection limit.

**Table 1**  
**Upgradient Data**

Constituent	Units	Well	Date		Result	Adjusted	
Thallium, total	ug/L	MW-4	09/24/2020	ND	2.0000		
Thallium, total	ug/L	MW-4	04/27/2021	ND	3.0000	2.0000	**
Thallium, total	ug/L	MW-4	09/28/2021	ND	3.0000	2.0000	**
Thallium, total	ug/L	MW-4	05/11/2022	ND	3.0000	2.0000	**
Thallium, total	ug/L	MW-4	09/14/2022	ND	3.0000	2.0000	**
Thallium, total	ug/L	MW-4	05/10/2023	ND	3.0000	2.0000	**
Total organic halogen	mg/L	MW-3	08/23/2018	ND	0.0050	0.0100	**
Total organic halogen	mg/L	MW-3	11/14/2018		0.0090		
Total organic halogen	mg/L	MW-3	01/10/2019		0.0130		
Total organic halogen	mg/L	MW-3	04/01/2019		0.0170		
Total organic halogen	mg/L	MW-3	09/17/2019		0.0500		
Total organic halogen	mg/L	MW-3	04/06/2020	ND	0.0100		
Total organic halogen	mg/L	MW-3	09/24/2020	ND	0.0100		
Total organic halogen	mg/L	MW-3	04/27/2021	ND	0.0100		
Total organic halogen	mg/L	MW-3	09/28/2021	ND	0.0200	0.0100	**
Total organic halogen	mg/L	MW-3	05/11/2022	ND	0.0100		
Total organic halogen	mg/L	MW-3	09/14/2022	ND	0.0100		
Total organic halogen	mg/L	MW-3	05/10/2023	ND	0.0100		
Total organic halogen	mg/L	MW-4	08/28/2018		0.0609		*
Total organic halogen	mg/L	MW-4	11/30/2018		0.0230		
Total organic halogen	mg/L	MW-4	01/10/2019		0.0150		
Total organic halogen	mg/L	MW-4	04/01/2019		0.0130		
Total organic halogen	mg/L	MW-4	09/17/2019		0.1100		*
Total organic halogen	mg/L	MW-4	04/06/2020	ND	0.0100		
Total organic halogen	mg/L	MW-4	09/24/2020	ND	0.0100		
Total organic halogen	mg/L	MW-4	04/27/2021		0.0140		
Total organic halogen	mg/L	MW-4	09/28/2021	ND	0.0200	0.0100	**
Total organic halogen	mg/L	MW-4	05/11/2022	ND	0.0100		
Total organic halogen	mg/L	MW-4	09/14/2022		0.0270		
Total organic halogen	mg/L	MW-4	05/10/2023	ND	0.0100		
Total suspended solids	mg/L	MW-3	08/23/2018		75.0000		
Total suspended solids	mg/L	MW-3	11/14/2018		41.0000		
Total suspended solids	mg/L	MW-3	01/10/2019		29.0000		
Total suspended solids	mg/L	MW-3	04/01/2019		97.0000		
Total suspended solids	mg/L	MW-3	09/17/2019		138.0000		
Total suspended solids	mg/L	MW-3	04/06/2020		144.0000		
Total suspended solids	mg/L	MW-3	09/24/2020		48.0000		
Total suspended solids	mg/L	MW-3	04/27/2021		93.0000		
Total suspended solids	mg/L	MW-3	09/28/2021		126.0000		
Total suspended solids	mg/L	MW-3	05/11/2022		632.0000		
Total suspended solids	mg/L	MW-3	09/14/2022		315.0000		
Total suspended solids	mg/L	MW-3	05/10/2023		15.0000		
Total suspended solids	mg/L	MW-4	08/28/2018		500.0000		*
Total suspended solids	mg/L	MW-4	11/30/2018		237.0000		*
Total suspended solids	mg/L	MW-4	01/10/2019		38.0000		
Total suspended solids	mg/L	MW-4	04/01/2019		20.0000		
Total suspended solids	mg/L	MW-4	09/17/2019		44.0000		
Total suspended solids	mg/L	MW-4	04/06/2020		18.0000		
Total suspended solids	mg/L	MW-4	09/24/2020		19.0000		
Total suspended solids	mg/L	MW-4	04/27/2021		21.0000		
Total suspended solids	mg/L	MW-4	09/28/2021		26.0000		
Total suspended solids	mg/L	MW-4	05/11/2022		18.0000		
Total suspended solids	mg/L	MW-4	09/14/2022		19.0000		
Total suspended solids	mg/L	MW-4	05/10/2023		11.0000		
Vanadium, total	ug/L	MW-3	08/23/2018	ND	1.0000		
Vanadium, total	ug/L	MW-3	11/14/2018	ND	1.0000		
Vanadium, total	ug/L	MW-3	01/10/2019	ND	1.0000		
Vanadium, total	ug/L	MW-3	04/01/2019	ND	1.0000		
Vanadium, total	ug/L	MW-3	09/17/2019		1.4100		
Vanadium, total	ug/L	MW-3	04/06/2020	ND	1.0000		
Vanadium, total	ug/L	MW-3	09/24/2020	ND	1.0000		
Vanadium, total	ug/L	MW-3	04/27/2021	ND	1.0000		
Vanadium, total	ug/L	MW-3	09/28/2021		5.7600		*
Vanadium, total	ug/L	MW-3	05/11/2022		1.9200		
Vanadium, total	ug/L	MW-3	09/14/2022	ND	1.0000		
Vanadium, total	ug/L	MW-3	05/10/2023	ND	1.0000		
Vanadium, total	ug/L	MW-4	08/28/2018	ND	1.0000		
Vanadium, total	ug/L	MW-4	11/30/2018		1.2600		
Vanadium, total	ug/L	MW-4	01/10/2019	ND	1.0000		
Vanadium, total	ug/L	MW-4	04/01/2019	ND	1.0000		
Vanadium, total	ug/L	MW-4	09/17/2019	ND	1.0000		
Vanadium, total	ug/L	MW-4	04/06/2020	ND	1.0000		
Vanadium, total	ug/L	MW-4	09/24/2020	ND	1.0000		
Vanadium, total	ug/L	MW-4	04/27/2021	ND	1.0000		

\* - Outlier for that well and constituent.  
 \*\* - ND value replaced with median RL.  
 \*\*\* - ND value replaced with manual RL.  
 ND = Not detected, Result = detection limit.

**Table 1**  
**Upgradient Data**

Constituent	Units	Well	Date		Result	Adjusted	
Vanadium, total	ug/L	MW-4	09/28/2021	ND	1.0000		
Vanadium, total	ug/L	MW-4	05/11/2022	ND	1.0000		
Vanadium, total	ug/L	MW-4	09/14/2022	ND	1.0000		
Vanadium, total	ug/L	MW-4	05/10/2023	ND	1.0000		
Zinc, total	ug/L	MW-3	08/23/2018	ND	5.0000		
Zinc, total	ug/L	MW-3	11/14/2018		20.1000		
Zinc, total	ug/L	MW-3	01/10/2019	ND	5.0000		
Zinc, total	ug/L	MW-3	04/01/2019		12.1000		
Zinc, total	ug/L	MW-3	09/17/2019		22.8000		
Zinc, total	ug/L	MW-3	04/06/2020		10.8000		
Zinc, total	ug/L	MW-3	09/24/2020		6.6700		
Zinc, total	ug/L	MW-3	04/27/2021		7.1600		
Zinc, total	ug/L	MW-3	09/28/2021		8.4500		
Zinc, total	ug/L	MW-3	05/11/2022	ND	5.0000		
Zinc, total	ug/L	MW-3	09/14/2022		8.3200		
Zinc, total	ug/L	MW-3	05/10/2023		8.3600		
Zinc, total	ug/L	MW-4	08/28/2018	ND	5.0000		
Zinc, total	ug/L	MW-4	11/30/2018		18.8000		
Zinc, total	ug/L	MW-4	01/10/2019	ND	5.0000		
Zinc, total	ug/L	MW-4	04/01/2019		31.4000		
Zinc, total	ug/L	MW-4	09/17/2019		17.9000		
Zinc, total	ug/L	MW-4	04/06/2020		10.5000		
Zinc, total	ug/L	MW-4	09/24/2020		16.6000		
Zinc, total	ug/L	MW-4	04/27/2021		10.1000		
Zinc, total	ug/L	MW-4	09/28/2021		9.3300		
Zinc, total	ug/L	MW-4	05/11/2022		7.5900		
Zinc, total	ug/L	MW-4	09/14/2022		7.5800		
Zinc, total	ug/L	MW-4	05/10/2023		8.8500		

\* - Outlier for that well and constituent.  
 \*\* - ND value replaced with median RL.  
 \*\*\* - ND value replaced with manual RL.  
 ND = Not detected, Result = detection limit.



Table 2

Most Current Downgradient Monitoring Data

Constituent	Units	Well	Date		Result		Pred. Limit
Aluminum, total	ug/L	MW-1	05/10/2023	ND	100.0000		870.0000
Aluminum, total	ug/L	MW-2	05/10/2023	ND	100.0000		870.0000
Aluminum, total	ug/L	Sump Comp	05/10/2023	ND	100.0000		870.0000
Ammonia nitrogen	mg/L	MW-1	05/10/2023	ND	0.1000		0.2600
Ammonia nitrogen	mg/L	MW-2	05/10/2023	ND	0.1000		0.2600
Ammonia nitrogen	mg/L	Sump Comp	05/10/2023		0.1100		0.2600
Antimony, total	ug/L	MW-1	05/10/2023	ND	5.0000		5.0000
Antimony, total	ug/L	MW-2	05/10/2023	ND	5.0000		5.0000
Antimony, total	ug/L	Sump Comp	05/10/2023	ND	5.0000		5.0000
Arsenic, total	ug/L	MW-1	05/10/2023	ND	10.0000		10.0000
Arsenic, total	ug/L	MW-2	05/10/2023	ND	10.0000		10.0000
Arsenic, total	ug/L	Sump Comp	05/10/2023	ND	10.0000		10.0000
Barium, total	ug/L	MW-1	05/10/2023		32.3000		68.3582
Barium, total	ug/L	MW-2	05/10/2023		61.0000		68.3582
Barium, total	ug/L	Sump Comp	05/10/2023		97.6000	*	68.3582
Beryllium, total	ug/L	MW-1	05/10/2023	ND	1.0000		1.0000
Beryllium, total	ug/L	MW-2	05/10/2023	ND	1.0000		1.0000
Beryllium, total	ug/L	Sump Comp	05/10/2023	ND	1.0000		1.0000
Boron, total	ug/L	MW-1	05/10/2023	ND	20.0000		31.0000
Boron, total	ug/L	MW-2	05/10/2023	ND	20.0000		31.0000
Boron, total	ug/L	Sump Comp	05/10/2023		60.5000	*	31.0000
Cadmium, total	ug/L	MW-1	05/10/2023	ND	0.4000		0.4000
Cadmium, total	ug/L	MW-2	05/10/2023	ND	0.4000		0.4000
Cadmium, total	ug/L	Sump Comp	05/10/2023	ND	0.4000		0.4000
Chemical oxygen demand	mg/L	MW-1	05/10/2023		6.0000		20.0000
Chemical oxygen demand	mg/L	MW-2	05/10/2023		14.0000		20.0000
Chemical oxygen demand	mg/L	Sump Comp	05/10/2023		15.0000		20.0000
Chloride	mg/L	MW-1	05/10/2023		11.6000		34.1000
Chloride	mg/L	MW-2	05/10/2023		2.7400		34.1000
Chloride	mg/L	Sump Comp	05/10/2023		22.4000		34.1000
Chromium, total	ug/L	MW-1	05/10/2023		2.5900		20.2469
Chromium, total	ug/L	MW-2	05/10/2023		5.1300		20.2469
Chromium, total	ug/L	Sump Comp	05/10/2023	ND	1.0000		20.2469
Cobalt, total	ug/L	MW-1	05/10/2023	ND	2.0000		3.3700
Cobalt, total	ug/L	MW-2	05/10/2023	ND	2.0000		3.3700
Cobalt, total	ug/L	Sump Comp	05/10/2023	ND	2.0000		3.3700
Copper, total	ug/L	MW-1	05/10/2023	ND	3.0000		32.6000
Copper, total	ug/L	MW-2	05/10/2023	ND	3.0000		32.6000
Copper, total	ug/L	Sump Comp	05/10/2023	ND	3.0000		32.6000
Fluoride	mg/L	MW-1	05/10/2023		0.1380		0.3000
Fluoride	mg/L	MW-2	05/10/2023		0.1360		0.3000
Fluoride	mg/L	Sump Comp	05/10/2023		0.1670		0.3000
Formaldehyde	ug/L	MW-1	05/10/2023	ND	100.0000		100.0000
Formaldehyde	ug/L	MW-2	05/10/2023	ND	100.0000		100.0000
Formaldehyde	ug/L	Sump Comp	05/10/2023	ND	100.0000		100.0000
Iron, total	ug/L	MW-1	05/10/2023	ND	10.0000		3999.3647
Iron, total	ug/L	MW-2	05/10/2023		18.3000		3999.3647
Iron, total	ug/L	Sump Comp	05/10/2023		38.2000		3999.3647
Lead, total	ug/L	MW-1	05/10/2023	ND	2.0000		3.0100
Lead, total	ug/L	MW-2	05/10/2023	ND	2.0000		3.0100
Lead, total	ug/L	Sump Comp	05/10/2023	ND	2.0000		3.0100
Magnesium, total	mg/L	MW-1	05/10/2023		34.0000		72.0000
Magnesium, total	mg/L	MW-2	05/10/2023		52.6000		72.0000
Magnesium, total	mg/L	Sump Comp	05/10/2023		40.8000		72.0000
Manganese, total	ug/L	MW-1	05/10/2023	ND	20.0000		145.0000
Manganese, total	ug/L	MW-2	05/10/2023	ND	20.0000		145.0000
Manganese, total	ug/L	Sump Comp	05/10/2023	ND	20.0000		145.0000
Mercury, total	ug/L	MW-1	05/10/2023	ND	2.0000		2.0000
Mercury, total	ug/L	MW-2	05/10/2023	ND	2.0000		2.0000
Mercury, total	ug/L	Sump Comp	05/10/2023	ND	2.0000		2.0000
Methyl ethyl ketone	ug/L	MW-1	05/10/2023	ND	10.0000		10.0000
Methyl ethyl ketone	ug/L	MW-2	05/10/2023	ND	10.0000		10.0000
Methyl ethyl ketone	ug/L	Sump Comp	05/10/2023	ND	10.0000		10.0000
Molybdenum, total	ug/L	MW-1	05/10/2023	ND	10.0000		4.0300
Molybdenum, total	ug/L	MW-2	05/10/2023	ND	10.0000		4.0300
Molybdenum, total	ug/L	Sump Comp	05/10/2023	ND	10.0000		4.0300
Nickel, total	ug/L	MW-1	05/10/2023	ND	1.0000		5.0500
Nickel, total	ug/L	MW-2	05/10/2023	ND	1.0000		5.0500
Nickel, total	ug/L	Sump Comp	05/10/2023	ND	1.0000		5.0500
Phenols	ug/L	MW-1	05/10/2023	ND	8.0000		12.0000
Phenols	ug/L	MW-2	05/10/2023	ND	8.0000		12.0000
Phenols	ug/L	Sump Comp	05/10/2023	ND	8.0000		12.0000

\* - Current value failed - awaiting verification.  
 \*\* - Current value passed - previous exceedance not verified.  
 \*\*\* - Current value failed - exceedance verified.  
 \*\*\*\* - Current value passed - awaiting one more verification.  
 \*\*\*\*\* - Insufficient background data to compute prediction limit.  
 ND = Not Detected, Result = detection limit.

Table 2

## Most Current Downgradient Monitoring Data

Constituent	Units	Well	Date		Result		Pred. Limit
Selenium, total	ug/L	MW-1	05/10/2023	ND	5.0000		5.0000
Selenium, total	ug/L	MW-2	05/10/2023	ND	5.0000		5.0000
Selenium, total	ug/L	Sump Comp	05/10/2023	ND	5.0000		5.0000
Silver, total	ug/L	MW-1	05/10/2023	ND	0.5000		0.5000
Silver, total	ug/L	MW-2	05/10/2023	ND	0.5000		0.5000
Silver, total	ug/L	Sump Comp	05/10/2023	ND	0.5000		0.5000
Sulfate	mg/L	MW-1	05/10/2023		13.8000		20.5351
Sulfate	mg/L	MW-2	05/10/2023		23.8000	***	20.5351
Sulfate	mg/L	Sump Comp	05/10/2023		76.7000	*	20.5351
Thallium, total	ug/L	MW-1	05/10/2023	ND	3.0000		2.0000
Thallium, total	ug/L	MW-2	05/10/2023	ND	3.0000		2.0000
Thallium, total	ug/L	Sump Comp	05/10/2023	ND	3.0000		2.0000
Total organic halogen	mg/L	MW-1	05/10/2023	ND	0.0100		0.0500
Total organic halogen	mg/L	MW-2	05/10/2023	ND	0.0100		0.0500
Total organic halogen	mg/L	Sump Comp	05/10/2023	ND	0.0100		0.0500
Total suspended solids	mg/L	MW-1	05/10/2023		11.0000		735.1089
Total suspended solids	mg/L	MW-2	05/10/2023		8.0000		735.1089
Total suspended solids	mg/L	Sump Comp	05/10/2023		6.0000		735.1089
Vanadium, total	ug/L	MW-1	05/10/2023	ND	1.0000		1.9200
Vanadium, total	ug/L	MW-2	05/10/2023	ND	1.0000		1.9200
Vanadium, total	ug/L	Sump Comp	05/10/2023	ND	1.0000		1.9200
Zinc, total	ug/L	MW-1	05/10/2023		8.5000		30.4782
Zinc, total	ug/L	MW-2	05/10/2023		5.3400		30.4782
Zinc, total	ug/L	Sump Comp	05/10/2023	ND	5.0000		30.4782

\* - Current value failed - awaiting verification.

\*\* - Current value passed - previous exceedance not verified.

\*\*\* - Current value failed - exceedance verified.

\*\*\*\* - Current value passed - awaiting one more verification.

\*\*\*\*\* - Insufficient background data to compute prediction limit.

ND = Not Detected, Result = detection limit.

Table 3

## Detection Frequencies in Upgradient and Downgradient Wells

Constituent	Upgradient			Downgradient		
	Detect	N	Proportion	Detect	N	Proportion
Aluminum, total	16	22	0.727	18	25	0.720
Ammonia nitrogen	2	24	0.083	3	25	0.120
Antimony, total	0	24	0.000	0	25	0.000
Arsenic, total	0	24	0.000	0	25	0.000
Barium, total	24	24	1.000	25	25	1.000
Beryllium, total	0	24	0.000	0	25	0.000
Boron, total	4	23	0.174	9	25	0.360
Cadmium, total	0	24	0.000	2	25	0.080
Chemical oxygen demand	12	24	0.500	13	25	0.520
Chloride	23	23	1.000	25	25	1.000
Chromium, total	22	24	0.917	21	25	0.840
Cobalt, total	1	24	0.042	0	25	0.000
Copper, total	10	24	0.417	11	25	0.440
Fluoride	13	24	0.542	18	25	0.720
Formaldehyde	0	24	0.000	0	25	0.000
Iron, total	23	23	1.000	24	25	0.960
Lead, total	3	24	0.125	1	25	0.040
Magnesium, total	24	24	1.000	25	25	1.000
Manganese, total	8	22	0.364	13	25	0.520
Mercury, total	0	24	0.000	0	25	0.000
Methyl ethyl ketone	0	22	0.000	0	25	0.000
Molybdenum, total	4	24	0.167	5	25	0.200
Nickel, total	7	24	0.292	8	25	0.320
Phenols	2	20	0.100	10	25	0.400
Selenium, total	0	24	0.000	3	25	0.120
Silver, total	0	24	0.000	0	25	0.000
Sulfate	23	23	1.000	25	25	1.000
Thallium, total	0	24	0.000	0	25	0.000
Total organic halogen	9	22	0.409	10	25	0.400
Total suspended solids	22	22	1.000	25	25	1.000
Vanadium, total	3	23	0.130	5	25	0.200
Zinc, total	19	24	0.792	16	25	0.640

N = Total number of measurements in all wells.

Detect = Total number of detections in all wells.

Proportion = Detect/N.

Table 4

Shapiro-Wilk Multiple Group Test of Normality

Constituent	Detect	N	Detect Freq	G raw	G log	G cbrt	G sqrt	G sqr	G cub	Crit Value	Dist Form
Aluminum, total	16	22	0.727	2.862	4.900					2.326	non-norm
Ammonia nitrogen	2	24	0.083	30.826	30.826					2.326	non-norm
Antimony, total	0	24	0.000	5.276	5.276					2.326	non-norm
Arsenic, total	0	24	0.000	5.276	5.276					2.326	non-norm
Barium, total	24	24	1.000	1.228	0.216					2.326	normal
Beryllium, total	0	24	0.000	5.276	5.276					2.326	non-norm
Boron, total	4	23	0.174	7.697	7.935					2.326	non-norm
Cadmium, total	0	24	0.000	5.276	5.276					2.326	non-norm
Chemical oxygen demand	12	24	0.500	3.390	4.954					2.326	non-norm
Chloride	23	23	1.000	4.623	3.070					2.326	non-norm
Chromium, total	22	24	0.917	0.601	6.158					2.326	normal
Cobalt, total	1	24	0.042	18.051	18.051					2.326	non-norm
Copper, total	10	24	0.417	6.432	5.244					2.326	non-norm
Fluoride	13	24	0.542	3.572	5.603					2.326	non-norm
Formaldehyde	0	24	0.000	5.276	5.276					2.326	non-norm
Iron, total	23	23	1.000	5.616	0.615					2.326	lognor
Lead, total	3	24	0.125	19.519	19.552					2.326	non-norm
Magnesium, total	24	24	1.000	4.005	2.749					2.326	non-norm
Manganese, total	8	22	0.364	4.930	5.431					2.326	non-norm
Mercury, total	0	24	0.000	5.276	5.276					2.326	non-norm
Methyl ethyl ketone	0	22	0.000	4.929	4.929					2.326	non-norm
Molybdenum, total	4	24	0.167	7.949	8.213					2.326	non-norm
Nickel, total	7	24	0.292	6.037	6.461					2.326	non-norm
Phenols	2	20	0.100	14.731	14.731					2.326	non-norm
Selenium, total	0	24	0.000	5.276	5.276					2.326	non-norm
Silver, total	0	24	0.000	5.276	5.276					2.326	non-norm
Sulfate	23	23	1.000	2.678	1.531					2.326	lognor
Thallium, total	0	24	0.000	5.276	5.276					2.326	non-norm
Total organic halogen	9	22	0.409	4.535	4.813					2.326	non-norm
Total suspended solids	22	22	1.000	3.702	0.950					2.326	lognor
Vanadium, total	3	23	0.130	19.043	19.199					2.326	non-norm
Zinc, total	19	24	0.792	1.252	5.697					2.326	normal

\* - Distribution override for that constituent.  
 Fit to distribution is confirmed if G <= critical value.  
 Model type may not match distributional form when detection frequency < 50%.

Table 4

Shapiro-Wilk Multiple Group Test of Normality

Constituent	Model Type
Aluminum, total	nonpar
Ammonia nitrogen	nonpar
Antimony, total	nonpar
Arsenic, total	nonpar
Barium, total	normal
Beryllium, total	nonpar
Boron, total	nonpar
Cadmium, total	nonpar
Chemical oxygen demand	nonpar
Chloride	nonpar
Chromium, total	normal
Cobalt, total	nonpar
Copper, total	nonpar
Fluoride	nonpar
Formaldehyde	nonpar
Iron, total	lognor
Lead, total	nonpar
Magnesium, total	nonpar
Manganese, total	nonpar
Mercury, total	nonpar
Methyl ethyl ketone	nonpar
Molybdenum, total	nonpar
Nickel, total	nonpar
Phenols	nonpar
Selenium, total	nonpar
Silver, total	nonpar
Sulfate	lognor
Thallium, total	nonpar
Total organic halogen	nonpar
Total suspended solids	lognor
Vanadium, total	nonpar
Zinc, total	normal

\* - Distribution override for that constituent.  
 Fit to distribution is confirmed if  $G \leq$  critical value.  
 Model type may not match distributional form when detection frequency < 50%.

Table 5

Summary Statistics and Prediction Limits

Constituent	Units	Detect	N	Mean	SD	alpha	Factor	Pred Limit	Type	Conf
Aluminum, total	ug/L	16	22					870.0000	nonpar	0.99
Ammonia nitrogen	mg/L	2	24					0.2600	nonpar	0.99
Antimony, total	ug/L	0	24					5.0000	nonpar	***
Arsenic, total	ug/L	0	24					10.0000	nonpar	***
Barium, total	ug/L	24	24	38.9917	11.5125	0.0100	2.5508	68.3582	normal	0.99
Beryllium, total	ug/L	0	24					1.0000	nonpar	***
Boron, total	ug/L	4	23					31.0000	nonpar	0.99
Cadmium, total	ug/L	0	24					0.4000	nonpar	***
Chemical oxygen demand	mg/L	12	24					20.0000	nonpar	0.99
Chloride	mg/L	23	23					34.1000	nonpar	0.99
Chromium, total	ug/L	22	24	7.8013	4.8790	0.0100	2.5508	20.2469	normal	0.99
Cobalt, total	ug/L	1	24					3.3700	nonpar	0.99
Copper, total	ug/L	10	24					32.6000	nonpar	0.99
Fluoride	mg/L	13	24					0.3000	nonpar	0.99
Formaldehyde	ug/L	0	24					100.0000	nonpar	***
Iron, total	ug/L	23	23	5.1386	1.2318	0.0100	2.5616	3999.3647	lognor	0.99
Lead, total	ug/L	3	24					3.0100	nonpar	0.99
Magnesium, total	mg/L	24	24					72.0000	nonpar	0.99
Manganese, total	ug/L	8	22					145.0000	nonpar	0.99
Mercury, total	ug/L	0	24					2.0000	nonpar	***
Methyl ethyl ketone	ug/L	0	22					10.0000	nonpar	***
Molybdenum, total	ug/L	4	24					4.0300	nonpar	0.99
Nickel, total	ug/L	7	24					5.0500	nonpar	0.99
Phenols	ug/L	2	20					12.0000	nonpar	0.99
Selenium, total	ug/L	0	24					5.0000	nonpar	***
Silver, total	ug/L	0	24					0.5000	nonpar	***
Sulfate	mg/L	23	23	1.8595	0.4539	0.0100	2.5616	20.5351	lognor	0.99
Thallium, total	ug/L	0	24					2.0000	nonpar	***
Total organic halogen	mg/L	9	22					0.0500	nonpar	0.99
Total suspended solids	mg/L	22	22	3.8549	1.0667	0.0100	2.5735	735.1089	lognor	0.99
Vanadium, total	ug/L	3	23					1.9200	nonpar	0.99
Zinc, total	ug/L	19	24	10.1421	7.9724	0.0100	2.5508	30.4782	normal	0.99

Conf = confidence level for passing initial test or one verification resample at all downgradient wells for a single constituent (nonparametric test only).

\* - Insufficient Data.

\*\* - Calculated limit raised to Manual Reporting Limit.

\*\*\* - Nonparametric limit based on ND value.

For transformed data, mean and SD in transformed units and prediction limit in original units.

All sample sizes and statistics are based on outlier free data.

For nonparametric limits, median reporting limits are substituted for extreme reporting limit values.

Table 6

**Dixon's Test Outliers  
1% Significance Level**

Constituent	Units	Well	Date	Result	ND Qualifier	Date Range	N	Critical Value
Aluminum, total	ug/L	MW-4	11/30/2018	755.0000		08/23/2018-05/10/2023	12	0.6425
Boron, total	ug/L	MW-4	08/28/2018	90.1000		08/28/2018-05/10/2023	12	0.6425
Chloride	mg/L	MW-3	11/14/2018	4.6100		08/23/2018-05/10/2023	12	0.6425
Manganese, total	ug/L	MW-4	11/30/2018	100.0000		08/28/2018-05/10/2023	12	0.6425
Methyl ethyl ketone	ug/L	MW-3	09/17/2019	100.0000	< 100.0000	08/23/2018-05/10/2023	12	0.6425
Methyl ethyl ketone	ug/L	MW-4	09/17/2019	100.0000	< 100.0000	08/28/2018-05/10/2023	12	0.6425
Phenols	ug/L	MW-3	01/10/2019	22.0000		08/23/2018-05/10/2023	12	0.6425
Phenols	ug/L	MW-4	08/28/2018	16.0000		08/28/2018-05/10/2023	12	0.6736
Phenols	ug/L	MW-4	01/10/2019	25.0000		08/28/2018-05/10/2023	12	0.6736
Phenols	ug/L	MW-4	04/01/2019	0.5000		08/28/2018-05/10/2023	12	0.6425
Sulfate	mg/L	MW-4	05/10/2023	0.1000	< 0.1000	08/28/2018-05/10/2023	12	0.6425
Total suspended solids	mg/L	MW-4	08/28/2018	500.0000		08/28/2018-05/10/2023	12	0.6736
Total suspended solids	mg/L	MW-4	11/30/2018	237.0000		08/28/2018-05/10/2023	12	0.6736
Vanadium, total	ug/L	MW-3	09/28/2021	5.7600		08/23/2018-05/10/2023	12	0.6425

N = Total number of independent measurements in background at each well.

Date Range = Dates of the first and last measurements included in background at each well.

Critical Value depends on the significance level and on N-1 when the two most extreme values are tested or N for the most extreme value.

Table 8

**Historical Downgradient Data for Constituent-Well Combinations  
that Failed the Current Statistical Evaluation or  
are in Verification Resampling Mode**

Constituent	Units	Well	Date	Result	Pred. Limit
Barium, total	ug/L	Sump Comp	05/10/2023	97.6000 *	68.3582
Boron, total	ug/L	Sump Comp	05/10/2023	60.5000 *	31.0000
Sulfate	mg/L	MW-2	08/23/2018	29.8000 *	20.5351
Sulfate	mg/L	MW-2	11/14/2018	37.0000 *	20.5351
Sulfate	mg/L	MW-2	01/10/2019	26.8000 *	20.5351
Sulfate	mg/L	MW-2	04/01/2019	26.3000 *	20.5351
Sulfate	mg/L	MW-2	09/17/2019	23.4000 *	20.5351
Sulfate	mg/L	MW-2	04/06/2020	24.3000 *	20.5351
Sulfate	mg/L	MW-2	09/24/2020	24.0000 *	20.5351
Sulfate	mg/L	MW-2	04/27/2021	24.4000 *	20.5351
Sulfate	mg/L	MW-2	09/28/2021	25.4000 *	20.5351
Sulfate	mg/L	MW-2	05/11/2022	25.7000 *	20.5351
Sulfate	mg/L	MW-2	09/14/2022	24.4000 *	20.5351
Sulfate	mg/L	MW-2	05/10/2023	23.8000 *	20.5351
Sulfate	mg/L	Sump Comp	05/10/2023	76.7000 *	20.5351

\* - Significantly increased over background.


\*\* - Detect at limit for 100% NDs in background (NPPL only).

\*\*\* - Manual exclusion.


ND = Not Detected, Result = detection limit.




# Up vs. Down Prediction Limits




Graph 1




Graph 2




Graph 3




Graph 4




Graph 5




Graph 6




Graph 7




Graph 8




Graph 9



Graph 10




Graph 11




Graph 12


# Up vs. Down Prediction Limits




Graph 13




Graph 14




Graph 15




Graph 16




Graph 17




Graph 18




Graph 19




Graph 20




Graph 21



Graph 22




Graph 23




Graph 24


# Up vs. Down Prediction Limits




Graph 25




Graph 26




Graph 27




Graph 28




Graph 29




Graph 30




Graph 31




Graph 32




Graph 33



Graph 34




Graph 35




Graph 36


# Up vs. Down Prediction Limits




Graph 37




Graph 38




Graph 39




Graph 40




Graph 41




Graph 42




Graph 43




Graph 44




Graph 45



Graph 46




Graph 47




Graph 48


## Up vs. Down Prediction Limits




**Graph 49**




**Graph 50**




**Graph 51**




**Graph 52**




**Graph 53**




**Graph 54**




**Graph 55**




**Graph 56**




**Graph 57**



**Graph 58**




**Graph 59**




**Graph 60**


# Up vs. Down Prediction Limits




Graph 61




Graph 62




Graph 63




Graph 64




Graph 65




Graph 66




Graph 67




Graph 68




Graph 69



Graph 70




Graph 71




Graph 72


# Up vs. Down Prediction Limits




Graph 73




Graph 74




Graph 75




Graph 76




Graph 77




Graph 78




Graph 79




Graph 80




Graph 81



Graph 82




Graph 83




Graph 84


# Up vs. Down Prediction Limits




Graph 85




Graph 86




Graph 87




Graph 88




Graph 89




Graph 90




Graph 91




Graph 92




Graph 93



Graph 94




Graph 95



Graph 96



# False Positive and False Negative Rates for Current Upgradient vs. Downgradient Monitoring Program



**Attachment D**

Summary Tables and Graphs for the Intrawell Comparisons  
First Semi-Annual Monitoring Event in 2023

Table 1

Summary Statistics and Intermediate Computations  
for Combined Shewhart-CUSUM Control Charts

Constituent	Units	Well	N(back)	N(mon)	N(tot)	Mean	SD	R(i-1)	R(i)	S(i-1)	S(i)	Limit	Type	Conf	
Aluminum, total	ug/L	MW-1	8	4	12	295.3625	422.9416	125.0000	100.0000	295.3625	295.3625	3044.4831	normal		
Aluminum, total	ug/L	MW-2	8	4	12	192.5375	223.5234	100.0000	100.0000	192.5375	192.5375	1645.4399	normal		
Aluminum, total	ug/L	MW-3	8	3	12	210.2125	172.5289	124.0000	100.0000	438.7298	210.2125	1331.6502	normal		
Aluminum, total	ug/L	MW-4	7	4	12	77.5571	31.4196	100.0000	100.0000	77.5571	77.5571	281.7844	normal		
Ammonia nitrogen	mg/L	MW-1	8	4	12			0.1000	0.1000			0.1300	nonpar	.99	**
Ammonia nitrogen	mg/L	MW-2	8	4	12			0.1000	0.1000			0.2300	nonpar	.99	**
Ammonia nitrogen	mg/L	MW-3	8	4	12			0.1000	0.1000			0.2600	nonpar	.99	**
Ammonia nitrogen	mg/L	MW-4	8	4	12			0.1000	0.1000			0.1200	nonpar	.99	**
Antimony, total	ug/L	MW-1	8	4	12			5.0000	5.0000			5.0000	nonpar	.99	**
Antimony, total	ug/L	MW-2	8	4	12			5.0000	5.0000			5.0000	nonpar	.99	**
Antimony, total	ug/L	MW-3	8	4	12			5.0000	5.0000			5.0000	nonpar	.99	**
Antimony, total	ug/L	MW-4	8	4	12			5.0000	5.0000			5.0000	nonpar	.99	**
Arsenic, total	ug/L	MW-1	8	4	12			10.0000	10.0000			10.0000	nonpar	.99	**
Arsenic, total	ug/L	MW-2	8	4	12			10.0000	10.0000			10.0000	nonpar	.99	**
Arsenic, total	ug/L	MW-3	8	4	12			10.0000	10.0000			10.0000	nonpar	.99	**
Arsenic, total	ug/L	MW-4	8	4	12			10.0000	10.0000			10.0000	nonpar	.99	**
Barium, total	ug/L	MW-1	8	4	12	60.2750	16.6684	40.7000	32.3000	60.2750	60.2750	168.6198	normal		
Barium, total	ug/L	MW-2	8	4	12	72.9625	32.1116	54.1000	61.0000	72.9625	72.9625	281.6881	normal		
Barium, total	ug/L	MW-3	8	4	12	30.7750	6.6257	31.4000	26.9000	66.3737	55.8730	73.8417	normal		
Barium, total	ug/L	MW-4	8	4	12	43.3000	4.9742	36.3000	38.9000	43.3000	43.3000	75.6324	normal		
Beryllium, total	ug/L	MW-1	8	4	12			1.0000	1.0000			1.0000	nonpar	.99	**
Beryllium, total	ug/L	MW-2	8	4	12			1.0000	1.0000			1.0000	nonpar	.99	**
Beryllium, total	ug/L	MW-3	8	4	12			1.0000	1.0000			1.0000	nonpar	.99	**
Beryllium, total	ug/L	MW-4	8	4	12			1.0000	1.0000			1.0000	nonpar	.99	**
Boron, total	ug/L	MW-1	8	4	12	21.7625	3.8000	20.0000	20.0000	21.7625	21.7625	46.4623	normal		
Boron, total	ug/L	MW-2	8	4	12	30.3750	13.7966	20.0000	20.0000	30.3750	30.3750	120.0526	normal		
Boron, total	ug/L	MW-3	8	4	12			20.0000	20.0000			20.0000	nonpar	.99	**
Boron, total	ug/L	MW-4	7	4	12	21.7143	4.1115	20.0000	20.0000	21.7143	21.7143	48.4393	normal		
Cadmium, total	ug/L	MW-1	8	4	12			0.4000	0.4000			0.4000	nonpar	.99	**
Cadmium, total	ug/L	MW-2	8	4	12			0.4000	0.4000			0.4000	nonpar	.99	**
Cadmium, total	ug/L	MW-3	8	4	12			0.4000	0.4000			0.4000	nonpar	.99	**
Cadmium, total	ug/L	MW-4	8	4	12			0.4000	0.4000			0.4000	nonpar	.99	**
Chemical oxygen demand	mg/L	MW-1	8	4	12	8.6250	2.8253	7.0000	6.0000	8.6250	8.6250	26.9892	normal		
Chemical oxygen demand	mg/L	MW-2	8	4	12	8.3750	3.5431	7.0000	14.0000	8.3750	10.4569	31.4052	normal		
Chemical oxygen demand	mg/L	MW-3	8	4	12	9.1250	3.0443	7.0000	20.0000	9.1250	16.9557	28.9131	normal		
Chemical oxygen demand	mg/L	MW-4	8	4	12	10.6250	4.3404	7.0000	14.0000	10.6250	10.6250	38.8378	normal		
Chloride	mg/L	MW-1	8	4	12	5.8200	2.4947	3.5700	11.6000	5.8200	9.1053	22.0355	normal		
Chloride	mg/L	MW-2	8	4	12	29.1675	28.1862	2.7500	2.7400	29.1675	29.1675	212.3775	normal		
Chloride	mg/L	MW-3	8	4	12	1.3752	1.3315	0.7870	0.6110	1.3752	1.3752	10.0303	normal		
Chloride	mg/L	MW-4	8	4	12	10.7650	11.4330	3.0400	2.8800	10.7650	10.7650	85.0797	normal		
Chromium, total	ug/L	MW-1	8	4	12	5.2988	4.0865	8.3300	2.5900	7.1582	5.2988	31.8611	normal		
Chromium, total	ug/L	MW-2	6	4	12	6.2000	1.2036	5.9600	5.1300	12.3528	10.0792	14.0234	normal		
Chromium, total	ug/L	MW-3	8	4	12	7.3575	6.3409	6.8600	4.8400	7.3575	7.3575	48.5731	normal		
Chromium, total	ug/L	MW-4	8	4	12	7.5900	4.6921	5.1800	8.6000	7.5900	7.5900	38.0883	normal		
Cobalt, total	ug/L	MW-1	8	4	12			2.0000	2.0000			2.0000	nonpar	.99	**
Cobalt, total	ug/L	MW-2	8	4	12			2.0000	2.0000			2.0000	nonpar	.99	**

N(back) and N(mon) = Non-outlier measurements in the background and monitoring periods.

N(tot) = All independent measurements for that constituent and well.

For transformed data, mean and SD in transformed units and control limit in original units.

Conf = confidence level for passing initial test or one of two verification resamples (nonparametric test only).

\* - Insufficient Data.

\*\* - Detection Frequency < 25%.

\*\*\* - Zero Variance.

Table 1

Summary Statistics and Intermediate Computations  
for Combined Shewhart-CUSUM Control Charts

Constituent	Units	Well	N(back)	N(mon)	N(tot)	Mean	SD	R(i-1)	R(i)	S(i-1)	S(i)	Limit	Type	Conf	
Cobalt, total	ug/L	MW-3	8	4	12			2.0000	2.0000			2.0000	nonpar	.99	**
Cobalt, total	ug/L	MW-4	8	4	12			2.0000	2.0000			2.0000	nonpar	.99	**
Copper, total	ug/L	MW-1	8	4	12	3.9662	1.8957	3.0000	3.0000	3.9662	3.9662	16.2886	normal		
Copper, total	ug/L	MW-2	8	4	12	2.6725	1.1713	3.0000	3.0000	2.6725	2.6725	10.2858	normal		
Copper, total	ug/L	MW-3	8	4	12	7.3413	10.3878	3.0000	3.0000	7.3413	7.3413	74.8616	normal		
Copper, total	ug/L	MW-4	8	4	12	3.0838	2.0070	3.0000	3.0000	3.0838	3.0838	16.1294	normal		
Fluoride	mg/L	MW-1	8	4	12	0.1406	0.0651	0.1080	0.1380	0.1406	0.1406	0.5635	normal		
Fluoride	mg/L	MW-2	8	4	12	0.1781	0.1119	0.1580	0.1360	0.1781	0.1781	0.9055	normal		
Fluoride	mg/L	MW-3	8	4	12	0.1205	0.0431	0.1000	0.1040	0.1205	0.1205	0.4003	normal		
Fluoride	mg/L	MW-4	8	4	12	0.1548	0.0681	0.1440	0.1500	0.1548	0.1548	0.5972	normal		
Formaldehyde	ug/L	MW-1	8	4	12			100.0000	100.0000			100.0000	nonpar	.99	**
Formaldehyde	ug/L	MW-2	8	4	12			100.0000	100.0000			100.0000	nonpar	.99	**
Formaldehyde	ug/L	MW-3	8	4	12			100.0000	100.0000			100.0000	nonpar	.99	**
Formaldehyde	ug/L	MW-4	8	4	12			100.0000	100.0000			100.0000	nonpar	.99	**
Iron, total	ug/L	MW-1	8	4	12	232.1375	256.1545	140.0000	10.0000	232.1375	232.1375	1897.1415	normal		
Iron, total	ug/L	MW-2	8	4	12	414.6125	502.0142	68.9000	18.3000	414.6125	414.6125	3677.7047	normal		
Iron, total	ug/L	MW-3	8	3	12	485.8500	557.5418	135.0000	22.9000	485.8500	485.8500	4109.8717	normal		
Iron, total	ug/L	MW-4	8	4	12	273.4000	351.1964	44.3000	35.4000	273.4000	273.4000	2556.1763	normal		
Lead, total	ug/L	MW-1	8	4	12			2.0000	2.0000			2.0000	nonpar	.99	**
Lead, total	ug/L	MW-2	8	4	12			2.0000	2.0000			2.2100	nonpar	.99	**
Lead, total	ug/L	MW-3	8	4	12			2.0000	2.0000			2.4100	nonpar	.99	**
Lead, total	ug/L	MW-4	8	4	12			2.0000	2.0000			3.0100	nonpar	.99	**
Magnesium, total	mg/L	MW-1	8	4	12	39.3125	9.1299	45.3000	34.0000	44.0852	39.3125	98.6570	normal		
Magnesium, total	mg/L	MW-2	8	4	12	60.7625	12.3983	44.6000	52.6000	60.7625	60.7625	141.3512	normal		
Magnesium, total	mg/L	MW-3	8	4	12	26.5625	4.8447	21.6000	23.0000	48.1481	39.7409	58.0531	normal		
Magnesium, total	mg/L	MW-4	8	4	12	51.7250	9.0714	40.6000	45.1000	51.7250	51.7250	110.6892	normal		
Manganese, total	ug/L	MW-1	8	4	12	31.3875	21.5201	20.0000	20.0000	31.3875	31.3875	171.2683	normal		
Manganese, total	ug/L	MW-2	8	4	12	67.3500	34.2578	37.6000	20.0000	172.0267	70.4190	290.0255	normal		
Manganese, total	ug/L	MW-3	8	3	12	38.1250	27.8922	20.0000	20.0000	51.0905	38.1250	219.4245	normal		
Manganese, total	ug/L	MW-4	7	4	12	21.3429	2.1801	20.0000	20.0000	21.3429	21.3429	35.5135	normal		
Mercury, total	ug/L	MW-1	8	4	12			2.0000	2.0000			2.0000	nonpar	.99	**
Mercury, total	ug/L	MW-2	8	4	12			2.0000	2.0000			2.0000	nonpar	.99	**
Mercury, total	ug/L	MW-3	8	4	12			2.0000	2.0000			2.0000	nonpar	.99	**
Mercury, total	ug/L	MW-4	8	4	12			2.0000	2.0000			2.0000	nonpar	.99	**
Methyl ethyl ketone	ug/L	MW-1	8	4	12			10.0000	10.0000			10.0000	nonpar	.99	**
Methyl ethyl ketone	ug/L	MW-2	8	4	12			10.0000	10.0000			10.0000	nonpar	.99	**
Methyl ethyl ketone	ug/L	MW-3	8	4	12			10.0000	10.0000			10.0000	nonpar	.99	**
Methyl ethyl ketone	ug/L	MW-4	8	4	12			10.0000	10.0000			10.0000	nonpar	.99	**
Molybdenum, total	ug/L	MW-1	8	4	12	2.0888	0.1795	10.0000	10.0000	2.0888	2.0888	3.2554	normal		
Molybdenum, total	ug/L	MW-2	8	4	12	3.2550	2.0221	10.0000	10.0000	3.2550	3.2550	16.3984	normal		
Molybdenum, total	ug/L	MW-3	8	4	12	2.3863	0.7607	10.0000	10.0000	2.3863	2.3863	7.3310	normal		
Molybdenum, total	ug/L	MW-4	8	4	12	2.3800	0.7205	10.0000	10.0000	2.3800	2.3800	7.0632	normal		
Nickel, total	ug/L	MW-1	8	4	12	1.3188	0.7304	1.0000	1.0000	1.3188	1.3188	6.0664	normal		
Nickel, total	ug/L	MW-2	6	4	12	1.0950	0.2004	1.0000	1.0000	1.0950	1.0950	2.3974	normal		
Nickel, total	ug/L	MW-3	8	4	12	1.6000	0.9365	1.0000	1.0000	1.6000	1.6000	7.6873	normal		
Nickel, total	ug/L	MW-4	8	4	12	1.2488	0.5285	1.0000	1.0000	1.2488	1.2488	4.6843	normal		

N(back) and N(mon) = Non-outlier measurements in the background and monitoring periods.

N(tot) = All independent measurements for that constituent and well.

For transformed data, mean and SD in transformed units and control limit in original units.

Conf = confidence level for passing initial test or one of two verification resamples (nonparametric test only).

\* - Insufficient Data.

\*\* - Detection Frequency < 25%.

\*\*\* - Zero Variance.

Table 1

Summary Statistics and Intermediate Computations  
for Combined Shewhart-CUSUM Control Charts

Constituent	Units	Well	N(back)	N(mon)	N(tot)	Mean	SD	R(i-1)	R(i)	S(i-1)	S(i)	Limit	Type	Conf	
Phenols	ug/L	MW-1	8	4	12	9.8750	7.7724	5.0000	8.0000	9.8750	9.8750	60.3958	normal		
Phenols	ug/L	MW-2	8	4	12	7.5000	4.7208	5.0000	8.0000	7.5000	7.5000	38.1850	normal		
Phenols	ug/L	MW-3	8	4	12	8.0000	6.1644	5.0000	8.0000	8.0000	8.0000	48.0687	normal		
Phenols	ug/L	MW-4	8	4	12	8.3125	8.0487	5.0000	8.0000	8.3125	8.3125	60.6289	normal		
Selenium, total	ug/L	MW-1	8	4	12	5.5413	0.9765	5.0000	5.0000	5.5413	5.5413	11.8882	normal		
Selenium, total	ug/L	MW-2	8	4	12			5.0000	5.0000			5.0000	nonpar	.99	**
Selenium, total	ug/L	MW-3	8	4	12			5.0000	5.0000			5.0000	nonpar	.99	**
Selenium, total	ug/L	MW-4	8	4	12			5.0000	5.0000			5.0000	nonpar	.99	**
Silver, total	ug/L	MW-1	8	4	12			0.5000	0.5000			0.5000	nonpar	.99	**
Silver, total	ug/L	MW-2	8	4	12			0.5000	0.5000			0.5000	nonpar	.99	**
Silver, total	ug/L	MW-3	8	4	12			0.5000	0.5000			0.5000	nonpar	.99	**
Silver, total	ug/L	MW-4	8	4	12			0.5000	0.5000			0.5000	nonpar	.99	**
Sulfate	mg/L	MW-1	8	4	12	28.0150	25.1579	8.9700	13.8000	28.0150	28.0150	191.5417	normal		
Sulfate	mg/L	MW-2	8	4	12	27.0000	4.5416	24.4000	23.8000	27.0000	27.0000	56.5201	normal		
Sulfate	mg/L	MW-3	8	4	12	4.5625	0.4935	4.9200	5.1200	4.6805	4.7445	7.7702	normal		
Sulfate	mg/L	MW-4	8	4	12	9.9363	6.6715	10.0000	0.1000	9.9363	9.9363	53.3012	normal		
Thallium, total	ug/L	MW-1	8	4	12			3.0000	3.0000			2.0000	nonpar	.99	**
Thallium, total	ug/L	MW-2	8	4	12			3.0000	3.0000			2.0000	nonpar	.99	**
Thallium, total	ug/L	MW-3	8	4	12			3.0000	3.0000			2.0000	nonpar	.99	**
Thallium, total	ug/L	MW-4	8	4	12			3.0000	3.0000			2.0000	nonpar	.99	**
Total organic halogen	mg/L	MW-1	7	4	12	0.0066	0.0022	0.0100	0.0100	0.0066	0.0066	0.0210	normal		
Total organic halogen	mg/L	MW-2	8	4	12	0.0289	0.0325	0.0240	0.0100	0.0289	0.0289	0.2401	normal		
Total organic halogen	mg/L	MW-3	8	4	12	0.0161	0.0139	0.0100	0.0100	0.0161	0.0161	0.1067	normal		
Total organic halogen	mg/L	MW-4	6	4	12	0.0142	0.0048	0.0270	0.0100	0.0222	0.0142	0.0453	normal		
Total suspended solids	mg/L	MW-1	8	4	12	31.1250	21.1284	14.0000	11.0000	31.1250	31.1250	168.4598	normal		
Total suspended solids	mg/L	MW-2	8	4	12	53.6250	47.6443	40.0000	8.0000	53.6250	53.6250	363.3131	normal		
Total suspended solids	mg/L	MW-3	8	4	12	83.1250	43.1126	315.0000	15.0000	271.8874	160.6498	363.3569	normal		
Total suspended solids	mg/L	MW-4	6	4	12	26.6667	11.3078	19.0000	11.0000	26.6667	26.6667	100.1675	normal		
Vanadium, total	ug/L	MW-1	8	4	12	1.2188	0.4051	1.0000	1.0000	1.2188	1.2188	3.8516	normal		
Vanadium, total	ug/L	MW-2	8	4	12	1.0813	0.1524	1.0000	1.0000	1.0813	1.0813	2.0716	normal		
Vanadium, total	ug/L	MW-3	8	4	12			1.0000	1.0000			1.4100	nonpar	.99	**
Vanadium, total	ug/L	MW-4	8	4	12			1.0000	1.0000			1.2600	nonpar	.99	**
Zinc, total	ug/L	MW-1	8	4	12	14.3588	9.9482	11.1000	8.5000	14.3588	14.3588	79.0220	normal		
Zinc, total	ug/L	MW-2	8	4	12	7.4325	3.2733	5.0000	5.3400	7.4325	7.4325	28.7091	normal		
Zinc, total	ug/L	MW-3	8	4	12	11.2038	6.8501	8.3200	8.3600	11.2038	11.2038	55.7291	normal		
Zinc, total	ug/L	MW-4	8	4	12	14.4125	8.7494	7.5800	8.8500	14.4125	14.4125	71.2839	normal		

N(back) and N(mon) = Non-outlier measurements in the background and monitoring periods.

N(tot) = All independent measurements for that constituent and well.

For transformed data, mean and SD in transformed units and control limit in original units.

Conf = confidence level for passing initial test or one of two verification resamples (nonparametric test only).

\* - Insufficient Data.

\*\* - Detection Frequency < 25%.

\*\*\* - Zero Variance.

**Table 4**

**Dixon's Test Outliers  
1% Significance Level**


Constituent	Units	Well	Date	Result	ND Qualifier	Date Range	N	Critical Value
Aluminum, total	ug/L	MW-4	11/30/2018	755.0000		08/23/2018-04/27/2021	8	0.6808
Boron, total	ug/L	MW-4	08/28/2018	90.1000		08/28/2018-04/27/2021	8	0.6808
Chromium, total	ug/L	MW-2	08/23/2018	1.0000	< 1.0000	08/23/2018-04/27/2021	8	0.6371
Chromium, total	ug/L	MW-2	04/01/2019	1.0000	< 1.0000	08/23/2018-04/27/2021	8	0.6371
Manganese, total	ug/L	MW-4	11/30/2018	100.0000		08/28/2018-04/27/2021	8	0.6808
Nickel, total	ug/L	MW-2	01/10/2019	3.2200		08/23/2018-04/27/2021	8	0.6371
Nickel, total	ug/L	MW-2	04/27/2021	3.3500		08/23/2018-04/27/2021	8	0.6371
Total organic halogen	mg/L	MW-1	09/17/2019	0.0910		08/23/2018-04/27/2021	8	0.6808
Total suspended solids	mg/L	MW-4	08/28/2018	500.0000		08/28/2018-04/27/2021	8	0.6371
Total suspended solids	mg/L	MW-4	11/30/2018	237.0000		08/28/2018-04/27/2021	8	0.6371

N = Total number of independent measurements in background at each well.


Date Range = Dates of the first and last measurements included in background at each well.

Critical Value depends on the significance level and on N-1 when the two most extreme values are tested or N for the most extreme value.


# Intra-Well Control Charts / Prediction Limits




Graph 1




Graph 2




Graph 3




Graph 4




Graph 5




Graph 6




Graph 7




Graph 8




Graph 9



Graph 10




Graph 11




Graph 12


### Intra-Well Control Charts / Prediction Limits




Graph 13




Graph 14




Graph 15




Graph 16




Graph 17




Graph 18




Graph 19




Graph 20




Graph 21



Graph 22




Graph 23




Graph 24




# Intra-Well Control Charts / Prediction Limits




Graph 25




Graph 26




Graph 27




Graph 28




Graph 29




Graph 30




Graph 31




Graph 32




Graph 33



Graph 34




Graph 35




Graph 36


## Intra-Well Control Charts / Prediction Limits




Graph 37




Graph 38




Graph 39




Graph 40




Graph 41




Graph 42




Graph 43




Graph 44




Graph 45



Graph 46




Graph 47




Graph 48


## Intra-Well Control Charts / Prediction Limits




Graph 49




Graph 50




Graph 51




Graph 52




Graph 53




Graph 54




Graph 55




Graph 56




Graph 57



Graph 58




Graph 59




Graph 60


# Intra-Well Control Charts / Prediction Limits




Graph 61




Graph 62




Graph 63




Graph 64




Graph 65




Graph 66




Graph 67




Graph 68




Graph 69



Graph 70




Graph 71




Graph 72


# Intra-Well Control Charts / Prediction Limits




Graph 73




Graph 74




Graph 75




Graph 76




Graph 77




Graph 78




Graph 79




Graph 80




Graph 81



Graph 82




Graph 83




Graph 84


# Intra-Well Control Charts / Prediction Limits




Graph 85




Graph 86




Graph 87




Graph 88




Graph 89




Graph 90




Graph 91




Graph 92




Graph 93



Graph 94




Graph 95




Graph 96


## Intra-Well Control Charts / Prediction Limits




**Graph 97**




**Graph 98**




**Graph 99**




**Graph 100**




**Graph 101**




**Graph 102**




**Graph 103**




**Graph 104**




**Graph 105**



**Graph 106**




**Graph 107**




**Graph 108**


# Intra-Well Control Charts / Prediction Limits




Graph 109




Graph 110




Graph 111




Graph 112




Graph 113




Graph 114




Graph 115




Graph 116




Graph 117



Graph 118




Graph 119




Graph 120




## Intra-Well Control Charts / Prediction Limits




Graph 121




Graph 122




Graph 123




Graph 124




Graph 125



Graph 126




Graph 127



Graph 128

# False Positive and False Negative Rates for Current Intra-Well Control Charts Monitoring Program



**Attachment E**

Summary Tables and Graphs for the Interwell Comparisons  
Second Semi-Annual Monitoring Event in 2023

**Table 1**  
**Upgradient Data**

Constituent	Units	Well	Date		Result	Adjusted	
Aluminum, total	ug/L	MW-3	08/23/2018		22.9000		
Aluminum, total	ug/L	MW-3	11/14/2018		219.0000		
Aluminum, total	ug/L	MW-3	01/10/2019		99.0000		
Aluminum, total	ug/L	MW-3	04/01/2019		58.8000		
Aluminum, total	ug/L	MW-3	09/17/2019		575.0000		
Aluminum, total	ug/L	MW-3	04/06/2020		248.0000		
Aluminum, total	ug/L	MW-3	09/24/2020		193.0000		
Aluminum, total	ug/L	MW-3	04/27/2021		266.0000		
Aluminum, total	ug/L	MW-3	09/28/2021		2720.0000		*
Aluminum, total	ug/L	MW-3	05/11/2022		870.0000		
Aluminum, total	ug/L	MW-3	09/14/2022		124.0000		
Aluminum, total	ug/L	MW-3	05/10/2023	ND	100.0000		
Aluminum, total	ug/L	MW-3	09/13/2023	ND	100.0000		
Aluminum, total	ug/L	MW-4	08/23/2018		105.0000		
Aluminum, total	ug/L	MW-4	11/30/2018		755.0000		*
Aluminum, total	ug/L	MW-4	01/10/2019		32.1000		
Aluminum, total	ug/L	MW-4	04/01/2019		113.0000		
Aluminum, total	ug/L	MW-4	09/17/2019		87.5000		
Aluminum, total	ug/L	MW-4	04/06/2020		54.1000		
Aluminum, total	ug/L	MW-4	09/24/2020		51.2000		
Aluminum, total	ug/L	MW-4	04/27/2021	ND	100.0000		
Aluminum, total	ug/L	MW-4	09/28/2021	ND	100.0000		
Aluminum, total	ug/L	MW-4	05/11/2022	ND	100.0000		
Aluminum, total	ug/L	MW-4	09/14/2022	ND	100.0000		
Aluminum, total	ug/L	MW-4	05/10/2023	ND	100.0000		
Aluminum, total	ug/L	MW-4	09/13/2023	ND	100.0000		
Ammonia nitrogen	mg/L	MW-3	08/23/2018	ND	0.1000		
Ammonia nitrogen	mg/L	MW-3	11/14/2018	ND	0.1000		
Ammonia nitrogen	mg/L	MW-3	01/10/2019		0.2600		
Ammonia nitrogen	mg/L	MW-3	04/01/2019	ND	0.1000		
Ammonia nitrogen	mg/L	MW-3	09/17/2019	ND	0.1000		
Ammonia nitrogen	mg/L	MW-3	04/06/2020	ND	0.1000		
Ammonia nitrogen	mg/L	MW-3	09/24/2020	ND	0.1000		
Ammonia nitrogen	mg/L	MW-3	04/27/2021	ND	0.1000		
Ammonia nitrogen	mg/L	MW-3	09/28/2021	ND	0.1000		
Ammonia nitrogen	mg/L	MW-3	05/11/2022	ND	0.1000		
Ammonia nitrogen	mg/L	MW-3	09/14/2022	ND	0.1000		
Ammonia nitrogen	mg/L	MW-3	05/10/2023	ND	0.1000		
Ammonia nitrogen	mg/L	MW-3	09/13/2023	ND	0.1000		
Ammonia nitrogen	mg/L	MW-4	08/28/2018	ND	0.1000		
Ammonia nitrogen	mg/L	MW-4	11/30/2018	ND	0.1000		
Ammonia nitrogen	mg/L	MW-4	01/10/2019		0.1200		
Ammonia nitrogen	mg/L	MW-4	04/01/2019	ND	0.1000		
Ammonia nitrogen	mg/L	MW-4	09/17/2019	ND	0.1000		
Ammonia nitrogen	mg/L	MW-4	04/06/2020	ND	0.1000		
Ammonia nitrogen	mg/L	MW-4	09/24/2020	ND	0.1000		
Ammonia nitrogen	mg/L	MW-4	04/27/2021	ND	0.1000		
Ammonia nitrogen	mg/L	MW-4	09/28/2021	ND	0.1000		
Ammonia nitrogen	mg/L	MW-4	05/11/2022	ND	0.1000		
Ammonia nitrogen	mg/L	MW-4	09/14/2022	ND	0.1000		
Ammonia nitrogen	mg/L	MW-4	05/10/2023	ND	0.1000		
Ammonia nitrogen	mg/L	MW-4	09/13/2023	ND	0.1000		
Antimony, total	ug/L	MW-3	08/23/2018	ND	5.0000		
Antimony, total	ug/L	MW-3	11/14/2018	ND	5.0000		
Antimony, total	ug/L	MW-3	01/10/2019	ND	5.0000		
Antimony, total	ug/L	MW-3	04/01/2019	ND	5.0000		
Antimony, total	ug/L	MW-3	09/17/2019	ND	5.0000		
Antimony, total	ug/L	MW-3	04/06/2020	ND	5.0000		
Antimony, total	ug/L	MW-3	09/24/2020	ND	5.0000		
Antimony, total	ug/L	MW-3	04/27/2021	ND	5.0000		
Antimony, total	ug/L	MW-3	09/28/2021	ND	5.0000		
Antimony, total	ug/L	MW-3	05/11/2022	ND	5.0000		
Antimony, total	ug/L	MW-3	09/14/2022	ND	5.0000		
Antimony, total	ug/L	MW-3	05/10/2023	ND	5.0000		
Antimony, total	ug/L	MW-3	09/13/2023	ND	5.0000		
Antimony, total	ug/L	MW-4	08/28/2018	ND	5.0000		
Antimony, total	ug/L	MW-4	11/30/2018	ND	5.0000		
Antimony, total	ug/L	MW-4	01/10/2019	ND	5.0000		
Antimony, total	ug/L	MW-4	04/01/2019	ND	5.0000		
Antimony, total	ug/L	MW-4	09/17/2019	ND	5.0000		
Antimony, total	ug/L	MW-4	04/06/2020	ND	5.0000		
Antimony, total	ug/L	MW-4	09/24/2020	ND	5.0000		
Antimony, total	ug/L	MW-4	04/27/2021	ND	5.0000		
Antimony, total	ug/L	MW-4	09/28/2021	ND	5.0000		

\* - Outlier for that well and constituent.  
 \*\* - ND value replaced with median RL.  
 \*\*\* - ND value replaced with manual RL.  
 ND = Not detected, Result = detection limit.

**Table 1**  
**Upgradient Data**

Constituent	Units	Well	Date		Result	Adjusted	
Antimony, total	ug/L	MW-4	05/11/2022	ND	5.0000		
Antimony, total	ug/L	MW-4	09/14/2022	ND	5.0000		
Antimony, total	ug/L	MW-4	05/10/2023	ND	5.0000		
Antimony, total	ug/L	MW-4	09/13/2023	ND	5.0000		
Arsenic, total	ug/L	MW-3	08/23/2018	ND	10.0000		
Arsenic, total	ug/L	MW-3	11/14/2018	ND	10.0000		
Arsenic, total	ug/L	MW-3	01/10/2019	ND	10.0000		
Arsenic, total	ug/L	MW-3	04/01/2019	ND	10.0000		
Arsenic, total	ug/L	MW-3	09/17/2019	ND	10.0000		
Arsenic, total	ug/L	MW-3	04/06/2020	ND	10.0000		
Arsenic, total	ug/L	MW-3	09/24/2020	ND	10.0000		
Arsenic, total	ug/L	MW-3	04/27/2021	ND	10.0000		
Arsenic, total	ug/L	MW-3	09/28/2021	ND	10.0000		
Arsenic, total	ug/L	MW-3	05/11/2022	ND	10.0000		
Arsenic, total	ug/L	MW-3	09/14/2022	ND	10.0000		
Arsenic, total	ug/L	MW-3	05/10/2023	ND	10.0000		
Arsenic, total	ug/L	MW-3	09/13/2023	ND	10.0000		
Arsenic, total	ug/L	MW-4	08/23/2018	ND	10.0000		
Arsenic, total	ug/L	MW-4	11/30/2018	ND	10.0000		
Arsenic, total	ug/L	MW-4	01/10/2019	ND	10.0000		
Arsenic, total	ug/L	MW-4	04/01/2019	ND	10.0000		
Arsenic, total	ug/L	MW-4	09/17/2019	ND	10.0000		
Arsenic, total	ug/L	MW-4	04/06/2020	ND	10.0000		
Arsenic, total	ug/L	MW-4	09/24/2020	ND	10.0000		
Arsenic, total	ug/L	MW-4	04/27/2021	ND	10.0000		
Arsenic, total	ug/L	MW-4	09/28/2021	ND	10.0000		
Arsenic, total	ug/L	MW-4	05/11/2022	ND	10.0000		
Arsenic, total	ug/L	MW-4	09/14/2022	ND	10.0000		
Arsenic, total	ug/L	MW-4	05/10/2023	ND	10.0000		
Arsenic, total	ug/L	MW-4	09/13/2023	ND	10.0000		
Barium, total	ug/L	MW-3	08/23/2018		33.2000		
Barium, total	ug/L	MW-3	11/14/2018		25.9000		
Barium, total	ug/L	MW-3	01/10/2019		21.1000		
Barium, total	ug/L	MW-3	04/01/2019		26.5000		
Barium, total	ug/L	MW-3	09/17/2019		42.9000		
Barium, total	ug/L	MW-3	04/06/2020		33.8000		
Barium, total	ug/L	MW-3	09/24/2020		29.3000		
Barium, total	ug/L	MW-3	04/27/2021		33.5000		
Barium, total	ug/L	MW-3	09/28/2021		79.0000		
Barium, total	ug/L	MW-3	05/11/2022		44.6000		
Barium, total	ug/L	MW-3	09/14/2022		31.4000		
Barium, total	ug/L	MW-3	05/10/2023		26.9000		
Barium, total	ug/L	MW-3	09/13/2023		27.6000		
Barium, total	ug/L	MW-4	08/23/2018		49.7000		
Barium, total	ug/L	MW-4	11/30/2018		34.5000		
Barium, total	ug/L	MW-4	01/10/2019		38.6000		
Barium, total	ug/L	MW-4	04/01/2019		47.4000		
Barium, total	ug/L	MW-4	09/17/2019		44.4000		
Barium, total	ug/L	MW-4	04/06/2020		46.2000		
Barium, total	ug/L	MW-4	09/24/2020		44.5000		
Barium, total	ug/L	MW-4	04/27/2021		41.1000		
Barium, total	ug/L	MW-4	09/28/2021		44.3000		
Barium, total	ug/L	MW-4	05/11/2022		41.8000		
Barium, total	ug/L	MW-4	09/14/2022		36.3000		
Barium, total	ug/L	MW-4	05/10/2023		38.9000		
Barium, total	ug/L	MW-4	09/13/2023		41.4000		
Beryllium, total	ug/L	MW-3	08/23/2018	ND	1.0000		
Beryllium, total	ug/L	MW-3	11/14/2018	ND	1.0000		
Beryllium, total	ug/L	MW-3	01/10/2019	ND	1.0000		
Beryllium, total	ug/L	MW-3	04/01/2019	ND	1.0000		
Beryllium, total	ug/L	MW-3	09/17/2019	ND	1.0000		
Beryllium, total	ug/L	MW-3	04/06/2020	ND	1.0000		
Beryllium, total	ug/L	MW-3	09/24/2020	ND	1.0000		
Beryllium, total	ug/L	MW-3	04/27/2021	ND	1.0000		
Beryllium, total	ug/L	MW-3	09/28/2021	ND	1.0000		
Beryllium, total	ug/L	MW-3	05/11/2022	ND	1.0000		
Beryllium, total	ug/L	MW-3	09/14/2022	ND	1.0000		
Beryllium, total	ug/L	MW-3	05/10/2023	ND	1.0000		
Beryllium, total	ug/L	MW-3	09/13/2023	ND	1.0000		
Beryllium, total	ug/L	MW-4	08/23/2018	ND	1.0000		
Beryllium, total	ug/L	MW-4	11/30/2018	ND	1.0000		
Beryllium, total	ug/L	MW-4	01/10/2019	ND	1.0000		
Beryllium, total	ug/L	MW-4	04/01/2019	ND	1.0000		

\* - Outlier for that well and constituent.  
 \*\* - ND value replaced with median RL.  
 \*\*\* - ND value replaced with manual RL.  
 ND = Not detected, Result = detection limit.

**Table 1**  
**Upgradient Data**

Constituent	Units	Well	Date		Result	Adjusted	
Beryllium, total	ug/L	MW-4	04/06/2020	ND	1.0000		
Beryllium, total	ug/L	MW-4	09/24/2020	ND	1.0000		
Beryllium, total	ug/L	MW-4	04/27/2021	ND	1.0000		
Beryllium, total	ug/L	MW-4	09/28/2021	ND	1.0000		
Beryllium, total	ug/L	MW-4	05/11/2022	ND	1.0000		
Beryllium, total	ug/L	MW-4	09/14/2022	ND	1.0000		
Beryllium, total	ug/L	MW-4	05/10/2023	ND	1.0000		
Beryllium, total	ug/L	MW-4	09/13/2023	ND	1.0000		
Boron, total	ug/L	MW-3	08/23/2018	ND	20.0000		
Boron, total	ug/L	MW-3	11/14/2018	ND	20.0000		
Boron, total	ug/L	MW-3	01/10/2019		20.0000		
Boron, total	ug/L	MW-3	04/01/2019	ND	20.0000		
Boron, total	ug/L	MW-3	09/17/2019	ND	20.0000		
Boron, total	ug/L	MW-3	04/06/2020	ND	20.0000		
Boron, total	ug/L	MW-3	09/24/2020	ND	20.0000		
Boron, total	ug/L	MW-3	04/27/2021	ND	20.0000		
Boron, total	ug/L	MW-3	09/28/2021	ND	21.3000		
Boron, total	ug/L	MW-3	05/11/2022	ND	20.0000		
Boron, total	ug/L	MW-3	09/14/2022	ND	20.0000		
Boron, total	ug/L	MW-3	05/10/2023	ND	20.0000		
Boron, total	ug/L	MW-3	09/13/2023	ND	20.0000		
Boron, total	ug/L	MW-4	08/28/2018		90.1000		*
Boron, total	ug/L	MW-4	11/30/2018		31.0000		
Boron, total	ug/L	MW-4	01/10/2019		21.0000		
Boron, total	ug/L	MW-4	04/01/2019	ND	20.0000		
Boron, total	ug/L	MW-4	09/17/2019	ND	20.0000		
Boron, total	ug/L	MW-4	04/06/2020	ND	20.0000		
Boron, total	ug/L	MW-4	09/24/2020	ND	20.0000		
Boron, total	ug/L	MW-4	04/27/2021	ND	20.0000		
Boron, total	ug/L	MW-4	09/28/2021	ND	20.0000		
Boron, total	ug/L	MW-4	05/11/2022	ND	20.0000		
Boron, total	ug/L	MW-4	09/14/2022	ND	20.0000		
Boron, total	ug/L	MW-4	05/10/2023	ND	20.0000		
Boron, total	ug/L	MW-4	09/13/2023	ND	20.0000		
Cadmium, total	ug/L	MW-3	08/23/2018	ND	0.4000		
Cadmium, total	ug/L	MW-3	11/14/2018	ND	0.4000		
Cadmium, total	ug/L	MW-3	01/10/2019	ND	0.4000		
Cadmium, total	ug/L	MW-3	04/01/2019	ND	0.4000		
Cadmium, total	ug/L	MW-3	09/17/2019	ND	0.4000		
Cadmium, total	ug/L	MW-3	04/06/2020	ND	0.4000		
Cadmium, total	ug/L	MW-3	09/24/2020	ND	0.4000		
Cadmium, total	ug/L	MW-3	04/27/2021	ND	0.4000		
Cadmium, total	ug/L	MW-3	09/28/2021	ND	0.4000		
Cadmium, total	ug/L	MW-3	05/11/2022	ND	0.4000		
Cadmium, total	ug/L	MW-3	09/14/2022	ND	0.4000		
Cadmium, total	ug/L	MW-3	05/10/2023	ND	0.4000		
Cadmium, total	ug/L	MW-3	09/13/2023	ND	0.4000		
Cadmium, total	ug/L	MW-4	08/23/2018	ND	0.4000		
Cadmium, total	ug/L	MW-4	11/30/2018	ND	0.4000		
Cadmium, total	ug/L	MW-4	01/10/2019	ND	0.4000		
Cadmium, total	ug/L	MW-4	04/01/2019	ND	0.4000		
Cadmium, total	ug/L	MW-4	09/17/2019	ND	0.4000		
Cadmium, total	ug/L	MW-4	04/06/2020	ND	0.4000		
Cadmium, total	ug/L	MW-4	09/24/2020	ND	0.4000		
Cadmium, total	ug/L	MW-4	04/27/2021	ND	0.4000		
Cadmium, total	ug/L	MW-4	09/28/2021	ND	0.4000		
Cadmium, total	ug/L	MW-4	05/11/2022	ND	0.4000		
Cadmium, total	ug/L	MW-4	09/14/2022	ND	0.4000		
Cadmium, total	ug/L	MW-4	05/10/2023	ND	0.4000		
Cadmium, total	ug/L	MW-4	09/13/2023	ND	0.4000		
Chemical oxygen demand	mg/L	MW-3	08/23/2018		7.0000		
Chemical oxygen demand	mg/L	MW-3	11/14/2018		14.0000		
Chemical oxygen demand	mg/L	MW-3	01/10/2019		11.0000		
Chemical oxygen demand	mg/L	MW-3	04/01/2019		13.0000		
Chemical oxygen demand	mg/L	MW-3	09/17/2019		7.0000		
Chemical oxygen demand	mg/L	MW-3	04/06/2020	ND	7.0000		
Chemical oxygen demand	mg/L	MW-3	09/24/2020	ND	7.0000		
Chemical oxygen demand	mg/L	MW-3	04/27/2021	ND	7.0000		
Chemical oxygen demand	mg/L	MW-3	09/28/2021	ND	7.0000		
Chemical oxygen demand	mg/L	MW-3	05/11/2022	ND	7.0000		
Chemical oxygen demand	mg/L	MW-3	09/14/2022	ND	7.0000		
Chemical oxygen demand	mg/L	MW-3	05/10/2023		20.0000		
Chemical oxygen demand	mg/L	MW-3	09/13/2023	ND	10.0000	7.0000	**
Chemical oxygen demand	mg/L	MW-4	08/28/2018		15.0000		

\* - Outlier for that well and constituent.  
 \*\* - ND value replaced with median RL.  
 \*\*\* - ND value replaced with manual RL.  
 ND = Not detected, Result = detection limit.

**Table 1**  
**Upgradient Data**

Constituent	Units	Well	Date		Result	Adjusted	
Chemical oxygen demand	mg/L	MW-4	11/30/2018		17.0000		
Chemical oxygen demand	mg/L	MW-4	01/10/2019		15.0000		
Chemical oxygen demand	mg/L	MW-4	04/01/2019		7.0000		
Chemical oxygen demand	mg/L	MW-4	09/17/2019	ND	6.0000	7.0000	**
Chemical oxygen demand	mg/L	MW-4	04/06/2020	ND	7.0000		
Chemical oxygen demand	mg/L	MW-4	09/24/2020		10.0000		
Chemical oxygen demand	mg/L	MW-4	04/27/2021	ND	7.0000		
Chemical oxygen demand	mg/L	MW-4	09/28/2021	ND	7.0000		
Chemical oxygen demand	mg/L	MW-4	05/11/2022	ND	7.0000		
Chemical oxygen demand	mg/L	MW-4	09/14/2022	ND	7.0000		
Chemical oxygen demand	mg/L	MW-4	05/10/2023		14.0000		
Chemical oxygen demand	mg/L	MW-4	09/13/2023	ND	10.0000	7.0000	**
Chloride	mg/L	MW-3	08/23/2018		0.8340		
Chloride	mg/L	MW-3	11/14/2018		4.6100		*
Chloride	mg/L	MW-3	01/10/2019		1.4800		
Chloride	mg/L	MW-3	04/01/2019		1.0600		
Chloride	mg/L	MW-3	09/17/2019		0.7620		
Chloride	mg/L	MW-3	04/06/2020		0.7150		
Chloride	mg/L	MW-3	09/24/2020		0.7510		
Chloride	mg/L	MW-3	04/27/2021		0.7900		
Chloride	mg/L	MW-3	09/28/2021		0.6660		
Chloride	mg/L	MW-3	05/11/2022		0.8530		
Chloride	mg/L	MW-3	09/14/2022		0.7870		
Chloride	mg/L	MW-3	05/10/2023		0.6110		
Chloride	mg/L	MW-3	09/13/2023		0.6330		
Chloride	mg/L	MW-4	08/23/2018		34.1000		
Chloride	mg/L	MW-4	11/30/2018		20.9000		
Chloride	mg/L	MW-4	01/10/2019		12.8000		
Chloride	mg/L	MW-4	04/01/2019		6.6300		
Chloride	mg/L	MW-4	09/17/2019		3.4900		
Chloride	mg/L	MW-4	04/06/2020		2.9500		
Chloride	mg/L	MW-4	09/24/2020		2.6000		
Chloride	mg/L	MW-4	04/27/2021		2.6500		
Chloride	mg/L	MW-4	09/28/2021		2.6800		
Chloride	mg/L	MW-4	05/11/2022		3.3800		
Chloride	mg/L	MW-4	09/14/2022		3.0400		
Chloride	mg/L	MW-4	05/10/2023		2.8800		
Chloride	mg/L	MW-4	09/13/2023		2.7400		
Chromium, total	ug/L	MW-3	08/23/2018	ND	1.0000		
Chromium, total	ug/L	MW-3	11/14/2018		1.6200		
Chromium, total	ug/L	MW-3	01/10/2019		4.0800		
Chromium, total	ug/L	MW-3	04/01/2019		4.0000		
Chromium, total	ug/L	MW-3	09/17/2019		16.4000		
Chromium, total	ug/L	MW-3	04/06/2020		11.2000		
Chromium, total	ug/L	MW-3	09/24/2020		4.2600		
Chromium, total	ug/L	MW-3	04/27/2021		16.3000		
Chromium, total	ug/L	MW-3	09/28/2021		13.5000		
Chromium, total	ug/L	MW-3	05/11/2022		8.1100		
Chromium, total	ug/L	MW-3	09/14/2022		6.8600		
Chromium, total	ug/L	MW-3	05/10/2023		4.8400		
Chromium, total	ug/L	MW-3	09/13/2023		4.6100		
Chromium, total	ug/L	MW-4	08/23/2018	ND	1.0000		
Chromium, total	ug/L	MW-4	11/30/2018		4.8200		
Chromium, total	ug/L	MW-4	01/10/2019		2.1200		
Chromium, total	ug/L	MW-4	04/01/2019		9.7500		
Chromium, total	ug/L	MW-4	09/17/2019		13.3000		
Chromium, total	ug/L	MW-4	04/06/2020		10.0000		
Chromium, total	ug/L	MW-4	09/24/2020		6.7300		
Chromium, total	ug/L	MW-4	04/27/2021		13.0000		
Chromium, total	ug/L	MW-4	09/28/2021		12.9000		
Chromium, total	ug/L	MW-4	05/11/2022		9.6600		
Chromium, total	ug/L	MW-4	09/14/2022		5.1800		
Chromium, total	ug/L	MW-4	05/10/2023		8.6000		
Chromium, total	ug/L	MW-4	09/13/2023		12.1000		
Cobalt, total	ug/L	MW-3	08/23/2018	ND	2.0000		
Cobalt, total	ug/L	MW-3	11/14/2018	ND	2.0000		
Cobalt, total	ug/L	MW-3	01/10/2019	ND	2.0000		
Cobalt, total	ug/L	MW-3	04/01/2019	ND	2.0000		
Cobalt, total	ug/L	MW-3	09/17/2019	ND	2.0000		
Cobalt, total	ug/L	MW-3	04/06/2020	ND	2.0000		
Cobalt, total	ug/L	MW-3	09/24/2020	ND	2.0000		
Cobalt, total	ug/L	MW-3	04/27/2021	ND	2.0000		
Cobalt, total	ug/L	MW-3	09/28/2021		3.3700		
Cobalt, total	ug/L	MW-3	05/11/2022	ND	2.0000		

\* - Outlier for that well and constituent.  
 \*\* - ND value replaced with median RL.  
 \*\*\* - ND value replaced with manual RL.  
 ND = Not detected, Result = detection limit.

**Table 1**  
**Upgradient Data**

Constituent	Units	Well	Date		Result	Adjusted	
Cobalt, total	ug/L	MW-3	09/14/2022	ND	2.0000		
Cobalt, total	ug/L	MW-3	05/10/2023	ND	2.0000		
Cobalt, total	ug/L	MW-3	09/13/2023	ND	2.0000		
Cobalt, total	ug/L	MW-4	08/28/2018	ND	2.0000		
Cobalt, total	ug/L	MW-4	11/30/2018	ND	2.0000		
Cobalt, total	ug/L	MW-4	01/10/2019	ND	2.0000		
Cobalt, total	ug/L	MW-4	04/01/2019	ND	2.0000		
Cobalt, total	ug/L	MW-4	09/17/2019	ND	2.0000		
Cobalt, total	ug/L	MW-4	04/06/2020	ND	2.0000		
Cobalt, total	ug/L	MW-4	09/24/2020	ND	2.0000		
Cobalt, total	ug/L	MW-4	04/27/2021	ND	2.0000		
Cobalt, total	ug/L	MW-4	09/28/2021	ND	2.0000		
Cobalt, total	ug/L	MW-4	05/11/2022	ND	2.0000		
Cobalt, total	ug/L	MW-4	09/14/2022	ND	2.0000		
Cobalt, total	ug/L	MW-4	05/10/2023	ND	2.0000		
Cobalt, total	ug/L	MW-4	09/13/2023	ND	2.0000		
Copper, total	ug/L	MW-3	08/23/2018		32.6000		
Copper, total	ug/L	MW-3	11/14/2018		5.9100		
Copper, total	ug/L	MW-3	01/10/2019	ND	2.0000	3.0000	**
Copper, total	ug/L	MW-3	04/01/2019		3.0800		
Copper, total	ug/L	MW-3	09/17/2019		7.3300		
Copper, total	ug/L	MW-3	04/06/2020	ND	2.0000	3.0000	**
Copper, total	ug/L	MW-3	09/24/2020		2.3100		
Copper, total	ug/L	MW-3	04/27/2021		3.5000		
Copper, total	ug/L	MW-3	09/28/2021		5.1400		
Copper, total	ug/L	MW-3	05/11/2022	ND	3.0000		
Copper, total	ug/L	MW-3	09/14/2022	ND	3.0000		
Copper, total	ug/L	MW-3	05/10/2023	ND	3.0000		
Copper, total	ug/L	MW-3	09/13/2023	ND	3.0000		
Copper, total	ug/L	MW-4	08/28/2018	ND	2.0000	3.0000	**
Copper, total	ug/L	MW-4	11/30/2018		6.2700		
Copper, total	ug/L	MW-4	01/10/2019	ND	2.0000	3.0000	**
Copper, total	ug/L	MW-4	04/01/2019		6.4000		
Copper, total	ug/L	MW-4	09/17/2019	ND	2.0000	3.0000	**
Copper, total	ug/L	MW-4	04/06/2020	ND	2.0000	3.0000	**
Copper, total	ug/L	MW-4	09/24/2020	ND	2.0000	3.0000	**
Copper, total	ug/L	MW-4	04/27/2021	ND	3.0000		
Copper, total	ug/L	MW-4	09/28/2021		3.4400		
Copper, total	ug/L	MW-4	05/11/2022	ND	3.0000		
Copper, total	ug/L	MW-4	09/14/2022	ND	3.0000		
Copper, total	ug/L	MW-4	05/10/2023	ND	3.0000		
Copper, total	ug/L	MW-4	09/13/2023	ND	3.0000		
Fluoride	mg/L	MW-3	08/23/2018	ND	0.1000		
Fluoride	mg/L	MW-3	11/14/2018	ND	0.1000		
Fluoride	mg/L	MW-3	01/10/2019	ND	0.1000		
Fluoride	mg/L	MW-3	04/01/2019	ND	0.1000		
Fluoride	mg/L	MW-3	09/17/2019		0.2200		
Fluoride	mg/L	MW-3	04/06/2020		0.1000		
Fluoride	mg/L	MW-3	09/24/2020		0.1440		
Fluoride	mg/L	MW-3	04/27/2021	ND	0.1000		
Fluoride	mg/L	MW-3	09/28/2021	ND	0.1000		
Fluoride	mg/L	MW-3	05/11/2022	ND	0.1000		
Fluoride	mg/L	MW-3	09/14/2022	ND	0.1000		
Fluoride	mg/L	MW-3	05/10/2023		0.1040		
Fluoride	mg/L	MW-3	09/13/2023	ND	0.1000		
Fluoride	mg/L	MW-4	08/28/2018	ND	0.1000		
Fluoride	mg/L	MW-4	11/30/2018	ND	0.1000		
Fluoride	mg/L	MW-4	01/10/2019	ND	0.1000		
Fluoride	mg/L	MW-4	04/01/2019		0.1450		
Fluoride	mg/L	MW-4	09/17/2019		0.3000		
Fluoride	mg/L	MW-4	04/06/2020		0.2000		
Fluoride	mg/L	MW-4	09/24/2020		0.1520		
Fluoride	mg/L	MW-4	04/27/2021		0.1410		
Fluoride	mg/L	MW-4	09/28/2021		0.1600		
Fluoride	mg/L	MW-4	05/11/2022		0.1230		
Fluoride	mg/L	MW-4	09/14/2022		0.1440		
Fluoride	mg/L	MW-4	05/10/2023		0.1500		
Fluoride	mg/L	MW-4	09/13/2023		0.1240		
Formaldehyde	ug/L	MW-3	08/23/2018	ND	100.0000		
Formaldehyde	ug/L	MW-3	11/14/2018	ND	100.0000		
Formaldehyde	ug/L	MW-3	01/10/2019	ND	100.0000		
Formaldehyde	ug/L	MW-3	04/01/2019	ND	100.0000		
Formaldehyde	ug/L	MW-3	09/17/2019	ND	100.0000		
Formaldehyde	ug/L	MW-3	04/06/2020	ND	50.0000	100.0000	**

\* - Outlier for that well and constituent.  
 \*\* - ND value replaced with median RL.  
 \*\*\* - ND value replaced with manual RL.  
 ND = Not detected, Result = detection limit.



Table 1

Upgradient Data

Constituent	Units	Well	Date		Result	Adjusted	
Formaldehyde	ug/L	MW-3	09/24/2020	ND	50.0000	100.0000	**
Formaldehyde	ug/L	MW-3	04/27/2021	ND	100.0000		
Formaldehyde	ug/L	MW-3	09/28/2021	ND	100.0000		
Formaldehyde	ug/L	MW-3	05/11/2022	ND	100.0000		
Formaldehyde	ug/L	MW-3	09/14/2022	ND	100.0000		
Formaldehyde	ug/L	MW-3	05/10/2023	ND	100.0000		
Formaldehyde	ug/L	MW-3	09/13/2023	ND	100.0000		
Formaldehyde	ug/L	MW-4	08/28/2018	ND	100.0000		
Formaldehyde	ug/L	MW-4	11/30/2018	ND	100.0000		
Formaldehyde	ug/L	MW-4	01/10/2019	ND	100.0000		
Formaldehyde	ug/L	MW-4	04/01/2019	ND	100.0000		
Formaldehyde	ug/L	MW-4	09/17/2019	ND	100.0000		
Formaldehyde	ug/L	MW-4	04/06/2020	ND	50.0000	100.0000	**
Formaldehyde	ug/L	MW-4	09/24/2020	ND	50.0000	100.0000	**
Formaldehyde	ug/L	MW-4	04/27/2021	ND	100.0000		
Formaldehyde	ug/L	MW-4	09/28/2021	ND	100.0000		
Formaldehyde	ug/L	MW-4	05/11/2022	ND	100.0000		
Formaldehyde	ug/L	MW-4	09/14/2022	ND	100.0000		
Formaldehyde	ug/L	MW-4	05/10/2023	ND	100.0000		
Formaldehyde	ug/L	MW-4	09/13/2023	ND	100.0000		
Iron, total	ug/L	MW-3	08/23/2018		27.8000		
Iron, total	ug/L	MW-3	11/14/2018		177.0000		
Iron, total	ug/L	MW-3	01/10/2019		130.0000		
Iron, total	ug/L	MW-3	04/01/2019		116.0000		
Iron, total	ug/L	MW-3	09/17/2019		1740.0000		
Iron, total	ug/L	MW-3	04/06/2020		541.0000		
Iron, total	ug/L	MW-3	09/24/2020		663.0000		
Iron, total	ug/L	MW-3	04/27/2021		492.0000		
Iron, total	ug/L	MW-3	09/28/2021		4830.0000		*
Iron, total	ug/L	MW-3	05/11/2022		1900.0000		
Iron, total	ug/L	MW-3	09/14/2022		135.0000		
Iron, total	ug/L	MW-3	05/10/2023		22.9000		
Iron, total	ug/L	MW-3	09/13/2023		35.1000		
Iron, total	ug/L	MW-4	08/28/2018		193.0000		
Iron, total	ug/L	MW-4	11/30/2018		1130.0000		
Iron, total	ug/L	MW-4	01/10/2019		69.2000		
Iron, total	ug/L	MW-4	04/01/2019		211.0000		
Iron, total	ug/L	MW-4	09/17/2019		198.0000		
Iron, total	ug/L	MW-4	04/06/2020		107.0000		
Iron, total	ug/L	MW-4	09/24/2020		204.0000		
Iron, total	ug/L	MW-4	04/27/2021		75.0000		
Iron, total	ug/L	MW-4	09/28/2021		101.0000		
Iron, total	ug/L	MW-4	05/11/2022		97.4000		
Iron, total	ug/L	MW-4	09/14/2022		44.3000		
Iron, total	ug/L	MW-4	05/10/2023		35.4000		
Iron, total	ug/L	MW-4	09/13/2023		55.4000		
Lead, total	ug/L	MW-3	08/23/2018	ND	2.0000		
Lead, total	ug/L	MW-3	11/14/2018	ND	2.0000		
Lead, total	ug/L	MW-3	01/10/2019	ND	2.0000		
Lead, total	ug/L	MW-3	04/01/2019	ND	2.0000		
Lead, total	ug/L	MW-3	09/17/2019		2.4100		
Lead, total	ug/L	MW-3	04/06/2020	ND	2.0000		
Lead, total	ug/L	MW-3	09/24/2020	ND	2.0000		
Lead, total	ug/L	MW-3	04/27/2021	ND	2.0000		
Lead, total	ug/L	MW-3	09/28/2021		2.3200		
Lead, total	ug/L	MW-3	05/11/2022	ND	2.0000		
Lead, total	ug/L	MW-3	09/14/2022	ND	2.0000		
Lead, total	ug/L	MW-3	05/10/2023	ND	2.0000		
Lead, total	ug/L	MW-3	09/13/2023	ND	2.0000		
Lead, total	ug/L	MW-4	08/28/2018	ND	2.0000		
Lead, total	ug/L	MW-4	11/30/2018	ND	2.0000		
Lead, total	ug/L	MW-4	01/10/2019	ND	2.0000		
Lead, total	ug/L	MW-4	04/01/2019		3.0100		
Lead, total	ug/L	MW-4	09/17/2019	ND	2.0000		
Lead, total	ug/L	MW-4	04/06/2020	ND	2.0000		
Lead, total	ug/L	MW-4	09/24/2020	ND	2.0000		
Lead, total	ug/L	MW-4	04/27/2021	ND	2.0000		
Lead, total	ug/L	MW-4	09/28/2021	ND	2.0000		
Lead, total	ug/L	MW-4	05/11/2022	ND	2.0000		
Lead, total	ug/L	MW-4	09/14/2022	ND	2.0000		
Lead, total	ug/L	MW-4	05/10/2023	ND	2.0000		
Lead, total	ug/L	MW-4	09/13/2023	ND	2.0000		
Magnesium, total	mg/L	MW-3	08/23/2018		22.0000		
Magnesium, total	mg/L	MW-3	11/14/2018		22.2000		

\* - Outlier for that well and constituent.  
 \*\* - ND value replaced with median RL.  
 \*\*\* - ND value replaced with manual RL.  
 ND = Not detected, Result = detection limit.

**Table 1**  
**Upgradient Data**

Constituent	Units	Well	Date		Result	Adjusted	
Magnesium, total	mg/L	MW-3	01/10/2019		24.2000		
Magnesium, total	mg/L	MW-3	04/01/2019		25.5000		
Magnesium, total	mg/L	MW-3	09/17/2019		36.6000		
Magnesium, total	mg/L	MW-3	04/06/2020		27.1000		
Magnesium, total	mg/L	MW-3	09/24/2020		24.7000		
Magnesium, total	mg/L	MW-3	04/27/2021		30.2000		
Magnesium, total	mg/L	MW-3	09/28/2021		62.8000		
Magnesium, total	mg/L	MW-3	05/11/2022		42.6000		
Magnesium, total	mg/L	MW-3	09/14/2022		21.6000		
Magnesium, total	mg/L	MW-3	05/10/2023		23.0000		
Magnesium, total	mg/L	MW-3	09/13/2023		24.0000		
Magnesium, total	mg/L	MW-4	08/28/2018		55.3000		
Magnesium, total	mg/L	MW-4	11/30/2018		72.0000		
Magnesium, total	mg/L	MW-4	01/10/2019		48.9000		
Magnesium, total	mg/L	MW-4	04/01/2019		52.9000		
Magnesium, total	mg/L	MW-4	09/17/2019		49.3000		
Magnesium, total	mg/L	MW-4	04/06/2020		43.2000		
Magnesium, total	mg/L	MW-4	09/24/2020		45.4000		
Magnesium, total	mg/L	MW-4	04/27/2021		46.8000		
Magnesium, total	mg/L	MW-4	09/28/2021		44.7000		
Magnesium, total	mg/L	MW-4	05/11/2022		47.4000		
Magnesium, total	mg/L	MW-4	09/14/2022		40.6000		
Magnesium, total	mg/L	MW-4	05/10/2023		45.1000		
Magnesium, total	mg/L	MW-4	09/13/2023		46.7000		
Manganese, total	ug/L	MW-3	08/23/2018	ND	20.0000		
Manganese, total	ug/L	MW-3	11/14/2018	ND	20.0000		
Manganese, total	ug/L	MW-3	01/10/2019	ND	20.0000		
Manganese, total	ug/L	MW-3	04/01/2019	ND	20.0000		
Manganese, total	ug/L	MW-3	09/17/2019		102.0000		
Manganese, total	ug/L	MW-3	04/06/2020		45.2000		
Manganese, total	ug/L	MW-3	09/24/2020		38.4000		
Manganese, total	ug/L	MW-3	04/27/2021		39.4000		
Manganese, total	ug/L	MW-3	09/28/2021		451.0000		*
Manganese, total	ug/L	MW-3	05/11/2022		145.0000		
Manganese, total	ug/L	MW-3	09/14/2022	ND	20.0000		
Manganese, total	ug/L	MW-3	05/10/2023	ND	20.0000		
Manganese, total	ug/L	MW-3	09/13/2023	ND	20.0000		
Manganese, total	ug/L	MW-4	08/28/2018		25.7000		
Manganese, total	ug/L	MW-4	11/30/2018		100.0000		*
Manganese, total	ug/L	MW-4	01/10/2019	ND	20.0000		
Manganese, total	ug/L	MW-4	04/01/2019		20.9000		
Manganese, total	ug/L	MW-4	09/17/2019	ND	20.0000		
Manganese, total	ug/L	MW-4	04/06/2020		22.8000		
Manganese, total	ug/L	MW-4	09/24/2020	ND	20.0000		
Manganese, total	ug/L	MW-4	04/27/2021	ND	20.0000		
Manganese, total	ug/L	MW-4	09/28/2021	ND	20.0000		
Manganese, total	ug/L	MW-4	05/11/2022	ND	20.0000		
Manganese, total	ug/L	MW-4	09/14/2022	ND	20.0000		
Manganese, total	ug/L	MW-4	05/10/2023	ND	20.0000		
Manganese, total	ug/L	MW-4	09/13/2023	ND	20.0000		
Mercury, total	ug/L	MW-3	08/23/2018	ND	2.0000		
Mercury, total	ug/L	MW-3	11/14/2018	ND	2.0000		
Mercury, total	ug/L	MW-3	01/10/2019	ND	2.0000		
Mercury, total	ug/L	MW-3	04/01/2019	ND	2.0000		
Mercury, total	ug/L	MW-3	09/17/2019	ND	2.0000		
Mercury, total	ug/L	MW-3	04/06/2020	ND	2.0000		
Mercury, total	ug/L	MW-3	09/24/2020	ND	2.0000		
Mercury, total	ug/L	MW-3	04/27/2021	ND	2.0000		
Mercury, total	ug/L	MW-3	09/28/2021	ND	2.0000		
Mercury, total	ug/L	MW-3	05/11/2022	ND	2.0000		
Mercury, total	ug/L	MW-3	09/14/2022	ND	2.0000		
Mercury, total	ug/L	MW-3	05/10/2023	ND	2.0000		
Mercury, total	ug/L	MW-3	09/13/2023	ND	2.0000		
Mercury, total	ug/L	MW-4	08/28/2018	ND	2.0000		
Mercury, total	ug/L	MW-4	11/30/2018	ND	2.0000		
Mercury, total	ug/L	MW-4	01/10/2019	ND	2.0000		
Mercury, total	ug/L	MW-4	04/01/2019	ND	2.0000		
Mercury, total	ug/L	MW-4	09/17/2019	ND	2.0000		
Mercury, total	ug/L	MW-4	04/06/2020	ND	2.0000		
Mercury, total	ug/L	MW-4	09/24/2020	ND	2.0000		
Mercury, total	ug/L	MW-4	04/27/2021	ND	2.0000		
Mercury, total	ug/L	MW-4	09/28/2021	ND	2.0000		
Mercury, total	ug/L	MW-4	05/11/2022	ND	2.0000		
Mercury, total	ug/L	MW-4	09/14/2022	ND	2.0000		

\* - Outlier for that well and constituent.  
 \*\* - ND value replaced with median RL.  
 \*\*\* - ND value replaced with manual RL.  
 ND = Not detected, Result = detection limit.

**Table 1**  
**Upgradient Data**

Constituent	Units	Well	Date		Result	Adjusted	
Mercury, total	ug/L	MW-4	05/10/2023	ND	2.0000		
Mercury, total	ug/L	MW-4	09/13/2023	ND	2.0000		
Methyl ethyl ketone	ug/L	MW-3	08/23/2018	ND	10.0000		
Methyl ethyl ketone	ug/L	MW-3	11/14/2018	ND	10.0000		
Methyl ethyl ketone	ug/L	MW-3	01/10/2019	ND	10.0000		
Methyl ethyl ketone	ug/L	MW-3	04/01/2019	ND	10.0000		
Methyl ethyl ketone	ug/L	MW-3	09/17/2019	ND	100.0000		*
Methyl ethyl ketone	ug/L	MW-3	04/06/2020	ND	5.0000	10.0000	**
Methyl ethyl ketone	ug/L	MW-3	09/24/2020	ND	5.0000	10.0000	**
Methyl ethyl ketone	ug/L	MW-3	04/27/2021	ND	10.0000		
Methyl ethyl ketone	ug/L	MW-3	09/28/2021	ND	5.0000	10.0000	**
Methyl ethyl ketone	ug/L	MW-3	05/11/2022	ND	10.0000		
Methyl ethyl ketone	ug/L	MW-3	09/14/2022	ND	10.0000		
Methyl ethyl ketone	ug/L	MW-3	05/10/2023	ND	10.0000		
Methyl ethyl ketone	ug/L	MW-3	09/13/2023	ND	10.0000		
Methyl ethyl ketone	ug/L	MW-4	08/28/2018	ND	10.0000		
Methyl ethyl ketone	ug/L	MW-4	11/30/2018	ND	10.0000		
Methyl ethyl ketone	ug/L	MW-4	01/10/2019	ND	10.0000		
Methyl ethyl ketone	ug/L	MW-4	04/01/2019	ND	10.0000		
Methyl ethyl ketone	ug/L	MW-4	09/17/2019	ND	100.0000		*
Methyl ethyl ketone	ug/L	MW-4	04/06/2020	ND	5.0000	10.0000	**
Methyl ethyl ketone	ug/L	MW-4	09/24/2020	ND	5.0000	10.0000	**
Methyl ethyl ketone	ug/L	MW-4	04/27/2021	ND	10.0000		
Methyl ethyl ketone	ug/L	MW-4	09/28/2021	ND	5.0000	10.0000	**
Methyl ethyl ketone	ug/L	MW-4	05/11/2022	ND	10.0000		
Methyl ethyl ketone	ug/L	MW-4	09/14/2022	ND	10.0000		
Methyl ethyl ketone	ug/L	MW-4	05/10/2023	ND	10.0000		
Methyl ethyl ketone	ug/L	MW-4	09/13/2023	ND	10.0000		
Molybdenum, total	ug/L	MW-3	08/23/2018	ND	2.0000	10.0000	**
Molybdenum, total	ug/L	MW-3	11/14/2018		4.0300		
Molybdenum, total	ug/L	MW-3	01/10/2019		3.0600		
Molybdenum, total	ug/L	MW-3	04/01/2019	ND	2.0000	10.0000	**
Molybdenum, total	ug/L	MW-3	09/17/2019	ND	2.0000	10.0000	**
Molybdenum, total	ug/L	MW-3	04/06/2020	ND	2.0000	10.0000	**
Molybdenum, total	ug/L	MW-3	09/24/2020	ND	2.0000	10.0000	**
Molybdenum, total	ug/L	MW-3	04/27/2021	ND	10.0000		
Molybdenum, total	ug/L	MW-3	09/28/2021	ND	10.0000		
Molybdenum, total	ug/L	MW-3	05/11/2022	ND	10.0000		
Molybdenum, total	ug/L	MW-3	09/14/2022	ND	10.0000		
Molybdenum, total	ug/L	MW-3	05/10/2023	ND	10.0000		
Molybdenum, total	ug/L	MW-3	09/13/2023	ND	10.0000		
Molybdenum, total	ug/L	MW-4	08/28/2018		3.8100		
Molybdenum, total	ug/L	MW-4	11/30/2018	ND	2.0000	10.0000	**
Molybdenum, total	ug/L	MW-4	01/10/2019		3.2300		
Molybdenum, total	ug/L	MW-4	04/01/2019	ND	2.0000	10.0000	**
Molybdenum, total	ug/L	MW-4	09/17/2019	ND	2.0000	10.0000	**
Molybdenum, total	ug/L	MW-4	04/06/2020	ND	2.0000	10.0000	**
Molybdenum, total	ug/L	MW-4	09/24/2020	ND	2.0000	10.0000	**
Molybdenum, total	ug/L	MW-4	04/27/2021	ND	10.0000		
Molybdenum, total	ug/L	MW-4	09/28/2021	ND	10.0000		
Molybdenum, total	ug/L	MW-4	05/11/2022	ND	10.0000		
Molybdenum, total	ug/L	MW-4	09/14/2022	ND	10.0000		
Molybdenum, total	ug/L	MW-4	05/10/2023	ND	10.0000		
Molybdenum, total	ug/L	MW-4	09/13/2023	ND	10.0000		
Nickel, total	ug/L	MW-3	08/23/2018	ND	1.0000		
Nickel, total	ug/L	MW-3	11/14/2018		1.1700		
Nickel, total	ug/L	MW-3	01/10/2019		1.6000		
Nickel, total	ug/L	MW-3	04/01/2019	ND	1.0000		
Nickel, total	ug/L	MW-3	09/17/2019		2.5100		
Nickel, total	ug/L	MW-3	04/06/2020	ND	1.0000		
Nickel, total	ug/L	MW-3	09/24/2020	ND	1.0000		
Nickel, total	ug/L	MW-3	04/27/2021		3.5200		
Nickel, total	ug/L	MW-3	09/28/2021		5.0500		
Nickel, total	ug/L	MW-3	05/11/2022	ND	1.0000		
Nickel, total	ug/L	MW-3	09/14/2022	ND	1.0000		
Nickel, total	ug/L	MW-3	05/10/2023	ND	1.0000		
Nickel, total	ug/L	MW-3	09/13/2023	ND	1.0000		
Nickel, total	ug/L	MW-4	08/28/2018	ND	1.0000		
Nickel, total	ug/L	MW-4	11/30/2018	ND	1.0000		
Nickel, total	ug/L	MW-4	01/10/2019		1.5100		
Nickel, total	ug/L	MW-4	04/01/2019	ND	1.0000		
Nickel, total	ug/L	MW-4	09/17/2019	ND	1.0000		
Nickel, total	ug/L	MW-4	04/06/2020	ND	1.0000		
Nickel, total	ug/L	MW-4	09/24/2020	ND	1.0000		

\* - Outlier for that well and constituent.  
 \*\* - ND value replaced with median RL.  
 \*\*\* - ND value replaced with manual RL.  
 ND = Not detected, Result = detection limit.

**Table 1**  
**Upgradient Data**

Constituent	Units	Well	Date		Result	Adjusted	
Nickel, total	ug/L	MW-4	04/27/2021		2.4800		
Nickel, total	ug/L	MW-4	09/28/2021	ND	1.0000		
Nickel, total	ug/L	MW-4	05/11/2022	ND	1.0000		
Nickel, total	ug/L	MW-4	09/14/2022	ND	1.0000		
Nickel, total	ug/L	MW-4	05/10/2023	ND	1.0000		
Nickel, total	ug/L	MW-4	09/13/2023	ND	1.0000		
Phenols	ug/L	MW-3	08/23/2018	ND	5.0000		
Phenols	ug/L	MW-3	11/14/2018	ND	5.0000		
Phenols	ug/L	MW-3	01/10/2019		22.0000		*
Phenols	ug/L	MW-3	04/01/2019	ND	5.0000		
Phenols	ug/L	MW-3	09/17/2019	ND	5.0000		
Phenols	ug/L	MW-3	04/06/2020	ND	5.0000		
Phenols	ug/L	MW-3	09/24/2020		12.0000		
Phenols	ug/L	MW-3	04/27/2021	ND	5.0000		
Phenols	ug/L	MW-3	09/28/2021	ND	5.0000		
Phenols	ug/L	MW-3	05/11/2022	ND	5.0000		
Phenols	ug/L	MW-3	09/14/2022	ND	5.0000		
Phenols	ug/L	MW-3	05/10/2023	ND	8.0000	5.0000	**
Phenols	ug/L	MW-3	09/13/2023	ND	8.0000	5.0000	**
Phenols	ug/L	MW-4	08/28/2018		16.0000		
Phenols	ug/L	MW-4	11/30/2018	ND	5.0000		
Phenols	ug/L	MW-4	01/10/2019		25.0000		*
Phenols	ug/L	MW-4	04/01/2019		0.5000		*
Phenols	ug/L	MW-4	09/17/2019	ND	5.0000		
Phenols	ug/L	MW-4	04/06/2020	ND	5.0000		
Phenols	ug/L	MW-4	09/24/2020		5.0000		
Phenols	ug/L	MW-4	04/27/2021	ND	5.0000		
Phenols	ug/L	MW-4	09/28/2021	ND	5.0000		
Phenols	ug/L	MW-4	05/11/2022	ND	5.0000		
Phenols	ug/L	MW-4	09/14/2022	ND	5.0000		
Phenols	ug/L	MW-4	05/10/2023	ND	8.0000	5.0000	**
Phenols	ug/L	MW-4	09/13/2023	ND	8.0000	5.0000	**
Selenium, total	ug/L	MW-3	08/23/2018	ND	5.0000		
Selenium, total	ug/L	MW-3	11/14/2018	ND	5.0000		
Selenium, total	ug/L	MW-3	01/10/2019	ND	5.0000		
Selenium, total	ug/L	MW-3	04/01/2019	ND	5.0000		
Selenium, total	ug/L	MW-3	09/17/2019	ND	5.0000		
Selenium, total	ug/L	MW-3	04/06/2020	ND	5.0000		
Selenium, total	ug/L	MW-3	09/24/2020	ND	5.0000		
Selenium, total	ug/L	MW-3	04/27/2021	ND	5.0000		
Selenium, total	ug/L	MW-3	09/28/2021	ND	5.0000		
Selenium, total	ug/L	MW-3	05/11/2022	ND	5.0000		
Selenium, total	ug/L	MW-3	09/14/2022	ND	5.0000		
Selenium, total	ug/L	MW-3	05/10/2023	ND	5.0000		
Selenium, total	ug/L	MW-3	09/13/2023	ND	5.0000		
Selenium, total	ug/L	MW-4	08/28/2018	ND	5.0000		
Selenium, total	ug/L	MW-4	11/30/2018	ND	5.0000		
Selenium, total	ug/L	MW-4	01/10/2019	ND	5.0000		
Selenium, total	ug/L	MW-4	04/01/2019	ND	5.0000		
Selenium, total	ug/L	MW-4	09/17/2019	ND	5.0000		
Selenium, total	ug/L	MW-4	04/06/2020	ND	5.0000		
Selenium, total	ug/L	MW-4	09/24/2020	ND	5.0000		
Selenium, total	ug/L	MW-4	04/27/2021	ND	5.0000		
Selenium, total	ug/L	MW-4	09/28/2021	ND	5.0000		
Selenium, total	ug/L	MW-4	05/11/2022	ND	5.0000		
Selenium, total	ug/L	MW-4	09/14/2022	ND	5.0000		
Selenium, total	ug/L	MW-4	05/10/2023	ND	5.0000		
Selenium, total	ug/L	MW-4	09/13/2023	ND	5.0000		
Silver, total	ug/L	MW-3	08/23/2018	ND	0.5000		
Silver, total	ug/L	MW-3	11/14/2018	ND	0.5000		
Silver, total	ug/L	MW-3	01/10/2019	ND	0.5000		
Silver, total	ug/L	MW-3	04/01/2019	ND	0.5000		
Silver, total	ug/L	MW-3	09/17/2019	ND	0.5000		
Silver, total	ug/L	MW-3	04/06/2020	ND	0.5000		
Silver, total	ug/L	MW-3	09/24/2020	ND	0.5000		
Silver, total	ug/L	MW-3	04/27/2021	ND	0.5000		
Silver, total	ug/L	MW-3	09/28/2021	ND	0.5000		
Silver, total	ug/L	MW-3	05/11/2022	ND	0.5000		
Silver, total	ug/L	MW-3	09/14/2022	ND	0.5000		
Silver, total	ug/L	MW-3	05/10/2023	ND	0.5000		
Silver, total	ug/L	MW-3	09/13/2023	ND	0.5000		
Silver, total	ug/L	MW-4	08/28/2018	ND	0.5000		
Silver, total	ug/L	MW-4	11/30/2018	ND	0.5000		
Silver, total	ug/L	MW-4	01/10/2019	ND	0.5000		

\* - Outlier for that well and constituent.  
 \*\* - ND value replaced with median RL.  
 \*\*\* - ND value replaced with manual RL.  
 ND = Not detected, Result = detection limit.

**Table 1**  
**Upgradient Data**

Constituent	Units	Well	Date		Result	Adjusted	
Silver, total	ug/L	MW-4	04/01/2019	ND	0.5000		
Silver, total	ug/L	MW-4	09/17/2019	ND	0.5000		
Silver, total	ug/L	MW-4	04/06/2020	ND	0.5000		
Silver, total	ug/L	MW-4	09/24/2020	ND	0.5000		
Silver, total	ug/L	MW-4	04/27/2021	ND	0.5000		
Silver, total	ug/L	MW-4	09/28/2021	ND	0.5000		
Silver, total	ug/L	MW-4	05/11/2022	ND	0.5000		
Silver, total	ug/L	MW-4	09/14/2022	ND	0.5000		
Silver, total	ug/L	MW-4	05/10/2023	ND	0.5000		
Silver, total	ug/L	MW-4	09/13/2023	ND	0.5000		
Sulfate	mg/L	MW-3	08/23/2018		4.6900		
Sulfate	mg/L	MW-3	11/14/2018		5.1800		
Sulfate	mg/L	MW-3	01/10/2019		4.7600		
Sulfate	mg/L	MW-3	04/01/2019		4.4200		
Sulfate	mg/L	MW-3	09/17/2019		3.6300		
Sulfate	mg/L	MW-3	04/06/2020		4.8900		
Sulfate	mg/L	MW-3	09/24/2020		4.1100		
Sulfate	mg/L	MW-3	04/27/2021		4.8200		
Sulfate	mg/L	MW-3	09/28/2021		4.9700		
Sulfate	mg/L	MW-3	05/11/2022		5.3100		
Sulfate	mg/L	MW-3	09/14/2022		4.9200		
Sulfate	mg/L	MW-3	05/10/2023		5.1200		
Sulfate	mg/L	MW-3	09/13/2023		5.5700		
Sulfate	mg/L	MW-4	08/28/2018		25.1000		
Sulfate	mg/L	MW-4	11/30/2018		13.8000		
Sulfate	mg/L	MW-4	01/10/2019		6.9700		
Sulfate	mg/L	MW-4	04/01/2019		5.5300		
Sulfate	mg/L	MW-4	09/17/2019		5.2600		
Sulfate	mg/L	MW-4	04/06/2020		7.2000		
Sulfate	mg/L	MW-4	09/24/2020		7.5600		
Sulfate	mg/L	MW-4	04/27/2021		8.0700		
Sulfate	mg/L	MW-4	09/28/2021		8.7000		
Sulfate	mg/L	MW-4	05/11/2022		11.7000		
Sulfate	mg/L	MW-4	09/14/2022		10.0000		
Sulfate	mg/L	MW-4	05/10/2023	ND	0.1000		*
Sulfate	mg/L	MW-4	09/13/2023		8.9300		
Thallium, total	ug/L	MW-3	08/23/2018	ND	2.0000		
Thallium, total	ug/L	MW-3	11/14/2018	ND	2.0000		
Thallium, total	ug/L	MW-3	01/10/2019	ND	2.0000		
Thallium, total	ug/L	MW-3	04/01/2019	ND	2.0000		
Thallium, total	ug/L	MW-3	09/17/2019	ND	2.0000		
Thallium, total	ug/L	MW-3	04/06/2020	ND	2.0000		
Thallium, total	ug/L	MW-3	09/24/2020	ND	2.0000		
Thallium, total	ug/L	MW-3	04/27/2021	ND	3.0000	2.0000	**
Thallium, total	ug/L	MW-3	09/28/2021	ND	3.0000	2.0000	**
Thallium, total	ug/L	MW-3	05/11/2022	ND	3.0000	2.0000	**
Thallium, total	ug/L	MW-3	09/14/2022	ND	3.0000	2.0000	**
Thallium, total	ug/L	MW-3	05/10/2023	ND	3.0000	2.0000	**
Thallium, total	ug/L	MW-3	09/13/2023	ND	3.0000	2.0000	**
Thallium, total	ug/L	MW-4	08/28/2018	ND	2.0000		
Thallium, total	ug/L	MW-4	11/30/2018	ND	2.0000		
Thallium, total	ug/L	MW-4	01/10/2019	ND	2.0000		
Thallium, total	ug/L	MW-4	04/01/2019	ND	2.0000		
Thallium, total	ug/L	MW-4	09/17/2019	ND	2.0000		
Thallium, total	ug/L	MW-4	04/06/2020	ND	2.0000		
Thallium, total	ug/L	MW-4	09/24/2020	ND	2.0000		
Thallium, total	ug/L	MW-4	04/27/2021	ND	3.0000	2.0000	**
Thallium, total	ug/L	MW-4	09/28/2021	ND	3.0000	2.0000	**
Thallium, total	ug/L	MW-4	05/11/2022	ND	3.0000	2.0000	**
Thallium, total	ug/L	MW-4	09/14/2022	ND	3.0000	2.0000	**
Thallium, total	ug/L	MW-4	05/10/2023	ND	3.0000	2.0000	**
Thallium, total	ug/L	MW-4	09/13/2023	ND	3.0000	2.0000	**
Total organic halogen	mg/L	MW-3	08/23/2018	ND	0.0050	0.0100	**
Total organic halogen	mg/L	MW-3	11/14/2018		0.0090		
Total organic halogen	mg/L	MW-3	01/10/2019		0.0130		
Total organic halogen	mg/L	MW-3	04/01/2019		0.0170		
Total organic halogen	mg/L	MW-3	09/17/2019		0.0500		*
Total organic halogen	mg/L	MW-3	04/06/2020	ND	0.0100		
Total organic halogen	mg/L	MW-3	09/24/2020	ND	0.0100		
Total organic halogen	mg/L	MW-3	04/27/2021	ND	0.0100		
Total organic halogen	mg/L	MW-3	09/28/2021	ND	0.0200	0.0100	**
Total organic halogen	mg/L	MW-3	05/11/2022	ND	0.0100		
Total organic halogen	mg/L	MW-3	09/14/2022	ND	0.0100		
Total organic halogen	mg/L	MW-3	05/10/2023	ND	0.0100		

\* - Outlier for that well and constituent.  
 \*\* - ND value replaced with median RL.  
 \*\*\* - ND value replaced with manual RL.  
 ND = Not detected, Result = detection limit.

**Table 1**  
**Upgradient Data**

Constituent	Units	Well	Date		Result	Adjusted	
Total organic halogen	mg/L	MW-3	09/13/2023	ND	0.0100		
Total organic halogen	mg/L	MW-4	08/28/2018		0.0609		*
Total organic halogen	mg/L	MW-4	11/30/2018		0.0230		
Total organic halogen	mg/L	MW-4	01/10/2019		0.0150		
Total organic halogen	mg/L	MW-4	04/01/2019		0.0130		
Total organic halogen	mg/L	MW-4	09/17/2019		0.1100		*
Total organic halogen	mg/L	MW-4	04/06/2020	ND	0.0100		
Total organic halogen	mg/L	MW-4	09/24/2020	ND	0.0100		
Total organic halogen	mg/L	MW-4	04/27/2021		0.0140		
Total organic halogen	mg/L	MW-4	09/28/2021	ND	0.0200	0.0100	**
Total organic halogen	mg/L	MW-4	05/11/2022	ND	0.0100		
Total organic halogen	mg/L	MW-4	09/14/2022		0.0270		
Total organic halogen	mg/L	MW-4	05/10/2023	ND	0.0100		
Total organic halogen	mg/L	MW-4	09/13/2023		0.0100		
Total suspended solids	mg/L	MW-3	08/23/2018		75.0000		
Total suspended solids	mg/L	MW-3	11/14/2018		41.0000		
Total suspended solids	mg/L	MW-3	01/10/2019		29.0000		
Total suspended solids	mg/L	MW-3	04/01/2019		97.0000		
Total suspended solids	mg/L	MW-3	09/17/2019		138.0000		
Total suspended solids	mg/L	MW-3	04/06/2020		144.0000		
Total suspended solids	mg/L	MW-3	09/24/2020		48.0000		
Total suspended solids	mg/L	MW-3	04/27/2021		93.0000		
Total suspended solids	mg/L	MW-3	09/28/2021		126.0000		
Total suspended solids	mg/L	MW-3	05/11/2022		632.0000		
Total suspended solids	mg/L	MW-3	09/14/2022		315.0000		
Total suspended solids	mg/L	MW-3	05/10/2023		15.0000		
Total suspended solids	mg/L	MW-3	09/13/2023		29.0000		
Total suspended solids	mg/L	MW-4	08/28/2018		500.0000		*
Total suspended solids	mg/L	MW-4	11/30/2018		237.0000		
Total suspended solids	mg/L	MW-4	01/10/2019		38.0000		
Total suspended solids	mg/L	MW-4	04/01/2019		20.0000		
Total suspended solids	mg/L	MW-4	09/17/2019		44.0000		
Total suspended solids	mg/L	MW-4	04/06/2020		18.0000		
Total suspended solids	mg/L	MW-4	09/24/2020		19.0000		
Total suspended solids	mg/L	MW-4	04/27/2021		21.0000		
Total suspended solids	mg/L	MW-4	09/28/2021		26.0000		
Total suspended solids	mg/L	MW-4	05/11/2022		18.0000		
Total suspended solids	mg/L	MW-4	09/14/2022		19.0000		
Total suspended solids	mg/L	MW-4	05/10/2023		11.0000		
Total suspended solids	mg/L	MW-4	09/13/2023		8.0000		
Vanadium, total	ug/L	MW-3	08/23/2018	ND	1.0000		
Vanadium, total	ug/L	MW-3	11/14/2018	ND	1.0000		
Vanadium, total	ug/L	MW-3	01/10/2019	ND	1.0000		
Vanadium, total	ug/L	MW-3	04/01/2019	ND	1.0000		
Vanadium, total	ug/L	MW-3	09/17/2019		1.4100		
Vanadium, total	ug/L	MW-3	04/06/2020	ND	1.0000		
Vanadium, total	ug/L	MW-3	09/24/2020	ND	1.0000		
Vanadium, total	ug/L	MW-3	04/27/2021	ND	1.0000		
Vanadium, total	ug/L	MW-3	09/28/2021		5.7600		*
Vanadium, total	ug/L	MW-3	05/11/2022		1.9200		
Vanadium, total	ug/L	MW-3	09/14/2022	ND	1.0000		
Vanadium, total	ug/L	MW-3	05/10/2023	ND	1.0000		
Vanadium, total	ug/L	MW-3	09/13/2023	ND	1.0000		
Vanadium, total	ug/L	MW-4	08/28/2018	ND	1.0000		
Vanadium, total	ug/L	MW-4	11/30/2018		1.2600		
Vanadium, total	ug/L	MW-4	01/10/2019	ND	1.0000		
Vanadium, total	ug/L	MW-4	04/01/2019	ND	1.0000		
Vanadium, total	ug/L	MW-4	09/17/2019	ND	1.0000		
Vanadium, total	ug/L	MW-4	04/06/2020	ND	1.0000		
Vanadium, total	ug/L	MW-4	09/24/2020	ND	1.0000		
Vanadium, total	ug/L	MW-4	04/27/2021	ND	1.0000		
Vanadium, total	ug/L	MW-4	09/28/2021	ND	1.0000		
Vanadium, total	ug/L	MW-4	05/11/2022	ND	1.0000		
Vanadium, total	ug/L	MW-4	09/14/2022	ND	1.0000		
Vanadium, total	ug/L	MW-4	05/10/2023	ND	1.0000		
Vanadium, total	ug/L	MW-4	09/13/2023	ND	1.0000		
Zinc, total	ug/L	MW-3	08/23/2018	ND	5.0000		
Zinc, total	ug/L	MW-3	11/14/2018		20.1000		
Zinc, total	ug/L	MW-3	01/10/2019	ND	5.0000		
Zinc, total	ug/L	MW-3	04/01/2019		12.1000		
Zinc, total	ug/L	MW-3	09/17/2019		22.8000		
Zinc, total	ug/L	MW-3	04/06/2020		10.8000		
Zinc, total	ug/L	MW-3	09/24/2020		6.6700		
Zinc, total	ug/L	MW-3	04/27/2021		7.1600		

\* - Outlier for that well and constituent.  
 \*\* - ND value replaced with median RL.  
 \*\*\* - ND value replaced with manual RL.  
 ND = Not detected, Result = detection limit.

**Table 1**  
**Upgradient Data**

Constituent	Units	Well	Date		Result	Adjusted	
Zinc, total	ug/L	MW-3	09/28/2021		8.4500		
Zinc, total	ug/L	MW-3	05/11/2022	ND	5.0000		
Zinc, total	ug/L	MW-3	09/14/2022		8.3200		
Zinc, total	ug/L	MW-3	05/10/2023		8.3600		
Zinc, total	ug/L	MW-3	09/13/2023	ND	5.0000		
Zinc, total	ug/L	MW-4	08/28/2018	ND	5.0000		
Zinc, total	ug/L	MW-4	11/30/2018		18.8000		
Zinc, total	ug/L	MW-4	01/10/2019	ND	5.0000		
Zinc, total	ug/L	MW-4	04/01/2019		31.4000		
Zinc, total	ug/L	MW-4	09/17/2019		17.9000		
Zinc, total	ug/L	MW-4	04/06/2020		10.5000		
Zinc, total	ug/L	MW-4	09/24/2020		16.6000		
Zinc, total	ug/L	MW-4	04/27/2021		10.1000		
Zinc, total	ug/L	MW-4	09/28/2021		9.3300		
Zinc, total	ug/L	MW-4	05/11/2022		7.5900		
Zinc, total	ug/L	MW-4	09/14/2022		7.5800		
Zinc, total	ug/L	MW-4	05/10/2023		8.8500		
Zinc, total	ug/L	MW-4	09/13/2023		7.8100		

\* - Outlier for that well and constituent.  
 \*\* - ND value replaced with median RL.  
 \*\*\* - ND value replaced with manual RL.  
 ND = Not detected, Result = detection limit.

Table 2

Most Current Downgradient Monitoring Data

Constituent	Units	Well	Date		Result		Pred. Limit
Aluminum, total	ug/L	MW-1	09/13/2023	ND	100.0000		870.0000
Aluminum, total	ug/L	MW-2	09/13/2023	ND	100.0000		870.0000
Aluminum, total	ug/L	Sump Grab	09/13/2023	ND	100.0000		870.0000
Ammonia nitrogen	mg/L	MW-1	09/13/2023	ND	0.1000		0.2600
Ammonia nitrogen	mg/L	MW-2	09/13/2023	ND	0.1000		0.2600
Ammonia nitrogen	mg/L	Sump Grab	09/13/2023	ND	0.1000		0.2600
Antimony, total	ug/L	MW-1	09/13/2023	ND	5.0000		5.0000
Antimony, total	ug/L	MW-2	09/13/2023	ND	5.0000		5.0000
Antimony, total	ug/L	Sump Grab	09/13/2023	ND	5.0000		5.0000
Arsenic, total	ug/L	MW-1	09/13/2023	ND	10.0000		10.0000
Arsenic, total	ug/L	MW-2	09/13/2023	ND	10.0000		10.0000
Arsenic, total	ug/L	Sump Grab	09/13/2023	ND	10.0000		10.0000
Barium, total	ug/L	MW-1	09/13/2023		44.1000		67.2065
Barium, total	ug/L	MW-2	09/13/2023		60.0000		67.2065
Barium, total	ug/L	Sump Grab	09/13/2023		133.0000	***	67.2065
Beryllium, total	ug/L	MW-1	09/13/2023	ND	1.0000		1.0000
Beryllium, total	ug/L	MW-2	09/13/2023	ND	1.0000		1.0000
Beryllium, total	ug/L	Sump Grab	09/13/2023	ND	1.0000		1.0000
Boron, total	ug/L	MW-1	09/13/2023	ND	20.0000		31.0000
Boron, total	ug/L	MW-2	09/13/2023	ND	20.0000		31.0000
Boron, total	ug/L	Sump Grab	09/13/2023		81.1000	***	31.0000
Cadmium, total	ug/L	MW-1	09/13/2023	ND	0.4000		0.4000
Cadmium, total	ug/L	MW-2	09/13/2023	ND	0.4000		0.4000
Cadmium, total	ug/L	Sump Grab	09/13/2023	ND	0.4000		0.4000
Chemical oxygen demand	mg/L	MW-1	09/13/2023	ND	10.0000		20.0000
Chemical oxygen demand	mg/L	MW-2	09/13/2023	ND	10.0000		20.0000
Chemical oxygen demand	mg/L	Sump Grab	09/13/2023	ND	10.0000		20.0000
Chloride	mg/L	MW-1	09/13/2023		4.8100		34.1000
Chloride	mg/L	MW-2	09/13/2023		2.7500		34.1000
Chloride	mg/L	Sump Grab	09/13/2023		22.9000		34.1000
Chromium, total	ug/L	MW-1	09/13/2023		7.1200		19.9971
Chromium, total	ug/L	MW-2	09/13/2023		3.4800		19.9971
Chromium, total	ug/L	Sump Grab	09/13/2023	ND	1.0000		19.9971
Cobalt, total	ug/L	MW-1	09/13/2023	ND	2.0000		3.3700
Cobalt, total	ug/L	MW-2	09/13/2023	ND	2.0000		3.3700
Cobalt, total	ug/L	Sump Grab	09/13/2023	ND	2.0000		3.3700
Copper, total	ug/L	MW-1	09/13/2023	ND	3.0000		32.6000
Copper, total	ug/L	MW-2	09/13/2023	ND	3.0000		32.6000
Copper, total	ug/L	Sump Grab	09/13/2023	ND	3.0000		32.6000
Fluoride	mg/L	MW-1	09/13/2023		0.1010		0.3000
Fluoride	mg/L	MW-2	09/13/2023		0.1140		0.3000
Fluoride	mg/L	Sump Grab	09/13/2023		0.1410		0.3000
Formaldehyde	ug/L	MW-1	09/13/2023	ND	100.0000		100.0000
Formaldehyde	ug/L	MW-2	09/13/2023	ND	100.0000		100.0000
Formaldehyde	ug/L	Sump Grab	09/13/2023	ND	100.0000		100.0000
Iron, total	ug/L	MW-1	09/13/2023		79.4000		3565.0804
Iron, total	ug/L	MW-2	09/13/2023		15.4000		3565.0804
Iron, total	ug/L	Sump Grab	09/13/2023	ND	10.0000		3565.0804
Lead, total	ug/L	MW-1	09/13/2023	ND	2.0000		3.0100
Lead, total	ug/L	MW-2	09/13/2023	ND	2.0000		3.0100
Lead, total	ug/L	Sump Grab	09/13/2023	ND	2.0000		3.0100
Magnesium, total	mg/L	MW-1	09/13/2023		50.3000		72.0000
Magnesium, total	mg/L	MW-2	09/13/2023		49.9000		72.0000
Magnesium, total	mg/L	Sump Grab	09/13/2023		43.0000		72.0000
Manganese, total	ug/L	MW-1	09/13/2023	ND	20.0000		145.0000
Manganese, total	ug/L	MW-2	09/13/2023		23.5000		145.0000
Manganese, total	ug/L	Sump Grab	09/13/2023	ND	20.0000		145.0000
Mercury, total	ug/L	MW-1	09/13/2023	ND	2.0000		2.0000
Mercury, total	ug/L	MW-2	09/13/2023	ND	2.0000		2.0000
Mercury, total	ug/L	Sump Grab	09/13/2023	ND	2.0000		2.0000
Methyl ethyl ketone	ug/L	MW-1	09/13/2023	ND	10.0000		10.0000
Methyl ethyl ketone	ug/L	MW-2	09/13/2023	ND	10.0000		10.0000
Methyl ethyl ketone	ug/L	Sump Grab	09/13/2023	ND	10.0000		10.0000
Molybdenum, total	ug/L	MW-1	09/13/2023	ND	10.0000		10.0000
Molybdenum, total	ug/L	MW-2	09/13/2023	ND	10.0000		10.0000
Molybdenum, total	ug/L	Sump Grab	09/13/2023	ND	10.0000		10.0000
Nickel, total	ug/L	MW-1	09/13/2023	ND	1.0000		5.0500
Nickel, total	ug/L	MW-2	09/13/2023	ND	1.0000		5.0500
Nickel, total	ug/L	Sump Grab	09/13/2023	ND	1.0000		5.0500
Phenols	ug/L	MW-1	09/13/2023	ND	8.0000		16.0000
Phenols	ug/L	MW-2	09/13/2023	ND	8.0000		16.0000
Phenols	ug/L	Sump Grab	09/13/2023	ND	8.0000		16.0000

\* - Current value failed - awaiting verification.  
 \*\* - Current value passed - previous exceedance not verified.  
 \*\*\* - Current value failed - exceedance verified.  
 \*\*\*\* - Current value passed - awaiting one more verification.  
 \*\*\*\*\* - Insufficient background data to compute prediction limit.  
 ND = Not Detected, Result = detection limit.



**Table 2**

**Most Current Downgradient Monitoring Data**

Constituent	Units	Well	Date		Result		Pred. Limit
Selenium, total	ug/L	MW-1	09/13/2023	ND	5.0000		5.0000
Selenium, total	ug/L	MW-2	09/13/2023	ND	5.0000		5.0000
Selenium, total	ug/L	Sump Grab	09/13/2023	ND	5.0000		5.0000
Silver, total	ug/L	MW-1	09/13/2023	ND	0.5000		0.5000
Silver, total	ug/L	MW-2	09/13/2023	ND	0.5000		0.5000
Silver, total	ug/L	Sump Grab	09/13/2023	ND	0.5000		0.5000
Sulfate	mg/L	MW-1	09/13/2023		10.9000		18.6454
Sulfate	mg/L	MW-2	09/13/2023		20.7000	***	18.6454
Sulfate	mg/L	Sump Grab	09/13/2023		20.1000	***	18.6454
Thallium, total	ug/L	MW-1	09/13/2023	ND	3.0000		2.0000
Thallium, total	ug/L	MW-2	09/13/2023	ND	3.0000		2.0000
Thallium, total	ug/L	Sump Grab	09/13/2023	ND	3.0000		2.0000
Total organic halogen	mg/L	MW-1	09/13/2023		0.0120		0.0270
Total organic halogen	mg/L	MW-2	09/13/2023		0.0120		0.0270
Total organic halogen	mg/L	Sump Grab	09/13/2023	ND	0.0100	**	0.0270
Total suspended solids	mg/L	MW-1	09/13/2023		9.0000		783.4315
Total suspended solids	mg/L	MW-2	09/13/2023		8.0000		783.4315
Total suspended solids	mg/L	Sump Grab	09/13/2023		1.0000		783.4315
Vanadium, total	ug/L	MW-1	09/13/2023	ND	1.0000		1.9200
Vanadium, total	ug/L	MW-2	09/13/2023	ND	1.0000		1.9200
Vanadium, total	ug/L	Sump Grab	09/13/2023	ND	1.0000		1.9200
Zinc, total	ug/L	MW-1	09/13/2023		13.5000		29.6949
Zinc, total	ug/L	MW-2	09/13/2023		5.1300		29.6949
Zinc, total	ug/L	Sump Grab	09/13/2023	ND	5.0000		29.6949

- \* - Current value failed - awaiting verification.
  - \*\* - Current value passed - previous exceedance not verified.
  - \*\*\* - Current value failed - exceedance verified.
  - \*\*\*\* - Current value passed - awaiting one more verification.
  - \*\*\*\*\* - Insufficient background data to compute prediction limit.
- ND = Not Detected, Result = detection limit.

Table 3

## Detection Frequencies in Upgradient and Downgradient Wells

Constituent	Upgradient			Downgradient		
	Detect	N	Proportion	Detect	N	Proportion
Aluminum, total	16	24	0.667	20	33	0.606
Ammonia nitrogen	2	26	0.077	3	33	0.091
Antimony, total	0	26	0.000	0	33	0.000
Arsenic, total	0	26	0.000	0	33	0.000
Barium, total	26	26	1.000	33	33	1.000
Beryllium, total	0	26	0.000	0	33	0.000
Boron, total	4	25	0.160	15	33	0.455
Cadmium, total	0	26	0.000	2	33	0.061
Chemical oxygen demand	12	26	0.462	14	33	0.424
Chloride	25	25	1.000	33	33	1.000
Chromium, total	24	26	0.923	24	33	0.727
Cobalt, total	1	26	0.038	0	33	0.000
Copper, total	10	26	0.385	14	33	0.424
Fluoride	14	26	0.538	26	33	0.788
Formaldehyde	0	26	0.000	0	33	0.000
Iron, total	25	25	1.000	30	33	0.909
Lead, total	3	26	0.115	1	33	0.030
Magnesium, total	26	26	1.000	33	33	1.000
Manganese, total	8	24	0.333	16	33	0.485
Mercury, total	0	26	0.000	0	33	0.000
Methyl ethyl ketone	0	24	0.000	0	32	0.000
Molybdenum, total	4	26	0.154	5	33	0.152
Nickel, total	7	26	0.269	8	33	0.242
Phenols	3	23	0.130	13	33	0.394
Selenium, total	0	26	0.000	3	33	0.091
Silver, total	0	26	0.000	0	33	0.000
Sulfate	25	25	1.000	33	33	1.000
Thallium, total	0	26	0.000	0	33	0.000
Total organic halogen	9	23	0.391	14	32	0.438
Total suspended solids	25	25	1.000	33	33	1.000
Vanadium, total	3	25	0.120	6	33	0.182
Zinc, total	20	26	0.769	21	33	0.636

N = Total number of measurements in all wells.

Detect = Total number of detections in all wells.

Proportion = Detect/N.

Table 4

Shapiro-Wilk Multiple Group Test of Normality

Constituent	Detect	N	Detect Freq	G raw	G log	G cbrt	G sqrt	G sqr	G cub	Crit Value	Dist Form
Aluminum, total	16	24	0.667	3.382	4.948					2.326	non-norm
Ammonia nitrogen	2	26	0.077	29.263	29.263					2.326	non-norm
Antimony, total	0	26	0.000	5.566	5.566					2.326	non-norm
Arsenic, total	0	26	0.000	5.566	5.566					2.326	non-norm
Barium, total	26	26	1.000	1.092	0.165					2.326	normal
Beryllium, total	0	26	0.000	5.566	5.566					2.326	non-norm
Boron, total	4	25	0.160	8.262	8.483					2.326	non-norm
Cadmium, total	0	26	0.000	5.566	5.566					2.326	non-norm
Chemical oxygen demand	12	26	0.462	3.922	5.246					2.326	non-norm
Chloride	25	25	1.000	5.006	3.417					2.326	non-norm
Chromium, total	24	26	0.923	1.102	6.533					2.326	normal
Cobalt, total	1	26	0.038	17.415	17.415					2.326	non-norm
Copper, total	10	26	0.385	6.899	5.630					2.326	non-norm
Fluoride	14	26	0.538	3.901	5.998					2.326	non-norm
Formaldehyde	0	26	0.000	5.566	5.566					2.326	non-norm
Iron, total	25	25	1.000	6.055	0.841					2.326	lognor
Lead, total	3	26	0.115	18.991	19.023					2.326	non-norm
Magnesium, total	26	26	1.000	4.472	3.228					2.326	non-norm
Manganese, total	8	24	0.333	5.513	5.902					2.326	non-norm
Mercury, total	0	26	0.000	5.566	5.566					2.326	non-norm
Methyl ethyl ketone	0	24	0.000	5.276	5.276					2.326	non-norm
Molybdenum, total	4	26	0.154	8.470	8.719					2.326	non-norm
Nickel, total	7	26	0.269	6.588	6.923					2.326	non-norm
Phenols	3	23	0.130	19.446	19.107					2.326	non-norm
Selenium, total	0	26	0.000	5.566	5.566					2.326	non-norm
Silver, total	0	26	0.000	5.566	5.566					2.326	non-norm
Sulfate	25	25	1.000	2.192	1.149					2.326	normal
Thallium, total	0	26	0.000	5.566	5.566					2.326	non-norm
Total organic halogen	9	23	0.391	4.295	5.474					2.326	non-norm
Total suspended solids	25	25	1.000	6.759	0.432					2.326	lognor
Vanadium, total	3	25	0.120	18.570	18.716					2.326	non-norm
Zinc, total	20	26	0.769	1.756	5.809					2.326	normal

\* - Distribution override for that constituent.  
 Fit to distribution is confirmed if G <= critical value.  
 Model type may not match distributional form when detection frequency < 50%.

Table 4

Shapiro-Wilk Multiple Group Test of Normality

Constituent	Model Type
Aluminum, total	nonpar
Ammonia nitrogen	nonpar
Antimony, total	nonpar
Arsenic, total	nonpar
Barium, total	normal
Beryllium, total	nonpar
Boron, total	nonpar
Cadmium, total	nonpar
Chemical oxygen demand	nonpar
Chloride	nonpar
Chromium, total	normal
Cobalt, total	nonpar
Copper, total	nonpar
Fluoride	nonpar
Formaldehyde	nonpar
Iron, total	lognor
Lead, total	nonpar
Magnesium, total	nonpar
Manganese, total	nonpar
Mercury, total	nonpar
Methyl ethyl ketone	nonpar
Molybdenum, total	nonpar
Nickel, total	nonpar
Phenols	nonpar
Selenium, total	nonpar
Silver, total	nonpar
Sulfate	normal
Thallium, total	nonpar
Total organic halogen	nonpar
Total suspended solids	lognor
Vanadium, total	nonpar
Zinc, total	normal

\* - Distribution override for that constituent.  
 Fit to distribution is confirmed if  $G \leq$  critical value.  
 Model type may not match distributional form when detection frequency < 50%.

Table 5

Summary Statistics and Prediction Limits

Constituent	Units	Detect	N	Mean	SD	alpha	Factor	Pred Limit	Type	Conf
Aluminum, total	ug/L	16	24					870.0000	nonpar	0.99
Ammonia nitrogen	mg/L	2	26					0.2600	nonpar	0.99
Antimony, total	ug/L	0	26					5.0000	nonpar	***
Arsenic, total	ug/L	0	26					10.0000	nonpar	***
Barium, total	ug/L	26	26	38.6462	11.2798	0.0100	2.5320	67.2065	normal	
Beryllium, total	ug/L	0	26					1.0000	nonpar	***
Boron, total	ug/L	4	25					31.0000	nonpar	0.99
Cadmium, total	ug/L	0	26					0.4000	nonpar	***
Chemical oxygen demand	mg/L	12	26					20.0000	nonpar	0.99
Chloride	mg/L	25	25					34.1000	nonpar	0.99
Chromium, total	ug/L	24	26	7.8438	4.7999	0.0100	2.5320	19.9971	normal	
Cobalt, total	ug/L	1	26					3.3700	nonpar	0.99
Copper, total	ug/L	10	26					32.6000	nonpar	0.99
Fluoride	mg/L	14	26					0.3000	nonpar	0.99
Formaldehyde	ug/L	0	26					100.0000	nonpar	***
Iron, total	ug/L	25	25	5.0305	1.2391	0.0100	2.5410	3565.0804	lognor	
Lead, total	ug/L	3	26					3.0100	nonpar	0.99
Magnesium, total	mg/L	26	26					72.0000	nonpar	0.99
Manganese, total	ug/L	8	24					145.0000	nonpar	0.99
Mercury, total	ug/L	0	26					2.0000	nonpar	***
Methyl ethyl ketone	ug/L	0	24					10.0000	nonpar	***
Molybdenum, total	ug/L	4	26					10.0000	nonpar	***
Nickel, total	ug/L	7	26					5.0500	nonpar	0.99
Phenols	ug/L	3	23					16.0000	nonpar	0.99
Selenium, total	ug/L	0	26					5.0000	nonpar	***
Silver, total	ug/L	0	26					0.5000	nonpar	***
Sulfate	mg/L	25	25	7.2484	4.4852	0.0100	2.5410	18.6454	normal	
Thallium, total	ug/L	0	26					2.0000	nonpar	***
Total organic halogen	mg/L	9	23					0.0270	nonpar	0.99
Total suspended solids	mg/L	25	25	3.8289	1.1156	0.0100	2.5410	783.4315	lognor	
Vanadium, total	ug/L	3	25					1.9200	nonpar	0.99
Zinc, total	ug/L	20	26	9.6623	7.9118	0.0100	2.5320	29.6949	normal	

Conf = confidence level for passing initial test or one of two verification resamples at all downgradient wells for a single constituent (nonparametric test only).

\* - Insufficient Data.

\*\* - Calculated limit raised to Manual Reporting Limit.

\*\*\* - Nonparametric limit based on ND value.

For transformed data, mean and SD in transformed units and prediction limit in original units.

All sample sizes and statistics are based on outlier free data.

For nonparametric limits, median reporting limits are substituted for extreme reporting limit values.

Table 6

**Dixon's Test Outliers  
1% Significance Level**

Constituent	Units	Well	Date	Result	ND Qualifier	Date Range	N	Critical Value
Aluminum, total	ug/L	MW-4	11/30/2018	755.0000		08/23/2018-09/13/2023	13	0.6174
Boron, total	ug/L	MW-4	08/28/2018	90.1000		08/28/2018-09/13/2023	13	0.6174
Chloride	mg/L	MW-3	11/14/2018	4.6100		08/23/2018-09/13/2023	13	0.6174
Manganese, total	ug/L	MW-4	11/30/2018	100.0000		08/28/2018-09/13/2023	13	0.6174
Methyl ethyl ketone	ug/L	MW-3	09/17/2019	100.0000	< 100.0000	08/23/2018-09/13/2023	13	0.6174
Methyl ethyl ketone	ug/L	MW-4	09/17/2019	100.0000	< 100.0000	08/28/2018-09/13/2023	13	0.6174
Phenols	ug/L	MW-3	01/10/2019	22.0000		08/23/2018-09/13/2023	13	0.6174
Phenols	ug/L	MW-4	01/10/2019	25.0000		08/28/2018-09/13/2023	13	0.6174
Phenols	ug/L	MW-4	04/01/2019	0.5000		08/28/2018-09/13/2023	13	0.6174
Sulfate	mg/L	MW-4	05/10/2023	0.1000	< 0.1000	08/28/2018-09/13/2023	13	0.6174
Total organic halogen	mg/L	MW-3	09/17/2019	0.0500		08/23/2018-09/13/2023	13	0.6174
Total suspended solids	mg/L	MW-4	08/28/2018	500.0000		08/28/2018-09/13/2023	13	0.6174
Vanadium, total	ug/L	MW-3	09/28/2021	5.7600		08/23/2018-09/13/2023	13	0.6174

N = Total number of independent measurements in background at each well.

Date Range = Dates of the first and last measurements included in background at each well.

Critical Value depends on the significance level and on N-1 when the two most extreme values are tested or N for the most extreme value.


Table 8

**Historical Downgradient Data for Constituent-Well Combinations  
that Failed the Current Statistical Evaluation or  
are in Verification Resampling Mode**


Constituent	Units	Well	Date		Result		Pred. Limit
Barium, total	ug/L	Sump Grab	04/06/2020		109.0000	*	67.2065
Barium, total	ug/L	Sump Grab	09/24/2020		108.0000	*	67.2065
Barium, total	ug/L	Sump Grab	04/27/2021		93.1000	*	67.2065
Barium, total	ug/L	Sump Grab	09/28/2021		127.0000	*	67.2065
Barium, total	ug/L	Sump Grab	05/11/2022		98.8000	*	67.2065
Barium, total	ug/L	Sump Grab	09/14/2022		79.0000	*	67.2065
Barium, total	ug/L	Sump Grab	09/13/2023		133.0000	*	67.2065
Boron, total	ug/L	Sump Grab	04/06/2020		40.5000	*	31.0000
Boron, total	ug/L	Sump Grab	09/24/2020		54.8000	*	31.0000
Boron, total	ug/L	Sump Grab	04/27/2021		34.2000	*	31.0000
Boron, total	ug/L	Sump Grab	09/28/2021		30.4000	*	31.0000
Boron, total	ug/L	Sump Grab	05/11/2022		36.6000	*	31.0000
Boron, total	ug/L	Sump Grab	09/14/2022		63.5000	*	31.0000
Boron, total	ug/L	Sump Grab	09/13/2023		81.1000	*	31.0000
Sulfate	mg/L	MW-2	08/23/2018		29.8000	*	18.6454
Sulfate	mg/L	MW-2	11/14/2018		37.0000	*	18.6454
Sulfate	mg/L	MW-2	01/10/2019		26.8000	*	18.6454
Sulfate	mg/L	MW-2	04/01/2019		26.3000	*	18.6454
Sulfate	mg/L	MW-2	09/17/2019		23.4000	*	18.6454
Sulfate	mg/L	MW-2	04/06/2020		24.3000	*	18.6454
Sulfate	mg/L	MW-2	09/24/2020		24.0000	*	18.6454
Sulfate	mg/L	MW-2	04/27/2021		24.4000	*	18.6454
Sulfate	mg/L	MW-2	09/28/2021		25.4000	*	18.6454
Sulfate	mg/L	MW-2	05/11/2022		25.7000	*	18.6454
Sulfate	mg/L	MW-2	09/14/2022		24.4000	*	18.6454
Sulfate	mg/L	MW-2	05/10/2023		23.8000	*	18.6454
Sulfate	mg/L	MW-2	09/13/2023		20.7000	*	18.6454
Sulfate	mg/L	Sump Grab	04/06/2020		122.0000	*	18.6454
Sulfate	mg/L	Sump Grab	09/24/2020		66.8000	*	18.6454
Sulfate	mg/L	Sump Grab	04/27/2021		120.0000	*	18.6454
Sulfate	mg/L	Sump Grab	09/28/2021		33.6000	*	18.6454
Sulfate	mg/L	Sump Grab	05/11/2022		39.0000	*	18.6454
Sulfate	mg/L	Sump Grab	09/14/2022		43.6000	*	18.6454
Sulfate	mg/L	Sump Grab	09/13/2023		20.1000	*	18.6454
Total organic halogen	mg/L	Sump Grab	09/24/2020	ND	0.0100		0.0270
Total organic halogen	mg/L	Sump Grab	04/27/2021		0.0240		0.0270
Total organic halogen	mg/L	Sump Grab	09/28/2021	ND	0.0200		0.0270
Total organic halogen	mg/L	Sump Grab	05/11/2022	ND	0.0100		0.0270
Total organic halogen	mg/L	Sump Grab	09/14/2022		0.0390	*	0.0270
Total organic halogen	mg/L	Sump Grab	09/13/2023	ND	0.0100		0.0270

\* - Significantly increased over background.  
 \*\* - Detect at limit for 100% NDs in background (NPPL only).  
 \*\*\* - Manual exclusion.  
 ND = Not Detected, Result = detection limit.


# Up vs. Down Prediction Limits




Graph 1




Graph 2




Graph 3




Graph 4




Graph 5




Graph 6




Graph 7




Graph 8




Graph 9



Graph 10




Graph 11




Graph 12




# Up vs. Down Prediction Limits




Graph 13




Graph 14




Graph 15




Graph 16




Graph 17




Graph 18




Graph 19




Graph 20




Graph 21



Graph 22




Graph 23




Graph 24


# Up vs. Down Prediction Limits




Graph 25




Graph 26




Graph 27




Graph 28




Graph 29




Graph 30




Graph 31




Graph 32




Graph 33



Graph 34




Graph 35




Graph 36


# Up vs. Down Prediction Limits




Graph 37




Graph 38




Graph 39




Graph 40




Graph 41




Graph 42




Graph 43




Graph 44




Graph 45



Graph 46




Graph 47




Graph 48


# Up vs. Down Prediction Limits




Graph 49




Graph 50




Graph 51




Graph 52




Graph 53




Graph 54




Graph 55




Graph 56




Graph 57



Graph 58




Graph 59




Graph 60


# Up vs. Down Prediction Limits




Graph 61




Graph 62




Graph 63




Graph 64




Graph 65




Graph 66




Graph 67




Graph 68




Graph 69



Graph 70




Graph 71




Graph 72


# Up vs. Down Prediction Limits




Graph 73




Graph 74




Graph 75




Graph 76




Graph 77




Graph 78




Graph 79




Graph 80




Graph 81



Graph 82




Graph 83




Graph 84


# Up vs. Down Prediction Limits




Graph 85




Graph 86




Graph 87




Graph 88




Graph 89




Graph 90




Graph 91




Graph 92




Graph 93



Graph 94




Graph 95



Graph 96

# False Positive and False Negative Rates for Current Upgradient vs. Downgradient Monitoring Program





**Attachment F**

Summary Tables and Graphs for the Intrawell Comparisons  
Second Semi-Annual Monitoring Event in 2023

Table 1

Summary Statistics and Intermediate Computations  
for Combined Shewhart-CUSUM Control Charts

Constituent	Units	Well	N(back)	N(mon)	N(tot)	Mean	SD	R(i-1)	R(i)	S(i-1)	S(i)	Limit	Type	Conf	
Aluminum, total	ug/L	MW-1	8	5	13	295.3625	422.9416	100.0000	100.0000	295.3625	295.3625	3044.4831	normal		
Aluminum, total	ug/L	MW-2	8	5	13	192.5375	223.5234	100.0000	100.0000	192.5375	192.5375	1645.4399	normal		
Aluminum, total	ug/L	MW-3	8	4	13	210.2125	172.5289	100.0000	100.0000	210.2125	210.2125	1331.6502	normal		
Aluminum, total	ug/L	MW-4	7	5	13	77.5571	31.4196	100.0000	100.0000	77.5571	77.5571	281.7844	normal		
Ammonia nitrogen	mg/L	MW-1	8	5	13			0.1000	0.1000			0.1300	nonpar	.99	**
Ammonia nitrogen	mg/L	MW-2	8	5	13			0.1000	0.1000			0.2300	nonpar	.99	**
Ammonia nitrogen	mg/L	MW-3	8	5	13			0.1000	0.1000			0.2600	nonpar	.99	**
Ammonia nitrogen	mg/L	MW-4	8	5	13			0.1000	0.1000			0.1200	nonpar	.99	**
Antimony, total	ug/L	MW-1	8	5	13			5.0000	5.0000			5.0000	nonpar	.99	**
Antimony, total	ug/L	MW-2	8	5	13			5.0000	5.0000			5.0000	nonpar	.99	**
Antimony, total	ug/L	MW-3	8	5	13			5.0000	5.0000			5.0000	nonpar	.99	**
Antimony, total	ug/L	MW-4	8	5	13			5.0000	5.0000			5.0000	nonpar	.99	**
Arsenic, total	ug/L	MW-1	8	5	13			10.0000	10.0000			10.0000	nonpar	.99	**
Arsenic, total	ug/L	MW-2	8	5	13			10.0000	10.0000			10.0000	nonpar	.99	**
Arsenic, total	ug/L	MW-3	8	5	13			10.0000	10.0000			10.0000	nonpar	.99	**
Arsenic, total	ug/L	MW-4	8	5	13			10.0000	10.0000			10.0000	nonpar	.99	**
Barium, total	ug/L	MW-1	8	5	13	60.2750	16.6684	32.3000	44.1000	60.2750	60.2750	168.6198	normal		
Barium, total	ug/L	MW-2	8	5	13	72.9625	32.1116	61.0000	60.0000	72.9625	72.9625	281.6881	normal		
Barium, total	ug/L	MW-3	8	5	13	30.7750	6.6257	26.9000	27.6000	55.8730	46.0724	73.8417	normal		
Barium, total	ug/L	MW-4	8	5	13	43.3000	4.9742	38.9000	41.4000	43.3000	43.3000	75.6324	normal		
Beryllium, total	ug/L	MW-1	8	5	13			1.0000	1.0000			1.0000	nonpar	.99	**
Beryllium, total	ug/L	MW-2	8	5	13			1.0000	1.0000			1.0000	nonpar	.99	**
Beryllium, total	ug/L	MW-3	8	5	13			1.0000	1.0000			1.0000	nonpar	.99	**
Beryllium, total	ug/L	MW-4	8	5	13			1.0000	1.0000			1.0000	nonpar	.99	**
Boron, total	ug/L	MW-1	8	5	13	21.7625	3.8000	20.0000	20.0000	21.7625	21.7625	46.4623	normal		
Boron, total	ug/L	MW-2	8	5	13	30.3750	13.7966	20.0000	20.0000	30.3750	30.3750	120.0526	normal		
Boron, total	ug/L	MW-3	8	5	13			20.0000	20.0000			20.0000	nonpar	.99	**
Boron, total	ug/L	MW-4	7	5	13	21.7143	4.1115	20.0000	20.0000	21.7143	21.7143	48.4393	normal		
Cadmium, total	ug/L	MW-1	8	5	13			0.4000	0.4000			0.4000	nonpar	.99	**
Cadmium, total	ug/L	MW-2	8	5	13			0.4000	0.4000			0.4000	nonpar	.99	**
Cadmium, total	ug/L	MW-3	8	5	13			0.4000	0.4000			0.4000	nonpar	.99	**
Cadmium, total	ug/L	MW-4	8	5	13			0.4000	0.4000			0.4000	nonpar	.99	**
Chemical oxygen demand	mg/L	MW-1	8	5	13	8.6250	2.8253	6.0000	10.0000	8.6250	8.6250	26.9892	normal		
Chemical oxygen demand	mg/L	MW-2	8	5	13	8.3750	3.5431	14.0000	10.0000	10.4569	8.3750	31.4052	normal		
Chemical oxygen demand	mg/L	MW-3	8	5	13	9.1250	3.0443	20.0000	10.0000	16.9557	9.1250	28.9131	normal		
Chemical oxygen demand	mg/L	MW-4	8	5	13	10.6250	4.3404	14.0000	10.0000	10.6250	10.6250	38.8378	normal		
Chloride	mg/L	MW-1	8	5	13	5.8200	2.4947	11.6000	4.8100	9.1053	5.8200	22.0355	normal		
Chloride	mg/L	MW-2	8	5	13	29.1675	28.1862	2.7400	2.7500	29.1675	29.1675	212.3775	normal		
Chloride	mg/L	MW-3	8	5	13	1.3752	1.3315	0.6110	0.6330	1.3752	1.3752	10.0303	normal		
Chloride	mg/L	MW-4	8	5	13	10.7650	11.4330	2.8800	2.7400	10.7650	10.7650	85.0797	normal		
Chromium, total	ug/L	MW-1	8	5	13	5.2988	4.0865	2.5900	7.1200	5.2988	5.2988	31.8611	normal		
Chromium, total	ug/L	MW-2	6	5	13	6.2000	1.2036	5.1300	3.4800	10.0792	6.2000	14.0234	normal		
Chromium, total	ug/L	MW-3	8	5	13	7.3575	6.3409	4.8400	4.6100	7.3575	7.3575	48.5731	normal		
Chromium, total	ug/L	MW-4	8	5	13	7.5900	4.6921	8.6000	12.1000	7.5900	7.5900	38.0883	normal		
Cobalt, total	ug/L	MW-1	8	5	13			2.0000	2.0000			2.0000	nonpar	.99	**
Cobalt, total	ug/L	MW-2	8	5	13			2.0000	2.0000			2.0000	nonpar	.99	**

N(back) and N(mon) = Non-outlier measurements in the background and monitoring periods.

N(tot) = All independent measurements for that constituent and well.

For transformed data, mean and SD in transformed units and control limit in original units.

Conf = confidence level for passing initial test or one of two verification resamples (nonparametric test only).

\* - Insufficient Data.

\*\* - Detection Frequency < 25%.

\*\*\* - Zero Variance.

Table 1

Summary Statistics and Intermediate Computations  
for Combined Shewhart-CUSUM Control Charts

Constituent	Units	Well	N(back)	N(mon)	N(tot)	Mean	SD	R(i-1)	R(i)	S(i-1)	S(i)	Limit	Type	Conf	
Cobalt, total	ug/L	MW-3	8	5	13			2.0000	2.0000			2.0000	nonpar	.99	**
Cobalt, total	ug/L	MW-4	8	5	13			2.0000	2.0000			2.0000	nonpar	.99	**
Copper, total	ug/L	MW-1	8	5	13	3.9662	1.8957	3.0000	3.0000	3.9662	3.9662	16.2886	normal		
Copper, total	ug/L	MW-2	8	5	13	2.6725	1.1713	3.0000	3.0000	2.6725	2.6725	10.2858	normal		
Copper, total	ug/L	MW-3	8	5	13	7.3413	10.3878	3.0000	3.0000	7.3413	7.3413	74.8616	normal		
Copper, total	ug/L	MW-4	8	5	13	3.0838	2.0070	3.0000	3.0000	3.0838	3.0838	16.1294	normal		
Fluoride	mg/L	MW-1	8	5	13	0.1406	0.0651	0.1380	0.1010	0.1406	0.1406	0.5635	normal		
Fluoride	mg/L	MW-2	8	5	13	0.1781	0.1119	0.1360	0.1140	0.1781	0.1781	0.9055	normal		
Fluoride	mg/L	MW-3	8	5	13	0.1205	0.0431	0.1040	0.1000	0.1205	0.1205	0.4003	normal		
Fluoride	mg/L	MW-4	8	5	13	0.1548	0.0681	0.1500	0.1240	0.1548	0.1548	0.5972	normal		
Formaldehyde	ug/L	MW-1	8	5	13			100.0000	100.0000			100.0000	nonpar	.99	**
Formaldehyde	ug/L	MW-2	8	5	13			100.0000	100.0000			100.0000	nonpar	.99	**
Formaldehyde	ug/L	MW-3	8	5	13			100.0000	100.0000			100.0000	nonpar	.99	**
Formaldehyde	ug/L	MW-4	8	5	13			100.0000	100.0000			100.0000	nonpar	.99	**
Iron, total	ug/L	MW-1	8	5	13	232.1375	256.1545	10.0000	79.4000	232.1375	232.1375	1897.1415	normal		
Iron, total	ug/L	MW-2	8	5	13	414.6125	502.0142	18.3000	15.4000	414.6125	414.6125	3677.7047	normal		
Iron, total	ug/L	MW-3	8	4	13	485.8500	557.5418	22.9000	35.1000	485.8500	485.8500	4109.8717	normal		
Iron, total	ug/L	MW-4	8	5	13	273.4000	351.1964	35.4000	55.4000	273.4000	273.4000	2556.1763	normal		
Lead, total	ug/L	MW-1	8	5	13			2.0000	2.0000			2.0000	nonpar	.99	**
Lead, total	ug/L	MW-2	8	5	13			2.0000	2.0000			2.2100	nonpar	.99	**
Lead, total	ug/L	MW-3	8	5	13			2.0000	2.0000			2.4100	nonpar	.99	**
Lead, total	ug/L	MW-4	8	5	13			2.0000	2.0000			3.0100	nonpar	.99	**
Magnesium, total	mg/L	MW-1	8	5	13	39.3125	9.1299	34.0000	50.3000	39.3125	41.1701	98.6570	normal		
Magnesium, total	mg/L	MW-2	8	5	13	60.7625	12.3983	52.6000	49.9000	60.7625	60.7625	141.3512	normal		
Magnesium, total	mg/L	MW-3	8	5	13	26.5625	4.8447	23.0000	24.0000	39.7409	32.3336	58.0531	normal		
Magnesium, total	mg/L	MW-4	8	5	13	51.7250	9.0714	45.1000	46.7000	51.7250	51.7250	110.6892	normal		
Manganese, total	ug/L	MW-1	8	5	13	31.3875	21.5201	20.0000	20.0000	31.3875	31.3875	171.2683	normal		
Manganese, total	ug/L	MW-2	8	5	13	67.3500	34.2578	20.0000	23.5000	70.4190	67.3500	290.0255	normal		
Manganese, total	ug/L	MW-3	8	4	13	38.1250	27.8922	20.0000	20.0000	38.1250	38.1250	219.4245	normal		
Manganese, total	ug/L	MW-4	7	5	13	21.3429	2.1801	20.0000	20.0000	21.3429	21.3429	35.5135	normal		
Mercury, total	ug/L	MW-1	8	5	13			2.0000	2.0000			2.0000	nonpar	.99	**
Mercury, total	ug/L	MW-2	8	5	13			2.0000	2.0000			2.0000	nonpar	.99	**
Mercury, total	ug/L	MW-3	8	5	13			2.0000	2.0000			2.0000	nonpar	.99	**
Mercury, total	ug/L	MW-4	8	5	13			2.0000	2.0000			2.0000	nonpar	.99	**
Methyl ethyl ketone	ug/L	MW-1	8	5	13			10.0000	10.0000			10.0000	nonpar	.99	**
Methyl ethyl ketone	ug/L	MW-2	8	5	13			10.0000	10.0000			10.0000	nonpar	.99	**
Methyl ethyl ketone	ug/L	MW-3	8	5	13			10.0000	10.0000			10.0000	nonpar	.99	**
Methyl ethyl ketone	ug/L	MW-4	8	5	13			10.0000	10.0000			10.0000	nonpar	.99	**
Molybdenum, total	ug/L	MW-1	8	5	13	2.0888	0.1795	10.0000	10.0000	2.0888	2.0888	3.2554	normal		
Molybdenum, total	ug/L	MW-2	8	5	13	3.2550	2.0221	10.0000	10.0000	3.2550	3.2550	16.3984	normal		
Molybdenum, total	ug/L	MW-3	8	5	13	2.3863	0.7607	10.0000	10.0000	2.3863	2.3863	7.3310	normal		
Molybdenum, total	ug/L	MW-4	8	5	13	2.3800	0.7205	10.0000	10.0000	2.3800	2.3800	7.0632	normal		
Nickel, total	ug/L	MW-1	8	5	13	1.3188	0.7304	1.0000	1.0000	1.3188	1.3188	6.0664	normal		
Nickel, total	ug/L	MW-2	6	5	13	1.0950	0.2004	1.0000	1.0000	1.0950	1.0950	2.3974	normal		
Nickel, total	ug/L	MW-3	8	5	13	1.6000	0.9365	1.0000	1.0000	1.6000	1.6000	7.6873	normal		
Nickel, total	ug/L	MW-4	8	5	13	1.2488	0.5285	1.0000	1.0000	1.2488	1.2488	4.6843	normal		

N(back) and N(mon) = Non-outlier measurements in the background and monitoring periods.

N(tot) = All independent measurements for that constituent and well.

For transformed data, mean and SD in transformed units and control limit in original units.

Conf = confidence level for passing initial test or one of two verification resamples (nonparametric test only).

\* - Insufficient Data.

\*\* - Detection Frequency < 25%.

\*\*\* - Zero Variance.

Table 1

Summary Statistics and Intermediate Computations  
for Combined Shewhart-CUSUM Control Charts

Constituent	Units	Well	N(back)	N(mon)	N(tot)	Mean	SD	R(i-1)	R(i)	S(i-1)	S(i)	Limit	Type	Conf	
Phenols	ug/L	MW-1	8	5	13	9.8750	7.7724	8.0000	8.0000	9.8750	9.8750	60.3958	normal		
Phenols	ug/L	MW-2	8	5	13	7.5000	4.7208	8.0000	8.0000	7.5000	7.5000	38.1850	normal		
Phenols	ug/L	MW-3	8	5	13	8.0000	6.1644	8.0000	8.0000	8.0000	8.0000	48.0687	normal		
Phenols	ug/L	MW-4	8	5	13	8.3125	8.0487	8.0000	8.0000	8.3125	8.3125	60.6289	normal		
Selenium, total	ug/L	MW-1	8	5	13	5.5413	0.9765	5.0000	5.0000	5.5413	5.5413	11.8882	normal		
Selenium, total	ug/L	MW-2	8	5	13			5.0000	5.0000			5.0000	nonpar	.99	**
Selenium, total	ug/L	MW-3	8	5	13			5.0000	5.0000			5.0000	nonpar	.99	**
Selenium, total	ug/L	MW-4	8	5	13			5.0000	5.0000			5.0000	nonpar	.99	**
Silver, total	ug/L	MW-1	8	5	13			0.5000	0.5000			0.5000	nonpar	.99	**
Silver, total	ug/L	MW-2	8	5	13			0.5000	0.5000			0.5000	nonpar	.99	**
Silver, total	ug/L	MW-3	8	5	13			0.5000	0.5000			0.5000	nonpar	.99	**
Silver, total	ug/L	MW-4	8	5	13			0.5000	0.5000			0.5000	nonpar	.99	**
Sulfate	mg/L	MW-1	8	5	13	28.0150	25.1579	13.8000	10.9000	28.0150	28.0150	191.5417	normal		
Sulfate	mg/L	MW-2	8	5	13	27.0000	4.5416	23.8000	20.7000	27.0000	27.0000	56.5201	normal		
Sulfate	mg/L	MW-3	8	5	13	4.5625	0.4935	5.1200	5.5700	4.7445	5.2585	7.7702	normal		
Sulfate	mg/L	MW-4	8	5	13	9.9363	6.6715	0.1000	8.9300	9.9363	9.9363	53.3012	normal		
Thallium, total	ug/L	MW-1	8	5	13			3.0000	3.0000			2.0000	nonpar	.99	**
Thallium, total	ug/L	MW-2	8	5	13			3.0000	3.0000			2.0000	nonpar	.99	**
Thallium, total	ug/L	MW-3	8	5	13			3.0000	3.0000			2.0000	nonpar	.99	**
Thallium, total	ug/L	MW-4	8	5	13			3.0000	3.0000			2.0000	nonpar	.99	**
Total organic halogen	mg/L	MW-1	7	5	13	0.0066	0.0022	0.0100	0.0120	0.0066	0.0098	0.0210	normal		
Total organic halogen	mg/L	MW-2	8	5	13	0.0289	0.0325	0.0100	0.0120	0.0289	0.0289	0.2401	normal		
Total organic halogen	mg/L	MW-3	8	5	13	0.0161	0.0139	0.0100	0.0100	0.0161	0.0161	0.1067	normal		
Total organic halogen	mg/L	MW-4	6	5	13	0.0142	0.0048	0.0100	0.0100	0.0142	0.0142	0.0453	normal		
Total suspended solids	mg/L	MW-1	8	5	13	31.1250	21.1284	11.0000	9.0000	31.1250	31.1250	168.4598	normal		
Total suspended solids	mg/L	MW-2	8	5	13	53.6250	47.6443	8.0000	8.0000	53.6250	53.6250	363.3131	normal		
Total suspended solids	mg/L	MW-3	8	5	13	83.1250	43.1126	15.0000	29.0000	160.6498	83.1250	363.3569	normal		
Total suspended solids	mg/L	MW-4	6	5	13	26.6667	11.3078	11.0000	8.0000	26.6667	26.6667	100.1675	normal		
Vanadium, total	ug/L	MW-1	8	5	13	1.2188	0.4051	1.0000	1.0000	1.2188	1.2188	3.8516	normal		
Vanadium, total	ug/L	MW-2	8	5	13	1.0813	0.1524	1.0000	1.0000	1.0813	1.0813	2.0716	normal		
Vanadium, total	ug/L	MW-3	8	5	13			1.0000	1.0000			1.4100	nonpar	.99	**
Vanadium, total	ug/L	MW-4	8	5	13			1.0000	1.0000			1.2600	nonpar	.99	**
Zinc, total	ug/L	MW-1	8	5	13	14.3588	9.9482	8.5000	13.5000	14.3588	14.3588	79.0220	normal		
Zinc, total	ug/L	MW-2	8	5	13	7.4325	3.2733	5.3400	5.1300	7.4325	7.4325	28.7091	normal		
Zinc, total	ug/L	MW-3	8	5	13	11.2038	6.8501	8.3600	5.0000	11.2038	11.2038	55.7291	normal		
Zinc, total	ug/L	MW-4	8	5	13	14.4125	8.7494	8.8500	7.8100	14.4125	14.4125	71.2839	normal		

N(back) and N(mon) = Non-outlier measurements in the background and monitoring periods.

N(tot) = All independent measurements for that constituent and well.

For transformed data, mean and SD in transformed units and control limit in original units.

Conf = confidence level for passing initial test or one of two verification resamples (nonparametric test only).

\* - Insufficient Data.

\*\* - Detection Frequency < 25%.

\*\*\* - Zero Variance.

**Table 4**

**Dixon's Test Outliers  
1% Significance Level**


Constituent	Units	Well	Date	Result	ND Qualifier	Date Range	N	Critical Value
Aluminum, total	ug/L	MW-4	11/30/2018	755.0000		08/23/2018-04/27/2021	8	0.6808
Boron, total	ug/L	MW-4	08/28/2018	90.1000		08/28/2018-04/27/2021	8	0.6808
Chromium, total	ug/L	MW-2	08/23/2018	1.0000	< 1.0000	08/23/2018-04/27/2021	8	0.6371
Chromium, total	ug/L	MW-2	04/01/2019	1.0000	< 1.0000	08/23/2018-04/27/2021	8	0.6371
Manganese, total	ug/L	MW-4	11/30/2018	100.0000		08/28/2018-04/27/2021	8	0.6808
Nickel, total	ug/L	MW-2	01/10/2019	3.2200		08/23/2018-04/27/2021	8	0.6371
Nickel, total	ug/L	MW-2	04/27/2021	3.3500		08/23/2018-04/27/2021	8	0.6371
Total organic halogen	mg/L	MW-1	09/17/2019	0.0910		08/23/2018-04/27/2021	8	0.6808
Total suspended solids	mg/L	MW-4	08/28/2018	500.0000		08/28/2018-04/27/2021	8	0.6371
Total suspended solids	mg/L	MW-4	11/30/2018	237.0000		08/28/2018-04/27/2021	8	0.6371

N = Total number of independent measurements in background at each well.


Date Range = Dates of the first and last measurements included in background at each well.

Critical Value depends on the significance level and on N-1 when the two most extreme values are tested or N for the most extreme value.


# Intra-Well Control Charts / Prediction Limits




Graph 1




Graph 2




Graph 3




Graph 4




Graph 5




Graph 6




Graph 7




Graph 8




Graph 9



Graph 10




Graph 11




Graph 12


# Intra-Well Control Charts / Prediction Limits




Graph 13




Graph 14




Graph 15




Graph 16




Graph 17




Graph 18




Graph 19




Graph 20




Graph 21



Graph 22




Graph 23




Graph 24


# Intra-Well Control Charts / Prediction Limits




Graph 25




Graph 26




Graph 27




Graph 28




Graph 29




Graph 30




Graph 31




Graph 32




Graph 33



Graph 34




Graph 35




Graph 36




# Intra-Well Control Charts / Prediction Limits




Graph 37




Graph 38




Graph 39




Graph 40




Graph 41




Graph 42




Graph 43




Graph 44




Graph 45



Graph 46




Graph 47




Graph 48


## Intra-Well Control Charts / Prediction Limits




Graph 49




Graph 50




Graph 51




Graph 52




Graph 53




Graph 54




Graph 55




Graph 56




Graph 57



Graph 58




Graph 59




Graph 60


# Intra-Well Control Charts / Prediction Limits




Graph 61




Graph 62




Graph 63




Graph 64




Graph 65




Graph 66




Graph 67




Graph 68




Graph 69



Graph 70




Graph 71




Graph 72


# Intra-Well Control Charts / Prediction Limits




Graph 73




Graph 74




Graph 75




Graph 76




Graph 77




Graph 78




Graph 79




Graph 80




Graph 81



Graph 82




Graph 83




Graph 84


# Intra-Well Control Charts / Prediction Limits




Graph 85




Graph 86




Graph 87




Graph 88




Graph 89




Graph 90




Graph 91




Graph 92




Graph 93



Graph 94




Graph 95




Graph 96


# Intra-Well Control Charts / Prediction Limits




Graph 97




Graph 98




Graph 99




Graph 100




Graph 101




Graph 102




Graph 103




Graph 104




Graph 105



Graph 106




Graph 107




Graph 108


## Intra-Well Control Charts / Prediction Limits




**Graph 109**




**Graph 110**




**Graph 111**




**Graph 112**




**Graph 113**




**Graph 114**




**Graph 115**




**Graph 116**




**Graph 117**



**Graph 118**




**Graph 119**




**Graph 120**


## Intra-Well Control Charts / Prediction Limits




**Graph 121**




**Graph 122**




**Graph 123**




**Graph 124**




**Graph 125**



**Graph 126**




**Graph 127**



**Graph 128**



# False Positive and False Negative Rates for Current Intra-Well Control Charts Monitoring Program



## Appendix B

### Laboratory Analytical Reports

Spring

## Laboratory Report

**Wendling Quarries Inc.**  
 Morgan Schuler  
 2647 225th Street P.O. Box 230  
 Dewitt, IA 52742

**Date Received:** 05/10/23 15:57  
**Date Reported:** 06/08/23 15:23  
**Project:** Monitoring wells-Goose Lake BiAnnual  
 include Excel data file

Analyte	Result	Units	Analyzed	Analyst	Method	Notes
<b>Sample ID: Goose Lake Well #1 Composite</b>			<b>Date Sampled: 05/10/23 11:00</b>		<b>Date Received: 05/10/23 15:57</b>	
<b>Lab No.: 23E1048-01</b>			<b>Sampled by: Morgan Schuler</b>			
<b>*** DEFAULT GENERAL METHOD ***</b>						
Formaldehyde	<0.100	mg/L	05/18/23 16:56	kc	GC-MS	
<b>Classical Chemistry Parameters</b>						
Ammonia as N	<0.10	mg/L	05/15/23 11:48	jc	Timberline	
Chemical Oxygen Demand	6	mg/L	05/12/23 16:34	EV	SM 5220D-1997	
Chloride	11.6	mg/L	05/12/23 16:51	EV	EPA 300.0	
Fluoride	0.138	mg/L	05/11/23 16:51	EV	EPA 300.0	
Sulfate as SO4	13.8	mg/L	05/11/23 16:51	EV	EPA 300.0	
Phenolics	<0.008	mg/L	05/16/23 12:42	kc	EPA 420.1 rev1978	
Total Suspended Solids	11	mg/L	05/12/23 10:49	kt	USGS I-3765-85	
<b>Metals by EPA 200 Series Methods</b>						
Silver	<0.000500	mg/L	05/11/23 13:47	kc	EPA 200.7	
Aluminum	<0.100	mg/L	05/11/23 13:47	kc	EPA 200.7	
Arsenic	<0.0100	mg/L	05/11/23 13:47	kc	EPA 200.7	
Boron	<0.0200	mg/L	05/11/23 13:47	kc	EPA 200.7	
Barium	0.0323	mg/L	05/11/23 13:47	kc	EPA 200.7	
Beryllium	<0.00100	mg/L	05/11/23 13:47	kc	EPA 200.7	
Cadmium	<0.000400	mg/L	05/11/23 13:47	kc	EPA 200.7	
Cobalt	<0.00200	mg/L	05/11/23 13:47	kc	EPA 200.7	
Chromium	0.00259	mg/L	05/11/23 13:47	kc	EPA 200.7	
Copper	<0.00300	mg/L	05/11/23 13:47	kc	EPA 200.7	
Iron	<0.0100	mg/L	05/11/23 13:47	kc	EPA 200.7	
Magnesium	34.0	mg/L	05/11/23 13:47	kc	EPA 200.7	
Manganese	<0.0200	mg/L	05/11/23 13:47	kc	EPA 200.7	
Molybdenum	<0.0100	mg/L	05/11/23 13:47	kc	EPA 200.7	
Nickel	<0.00100	mg/L	05/11/23 13:47	kc	EPA 200.7	
Lead	<0.00200	mg/L	05/11/23 13:47	kc	EPA 200.7	
Antimony	<0.00500	mg/L	05/11/23 13:47	kc	EPA 200.7	
Selenium	<0.00500	mg/L	05/11/23 13:47	kc	EPA 200.7	
Thallium	<0.00300	mg/L	05/11/23 13:47	kc	EPA 200.7	

Analysis Certified by:



Amy Dobbela For Randall Wanke, Laboratory Director

Randal Wanke, Laboratory Director

Wendling Quarries Inc.  
 2647 225th Street P.O. Box 230  
 Dewitt IA, 52742

 Project: Monitoring wells-Goose Lake BiAnnual  
 include Excel data file

Client Contact: Morgan Schuler

**Reported:**  
 06/08/23 15:23

Analyte	Result	Units	Analyzed	Analyst	Method	Notes
<b>Sample ID: Goose Lake Well #1 Composite</b>			<b>Date Sampled: 05/10/23 11:00</b>	<b>Date Received: 05/10/23 15:57</b>		
<b>Lab No.: 23E1048-01</b>			<b>Sampled by: Morgan Schuler</b>			
Vanadium	<0.00100	mg/L	05/11/23 13:47	kc	EPA 200.7	
Zinc	0.00850	mg/L	05/11/23 13:47	kc	EPA 200.7	
Mercury	<0.00200	mg/L	05/15/23 16:40	kc	EPA 245.1 rev 3-1994	
Field pH	8.4	pH Units	05/10/23 11:00	Morgan S	SM 4500 H + B	
Field Conductivity	484	uS	05/10/23 11:00	Morgan S	EPA 150	

Analyte	Result	Units	Analyzed	Analyst	Method	Notes
<b>Sample ID: Goose Lake Well #1 Composite</b>			<b>Date Sampled: 05/10/23 11:00</b>	<b>Date Received: 05/10/23 15:57</b>		
<b>Lab No.: 23E1048-01</b>			<b>Sampled by: Morgan Schuler</b>			

**Determination of Conventional Chemistry Parameters**

Total Organic Halogens (TOX)	<0.010	mg/L	06/02/23 12:18	LNH	EPA 9020	
------------------------------	--------	------	----------------	-----	----------	--

**Determination of Volatile Organic Compounds**

2-Butanone (MEK)	<10.0	ug/L	05/22/23 13:25	LNH	EPA 624	
Surrogate: Dibromofluoromethane	79-129	101 %	05/22/23 13:25	LNH	EPA 624	
Surrogate: 1,2-Dichloroethane-d4	66-134	88.6 %	05/22/23 13:25	LNH	EPA 624	
Surrogate: Toluene-d8	91-113	96.7 %	05/22/23 13:25	LNH	EPA 624	
Surrogate: 4-Bromofluorobenzene	83-112	100 %	05/22/23 13:25	LNH	EPA 624	
Field pH	8.4	pH Units	05/10/23 11:00	Morgan S	SM 4500 H + B	
Field Conductivity	484	uS	05/10/23 11:00	Morgan S	EPA 150	

## Laboratory Report

**Wendling Quarries Inc.**  
 Morgan Schuler  
 2647 225th Street P.O. Box 230  
 Dewitt, IA 52742

**Date Received:** 05/10/23 15:58  
**Date Reported:** 06/08/23 15:23  
**Project:** Monitoring wells-Goose Lake BiAnnual  
 include Excel data file

Analyte	Result	Units	Analyzed	Analyst	Method	Notes
<b>Sample ID: Goose Lake Well #2 Composite</b>			<b>Date Sampled: 05/10/23 12:10</b>		<b>Date Received: 05/10/23 15:58</b>	
<b>Lab No.: 23E1049-01</b>			<b>Sampled by: Morgan Schuler</b>			
<b>*** DEFAULT GENERAL METHOD ***</b>						
Formaldehyde	<0.100	mg/L	05/18/23 16:56	kc	GC-MS	
<b>Classical Chemistry Parameters</b>						
Ammonia as N	<0.10	mg/L	05/15/23 11:51	jc	Timberline	
Chemical Oxygen Demand	14	mg/L	05/12/23 16:34	EV	SM 5220D-1997	
Chloride	2.74	mg/L	05/11/23 16:51	EV	EPA 300.0	
Fluoride	0.136	mg/L	05/11/23 16:51	EV	EPA 300.0	
Sulfate as SO4	23.8	mg/L	05/11/23 16:51	EV	EPA 300.0	
Phenolics	<0.008	mg/L	05/16/23 12:42	kc	EPA 420.1 rev1978	
Total Suspended Solids	8	mg/L	05/12/23 10:49	kt	USGS I-3765-85	
<b>Metals by EPA 200 Series Methods</b>						
Silver	<0.000500	mg/L	05/11/23 13:50	kc	EPA 200.7	
Aluminum	<0.100	mg/L	05/11/23 13:50	kc	EPA 200.7	
Arsenic	<0.0100	mg/L	05/11/23 13:50	kc	EPA 200.7	
Boron	<0.0200	mg/L	05/11/23 13:50	kc	EPA 200.7	
Barium	0.0610	mg/L	05/11/23 13:50	kc	EPA 200.7	
Beryllium	<0.00100	mg/L	05/11/23 13:50	kc	EPA 200.7	
Cadmium	<0.000400	mg/L	05/11/23 13:50	kc	EPA 200.7	
Cobalt	<0.00200	mg/L	05/11/23 13:50	kc	EPA 200.7	
Chromium	0.00513	mg/L	05/11/23 13:50	kc	EPA 200.7	
Copper	<0.00300	mg/L	05/11/23 13:50	kc	EPA 200.7	
Iron	0.0183	mg/L	05/11/23 13:50	kc	EPA 200.7	
Magnesium	52.6	mg/L	05/11/23 13:50	kc	EPA 200.7	
Manganese	<0.0200	mg/L	05/11/23 13:50	kc	EPA 200.7	
Molybdenum	<0.0100	mg/L	05/11/23 13:50	kc	EPA 200.7	
Nickel	<0.00100	mg/L	05/11/23 13:50	kc	EPA 200.7	
Lead	<0.00200	mg/L	05/11/23 13:50	kc	EPA 200.7	
Antimony	<0.00500	mg/L	05/11/23 13:50	kc	EPA 200.7	
Selenium	<0.00500	mg/L	05/11/23 13:50	kc	EPA 200.7	
Thallium	<0.00300	mg/L	05/11/23 13:50	kc	EPA 200.7	

Analysis Certified by:



Amy Dobbelare For Randall Wanke, Laboratory Director

Randal Wanke, Laboratory Director

Wendling Quarries Inc.  
 2647 225th Street P.O. Box 230  
 Dewitt IA, 52742

 Project: Monitoring wells-Goose Lake BiAnnual  
 include Excel data file

Client Contact: Morgan Schuler

**Reported:**  
 06/08/23 15:23

Analyte	Result	Units	Analyzed	Analyst	Method	Notes
<b>Sample ID: Goose Lake Well #2 Composite</b>			<b>Date Sampled: 05/10/23 12:10</b>	<b>Date Received: 05/10/23 15:58</b>		
<b>Lab No.: 23E1049-01</b>			<b>Sampled by: Morgan Schuler</b>			
Vanadium	<0.00100	mg/L	05/11/23 13:50	kc	EPA 200.7	
Zinc	0.00534	mg/L	05/11/23 13:50	kc	EPA 200.7	
Mercury	<0.00200	mg/L	05/15/23 16:40	kc	EPA 245.1 rev 3-1994	
Field pH	8.0	pH Units	05/10/23 12:10	Morgan S	SM 4500 H + B	
Field Conductivity	531	uS	05/10/23 12:10	Morgan S	EPA 150	

Analyte	Result	Units	Analyzed	Analyst	Method	Notes
<b>Sample ID: Goose Lake Well #2 Composite</b>			<b>Date Sampled: 05/10/23 12:10</b>	<b>Date Received: 05/10/23 15:58</b>		
<b>Lab No.: 23E1049-01</b>			<b>Sampled by: Morgan Schuler</b>			

**Determination of Conventional Chemistry Parameters**

Total Organic Halogens (TOX)	<0.010	mg/L	06/02/23 12:18	LNH	EPA 9020	
------------------------------	--------	------	----------------	-----	----------	--

**Determination of Volatile Organic Compounds**

2-Butanone (MEK)	<10.0	ug/L	05/22/23 13:59	LNH	EPA 624	
Surrogate: Dibromofluoromethane	79-129	103 %	05/22/23 13:59	LNH	EPA 624	
Surrogate: 1,2-Dichloroethane-d4	66-134	90.1 %	05/22/23 13:59	LNH	EPA 624	
Surrogate: Toluene-d8	91-113	96.7 %	05/22/23 13:59	LNH	EPA 624	
Surrogate: 4-Bromofluorobenzene	83-112	102 %	05/22/23 13:59	LNH	EPA 624	
Field pH	8.0	pH Units	05/10/23 12:10	Morgan S	SM 4500 H + B	
Field Conductivity	531	uS	05/10/23 12:10	Morgan S	EPA 150	

## Laboratory Report

**Wendling Quarries Inc.**  
 Morgan Schuler  
 2647 225th Street P.O. Box 230  
 Dewitt, IA 52742

**Date Received:** 05/10/23 15:59  
**Date Reported:** 06/08/23 15:23  
**Project:** Monitoring wells-Goose Lake BiAnnual  
 include Excel data file

Analyte	Result	Units	Analyzed	Analyst	Method	Notes
<b>Sample ID: Goose Lake Well #3 Composite</b>			<b>Date Sampled: 05/10/23 13:05</b>		<b>Date Received: 05/10/23 15:59</b>	
<b>Lab No.: 23E1050-01</b>			<b>Sampled by: Morgan Schuler</b>			
<b>*** DEFAULT GENERAL METHOD ***</b>						
Formaldehyde	<0.100	mg/L	05/18/23 16:56	kc	GC-MS	
<b>Classical Chemistry Parameters</b>						
Ammonia as N	<0.10	mg/L	05/15/23 11:53	jc	Timberline	
Chemical Oxygen Demand	20	mg/L	05/12/23 16:34	EV	SM 5220D-1997	
Chloride	0.611	mg/L	05/11/23 16:51	EV	EPA 300.0	
Fluoride	0.104	mg/L	05/11/23 16:51	EV	EPA 300.0	
Sulfate as SO4	5.12	mg/L	05/11/23 16:51	EV	EPA 300.0	
Phenolics	<0.008	mg/L	05/16/23 12:42	kc	EPA 420.1 rev1978	
Total Suspended Solids	15	mg/L	05/12/23 10:49	kt	USGS I-3765-85	
<b>Metals by EPA 200 Series Methods</b>						
Silver	<0.000500	mg/L	05/11/23 13:52	kc	EPA 200.7	
Aluminum	<0.100	mg/L	05/11/23 13:52	kc	EPA 200.7	
Arsenic	<0.0100	mg/L	05/11/23 13:52	kc	EPA 200.7	
Boron	<0.0200	mg/L	05/11/23 13:52	kc	EPA 200.7	
Barium	0.0269	mg/L	05/11/23 13:52	kc	EPA 200.7	
Beryllium	<0.00100	mg/L	05/11/23 13:52	kc	EPA 200.7	
Cadmium	<0.000400	mg/L	05/11/23 13:52	kc	EPA 200.7	
Cobalt	<0.00200	mg/L	05/11/23 13:52	kc	EPA 200.7	
Chromium	0.00484	mg/L	05/11/23 13:52	kc	EPA 200.7	
Copper	<0.00300	mg/L	05/11/23 13:52	kc	EPA 200.7	
Iron	0.0229	mg/L	05/11/23 13:52	kc	EPA 200.7	
Magnesium	23.0	mg/L	05/11/23 13:52	kc	EPA 200.7	
Manganese	<0.0200	mg/L	05/11/23 13:52	kc	EPA 200.7	
Molybdenum	<0.0100	mg/L	05/11/23 13:52	kc	EPA 200.7	
Nickel	<0.00100	mg/L	05/11/23 13:52	kc	EPA 200.7	
Lead	<0.00200	mg/L	05/11/23 13:52	kc	EPA 200.7	
Antimony	<0.00500	mg/L	05/11/23 13:52	kc	EPA 200.7	
Selenium	<0.00500	mg/L	05/11/23 13:52	kc	EPA 200.7	
Thallium	<0.00300	mg/L	05/11/23 13:52	kc	EPA 200.7	

Analysis Certified by:



Amy Dobbelare For Randall Wanke, Laboratory Director

Randal Wanke, Laboratory Director



Wendling Quarries Inc.  
 2647 225th Street P.O. Box 230  
 Dewitt IA, 52742

 Project: Monitoring wells-Goose Lake BiAnnual  
 include Excel data file  
 Client Contact: Morgan Schuler

**Reported:**  
 06/08/23 15:23

Analyte	Result	Units	Analyzed	Analyst	Method	Notes
<b>Sample ID: Goose Lake Well #3 Composite</b>			<b>Date Sampled: 05/10/23 13:05</b>		<b>Date Received: 05/10/23 15:59</b>	
<b>Lab No.: 23E1050-01</b>			<b>Sampled by: Morgan Schuler</b>			
Vanadium	<0.00100	mg/L	05/11/23 13:52	kc	EPA 200.7	
Zinc	0.00836	mg/L	05/11/23 13:52	kc	EPA 200.7	
Mercury	<0.00200	mg/L	05/15/23 16:40	kc	EPA 245.1 rev 3-1994	
Field pH	8.3	pH Units	05/10/23 13:05	Morgan S	SM 4500 H + B	
Field Conductivity	316	uS	05/10/23 13:05	Morgan S	EPA 150	

Analyte	Result	Units	Analyzed	Analyst	Method	Notes
<b>Sample ID: Goose Lake Well #3 Composite</b>			<b>Date Sampled: 05/10/23 13:05</b>		<b>Date Received: 05/10/23 15:59</b>	
<b>Lab No.: 23E1050-01</b>			<b>Sampled by: Morgan Schuler</b>			

**Determination of Conventional Chemistry Parameters**

Total Organic Halogens (TOX)	<0.010	mg/L	06/02/23 12:18	LNH	EPA 9020	
------------------------------	--------	------	----------------	-----	----------	--

**Determination of Volatile Organic Compounds**

2-Butanone (MEK)	<10.0	ug/L	05/22/23 14:59	LNH	EPA 624	
Surrogate: Dibromofluoromethane	79-129	102 %	05/22/23 14:59	LNH	EPA 624	
Surrogate: 1,2-Dichloroethane-d4	66-134	90.7 %	05/22/23 14:59	LNH	EPA 624	
Surrogate: Toluene-d8	91-113	96.5 %	05/22/23 14:59	LNH	EPA 624	
Surrogate: 4-Bromofluorobenzene	83-112	101 %	05/22/23 14:59	LNH	EPA 624	
Field pH	8.3	pH Units	05/10/23 13:05	Morgan S	SM 4500 H + B	
Field Conductivity	316	uS	05/10/23 13:05	Morgan S	EPA 150	

## Laboratory Report

**Wendling Quarries Inc.**  
 Morgan Schuler  
 2647 225th Street P.O. Box 230  
 Dewitt, IA 52742

**Date Received:** 05/10/23 15:59  
**Date Reported:** 06/08/23 15:22  
**Project:** Monitoring wells-Goose Lake BiAnnual  
 include Excel data file

Analyte	Result	Units	Analyzed	Analyst	Method	Notes
<b>Sample ID: Goose Lake Well #4 Composite</b>			<b>Date Sampled: 05/10/23 14:00</b>		<b>Date Received: 05/10/23 15:59</b>	
<b>Lab No.: 23E1051-01</b>			<b>Sampled by: Morgan Schuler</b>			
<b>*** DEFAULT GENERAL METHOD ***</b>						
Formaldehyde	<0.100	mg/L	05/18/23 16:56	kc	GC-MS	
<b>Classical Chemistry Parameters</b>						
Ammonia as N	<0.10	mg/L	05/15/23 11:56	jc	Timberline	
Chemical Oxygen Demand	14	mg/L	05/12/23 16:34	EV	SM 5220D-1997	
Chloride	2.88	mg/L	05/11/23 16:51	EV	EPA 300.0	
Fluoride	0.150	mg/L	05/11/23 16:51	EV	EPA 300.0	
Sulfate as SO4	<0.100	mg/L	05/11/23 16:51	EV	EPA 300.0	
Phenolics	<0.008	mg/L	05/16/23 12:42	kc	EPA 420.1 rev1978	
Total Suspended Solids	11	mg/L	05/12/23 10:49	kt	USGS I-3765-85	
<b>Metals by EPA 200 Series Methods</b>						
Silver	<0.000500	mg/L	05/11/23 13:55	kc	EPA 200.7	
Aluminum	<0.100	mg/L	05/11/23 13:55	kc	EPA 200.7	
Arsenic	<0.0100	mg/L	05/11/23 13:55	kc	EPA 200.7	
Boron	<0.0200	mg/L	05/11/23 13:55	kc	EPA 200.7	
Barium	0.0389	mg/L	05/11/23 13:55	kc	EPA 200.7	
Beryllium	<0.00100	mg/L	05/11/23 13:55	kc	EPA 200.7	
Cadmium	<0.000400	mg/L	05/11/23 13:55	kc	EPA 200.7	
Cobalt	<0.00200	mg/L	05/11/23 13:55	kc	EPA 200.7	
Chromium	0.00860	mg/L	05/11/23 13:55	kc	EPA 200.7	
Copper	<0.00300	mg/L	05/11/23 13:55	kc	EPA 200.7	
Iron	0.0354	mg/L	05/11/23 13:55	kc	EPA 200.7	
Magnesium	45.1	mg/L	05/11/23 13:55	kc	EPA 200.7	
Manganese	<0.0200	mg/L	05/11/23 13:55	kc	EPA 200.7	
Molybdenum	<0.0100	mg/L	05/11/23 13:55	kc	EPA 200.7	
Nickel	<0.00100	mg/L	05/11/23 13:55	kc	EPA 200.7	
Lead	<0.00200	mg/L	05/11/23 13:55	kc	EPA 200.7	
Antimony	<0.00500	mg/L	05/11/23 13:55	kc	EPA 200.7	
Selenium	<0.00500	mg/L	05/11/23 13:55	kc	EPA 200.7	
Thallium	<0.00300	mg/L	05/11/23 13:55	kc	EPA 200.7	

Analysis Certified by:



Amy Dobbelare For Randall Wanke, Laboratory Director

Randal Wanke, Laboratory Director

Wendling Quarries Inc.  
 2647 225th Street P.O. Box 230  
 Dewitt IA, 52742

 Project: Monitoring wells-Goose Lake BiAnnual  
 include Excel data file

Client Contact: Morgan Schuler

**Reported:**  
 06/08/23 15:22

Analyte	Result	Units	Analyzed	Analyst	Method	Notes
<b>Sample ID: Goose Lake Well #4 Composite</b>			<b>Date Sampled: 05/10/23 14:00</b>	<b>Date Received: 05/10/23 15:59</b>		
<b>Lab No.: 23E1051-01</b>			<b>Sampled by: Morgan Schuler</b>			
Vanadium	<0.00100	mg/L	05/11/23 13:55	kc	EPA 200.7	
Zinc	0.00885	mg/L	05/11/23 13:55	kc	EPA 200.7	
Mercury	<0.00200	mg/L	05/15/23 16:40	kc	EPA 245.1 rev 3-1994	
Field pH	7.8	pH Units	05/10/23 14:00	Morgan S	SM 4500 H + B	
Field Conductivity	484	uS	05/10/23 14:00	Morgan S	EPA 150	

Analyte	Result	Units	Analyzed	Analyst	Method	Notes
<b>Sample ID: Goose Lake Well #4 Composite</b>			<b>Date Sampled: 05/10/23 14:00</b>	<b>Date Received: 05/10/23 15:59</b>		
<b>Lab No.: 23E1051-01</b>			<b>Sampled by: Morgan Schuler</b>			

**Determination of Conventional Chemistry Parameters**

Total Organic Halogens (TOX)	<0.010	mg/L	06/02/23 12:18	LNH	EPA 9020	
------------------------------	--------	------	----------------	-----	----------	--

**Determination of Volatile Organic Compounds**

2-Butanone (MEK)	<10.0	ug/L	05/22/23 15:26	LNH	EPA 624	
Surrogate: Dibromofluoromethane	79-129	105 %	05/22/23 15:26	LNH	EPA 624	
Surrogate: 1,2-Dichloroethane-d4	66-134	92.8 %	05/22/23 15:26	LNH	EPA 624	
Surrogate: Toluene-d8	91-113	97.5 %	05/22/23 15:26	LNH	EPA 624	
Surrogate: 4-Bromofluorobenzene	83-112	102 %	05/22/23 15:26	LNH	EPA 624	
Field pH	7.8	pH Units	05/10/23 14:00	Morgan S	SM 4500 H + B	
Field Conductivity	484	uS	05/10/23 14:00	Morgan S	EPA 150	

## Laboratory Report

**Wendling Quarries Inc.**  
 Morgan Schuler  
 2647 225th Street P.O. Box 230  
 Dewitt, IA 52742

**Date Received:** 05/10/23 16:00  
**Date Reported:** 06/08/23 15:22  
**Project:** Monitoring wells-Goose Lake BiAnnual  
 include Excel data file

Analyte	Result	Units	Analyzed	Analyst	Method	Notes
<b>Sample ID: Goose Lake Sump Composite</b>			<b>Date Sampled: 05/10/23 14:40</b>		<b>Date Received: 05/10/23 16:00</b>	
<b>Lab No.: 23E1052-01</b>			<b>Sampled by: Morgan Schuler</b>			
<b>*** DEFAULT GENERAL METHOD ***</b>						
Formaldehyde	<0.100	mg/L	05/18/23 16:56	kc	GC-MS	
<b>Classical Chemistry Parameters</b>						
Ammonia as N	0.11	mg/L	05/15/23 11:58	jc	Timberline	
Chemical Oxygen Demand	15	mg/L	05/12/23 16:34	EV	SM 5220D-1997	
Chloride	22.4	mg/L	05/12/23 16:54	EV	EPA 300.0	
Fluoride	0.167	mg/L	05/12/23 16:54	EV	EPA 300.0	
Sulfate as SO4	76.7	mg/L	05/12/23 16:54	EV	EPA 300.0	
Phenolics	<0.008	mg/L	05/16/23 12:42	kc	EPA 420.1 rev1978	
Total Suspended Solids	6	mg/L	05/12/23 10:49	kt	USGS I-3765-85	
<b>Metals by EPA 200 Series Methods</b>						
Silver	<0.000500	mg/L	05/11/23 13:58	kc	EPA 200.7	
Aluminum	<0.100	mg/L	05/11/23 13:58	kc	EPA 200.7	
Arsenic	<0.0100	mg/L	05/11/23 13:58	kc	EPA 200.7	
Boron	0.0605	mg/L	05/11/23 13:58	kc	EPA 200.7	
Barium	0.0976	mg/L	05/11/23 13:58	kc	EPA 200.7	
Beryllium	<0.00100	mg/L	05/11/23 13:58	kc	EPA 200.7	
Cadmium	<0.000400	mg/L	05/11/23 13:58	kc	EPA 200.7	
Cobalt	<0.00200	mg/L	05/11/23 13:58	kc	EPA 200.7	
Chromium	<0.00100	mg/L	05/11/23 13:58	kc	EPA 200.7	
Copper	<0.00300	mg/L	05/11/23 13:58	kc	EPA 200.7	
Iron	0.0382	mg/L	05/11/23 13:58	kc	EPA 200.7	
Magnesium	40.8	mg/L	05/11/23 13:58	kc	EPA 200.7	
Manganese	<0.0200	mg/L	05/11/23 13:58	kc	EPA 200.7	
Molybdenum	<0.0100	mg/L	05/11/23 13:58	kc	EPA 200.7	
Nickel	<0.00100	mg/L	05/11/23 13:58	kc	EPA 200.7	
Lead	<0.00200	mg/L	05/11/23 13:58	kc	EPA 200.7	
Antimony	<0.00500	mg/L	05/11/23 13:58	kc	EPA 200.7	
Selenium	<0.00500	mg/L	05/11/23 13:58	kc	EPA 200.7	
Thallium	<0.00300	mg/L	05/11/23 13:58	kc	EPA 200.7	

Analysis Certified by:



Amy Dobbela For Randall Wanke, Laboratory Director

Randal Wanke, Laboratory Director

Wendling Quarries Inc.  
 2647 225th Street P.O. Box 230  
 Dewitt IA, 52742

 Project: Monitoring wells-Goose Lake BiAnnual  
 include Excel data file

Client Contact: Morgan Schuler

**Reported:**  
 06/08/23 15:22

Analyte	Result	Units	Analyzed	Analyst	Method	Notes
<b>Sample ID: Goose Lake Sump Composite</b>			<b>Date Sampled: 05/10/23 14:40</b>		<b>Date Received: 05/10/23 16:00</b>	
<b>Lab No.: 23E1052-01</b>			<b>Sampled by: Morgan Schuler</b>			
Vanadium	<0.00100	mg/L	05/11/23 13:58	kc	EPA 200.7	
Zinc	<0.00500	mg/L	05/11/23 13:58	kc	EPA 200.7	
Mercury	<0.00200	mg/L	05/15/23 16:40	kc	EPA 245.1 rev 3-1994	
Field pH	8.4	pH Units	05/10/23 14:40	Morgan S	SM 4500 H + B	
Field Conductivity	654	uS	05/10/23 14:40	Morgan S	EPA 150	

Analyte	Result	Units	Analyzed	Analyst	Method	Notes
<b>Sample ID: Goose Lake Sump Composite</b>			<b>Date Sampled: 05/10/23 14:40</b>		<b>Date Received: 05/10/23 16:00</b>	
<b>Lab No.: 23E1052-01</b>			<b>Sampled by: Morgan Schuler</b>			
<b>Determination of Conventional Chemistry Parameters</b>						
Total Organic Halogens (TOX)	<0.010	mg/L	06/02/23 12:18	LNH	EPA 9020	
<b>Determination of Volatile Organic Compounds</b>						
2-Butanone (MEK)	<10.0	ug/L	05/22/23 15:53	LNH	EPA 624	
Surrogate: Dibromofluoromethane	79-129	102 %	05/22/23 15:53	LNH	EPA 624	
Surrogate: 1,2-Dichloroethane-d4	66-134	90.6 %	05/22/23 15:53	LNH	EPA 624	
Surrogate: Toluene-d8	91-113	98.6 %	05/22/23 15:53	LNH	EPA 624	
Surrogate: 4-Bromofluorobenzene	83-112	101 %	05/22/23 15:53	LNH	EPA 624	
Field pH	8.4	pH Units	05/10/23 14:40	Morgan S	SM 4500 H + B	
Field Conductivity	654	uS	05/10/23 14:40	Morgan S	EPA 150	

Fall

## Laboratory Report

**Wendling Quarries Inc.**  
 Morgan Schuler  
 2647 225th Street P.O. Box 230  
 Dewitt, IA 52742

**Date Received:** 09/13/23 13:52  
**Date Reported:** 10/04/23 12:16  
**Project:** Monitoring wells-Goose Lake  
 include Excel data file

Analyte	Result	Units	Analyzed	Analyst	Method
<b>Sample ID: Goose Lake Well #1 Grab</b>			<b>Date Sampled: 09/13/23 8:00</b>	<b>Date Received: 09/13/23 13:52</b>	

**Lab No.: 2311339-01** **Sampled by: Morgan Schuler**

\*\*\* **DEFAULT GENERAL METHOD** \*\*\*

Formaldehyde	<0.100	mg/L	09/27/23 10:43:	kc	GC-MS
<b>Classical Chemistry Parameters</b>					
Ammonia as N	<0.10	mg/L	09/18/23 11:12:	jc	Timberline
Chemical Oxygen Demand	<10	mg/L	09/14/23 16:05:	EV	SM 5220D-1997
Field pH	8.3	pH Units	09/13/23 8:00:	Morgan Sc	SM 4500 H + B
Field Temperature	54.7	°F	09/13/23 8:00:	Morgan Sc	SM 2550 B
Field Conductivity	475	uS	09/13/23 8:00:	Morgan Sc	EPA 150

Analyte	Result	Units	Analyzed	Analyst	Method
<b>Sample ID: Goose Lake Well #1 Grab</b>			<b>Date Sampled: 09/13/23 8:00</b>	<b>Date Received: 09/13/23 13:52</b>	

**Lab No.: 2311339-01** **Sampled by: Morgan Schuler**

**Determination of Volatile Organic Compounds**

Surrogate: Dibromofluoromethane	79-129	132 %	09/20/23 10:14:	LNH	EPA 624
Surrogate: Toluene-d8	91-113	112 %	09/20/23 10:14:	LNH	EPA 624
Field pH	8.3	pH Units	09/13/23 8:00:	Morgan Sc	SM 4500 H + B
Field Temperature	54.7	°F	09/13/23 8:00:	Morgan Sc	SM 2550 B
Field Conductivity	475	uS	09/13/23 8:00:	Morgan Sc	EPA 150

Analyte	Result	Units	Analyzed	Analyst	Method
<b>Sample ID: Goose Lake Well #1 Grab</b>			<b>Date Sampled: 09/13/23 8:00</b>	<b>Date Received: 09/13/23 13:52</b>	

**Lab No.: 2311339-01** **Sampled by: Morgan Schuler**

**Classical Chemistry Parameters**

Chloride 4.81 mg/L 09/13/23 17:35: EV EPA 300.0

Analyte Result Units Analyzed Analyst Method  
**Sample ID: Goose Lake Well #1 Grab Date Sampled: 09/13/23 8:00 Date Received: 09/13/23 13:52**

**Lab No.: 2311339-01 Sampled by: Morgan Schuler**

Field pH 8.3 pH Units 09/13/23 8:00: Morgan Sc SM 4500 H + B  
Field Temperature 54.7 °F 09/13/23 8:00: Morgan Sc SM 2550 B  
Field Conductivity 475 uS 09/13/23 8:00: Morgan Sc EPA 150

Analyte Result Units Analyzed Analyst Method  
**Sample ID: Goose Lake Well #1 Grab Date Sampled: 09/13/23 8:00 Date Received: 09/13/23 13:52**

**Lab No.: 2311339-01 Sampled by: Morgan Schuler**

**Determination of Volatile Organic Compounds**

Surrogate: 1,2-Dichloroethane-d4 66-134 123 % 09/20/23 10:14: LNH EPA 624  
Surrogate: 4-Bromofluorobenzene 83-112 109 % 09/20/23 10:14: LNH EPA 624  
Field pH 8.3 pH Units 09/13/23 8:00: Morgan Sc SM 4500 H + B  
Field Temperature 54.7 °F 09/13/23 8:00: Morgan Sc SM 2550 B  
Field Conductivity 475 uS 09/13/23 8:00: Morgan Sc EPA 150

Analyte Result Units Analyzed Analyst Method  
**Sample ID: Goose Lake Well #1 Grab Date Sampled: 09/13/23 8:00 Date Received: 09/13/23 13:52**

**Lab No.: 2311339-01 Sampled by: Morgan Schuler**

**Classical Chemistry Parameters**

Fluoride 0.101 mg/L 09/13/23 17:35: EV EPA 300.0  
Sulfate as SO4 10.9 mg/L 09/13/23 17:35: EV EPA 300.0  
Phenolics <0.008 mg/L 09/21/23 16:17: kc EPA 420.1 rev1978  
Total Suspended Solids 9 mg/L 09/19/23 11:39: kt USGS I-3765-85

**Metals by EPA 200 Series Methods**

Silver <0.000500 mg/L 09/14/23 13:21: kc EPA 200.7  
Aluminum <0.100 mg/L 09/14/23 13:21: kc EPA 200.7  
Arsenic <0.0100 mg/L 09/14/23 13:21: kc EPA 200.7  
Boron <0.0200 mg/L 09/14/23 13:21: kc EPA 200.7  
Barium 0.0441 mg/L 09/14/23 13:21: kc EPA 200.7  
Beryllium <0.00100 mg/L 09/14/23 13:21: kc EPA 200.7  
Cadmium <0.000400 mg/L 09/14/23 13:21: kc EPA 200.7  
Cobalt <0.00200 mg/L 09/14/23 13:21: kc EPA 200.7  
Chromium 0.00712 mg/L 09/14/23 13:21: kc EPA 200.7  
Copper <0.00300 mg/L 09/14/23 13:21: kc EPA 200.7

Analyte Result Units Analyzed Analyst Method  
**Sample ID: Goose Lake Well #1 Grab Date Sampled: 09/13/23 8:00 Date Received: 09/13/23 13:52**

**Lab No.: 2311339-01 Sampled by: Morgan Schuler**

Iron 0.0794 mg/L 09/14/23 13:21: kc EPA 200.7  
Magnesium 50.3 mg/L 09/14/23 13:21: kc EPA 200.7



Manganese	<0.0200	mg/L	09/14/23 13:21:	kc	EPA 200.7
Molybdenum	<0.0100	mg/L	09/14/23 13:21:	kc	EPA 200.7
Nickel	<0.00100	mg/L	09/14/23 13:21:	kc	EPA 200.7
Lead	<0.00200	mg/L	09/14/23 13:21:	kc	EPA 200.7
Antimony	<0.00500	mg/L	09/14/23 13:21:	kc	EPA 200.7
Selenium	<0.00500	mg/L	09/14/23 13:21:	kc	EPA 200.7
Thallium	<0.00300	mg/L	09/14/23 13:21:	kc	EPA 200.7
Vanadium	<0.00100	mg/L	09/14/23 13:21:	kc	EPA 200.7
Zinc	0.0135	mg/L	09/14/23 13:21:	kc	EPA 200.7
Mercury	<0.00200	mg/L	09/15/23 17:49:	kc	EPA 245.1 rev 3-1994
Field pH	8.3	pH Units	09/13/23 8:00:	Morgan Sc	SM 4500 H + B
Field Temperature	54.7	°F	09/13/23 8:00:	Morgan Sc	SM 2550 B
Field Conductivity	475	uS	09/13/23 8:00:	Morgan Sc	EPA 150

Analyte Result Units Analyzed Analyst Method  
**Sample ID: Goose Lake Well #1 Grab Date Sampled: 09/13/23 8:00 Date Received: 09/13/23 13:52**

**Lab No.: 2311339-01 Sampled by: Morgan Schuler**

***Determination of Conventional Chemistry Parameters***

Total Organic Halogens (TOX)	0.012	mg/L	09/26/23 8:30:	LNH	EPA 9020
------------------------------	-------	------	----------------	-----	----------

***Determination of Volatile Organic Compounds***

2-Butanone (MEK)	<10.0	ug/L	09/20/23 10:14:	LNH	EPA 624
Field pH	8.3	pH Units	09/13/23 8:00:	Morgan Sc	SM 4500 H + B
Field Temperature	54.7	°F	09/13/23 8:00:	Morgan Sc	SM 2550 B
Field Conductivity	475	uS	09/13/23 8:00:	Morgan Sc	EPA 150

S-GC Surrogate recovery outside of control limits. The data was accepted based on valid recovery of the remaining surrogate.

## Laboratory Report

**Wendling Quarries Inc.**  
 Morgan Schuler  
 2647 225th Street P.O. Box 230  
 Dewitt, IA 52742

**Date Received:** 09/13/23 13:52  
**Date Reported:** 10/04/23 12:17  
**Project:** Monitoring wells-Goose Lake  
 include Excel data file

Analyte	Result	Units	Analyzed	Analyst	Method
<b>Sample ID: Goose Lake Well #2 Grab</b>			<b>Date Sampled: 09/13/23 9:20</b>		<b>Date Received: 09/13/23 13:52</b>

**Lab No.: 2311339-02** **Sampled by: Morgan Schuler**

\*\*\* **DEFAULT GENERAL METHOD** \*\*\*

Formaldehyde	<0.100	mg/L	09/27/23 10:43:	kc	GC-MS
<b>Classical Chemistry Parameters</b>					

Ammonia as N	<0.10	mg/L	09/18/23 11:15:	jc	Timberline
Chemical Oxygen Demand	<10	mg/L	09/14/23 16:05:	EV	SM 5220D-1997
Chloride	2.75	mg/L	09/13/23 17:35:	EV	EPA 300.0
Fluoride	0.114	mg/L	09/13/23 17:35:	EV	EPA 300.0
Sulfate as SO4	20.7	mg/L	09/13/23 17:35:	EV	EPA 300.0
Phenolics	<0.008	mg/L	09/21/23 16:17:	kc	EPA 420.1 rev1978
Total Suspended Solids	8	mg/L	09/19/23 11:39:	kt	USGS I-3765-85

**Metals by EPA 200 Series Methods**

Silver	<0.000500	mg/L	09/14/23 13:01:	kc	EPA 200.7
Aluminum	<0.100	mg/L	09/14/23 13:01:	kc	EPA 200.7
Arsenic	<0.0100	mg/L	09/14/23 13:01:	kc	EPA 200.7
Boron	<0.0200	mg/L	09/14/23 13:01:	kc	EPA 200.7
Barium	0.0600	mg/L	09/14/23 13:01:	kc	EPA 200.7
Beryllium	<0.00100	mg/L	09/14/23 13:01:	kc	EPA 200.7
Cadmium	<0.000400	mg/L	09/14/23 13:01:	kc	EPA 200.7
Cobalt	<0.00200	mg/L	09/14/23 13:01:	kc	EPA 200.7
Chromium	0.00348	mg/L	09/14/23 13:01:	kc	EPA 200.7
Copper	<0.00300	mg/L	09/14/23 13:01:	kc	EPA 200.7
Iron	0.0154	mg/L	09/14/23 13:01:	kc	EPA 200.7
Magnesium	49.9	mg/L	09/14/23 13:01:	kc	EPA 200.7
Manganese	0.0235	mg/L	09/14/23 13:01:	kc	EPA 200.7
Molybdenum	<0.0100	mg/L	09/14/23 13:01:	kc	EPA 200.7
Nickel	<0.00100	mg/L	09/14/23 13:01:	kc	EPA 200.7
Lead	<0.00200	mg/L	09/14/23 13:01:	kc	EPA 200.7
Antimony	<0.00500	mg/L	09/14/23 13:01:	kc	EPA 200.7
Selenium	<0.00500	mg/L	09/14/23 13:01:	kc	EPA 200.7
Thallium	<0.00300	mg/L	09/14/23 13:01:	kc	EPA 200.7

Analyte	Result	Units	Analyzed	Analyst	Method
<b>Sample ID: Goose Lake Well #2 Grab</b>			<b>Date Sampled: 09/13/23 9:20</b>	<b>Date Received: 09/13/23 13:52</b>	
<b>Lab No.: 2311339-02</b>		<b>Sampled by: Morgan Schuler</b>			
Vanadium	<0.00100	mg/L	09/14/23 13:01:	kc	EPA 200.7
Zinc	0.00513	mg/L	09/14/23 13:01:	kc	EPA 200.7
Mercury	<0.00200	mg/L	09/15/23 17:49:	kc	EPA 245.1 rev 3-1994
Field pH	8.1	pH Units	09/13/23 9:20:	Morgan Sc	SM 4500 H + B
Field Temperature	54	°F	09/13/23 9:20:	Morgan Sc	SM 2550 B
Field Conductivity	556	uS	09/13/23 9:20:	Morgan Sc	EPA 150

Analyte	Result	Units	Analyzed	Analyst	Method
<b>Sample ID: Goose Lake Well #2 Grab</b>			<b>Date Sampled: 09/13/23 9:20</b>	<b>Date Received: 09/13/23 13:52</b>	
<b>Lab No.: 2311339-02</b>		<b>Sampled by: Morgan Schuler</b>			

**Determination of Conventional Chemistry Parameters**

Total Organic Halogens (TOX)	0.012	mg/L	09/26/23 8:30:	LNH	EPA 9020
------------------------------	-------	------	----------------	-----	----------

**Determination of Volatile Organic Compounds**

2-Butanone (MEK)	<10.0	ug/L	09/20/23 10:41:	LNH	EPA 624
Surrogate: Dibromofluoromethane	79-129	129 %	09/20/23 10:41:	LNH	EPA 624
Surrogate: 1,2-Dichloroethane-d4	66-134	121 %	09/20/23 10:41:	LNH	EPA 624
Surrogate: Toluene-d8	91-113	108 %	09/20/23 10:41:	LNH	EPA 624
Surrogate: 4-Bromofluorobenzene	83-112	109 %	09/20/23 10:41:	LNH	EPA 624
Field pH	8.1	pH Units	09/13/23 9:20:	Morgan Sc	SM 4500 H + B
Field Temperature	54	°F	09/13/23 9:20:	Morgan Sc	SM 2550 B
Field Conductivity	556	uS	09/13/23 9:20:	Morgan Sc	EPA 150

## Laboratory Report

**Wendling Quarries Inc.**  
 Morgan Schuler  
 2647 225th Street P.O. Box 230  
 Dewitt, IA 52742

**Date Received:** 09/13/23 13:52  
**Date Reported:** 10/04/23 12:18  
**Project:** Monitoring wells-Goose Lake  
 include Excel data file

Analyte	Result	Units	Analyzed	Analyst	Method
<b>Sample ID: Goose Lake Well #3 Grab</b>			<b>Date Sampled: 09/13/23 10:20</b>		<b>Date Received: 09/13/23 13:52</b>

**Lab No.: 2311339-03** **Sampled by: Morgan Schuler**

\*\*\* **DEFAULT GENERAL METHOD** \*\*\*

Formaldehyde	<0.100	mg/L	09/27/23 10:43:	kc	GC-MS
<b>Classical Chemistry Parameters</b>					
Ammonia as N	<0.10	mg/L	09/18/23 11:17:	jc	Timberline
Chemical Oxygen Demand	<10	mg/L	09/14/23 16:05:	EV	SM 5220D-1997
Chloride	0.633	mg/L	09/13/23 17:35:	EV	EPA 300.0
Fluoride	<0.100	mg/L	09/13/23 17:35:	EV	EPA 300.0
Sulfate as SO4	5.57	mg/L	09/13/23 17:35:	EV	EPA 300.0
Phenolics	<0.008	mg/L	09/21/23 16:17:	kc	EPA 420.1 rev1978
Total Suspended Solids	29	mg/L	09/19/23 11:39:	kt	USGS I-3765-85
<b>Metals by EPA 200 Series Methods</b>					

Silver	<0.000500	mg/L	09/14/23 13:04:	kc	EPA 200.7
Aluminum	<0.100	mg/L	09/14/23 13:04:	kc	EPA 200.7
Arsenic	<0.0100	mg/L	09/14/23 13:04:	kc	EPA 200.7
Boron	<0.0200	mg/L	09/14/23 13:04:	kc	EPA 200.7
Barium	0.0276	mg/L	09/14/23 13:04:	kc	EPA 200.7
Beryllium	<0.00100	mg/L	09/14/23 13:04:	kc	EPA 200.7
Cadmium	<0.000400	mg/L	09/14/23 13:04:	kc	EPA 200.7
Cobalt	<0.00200	mg/L	09/14/23 13:04:	kc	EPA 200.7
Chromium	0.00461	mg/L	09/14/23 13:04:	kc	EPA 200.7
Copper	<0.00300	mg/L	09/14/23 13:04:	kc	EPA 200.7
Iron	0.0351	mg/L	09/14/23 13:04:	kc	EPA 200.7
Magnesium	24.0	mg/L	09/14/23 13:04:	kc	EPA 200.7
Manganese	<0.0200	mg/L	09/14/23 13:04:	kc	EPA 200.7
Molybdenum	<0.0100	mg/L	09/14/23 13:04:	kc	EPA 200.7
Nickel	<0.00100	mg/L	09/14/23 13:04:	kc	EPA 200.7
Lead	<0.00200	mg/L	09/14/23 13:04:	kc	EPA 200.7
Antimony	<0.00500	mg/L	09/14/23 13:04:	kc	EPA 200.7
Selenium	<0.00500	mg/L	09/14/23 13:04:	kc	EPA 200.7
Thallium	<0.00300	mg/L	09/14/23 13:04:	kc	EPA 200.7

Analyte	Result	Units	Analyzed	Analyst	Method
<b>Sample ID: Goose Lake Well #3 Grab</b>			<b>Date Sampled: 09/13/23 10:20</b>	<b>Date Received: 09/13/23 13:52</b>	
<b>Lab No.: 23I1339-03</b>		<b>Sampled by: Morgan Schuler</b>			
Vanadium	<0.00100	mg/L	09/14/23 13:04:	kc	EPA 200.7
Zinc	<0.00500	mg/L	09/14/23 13:04:	kc	EPA 200.7
Mercury	<0.00200	mg/L	09/15/23 17:49:	kc	EPA 245.1 rev 3-1994
Field pH	8.2	pH Units	09/13/23 10:20:	Morgan Sc	SM 4500 H + B
Field Temperature	52.9	°F	09/13/23 10:20:	Morgan Sc	SM 2550 B
Field Conductivity	320	uS	09/13/23 10:20:	Morgan Sc	EPA 150

Analyte	Result	Units	Analyzed	Analyst	Method
<b>Sample ID: Goose Lake Well #3 Grab</b>			<b>Date Sampled: 09/13/23 10:20</b>	<b>Date Received: 09/13/23 13:52</b>	
<b>Lab No.: 23I1339-03</b>		<b>Sampled by: Morgan Schuler</b>			

**Determination of Conventional Chemistry Parameters**

Total Organic Halogens (TOX)	<0.010	mg/L	09/26/23 8:30:	LNH	EPA 9020
------------------------------	--------	------	----------------	-----	----------

**Determination of Volatile Organic Compounds**

2-Butanone (MEK)	<10.0	ug/L	09/20/23 11:08:	LNH	EPA 624
Surrogate: Dibromofluoromethane	79-129	132 %	09/20/23 11:08:	LNH	EPA 624
Surrogate: 1,2-Dichloroethane-d4	66-134	123 %	09/20/23 11:08:	LNH	EPA 624
Surrogate: Toluene-d8	91-113	110 %	09/20/23 11:08:	LNH	EPA 624
Surrogate: 4-Bromofluorobenzene	83-112	111 %	09/20/23 11:08:	LNH	EPA 624
Field pH	8.2	pH Units	09/13/23 10:20:	Morgan Sc	SM 4500 H + B
Field Temperature	52.9	°F	09/13/23 10:20:	Morgan Sc	SM 2550 B
Field Conductivity	320	uS	09/13/23 10:20:	Morgan Sc	EPA 150

S-GC Surrogate recovery outside of control limits. The data was accepted based on valid recovery of the remaining surrogate.

## Laboratory Report

**Wendling Quarries Inc.**  
 Morgan Schuler  
 2647 225th Street P.O. Box 230  
 Dewitt, IA 52742

**Date Received:** 09/13/23 13:52  
**Date Reported:** 10/04/23 12:19  
**Project:** Monitoring wells-Goose Lake  
 include Excel data file

Analyte	Result	Units	Analyzed	Analyst	Method
<b>Sample ID: Goose Lake Well #4 Grab</b>			<b>Date Sampled: 09/13/23 11:15</b>		<b>Date Received: 09/13/23 13:52</b>

**Lab No.: 2311339-04** **Sampled by: Morgan Schuler**

\*\*\* **DEFAULT GENERAL METHOD** \*\*\*

Formaldehyde	<0.100	mg/L	09/27/23 10:43:	kc	GC-MS
<b>Classical Chemistry Parameters</b>					
Ammonia as N	<0.10	mg/L	09/18/23 11:20:	jc	Timberline
Chemical Oxygen Demand	<10	mg/L	09/14/23 16:05:	EV	SM 5220D-1997
Chloride	2.74	mg/L	09/13/23 17:35:	EV	EPA 300.0
Fluoride	0.124	mg/L	09/13/23 17:35:	EV	EPA 300.0
Sulfate as SO4	8.93	mg/L	09/13/23 17:35:	EV	EPA 300.0
Phenolics	<0.008	mg/L	09/21/23 16:17:	kc	EPA 420.1 rev1978
Total Suspended Solids	8	mg/L	09/19/23 11:39:	kt	USGS I-3765-85
<b>Metals by EPA 200 Series Methods</b>					

Silver	<0.000500	mg/L	09/14/23 13:07:	kc	EPA 200.7
Aluminum	<0.100	mg/L	09/14/23 13:07:	kc	EPA 200.7
Arsenic	<0.0100	mg/L	09/14/23 13:07:	kc	EPA 200.7
Boron	<0.0200	mg/L	09/14/23 13:07:	kc	EPA 200.7
Barium	0.0414	mg/L	09/14/23 13:07:	kc	EPA 200.7
Beryllium	<0.00100	mg/L	09/14/23 13:07:	kc	EPA 200.7
Cadmium	<0.000400	mg/L	09/14/23 13:07:	kc	EPA 200.7
Cobalt	<0.00200	mg/L	09/14/23 13:07:	kc	EPA 200.7
Chromium	0.0121	mg/L	09/14/23 13:07:	kc	EPA 200.7
Copper	<0.00300	mg/L	09/14/23 13:07:	kc	EPA 200.7
Iron	0.0554	mg/L	09/14/23 13:07:	kc	EPA 200.7
Magnesium	46.7	mg/L	09/14/23 13:07:	kc	EPA 200.7
Manganese	<0.0200	mg/L	09/14/23 13:07:	kc	EPA 200.7
Molybdenum	<0.0100	mg/L	09/14/23 13:07:	kc	EPA 200.7
Nickel	<0.00100	mg/L	09/14/23 13:07:	kc	EPA 200.7
Lead	<0.00200	mg/L	09/14/23 13:07:	kc	EPA 200.7
Antimony	<0.00500	mg/L	09/14/23 13:07:	kc	EPA 200.7
Selenium	<0.00500	mg/L	09/14/23 13:07:	kc	EPA 200.7
Thallium	<0.00300	mg/L	09/14/23 13:07:	kc	EPA 200.7

Analyte	Result	Units	Analyzed	Analyst	Method
<b>Sample ID: Goose Lake Well #4 Grab</b>			<b>Date Sampled: 09/13/23 11:15</b>	<b>Date Received: 09/13/23 13:52</b>	
<b>Lab No.: 23I1339-04</b>		<b>Sampled by: Morgan Schuler</b>			
Vanadium	<0.00100	mg/L	09/14/23 13:07:	kc	EPA 200.7
Zinc	0.00781	mg/L	09/14/23 13:07:	kc	EPA 200.7
Mercury	<0.00200	mg/L	09/15/23 17:49:	kc	EPA 245.1 rev 3-1994
Field pH	7.9	pH Units	09/13/23 11:15:	Morgan Sc	SM 4500 H + B
Field Temperature	52.5	°F	09/13/23 11:15:	Morgan Sc	SM 2550 B
Field Conductivity	486	uS	09/13/23 11:15:	Morgan Sc	EPA 150

Analyte	Result	Units	Analyzed	Analyst	Method
<b>Sample ID: Goose Lake Well #4 Grab</b>			<b>Date Sampled: 09/13/23 11:15</b>	<b>Date Received: 09/13/23 13:52</b>	
<b>Lab No.: 23I1339-04</b>		<b>Sampled by: Morgan Schuler</b>			

**Determination of Conventional Chemistry Parameters**

Total Organic Halogens (TOX)	0.010	mg/L	09/26/23 8:30:	LNH	EPA 9020
------------------------------	-------	------	----------------	-----	----------

**Determination of Volatile Organic Compounds**

2-Butanone (MEK)	<10.0	ug/L	09/20/23 11:35:	LNH	EPA 624
Surrogate: Dibromofluoromethane	79-129	129 %	09/20/23 11:35:	LNH	EPA 624
Surrogate: 1,2-Dichloroethane-d4	66-134	124 %	09/20/23 11:35:	LNH	EPA 624
Surrogate: Toluene-d8	91-113	110 %	09/20/23 11:35:	LNH	EPA 624
Surrogate: 4-Bromofluorobenzene	83-112	109 %	09/20/23 11:35:	LNH	EPA 624
Field pH	7.9	pH Units	09/13/23 11:15:	Morgan Sc	SM 4500 H + B
Field Temperature	52.5	°F	09/13/23 11:15:	Morgan Sc	SM 2550 B
Field Conductivity	486	uS	09/13/23 11:15:	Morgan Sc	EPA 150

## Laboratory Report

**Wendling Quarries Inc.**  
 Morgan Schuler  
 2647 225th Street P.O. Box 230  
 Dewitt, IA 52742

**Date Received:** 09/13/23 13:52  
**Date Reported:** 10/04/23 12:20  
**Project:** Monitoring wells-Goose Lake  
 include Excel data file

Analyte	Result	Units	Analyzed	Analyst	Method
<b>Sample ID: Goose Lake Sump Grab</b>			<b>Date Sampled: 09/13/23 12:15</b>		<b>Date Received: 09/13/23 13:52</b>

**Lab No.: 2311339-05** **Sampled by: Morgan Schuler**

\*\*\* **DEFAULT GENERAL METHOD** \*\*\*

Formaldehyde	<0.100	mg/L	09/27/23 10:43:	kc	GC-MS
<b>Classical Chemistry Parameters</b>					
Ammonia as N	<0.10	mg/L	09/18/23 11:22:	jc	Timberline
Chemical Oxygen Demand	<10	mg/L	09/14/23 16:05:	EV	SM 5220D-1997
Chloride	22.9	mg/L	09/13/23 17:35:	EV	EPA 300.0
Fluoride	0.141	mg/L	09/13/23 17:35:	EV	EPA 300.0
Sulfate as SO4	20.1	mg/L	09/13/23 17:35:	EV	EPA 300.0
Phenolics	<0.008	mg/L	09/21/23 16:17:	kc	EPA 420.1 rev1978
Total Suspended Solids	1	mg/L	09/19/23 11:39:	kt	USGS I-3765-85
<b>Metals by EPA 200 Series Methods</b>					

Silver	<0.000500	mg/L	09/14/23 13:10:	kc	EPA 200.7
Aluminum	<0.100	mg/L	09/14/23 13:10:	kc	EPA 200.7
Arsenic	<0.0100	mg/L	09/14/23 13:10:	kc	EPA 200.7
Boron	0.0811	mg/L	09/14/23 13:10:	kc	EPA 200.7
Barium	0.133	mg/L	09/14/23 13:10:	kc	EPA 200.7
Beryllium	<0.00100	mg/L	09/14/23 13:10:	kc	EPA 200.7
Cadmium	<0.000400	mg/L	09/14/23 13:10:	kc	EPA 200.7
Cobalt	<0.00200	mg/L	09/14/23 13:10:	kc	EPA 200.7
Chromium	<0.00100	mg/L	09/14/23 13:10:	kc	EPA 200.7
Copper	<0.00300	mg/L	09/14/23 13:10:	kc	EPA 200.7
Iron	<0.0100	mg/L	09/14/23 13:10:	kc	EPA 200.7
Magnesium	43.0	mg/L	09/14/23 13:10:	kc	EPA 200.7
Manganese	<0.0200	mg/L	09/14/23 13:10:	kc	EPA 200.7
Molybdenum	<0.0100	mg/L	09/14/23 13:10:	kc	EPA 200.7
Nickel	<0.00100	mg/L	09/14/23 13:10:	kc	EPA 200.7
Lead	<0.00200	mg/L	09/14/23 13:10:	kc	EPA 200.7
Antimony	<0.00500	mg/L	09/14/23 13:10:	kc	EPA 200.7
Selenium	<0.00500	mg/L	09/14/23 13:10:	kc	EPA 200.7
Thallium	<0.00300	mg/L	09/14/23 13:10:	kc	EPA 200.7



Analyte	Result	Units	Analyzed	Analyst	Method
<b>Sample ID: Goose Lake Sump Grab</b>			<b>Date Sampled: 09/13/23 12:15</b>	<b>Date Received: 09/13/23 13:52</b>	
<b>Lab No.: 2311339-05</b>		<b>Sampled by: Morgan Schuler</b>			
Vanadium	<0.00100	mg/L	09/14/23 13:10:	kc	EPA 200.7
Zinc	<0.00500	mg/L	09/14/23 13:10:	kc	EPA 200.7
Mercury	<0.00200	mg/L	09/15/23 17:49:	kc	EPA 245.1 rev 3-1994
Field pH	8.2	pH Units	09/13/23 12:15:	Morgan Sc	SM 4500 H + B
Field Temperature	69.4	°F	09/13/23 12:15:	Morgan Sc	SM 2550 B
Field Conductivity	570	uS	09/13/23 12:15:	Morgan Sc	EPA 150

Analyte	Result	Units	Analyzed	Analyst	Method
<b>Sample ID: Goose Lake Sump Grab</b>			<b>Date Sampled: 09/13/23 12:15</b>	<b>Date Received: 09/13/23 13:52</b>	
<b>Lab No.: 2311339-05</b>		<b>Sampled by: Morgan Schuler</b>			

**Determination of Conventional Chemistry Parameters**

Total Organic Halogens (TOX)	<0.010	mg/L	09/26/23 8:30:	LNH	EPA 9020
------------------------------	--------	------	----------------	-----	----------

**Determination of Volatile Organic Compounds**

2-Butanone (MEK)	<10.0	ug/L	09/20/23 12:01:	LNH	EPA 624
Surrogate: Dibromofluoromethane	79-129	132 %	09/20/23 12:01:	LNH	EPA 624
Surrogate: 1,2-Dichloroethane-d4	66-134	125 %	09/20/23 12:01:	LNH	EPA 624
Surrogate: Toluene-d8	91-113	111 %	09/20/23 12:01:	LNH	EPA 624
Surrogate: 4-Bromofluorobenzene	83-112	110 %	09/20/23 12:01:	LNH	EPA 624
Field pH	8.2	pH Units	09/13/23 12:15:	Morgan Sc	SM 4500 H + B
Field Temperature	69.4	°F	09/13/23 12:15:	Morgan Sc	SM 2550 B
Field Conductivity	570	uS	09/13/23 12:15:	Morgan Sc	EPA 150

S-GC Surrogate recovery outside of control limits. The data was accepted based on valid recovery of the remaining surrogate.