



March 27, 2024

A & B LLC
ATTN: ALLEN HOLTHAUS
24259 95th ST
CRESCO, IA 52136

ATTN: Allen Holthaus holthaus8549@gmail.com

Subject: Appliance Demanufacturing Inspection, *Winneshiek County Recycling*
Permit #45-ADP-02-14

Enclosed is the report of the appliance demanufacturing inspection conducted on March, 26, 2024, at the facility referenced above.

We believe you will find the report self-explanatory and strongly encourage you to act on the requirements listed. If you have any questions about the inspection or report, please contact Chad Kehrli or this office at 563-927-2640.

Sincerely,

A handwritten signature in blue ink that reads 'Amber Sauser'.

AMBER SAUSER
ENVIRONMENTAL SPECIALIST SENIOR, FIELD OFFICE #1

Enclosure: ADP Inspection
c: Solid Waste Section (w/encl. via email: Becky Jolly, Susan Johnson)

Efile: 45 ADP A & B LLC 032724 ins cek

**IOWA DEPARTMENT OF NATURAL RESOURCES
APPLIANCE DEMANUFACTURING (ADP) PERMIT INSPECTION FORM**

Permit No.: 45 -ADP- 02 - 14 County: HowardFacility Name: A & B LLC Phone Number: 563-547-3794Facility Address: 24259 95th ST City/State/Zip: Cresco, IA 52136Mailing Address: Same City/State/Zip: _____Date of This Inspection: 03/26/2024 Date of Last Inspection: 04/05/2019

*Be advised your facility may require, due to either SIC code or onsite management practices, an NPDES General Permit #1 (Stormwater permit).

Storage & Handling

IAC 567 Chapter 118.4: Appliance Storage & Handling Prior to Demanufacturing		Yes	No	NA
118.4(1)	Are appliances being stored to prevent capacitors, refrigerant lines, compressors, and components containing mercury from being damaged and allowing a release into the environment?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
118.4(2)	Are appliances being handled in a way which prevents damage, cuts, or breaks in refrigerant lines, compressors, capacitors and components containing mercury from being damaged and allowing a release into the environment?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
118.4(3)	Are less than 1,000 appliances being stored prior to demanufacturing?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
118.4(4)	Are appliances being demanufactured in 270 days or less?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Comments: No appliances were on site at the time of my inspection.**Operations**

IAC 567 Chapter 118.7: Fixed Facility & Mobile Operations		Yes	No	NA
118.7(1)	Is demanufacturing taking place on an impervious floor (including but not limited to concrete, ceramic tile, or metal)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
118.7(2)	Is the point of demanufacturing located 50 feet or more from a well and any water of the state?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
118.7(5)	Is a unique marking system (minimum of nine inches square) being applied to the appliances after demanufacturing?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Comments: Demanufacturing is taking place inside MR. Holthaus's shop, which is heated in the winter. The floor of the shop is concrete.**Training**

IAC 567 Chapter 118.8: Training		Yes	No	NA
118.8	Is at least one owner or employee completed a Department-approved training course?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
118.8	Is one trained person on site at all times when appliances are being demanufactured?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Comments: Mr. Holthaus is the only one who performs demanufacturing and completed a Department approved training course on 2/19/2013.**Refrigerant Recovery**

IAC 567 Chapter 118.6: Permit Application Requirements		Yes	No	NA
118.6(8)	Is a copy of the EPA Refrigerant Recovery or Recycling Device Acquisition Certification available onsite?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

DNR APPLIANCE DEMANUFACTURING (ADP) PERMIT INSPECTION

608 CAA (CFR)	Is a copy of the EPA Refrigerant Reclaimer's Certification available onsite if reclamation (purification) is taking place at the facility?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
IAC 567 Chapter 118.9: Refrigerant Removal Requirements		Yes	No	NA
118.9(2)	If refrigerant is removed at a location other than a permitted ADP facility, is there documentation that it was removed by a service or repair facility certified for the removal of refrigerant?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
118.9(3)	Is removal of refrigerant being done in an area where the temperature of the surrounding air and that of the appliance being demanufactured is 45 degrees Fahrenheit or greater?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
IAC 567 Chapter 118.13: Record Keeping & Reporting		Yes	No	NA
118.13(2)"a" & 118.13(2)"g"	Are the number and type of refrigerant containing appliances being tracked, as well as the amount of refrigerant removed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
118.13(3)"a"	Are bills of lading being kept as to where refrigerants are being shipped for disposal?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Comments: Mr. Holthaus receives units from the Winneshiek County School District where certified techs have already removed the refrigerant. After discussion, he agreed that when these appliances are received in the future he will obtain documentation that refrigerant was removed by a facility certified to remove the refrigerant.

Oil

IAC 567 Chapter 118.9: Refrigerant Removal Requirements		Yes	No	NA
118.9(5)	If compressor oil is being removed from the refrigeration units, is it being stored in accordance with 567-119.5 (Note: AST must be large enough and on an impermeable surface to prevent spills, meet API construction standards, have absorbent material available, have a gauge to monitor liquid level, & meet Ch. 567-135 &136 if UST)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Comments:

Ammonia Gas Refrigerant

IAC 567 Chapter 118.9: Refrigerant Removal Requirements		Yes	No	NA
118.9(6)"a"	Is the ammonia gas being vented into water and is the resulting wastewater being properly disposed of?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
118.9(6)"e"	Is sodium chromate being properly stored in DOT-approved containers labeled with a proper EPA-approved chromium label stating "chromium" or "hazardous waste"?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
118.9(6)"g"	Does the facility have an EPA ID number (RCRA)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
118.9(6)"h" & 118.9(6)"i"	Is asbestos insulation being removed and handled properly?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
IAC 567 Chapter 118.13: Record Keeping & Reporting		Yes	No	NA
118.13(2)"a"(2)	Are records being kept on the number of sodium chromate-containing appliances being demanufactured	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
118.13(2)"f"	Are records being kept on the number of sodium chromate-containing appliances shipped to another demanufacturer	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
118.13(3)"a" & 118.13(3)"b"	Are records being kept on the shipment of sodium chromate (name of the facility to which sodium chromate was shipped, the date of each shipment, the amount shipped and the name and address of the transporter)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Comments: This facility does not demanufacture ammonia-gas operated appliances.

Mercury Components

IAC 567 Chapter 118.10: Mercury-Containing Component Removal & Disposal		Yes	No	NA
118.10(1)	Are all components containing mercury being removed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

DNR APPLIANCE DEMANUFACTURING (ADP) PERMIT INSPECTION

118.10(2)	Are mercury components being stored in containers with a proper EPA-approved label stating "Universal Waste-Mercury Containing Equipment", or Waste Mercury-Containing Equipment" in both English and the predominant language of any non-English-reading workers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
118.10(3)	Is the date when the first mercury-containing component was placed in the container affixed to the container?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
118.10(4)	Storage of mercury is limited to one year, after which, it must be transported to an EPA-approved recycler/recovery facility. Has storage been under one year?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
118.10(8)	Are fluorescent tubes, lamps, bulbs, etc., being placed in a container and packaged to prevent breakage to an EPA-approved recycler?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
IAC 567 Chapter 118.13: Record Keeping & Reporting		Yes	No	NA
118.13(2)	Are records being kept on the number of mercury-containing appliances being demanufactured, number of mercury switches removed, number of fluorescent tubes removed, as well as the number of mercury thermocouples being removed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
118.13(3)	Are records or bills of ladings being kept on the shipment of mercury-containing components?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Comments: A shipment was made to Atec Recycling in February 2024. 2.2 lbs. of mercury switches were shipped. Mr. Holthaus informed me that he puts everything in the proper container but does not keep track of the exact amount of switches for his ADP Annual Report. I proved him a tally sheet and he stated he will begin keeping track of exact numbers of mercury switches removed.

PCB Capacitors

IAC 567 Chapter 118.11: Capacitor Removal Requirements		Yes	No	NA
118.11(4)"a"	Does the facility have an EPA TSCA ID number for capacitor storage (required if facility has no RCRA ID #)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
118.11(4)"b"	Are PCB items being stored in a manner that provides adequate protection from the elements and adequate secondary containment? <i>(Note: Storage must take place on an impervious material above the 100-year floodwater elevation)</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
118.11(4)"c"	Is the point of demanufacturing located above the 100-year flood water elevation?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
118.11(4)"d"	Are PCB storage containers filled to two inches of absorbent material in the bottom?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
118.11(4)"e"	Are PCB containers DOT-approved and labeled with a 6" by 6" yellow label stating "PCBs" as described in CFR part 761.45?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
118.11(4)"g"	Is the storage for non leaking small PCB capacitors that do not comply with the requirements in 118.11(4) "a" to "f" stored for less than 30 days from the date of removal and a notation places on the PCB capacitor indicating the date the item was removed from the appliance?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
118.11(4)"f" & 118.11(4)"h"	Is the date when the first capacitor was placed in the storage container on the label? Storage of capacitors is limited to 270 days, after which they must be transported to an EPA-approved landfill or incinerator. This burial or incineration must be documented (within one year of the date on the container) and this record kept by the demanufacturer for three years from the date the PCB waste was accepted by the initial transporter.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
IAC 567 Chapter 118.13: Record Keeping & Reporting		Yes	No	NA
118.13(2)	Are records being kept on the number of PCB containing appliances being demanufactured, number of PCB capacitors and ballasts as well as the date the first PCB-containing item was placed in the storage drum that is in use on December 31? number of mercury thermocouples being removed?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
118.13(3)"a" & 118.13(3)"b"	Are records being kept on the shipment of PCB components and the documentation of destruction or receipt from a regional collection center for all PCB materials shipped?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
118.13(3)"d"	Are records being kept documenting inspections of the PCB storage area as required by 118.11(4)"h"?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Comments: This facility's TASC # is IAW000518779.

A shipment was made to Atec Recycling in February 2024. 83 non PCB capacitors and 71.9 lbs. of PCB capacitors were received. Mr. Holthaus informed me that he puts everything in the proper storage container but does not keep records or the exact numbers of PCB capacitors. Mr. Holthaus was provided the tally sheet and stated he will begin keeping track of exact numbers of PCB capacitors removed.

Since a shipment was recently made and no appliances have been received with PCB capacitors, there is a label but no date on the PCB storage container.

Records of inspections of the PCB storage area were on hand.

Spills

IAC 567 Chapter 118.12: Spills		Yes	No	NA
118.12(1)	Are spill records being kept and has the facility reported spills that resulted in a hazardous condition?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
118.12(2)	Is a mercury spill kit on hand?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Comments: A mercury spill kit is on hand.

Reporting

IAC 567 Chapter 118.13. Record Keeping & Reporting		Yes	No	NA
118.13(2)	Are records being kept on appliances demanufactured in separate categories, as well as the number of each component, amount of refrigerant, etc?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
118.13(3)	Are records being kept on all hazardous waste manifest and bills of lading for shipments of refrigerant, mercury switches, PCB-containing material, and kept on site for a minimum of three years?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
118.13(3)"f"	Are copies of annual reports (containing all the record keeping requirements) that have been sent to the Department Central Office being retained for at least three years?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Comments: See above comments.

Processing

IAC 567 Chapter 118.15: Shredding of Appliances		Yes	No	NA
118.15(1)	Has fluff from shredding been tested at least quarterly for PCBs, and TCLP for heavy metals? Have these results being sent to the department within 30 days of the end of each quarter?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
118.15(1)	Have the results from fluff testing been submitted to the department within 30 days of the end of each quarter? And are these records being kept on site for a minimum of three years?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
118.15(3)	Are appliances being demanufactured before shredding or processing?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
118.15(3)	If appliances are being accepted from demanufacturers for recycle/disposal, have the appliances been demanufactured in accordance with Federal regulations and state laws from which the appliances were received?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Comments:

Summary of Requirements	Compliance Date:
Begin tracking individual mercury switches that are removed.	3/26/2024
Begin tracking individual PCB capacitors that are removed.	3/26/2024

Summary of Recommendations	Compliance Date:
None	

DNR APPLIANCE DEMANUFACTURING (ADP) PERMIT INSPECTION

Summary of Reminders	Compliance Date:
None	

Inspector: Chad Kehne

Reviewer: Amber Sawyer

Date: 03/27/2024

Date: 03/28/2024