

LANDFILL CHECKLIST

Cedar Rapids Linn County Solid Waste Agency Site 1
Semi-Annual Site Inspection
Permit No. 57-SDP-03-75C
Date of Visit: October 18, 2024

From the Site permit:

Semiannual reports shall be prepared containing a brief report describing the site's conformance and nonconformance with the permit and the approved plans and specifications during the inspections. These reports shall be submitted by April 30 and October 31 each year for the preceding six-month period to both the Field and Main offices of the Department.

1.	Is the landfill identification in place and complete at the entrance?	<u>X</u>	Yes	—	No
2.	Are signs in good repair and legible?	<u>X</u>	Yes	_	No
3.	Is a copy of the current Closure Permit on file at the office?	<u>X</u>	Yes	_	No
4.	Is a copy of the approved plans and specifications on file at the office?	<u>X</u>	Yes	_	No
5.	Is all documentation concerning soils and water quality monitoring on file at the office? .	X	Yes		No
6.	Are flies, rats, and other vectors being properly controlled?	<u>X</u>	Yes	_	No
7.	Are grades being maintained on the final cover system to promote run-off?	<u>X</u>	Yes		No
8.	Is surface runoff being properly controlled?	<u>X</u>	Yes	_	No
9.	Are monitoring wells in good condition, easily accessible, and marked?	<u>X</u>	Yes	_	No
10	. Has water quality monitoring program as set out in Special Provision of Permit and all current amendments being implemented?	<u>X</u>	Yes	_	No
11	. Is there adequate vegetation to protect the landfill cover system?	<u>X</u>	Yes		No

12. Is drainage and erosion control being maintained at landfill?	<u>X</u>	Yes	—	No
13. Are leachate control measures being properly maintained?	<u>X</u>	Yes	_	No
14. Is there evidence of exposed leachate at the site?	_	Yes	<u>X</u>	No
15. Has quarterly landfill gas monitoring been conducted at the site?	<u>X</u>	Yes		No
16. Is landfill gas collection being operated in compliance with the landfill closure permit?	<u>X</u>	Yes		No

Notes: The semi-annual inspection did not identify any required corrective actions. The closed facility is being maintained consistent with the closure plan and is in compliance with the applicable Iowa solid waste rules.

