

West Des Moines, IA

PROJECT: Wright Co, FY25-27 On-Call Support, IA 27224454.00 DATE: 10/31/2024

SUBJECT: Wright County Solid Waste Transfer Station - 99-SDP-03-89P-XFR - 2024 Annual Inspection Report TRANSMITTAL ID: 00001

PURPOSE: For your approval VIA: Info Exchange

FROM

NAME	COMPANY	EMAIL	PHONE
Sean Marczewski West Des Moines, IA	SCS Engineers	SMarczewski@scsengineers.com	+1-515-631-6152

TO

NAME	COMPANY	EMAIL	PHONE
chad.stobbe@dnr.iowa.gov		chad.stobbe@dnr.iowa.gov	

REMARKS: Chad -

Please find for your download the Wright County Solid Waste Transfer Station 2024 Annual Inspection report. Let us know if you have any questions or comments.

Thanks,

Sean A. Marczewski
Project Professional
SCS Engineers
1690 All-State Court, Suite 100
West Des Moines, Iowa 50265
712-661-9682 (C)
515-631-6152 (O)
smarczewski@scsengineers.com

DESCRIPTION OF CONTENTS

QTY	DATED	TITLE	NOTES
1	10/31/2024	Wright County Solid Waste Transfer Station - 99-SDP-03-89P-XFR - 2024 Annual Inspection Report 10.31.2024.pdf	

COPIES:

Becky Jolly

Transmittal

DATE: 10/31/2024
TRANSMITTAL ID: 00001

Travis Connor
Christine Collier

(Wright County Area Landfill Authority)
(SCS Engineers)

October 31, 2024
File No. 27224454.00

Mr. Chad Stobbe
Iowa Department of Natural Resources
Land Quality Bureau
6200 Park Avenue
Des Moines, Iowa 50321

Subject: 2024 Annual Inspection Report
Wright County Solid Waste Transfer Station
Permit No. 99-SDP-03-89P-XFR

Dear Chad:

SCS Engineers conducted an inspection of the above referenced facility on October 16, 2024. A field inspection report documenting the findings of the inspection was completed and is included in Attachment A.

On April 12, 2024, the transfer station experienced a fire causing damage to the transfer trailer tunnel on the south end of the building and the exterior walls of the building. The fire started overnight and was likely caused by a small, compromised Li+ battery that was being held in a transfer trailer. Facility staff are working with their insurance company and the company that installed the fire system to make amendments. Currently excavation has begun to assess the damage the structure of the building. A contractor has been selected to make repairs to the building. The last page of the inspection report contains comments regarding compliance items along with required and recommended actions, if any.

If you have any questions regarding this report, please contact us at (515) 631-6160.

Sincerely,



Sean Marczewski
Project Professional
SCS Engineers




Christine L. Collier, P.E.
Senior Project Manager
SCS Engineers

SAM/CLC

cc: Travis Connor, Director, Wright County Area Landfill Authority



Engineer's Certification

	<p>I hereby certify that this document was prepared by me or under my direct supervision and that I am a duly licensed Professional Engineer under the laws of the state of Iowa.</p>
	<p><i>Christine L. Collier</i> Digitally signed by Christine L. Collier Date: 2024.10.31 12:45:24 -05'00'</p>
	<p>Christine L. Collier Date</p>
	<p>My license renewal date is: December 31, 2025 Pages or sheets covered by this seal: All</p>

Attachment A

Iowa Department of Natural Resources

Sanitary Disposal Project Inspection Checklist



**IOWA DEPARTMENT OF NATURAL RESOURCES
TRANSFER STATION (XFR) PERMIT INSPECTION FORM**

Permit No.: 99-SDP-03-89P-XFR	County: Wright
Facility Name: Wright County Transfer Station	Facility Address: 2551 O'Brien Ave Clarion, IA 50525
Phone Number: (515) 291-1444	
Responsible Official: Travis Connor	Mailing Address: PO Box 173 Clarion, IA 50525
Phone Number: (641) 512-6476	
Person(s) Present: 1)Travis Connor 2) 3)	
Date of This Inspection: 10/16/2024	Date of Last Inspection: 11/17/2023

IAC 567 Chapter 106.9: Transfer Station Siting & Location Requirements		Yes	No	NA
Siting Requirements	106.9(1) Is the transfer station building located within the 100-year floodplain?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	106.9(1) If yes, are there structures to prevent floodwater inundation from a 100-year flood of any area that comes into contact with solid waste or washwater?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	106.9(2) Is the transfer station building within 500 feet of an educational facility, healthcare facility, or permanent residence?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	106.9(2) If yes, did construction of the educational facility, or healthcare facility, or permanent residence begin before the permit application was received by the Department?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	106.9(2) If yes, does the transfer station utilize screening to minimize noise and visibility of operations? <i>(Note: Screening shall utilize natural components to the maximum extent possible)</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Comments:None.

IAC 567 Chapter 106.10(1): Transfer Station Design Standards		Yes	No	NA
Transfer Station Design	106.10(1) Is the transfer station building sufficient to allow all solid waste to be unloaded from collection vehicles and loaded into transport vehicles indoors? <i>(Note: Rear-loading solid waste transport vehicles that have no other opening and that securely abut the building so that minimal amounts of solid waste escape qualify as being inside the building)</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	106.10(1)"a" Is the building sufficient to minimize dust and litter exiting the building?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	106.10(1)"a" Is the building sufficient to keep out precipitation?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	106.10(1)"a" Is the building sufficient to prevent the attraction or harboring of vectors?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	106.10(1)"b" Are all surfaces that come into contact with solid waste or washwater impervious to liquids?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	106.10(1)"c" Does the transfer station building have a drainage system that maintains a separation between stormwater and washwater?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Comments:None.

IAC 567 Chapter 106.10(1): Transfer Station Design Standards (Cont'd)		Yes	No	NA	
Transfer Station Design	106.10(1)"d"	Does the transfer station building have a washwater collection system that directs washwater to a storage tank for later disposal, a sanitary sewer system, or equivalent as approved by the Department?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	106.10(1)"d"	If a storage tank(s) is used, does it have a high-level indicator or gauge?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	106.10(1)"e"	Does the transfer station store solid waste during non-operating hours?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	106.10(1)"e"	If yes, is the solid waste storage area clearly marked?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	106.10(1)"e"	If yes, does the solid waste storage area have a fire detection system?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	106.10(1)"f"	Does the transfer station building have a surge pit to handle large volumes of incoming waste? <i>(Note: Surge pits are typically found in large transfer stations where a large number of trucks can overload the tipping floor. Surge pits provide more space for temporary storage during peak operating hours and may also allow for additional compaction of the solid waste before it is loaded into transport vehicles)</i>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	106.10(1)"f"	If yes, does the transfer station building have an effective odor control mechanism? <i>(i.e. mist systems and air filters)</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	106.10(1)"g"	If yes, does the transfer station building have a sprinkler system installed over the area where solid waste is stored?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	106.10(1)"h"	If the transfer station salvages materials, are the salvage storage areas clearly marked? <i>(Note: Salvaged materials that do not attract or harbor vectors may be stored outside the building in clearly marked designated areas.)</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	106.10(1)"p"	Is their sufficient indoor and outdoor lighting to minimize the difference in lighting when entering or exiting the building?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	106.10(1)"j"	Does the transfer station building have doors at each entrance and exit?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Comments: Liquids on the tipping floor are absorbed by waste and loaded into the transfer trailers. Any liquids left on the tipping floor are broomed into the washwater system drain at the end of the day. This is considered a daily maintenance activity. The high level indicator is functional and is checked periodically. The fire detection system was damaged in the April 2024 fire. Facility staff are currently working to get an operational fire detection system along with other building repairs. Transport vehicles are cleaned off-site at Gold Eagle Cooperative. During repairs caused by the fire all inbound and outbound traffic from the transfer station enter and exit through the north door.

IAC 567 Chapter 106.10(2): Other Transfer Station Design Standards		Yes	No	NA	
Transfer Station Design	106.10(2)"a"	Does the transfer station have a secure perimeter fence w/lockable gate(s)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	106.10(2)"b"	Does the transfer station use an IDALS certified scale? <i>(Note: The scale does not have to be onsite)</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	106.10(2)"c"	Does the transfer station have adequate queuing distance for vehicles entering and exiting such that lines do not extend onto public streets?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	106.10(2)"c"	If no, does the transfer station have approval from the local government authority for lines to back-up onto public streets?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	106.10(2)"d"	Does the transfer station have signs or pavement markings indicating safe and proper on-site traffic patterns?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	106.10(2)"e"	Is there a sign at the primary entrance specifying: 1) Facility name and permit number, 2) Operating hours, 3) Materials accepted or stating "All materials must have prior approval", 4) Telephone number of emergency contact person(s)?	<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>

Comments: A new scale was installed in May and certified in June both of which were completed by Siouxland Sclae Service, Inc. IDALS certification dues have been paid and the Facility is awaiting the certificate.

IAC 567 Chapter 106.11: Transfer Station Operating Requirements		Yes	No	NA
106.11(1)	Is site access controlled and limited to a time when a transfer station operator is on duty.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
106.11(1)"a"	If yes, is the site operator on duty able to read, understand and implement the Site Operation Plan?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
106.11(1)"b"	If yes, is the site operator on duty able to read, understand and implement the Emergency Response and Remedial Action Plan (ERRAP)?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
106.11(1)"c"	If yes, is the site operator on duty able to visually recognize universal symbols, markings, and indications of unacceptable materials? (e.g. hot loads, hazardous, infectious and radioactive wastes)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
106.11(1)"d"	Is the transfer station permitted for 20,000 tons or more per year of solid waste?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
106.11(1)"d"	If yes, is the site operator on duty certified by a training program approved by the Department? (e.g. Solid Waste Association of North America's Transfer Station Systems Training and Certification Course)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
106.11(2)	Is solid waste only being accepted from generators within the designated service area?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
106.11(3)	Are all unloading, handling, processing, screening, open storage, loading, and similar activities or processes involving solid waste being performed inside the transfer station building? (Note: Truck-to-truck transfer of solid waste that is not incidental solid waste transfer is not allowed outside a transfer station building. A rear-loading solid waste transport vehicle that does not have any other open access and securely abuts the transfer station building so that minimal amounts of solid waste escape during loading shall qualify as being inside the building. Salvaged materials that do not attract or harbor vectors may be stored outside of the building in clearly marked, designated areas.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
106.11(4)	Is the solid waste being at least visually screened by personnel capable of identifying hot loads and hazardous, infectious, radioactive, and other wastes not suitable for disposal in a sanitary landfill?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
106.11(5)	Are transfer station operators segregating and managing unacceptable wastes and hot loads in accordance with applicable laws and in a manner as safe and responsible as practical?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
106.11(6)	Is salvaging only being performed by transfer station operators? (Note: Scavenging shall not be allowed.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
106.11(7)	Is the operation of the facility being carried out in a manner that attempts to minimize litter, dust, odor, noise, vibration, and the attraction or harborage of vectors?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
106.11(8)	Is the transfer station building being maintained at a level of cleanliness necessary to prevent a nuisance or public health hazard?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
106.11(9)	Is on-site litter being maintained at a level of cleanliness to prevent a nuisance or public health hazard? (Note: Off-site litter shall be collected daily.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
106.11(10)	Is the exterior of all buildings being maintained in a reasonable aesthetic condition that prevents the attraction or harborage of vectors, so as not to create a nuisance or public health hazard?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
106.11(11)	Is the washwater management system being inspected monthly and maintained in proper operating condition to prevent overflowing?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
106.11(12)	Are all surfaces that prevent washwater from entering the ground and groundwater impervious?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

106.11(12)	If no, was the breach noted above fixed within 24 hours, or has the facility prevented any solid waste or washwater from coming into contact with the breached area until repaired?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
106.11(13)	Has the transfer station made adequate provisions for routine operational maintenance of the facility?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Comments: The washwater management system is being inspected and recorded monthly in accordance with IAC 567 Chapter 106.11.(11) and IAC 567 Chapter 106.13(2)"c".

IAC 567 Chapter 106.12: Temporary Solid Waste Storage at Transfer Stations		Yes	No	NA
Temporary Solid Waste Storage	106.12(1) If solid waste is stored at the transfer station, is it stored: 1) Inside the transfer station in a clearly marked, designated area; or 2) Inside the transfer station building in a surge pit; or 3) Inside a secure solid waste transport vehicle, protected from precipitation and vectors?	<input checked="" type="checkbox"/> <input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>
	106.12(2)"a" If solid waste is being stored inside the transfer station in a designated area that is not a surge pit or similar operational structure, is it being stored for not more than 48 hours, excluding Sundays and national holidays?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	106.12(2)"b" If solid waste is being stored inside the transfer station building in a surge pit, is it being stored for not more than seven days, including Sundays and national holidays?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	106.12(2)"c" If solid waste is being stored in a transport vehicle designated to travel only via roadway, is it being stored for not more than 48 hours, excluding Sundays and national holidays?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	106.12(2)"d" If solid waste is being stored in a transport vehicle designated to travel via rail or navigable waterway, including intermodal container systems, is it being stored for not more than seven days, including Sundays and national holidays?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Comments: None.

IAC 567 Chapter 106.13: Transfer Station Record-Keeping Requirements		Yes	No	NA
Record-Keeping Requirements	106.13(1)"a" Is a copy of the current permit(s) on site?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	106.13(1)"b" Is a copy of the current Site Operation Plan onsite?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	106.13(1)"c" Is a copy of the current Emergency Response and Remedial Action Plan (ERRAP) onsite?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	106.13(1)"d" Is proof of current financial assurance on file?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	106.13(2)"a" Are three years of records being maintained by the transfer station with regard to the tons of all solid waste disposed of quarterly?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	106.13(2)"b" Are three years of records being maintained by the transfer station with regard to the destination of all outgoing solid waste?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	106.13(2)"c" Are three years of records being maintained by the transfer station with regard to the washwater management system inspection log?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	106.13(2)"d" Are three years of records being maintained by the transfer station with regard to hot loads and hazardous, infectious, radioactive, or other unacceptable wastes found?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
106.13(2)"e" Are three years of records being maintained by the transfer station with regard to training received by transfer station operator(s) pursuant to 106.11(1).?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Comments: Three years of washwater management system inspection logs have not been recorded. Monthly logs began following the 2023 DNR Field Office Inspection (Doc #105527) and will continue in accordance with IAC 567 Chapter 106.13(2)"c".

IAC 567 Chapter 106.14: Transfer Station Reporting Requirements		Yes	No	NA
Reporting Requirements	106.14(1) Is the transfer station submitting quarterly tonnage reports to the Department that include: 1) Tons of solid waste disposed of; 2) Comprehensive planning area from which the solid waste originated, and the tons of solid waste from each county and comprehensive planning area; and 3) Destinations of all outgoing solid waste?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	106.14(2) Is the transfer station being inspected annually by an Iowa-licensed professional engineer for compliance with IAC 567 Chapter 106.10 and submitting said annual inspection report to the Department and Field Office by the first workday in November each year?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Comments: None.

IAC 567 Chapter 106.15: Transport Vehicle Construction & Maintenance		Yes	No	NA
Transport Vehicles	106.15(1) Is the portion of the solid waste transport vehicle(s) that contains solid waste sufficient to: 1) Prevent the accidental discharge of its contents; 2) Prevent the attraction or harborage of vectors; and 3) Prevent the infiltration of precipitation? <i>(Note: Any solid waste transport vehicle that fails to meet the requirements of IAC 567 Chapter 106.15 shall be repaired before it is utilized in the transport or storage of solid waste.)</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	106.15(1) If the solid waste transport vehicle(s) has an open-top, does it have a suitable cover that is not easily torn, shredded, broken, or otherwise breached under normal use?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	106.15(3) Is the transport vehicle(s) being cleaned at intervals frequent enough to prevent a nuisance or vector attraction?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	106.15(4) Is wastewater generated from any cleaning of the areas of the solid waste transport vehicle(s) that hold solid waste being managed as washwater?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Comments: Transport vehicles are cleaned off-site at Gold Eagle Cooperative.

IAC 567 Chapter 106.16: Solid Waste Transport Vehicle Operation Requirements		Yes	No	NA
Transport Vehicle Operation	106.16(1) Are the solid waste transport vehicle's openings securely closed before transport and during solid waste storage so as to prevent the loss of solid waste?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	106.16(2) Is solid waste being loaded into the solid waste transport vehicle inside the transfer station building and in a manner that minimizes the spilling of materials? <i>(Note: Truck-to-truck transfer of solid waste that is not incidental solid waste transfer is not allowed outside a transfer station building. A rear-loading solid waste transport vehicle that does not have any other open access and securely abuts the transfer station building so that minimal amounts of solid waste escape during loading shall qualify as being inside the building.)</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

106.16(2)	If solid waste is spilled from a solid waste transport vehicle during loading, is it collected as often as necessary to minimize litter, dust, or other fugitive debris?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
106.16(3)	If solid waste was spilled from a solid waste transport vehicle not on transfer station property, was the solid waste collected as soon as possible and was the spill immediately reported to the Department and the Field Office with jurisdiction?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Comments: There were no reports of spillage of solid waste from a transport vehicle during the period since the previous inspection.

Other Materials Accepted/Activities On-Site			
Recyclables Drop-Off	<input type="checkbox"/>	Appliance Demanufacturing	<input type="checkbox"/>
Lead Acid Batteries	<input checked="" type="checkbox"/>	Electronics Demanufacturing	<input type="checkbox"/>
Used Oil	<input checked="" type="checkbox"/>	Yard Waste Collection	<input type="checkbox"/>
Antifreeze	<input checked="" type="checkbox"/>	Yard Waste Composting	<input type="checkbox"/>
Tires	<input checked="" type="checkbox"/>	HHM/RCC	<input checked="" type="checkbox"/>
Brown Goods Collection	<input checked="" type="checkbox"/>	Other:	
Cathode Ray Tube Collection	<input checked="" type="checkbox"/>		
White Goods Collection	<input checked="" type="checkbox"/>		
Scrap Metal Salvaging	<input checked="" type="checkbox"/>		

**Be advised your facility may require, due to either SIC code or onsite management practices, an NPDES General Permit #1 (Stormwater permit).*

Summary of Requirements:	Compliance Date:
1)	
2)	
3)	
4)	
5)	

Summary of Reminders:
1)
2)
3)
4)
5)

Summary of Recommendations:
1)

2)
3)
4)
5)

Inspector: <u>Sean Marczewski</u> Date: <u>10/16/2024</u>	Reviewer: <u>Christine L. Collier, P.E.</u> Date: <u>10/24/2024</u>
--	--

Facility Photographs (if applicable)
