



Alliant Energy
4902 North Biltmore Lane
P.O. Box 77007
Madison, WI 53707-1007

1-800-ALLIANT (800-255-4268)
alliantenergy.com

November 27, 2024

Mr. Brian Rath
Land Quality Bureau
Iowa Department of Natural Resources
6200 Park Ave
Des Moines, IA 50321

**Subject: 2024 Annual Water Quality Report
Interstate Power and Light Company – Big Bend Closed Landfill
Permit #57-SDP-10-90C**

Dear Mr. Rath:

On behalf of Interstate Power and Light Company (IPL), Alliant Energy is providing the enclosed 2024 Annual Water Quality Report for the closed Big Bend landfill, as required by Permit #57-SDP-10-90C and associated amendments.

Please call me at (515) 558-9704 or email me at jennycoughlin@alliantenergy.com with any questions regarding the enclosed report.

Sincerely,

A handwritten signature in black ink, appearing to read "Jenny Coughlin".

Jenny Coughlin
Sr. Environmental Specialist
Alliant Energy Corporate Services, Inc.

Enclosures

Cc: IDNR Field Office #1
Meghan Blodgett, Thomas Karwoski - SCS Engineers

2024 Annual Water Quality Report

Interstate Power and Light Company
Big Bend Closed CCR Landfill
Permit #57-SDP-10-90C

Interstate Power and Light, an Alliant Energy Company
200 First Street SE
Cedar Rapids, Iowa 52401

SCS ENGINEERS

25224063.00 | November 27, 2024

2830 Dairy Drive
Madison, WI 53718
608-224-2830

CERTIFICATION

I, Thomas J. Karwoski, hereby certify that this report was prepared by me, or under my direct supervision, and that I am a qualified ground water scientist as defined in Iowa Administrative Code (IAC) SS 113.10(1)d.



Signature

November 27, 2024

Date

Pages or Sheets Covered by this Certification:

2024 Annual Water Quality Report – November 2024, Interstate Power and Light Company, Big Bend Closed CCR Landfill

[This page left blank intentionally]

EXECUTIVE SUMMARY

Period of Report Coverage

The period of coverage for this report is from November 2023 through October 2024 and includes the April 2024 water level measurement event and the September 2024 groundwater sampling event conducted at the Big Bend Closed Landfill (Site), a coal combustion residual (CCR) landfill located near Cedar Rapids, Iowa (**Figure 1**).

Report Priority

Two new Groundwater Protection Standard (GWPS) exceedances were identified during the 2024 monitoring event.

- Cobalt at MW-11
- Lithium at MW-16

GWPS exceedances detected in September 2024, which also occurred during previous events, were:

- Cobalt at MW-2 and MW-24R
- Lithium at MW-6
- Manganese at MW-2

Cobalt, and manganese do not have established U.S. EPA MCLs; therefore, the GWPS values were set based on the IDNR Statewide Standard for protected groundwater source (SWS) values.

Cobalt concentrations in samples from MW-2 exceeded the SWS in 2016 through 2018, dipped below the SWS in 2019, and exceeded the SWS again in 2020 through 2024. Manganese concentrations in samples from MW-2 have exceeded the SWS during all sampling events since 2016.

Cobalt concentrations in MW-24R have historically been well above the SWS since 2019. During the April 2024 sampling event, the cobalt concentration at MW-24R was 94 micrograms per liter ($\mu\text{g}/\text{L}$), nearly the same as the September 2022 concentration of 94.5 $\mu\text{g}/\text{L}$. During the September 2024 event, the cobalt concentration at MW-24R was an order of magnitude lower at a concentration of 8.2 $\mu\text{g}/\text{L}$. It is not clear whether this lower concentration during the September 2024 event reflects a long-term change in groundwater quality at this well or if it is related to the installation of a dedicated pump in this well during 2024. Cobalt concentrations and trends at this well will be evaluated again following the 2025 sampling event.

The September 2024 sampling event was the second time samples were tested for lithium at the Site. The lithium concentration at MW-6 exceeded the GWPS (15 $\mu\text{g}/\text{L}$) during the 2023 and 2024 sampling events, and the lithium concentration at MW-16 exceeded the GWPS during the 2024 sampling event. Prediction limits for lithium cannot yet be calculated because sufficient historical data are not yet available, however The September 2024 lithium concentration at background well MW-12 was 10 $\mu\text{g}/\text{L}$, indicating that lithium is present in background groundwater at the site at concentrations not far below the GWPS.

Most exceedances of the background UPLs were consistent with results from previous events. There were no new UPL exceedances in September 2024 for the parameters that had been sampled in previous events with the exception of chloride at MW-21.

Calcium, lithium, and molybdenum were included in the sampling program for the second time in 2024. As noted above, lithium was detected at a concentration above the GWPS in two wells. There is no GWPS for calcium; molybdenum was not detected at a concentration over the GWPS in any monitoring well.

SCS recommends that the current monitoring program be continued during 2025, with the inclusion of calcium, lithium, molybdenum, TDS, TSS, field DO, and field redox potential. Fluoride will next be included in the sampling program in 2028. SCS also recommends additional evaluation of cobalt concentrations at MW-24R following the 2025 sampling event. Cobalt concentrations at this well increased in recent years but decreased by an order of magnitude between April 2024 and September 2024. Recommendations specific to the ongoing evaluation of monitored natural attenuation (MNA) are provided in **Section 8.7** of this report.

Groundwater samples collected in 2024 were unfiltered, in accordance with the variance to 567-103.1(2)f granted in the December 23, 2016 Permit Amendment #8. The 2024 sampling event was the ninth round of unfiltered samples collected at the Site, and 2024 was the sixth reporting period during which the new statistical approach was applied at the Site.

No additional requests or amendments to the permit are needed at this time.

Site Status and Applicable Rules

The following summarizes the Site status and applicable rules associated with groundwater sampling at the Big Bend CCR Landfill:

- **Landfill Status:** Closed
- **Types of Wastes Accepted:** CCR
- **Applicable IAC Rules:** 567-103 current version, certain provisions of 567-115.26(6), 567-115.21 (referenced for monitoring well maintenance and evaluation requirements, in place of the rescinded 567-110.9)

Table of Contents

Section	Page
Certification	i
Executive Summary.....	iii
Table of Contents	v
Acronyms/Abbreviations	vii
1.0 Site Background	1
1.1 Site History	1
1.2 Site Hydrogeology	1
1.2.1 Geology.....	1
1.2.2 Hydrogeology/Groundwater Flow Conditions	1
2.0 Sampling Status Summary.....	1
3.0 Monitoring Well Maintenance and Performance Summary	2
3.1 Dedicated Pump Installation at MW-24R	3
3.2 Well Maintenance Recommendations	3
4.0 2024 Quality Assurance/Quality Control Summary	3
4.1 Sample Collection and Handling	3
4.2 Analytical Sensitivity and Blanks	4
4.3 Accuracy	4
4.4 Data Quality Summary	4
5.0 Comparison to Standards.....	4
5.1 Statistical Analysis.....	4
5.2 2024 Results	5
5.3 Standards History	5
6.0 Summary of Findings for Groundwater.....	6
6.1 Comparison to Standards	6
6.2 Trend Analysis.....	7
6.3 Total Suspended Solids Evaluation.....	7
7.0 Leachate Monitoring System	7
8.0 Monitored Natural Attenuation Assessment	7
8.1 Results Review and Identification of Contaminants of Concern	8
8.2 Potential Receptors	9
8.3 Isoconcentration Maps	9
8.4 Trend Analysis.....	10
8.5 Additional MNA Monitoring Parameters.....	10
8.6 Potential MNA Mechanisms.....	10
8.7 MNA Proposed Actions.....	10
9.0 Recommendations	11
10.0 References.....	11

Tables

Table 1.	Monitoring Program Summary
Table 2.	Monitoring Program Implementation Schedule
Table 3.	Monitoring Well Maintenance and Performance Reevaluation Schedule
Table 4A.	Monitoring Well Maintenance and Performance Summary
Table 4B.	Vertical Gradients
Table 5.	Background and GWPS Summary
Table 6A.	Summary of Well/Detected Constituent Pairs with No Immediately Preceding SSIs
Table 6B.	Summary of Supply Well Monitoring/Detected Constituent Pairs
Table 7.	Summary of Ongoing and Newly Identified SSIs
Table 8.	Historic UPL and Action Level Exceedances
Table 9.	Historic Prediction Limits and Groundwater Protection Standards
Table 10.	Groundwater Quality Assessment Plan Trend Analysis
Table 11.	Summary of Leachate Well/Detected Constituent Pairs
Table 12.	Leachate Management Summary
Table 13.	Additional Parameters for MNA Analysis

Figures

Figure 1.	Site Location Map
Figure 2.	Monitoring Well Location and Private Well Locations
Figure 3.	Water Table Surface – April 2024
Figure 4.	Water Table Surface – September 2024
Figure 5.	Potentiometric Surface Map – April 2024
Figure 6.	Potentiometric Surface Map – September 2024
Figure 7.	September 2024 Boron Concentrations – Shallow Hydrogeologic Unit
Figure 8.	September 2024 Boron Concentrations – Deep Hydrogeologic Unit
Figure 9.	September 2024 Manganese Concentrations – Shallow Hydrogeologic Unit
Figure 10.	September 2024 Manganese Concentrations – Deep Hydrogeologic Unit
Figure 11.	September 2024 Cobalt Concentrations – Shallow Hydrogeologic Unit
Figure 12.	September 2024 Cobalt Concentrations – Deep Hydrogeologic Unit

Appendices

Appendix A	Annual Inspection
Appendix B	Groundwater Sampling Field Sheets
Appendix C	Laboratory Analytical Reports
Appendix D	Summary of Groundwater Chemistry
Appendix E	Statistical Evaluation of Groundwater Monitoring Results
Appendix F	Standards History Graphs
Appendix G	Trend Analysis
Appendix H	Receptor Survey

ACRONYMS/ABBREVIATIONS

AWQR = Annual Water Quality Report
CCR = Coal Combustion Residual
COC = Chain of Custody
DO = Dissolved Oxygen
GWPS = Groundwater Protection Standard
IDNR = Iowa Department of Natural Resources
LCS = Laboratory Control Sample
MS = Matrix Spike
MSD = Matrix Spike Duplicate
MCL = EPA Maximum Contaminant Level
MNA = Monitored Natural Attenuation
ORP = Oxidation Reduction Potential
QA/QC = Quality Assurance/Quality Control
RCRA = Resource Conservation and Recovery Act
SMCLs = Secondary Maximum Contaminant Levels
SWS = IDNR Statewide Standard for protected groundwater source
SSI = Statistically Significant Increase above background
TDS = Total Dissolved Solids
TSS = Total Suspended Solids
 $\mu\text{g/L}$ = micrograms per liter
UPL = Upper Prediction Limit
U.S. EPA = U.S. Environmental Protection Agency

[This page left blank intentionally]

1.0 SITE BACKGROUND

1.1 SITE HISTORY

The Big Bend Landfill is a closed coal combustion residual (CCR) landfill located near Cedar Rapids, Iowa (**Figure 1**). The Big Bend Landfill was a sand pit prior to its use as a CCR disposal site. The landfill was closed in 1992, and it no longer receives waste. A site plan is shown on **Figure 2**. The Facility Inspection Report for September 2024 is included in **Appendix A**. No erosion features or significant condition issues were noted at the Site in 2024.

1.2 SITE HYDROGEOLOGY

1.2.1 Geology

The unconsolidated geology at the Site generally consists of aeolian sand deposits overlying glacial till. The till includes unsorted sediments ranging in size from clay to boulders. The unconsolidated sediments overlie fine-grained limestone and dolomite bedrock of the Middle Devonian Otis and Bertram formations. These bedrock formations are generally considered to be aquiclude. The bedrock surface at the Site generally dips to the east.

A more detailed description of the regional and local geology is provided in the Hydrogeological Investigation Report prepared by James M. Montgomery in October 1992 (Montgomery, 1992).

1.2.2 Hydrogeology/Groundwater Flow Conditions

Groundwater and leachate levels were measured during April and September 2024. The groundwater levels during the September event were measured prior to purging the wells for sampling. The groundwater and surface water elevation data are presented in **Table 4A**. Vertical gradients measured at monitoring well nests are summarized in **Table 4B**. The 2024 water level data were used to create water table and potentiometric surface maps (**Figure 3** through **Figure 6**).

As described below in **Section 3.0**, a biennial evaluation of water level conditions was included in the 2023 Annual Water Quality Report (AWQR). The next biennial evaluation will be completed in 2025.

2.0 SAMPLING STATUS SUMMARY

The Iowa Department of Natural Resources (IDNR) has requested that sampling data be summarized in a series of tables to consistently convey information related to groundwater monitoring at CCR landfills throughout Iowa. These tables are discussed within the text in appropriate sections as noted and included in the Tables section at the end of the text. **Table 1** provides an overview of the sampling status for the Site, including the monitoring points in the program, current monitoring program, comparative statistics findings, and the number of samples collected. **Figure 2** summarizes the monitoring network for Big Bend.

As noted in **Table 2**, monitoring wells MW-15AR and leachate well LW-3 were not sampled in September 2024. Sufficient volume was not present in MW-15AR or LW-3 for sample collection.

Field sheets from the April 2024 water level measurement event and the September 2024 sampling event are included in **Appendix B**. Sampling completed in 2018 through 2023 and anticipated sampling for 2024 are summarized in **Table 2**. The laboratory analytical report for the September 2024 sampling event is included in **Appendix C**. Groundwater chemistry summary tables for historic

data collected before 2019 are included in **Appendix D**. Groundwater chemistry tables for all data collected since the transition to unfiltered sampling in 2016 are also included in **Appendix D**.

As requested by IDNR, calcium, fluoride, lithium, molybdenum, total dissolved solids (TDS), and total suspended solids (TSS) were added to the sampling parameter list for all monitoring wells and leachate sampling points and reported in the AWQR. Because of the low number of samples for the parameters listed above, upper prediction limits (UPLs) cannot be calculated at this time. UPL calculations for these parameters will be included in the report when a minimum of four samples have been collected at background wells. Additionally, field parameters DO and oxidation-reduction potential (ORP) are included in the tables of this AWQR for the first time for evaluation of the potential influences on groundwater chemistry due to reducing groundwater conditions. Dissolved oxygen (DO) and ORP are required parameters for stability during low-flow sampling and have been included in previous AWQRs on field sheets.

3.0 MONITORING WELL MAINTENANCE AND PERFORMANCE SUMMARY

IAC 567-115.21 was referenced for monitoring well maintenance and evaluation, in place of the rescinded 567-110.9. Each requirement is listed below in italics, followed by text describing how the requirement was addressed.

- a. *A biennial examination of high and low water levels accompanied by a discussion of the acceptability of well location (vertically and horizontally) and exposure of the screened interval to the atmosphere.*

An evaluation was included in the 2023 AWQR. The next biennial evaluation will be required in 2025.

- b. *A biennial evaluation of water level conditions in the monitoring wells to ensure that the effects of waste disposal or well operation have not resulted in changes in the hydrologic setting and resultant flow paths.*

An evaluation was included in the 2023 AWQR. The next biennial evaluation will be required in 2025

- c. *Annual measurement of well depths to ensure that wells are physically intact and not filling with sediment.*

Measured well depths are summarized in **Table 4A**. Measured total depths of several monitoring wells were 1 or more feet different from as-built total depths when measured in April 2024; however, the most recent total depth was not more than 1 foot shallower than the reference total depth for any well except for MW-21. The total depth measured at MW-21 in September 2024 is within 1 foot of the as-built total depth. It does not appear that siltation is affecting the ability of the monitoring wells to produce representative groundwater samples and groundwater elevation data. It appears that measurement imprecision is likely the cause of small differences between measured well depths and as-built depths. Total depths are measured with a flexible water level tape and it can be difficult to obtain accurate total depth readings, particularly in deeper wells.

The difference between the measured total depth and measurement in April 2024 at MW-12 was over 30 feet. This is likely attributable to an error in the field notes, as the recorded depth in September 2023 was 1.18 feet greater than the baseline measurement.

- d. Every five years conduct in-situ permeability tests on monitoring wells to compare test data with those collected originally to determine if well deterioration is occurring.

A variance to IAC 567-110.9(2)(d) for in-situ permeability tests every 5 years was granted by the IDNR in a letter dated May 4, 1999. Although IAC 567-110 has been rescinded since the variance was granted, the same permeability test requirements are now in IAC 567-115.21(2), and our understanding is that the conditions of the variance still apply. The conditions of the variance state that, if a well cannot be sampled or purged because of plugging, the well will be replaced within 6 months of reporting this condition to the IDNR in the annual report. The monitoring wells at this Site are performing adequately as noted above.

Table 3 provides the years in which each requirement was last met and for which it is next scheduled.

3.1 DEDICATED PUMP INSTALLATION AT MW-24R

A dedicated pump was installed in MW-24R in March 2024, as discussed in the 2023 AWQR Comment Response submitted to DNR on August 15, 2024. Following installation of the pump, a sample was collected from MW-24R on April 25, 2024. The results of this sampling event are included in Appendix C of this report.

3.2 WELL MAINTENANCE RECOMMENDATIONS

No well maintenance activities are recommended based on observations during the 2024 monitoring events.

4.0 2024 QUALITY ASSURANCE/QUALITY CONTROL SUMMARY

Data validation quality assurance/quality control (QA/QC) procedures are performed on analytical results for laboratory quality control samples, and a quality assurance assessment of the data is conducted as the data are generated. The QA/QC review procedure provides documentation of the accuracy and precision of the analytical data and confirms that the analyses are sufficiently sensitive to detect constituents at levels below regulatory standards, where such standards exist. QA/QC data validation includes review of sample handling, analytical sensitivity, blanks, accuracy, and precision. The QA/QC and data validation procedures and findings are discussed in more detail below.

4.1 SAMPLE COLLECTION AND HANDLING

Groundwater samples are collected using dedicated tubing and either a non-dedicated, low-flow bladder pump or a dedicated low-flow bladder pump. Dedicated pumps were used to sample MW-2, MW-14, MW-23R, and MW-24R in 2024. For wells sampled with non-dedicated pumps, a new bladder is used for each well, and all non-dedicated equipment is decontaminated between wells. Samples are not field filtered. All samples are placed on ice after collection and are transported to the laboratory in sealed coolers under Chain of Custody (COC).

Sample receipt forms were reviewed and checked to verify that samples were received in good condition and within the acceptable temperature range. COC records for each sampling event were reviewed and confirmed that information was complete.

For the September 2024 sampling events, no issues with the sample collection and handling procedures were identified.

4.2 ANALYTICAL SENSITIVITY AND BLANKS

Laboratory QA/QC procedures and post-analysis data validation assist in producing data of acceptable quality and reliability. Eurofins – Cedar Falls is a certified laboratory in Iowa and performed QA/QC procedures, including analyzing laboratory method blanks in association with samples collected for the project to check for contributions to the analytical results possibly attributable to laboratory-based contamination. A field blank was submitted with the groundwater samples to assess whether cross-contamination occurred during sample handling and transport.

The September 2023 field blank had a low-level detection of alkalinity, but no detections for metals or anions.

4.3 ACCURACY

Laboratory analytical accuracy can be assessed by evaluating the constituent recoveries from the following laboratory QA/QC samples: laboratory control sample (LCS), and matrix spike/matrix spike duplicate (MS/MSD). LCS samples assess the accuracy of analytical procedures by checking the ability to recover constituents added to clean aqueous matrices. MS/MSD samples assess the accuracy of analytical procedures by checking the ability to recover constituents added to submitted samples.

LCS and MS/MSD results reported in the September 2024 analytical laboratory report were within applicable control limits. The laboratory analytical report notes that control limits did not apply to the MS/MSD results for boron, calcium, iron, magnesium, manganese, or sulfate due to these analytes' concentrations in the sample used for MS/MSD analysis

4.4 DATA QUALITY SUMMARY

Based on the above QA/QC procedures and the field sampling standard operating procedures, the samples collected during this reporting period are considered to be representative of site conditions at the locations and times they were obtained. Based on the QA/QC review, no samples were rejected as unusable due to QC failures.

5.0 COMPARISON TO STANDARDS

5.1 STATISTICAL ANALYSIS

Historically, statistical analysis was completed for the Site on an annual basis. UPLs were last recalculated in 2023, when 8 rounds of unfiltered data were available for the site. Following the 2023 sampling round, the schedule for conducting statistical analyses shifted from annual updates to updates every 2-3 years, therefore UPLs were not recalculated in 2024. The 2023 Annual Statistical Summary Report is included in **Appendix E**, including a summary table of data used for the statistical analysis for each parameter. **Table 5** provides the background and Groundwater Protection Standards (GWPS) summary for the Site.

Groundwater samples collected in 2024 were unfiltered, in accordance with the variance to 567-103.1(2)f granted in the December 23, 2016 Permit Amendment #8. Unfiltered samples have been collected at the Site since 2016, and the statistical approach described below has been used since the 2019 reporting period.

The selected statistical analysis method uses a prediction interval approach, as recommended for detection monitoring in the March 2009 U.S. Environmental Protection Agency (U.S. EPA) Unified

Guidance for Statistical Analysis of Groundwater Monitoring Data at Resource Conservation and Recovery Act (RCRA) Facilities (Unified Guidance).

Interwell testing was selected for the prediction interval evaluation. Monitoring results from the downgradient wells were compared to the UPLs to evaluate whether a statistically significant increase (SSI) over background has occurred. UPLs were calculated separately for the shallow and deep hydrogeologic units. Consistent with previous sampling events, monitoring well MW-21 was used as the background well for the shallow hydrogeologic unit, and MW-12 was used as the background well for the deep hydrogeologic unit.

Monitoring results from the downgradient wells were compared to the UPLs to evaluate whether an SSI over background has occurred. UPL calculations were completed in 2023 using the eight rounds of unfiltered sample results for metals and a longer data record for anions that are not typically affected by filtration (e.g., chloride, sulfate).

Detection of an SSI at a compliance well indicates that the groundwater quality is different than the background groundwater quality but does not necessarily indicate an impact to public health or the environment.

To evaluate potential health impacts, the monitoring results were compared to health-based GWPS values. The GWPS values were set at the drinking water maximum contaminant level (MCL), if one exists; otherwise, the Iowa statewide standard (SWS) for protected groundwater was used. If the UPL established based on background monitoring was higher than the MCL or SWS, then the GWPS was set at the UPL. Secondary Maximum Contaminant Levels (SMCLs) were not used to establish GWPS values because SMCLs are not health-based standards, but they are shown in **Table 5** for comparison with the UPL and GWPS values.

5.2 2024 RESULTS

Tables 6A and **6B** are summaries of monitoring points/detected constituents from the 2024 sampling event that did not exceed a UPL. **Table 7** provides a summary of ongoing and newly identified SSIs and compares these concentrations to the GWPS values.

Table 8 provides a visualization of historic SSIs and regulatory standard exceedances since 2016, the first year during which unfiltered samples were collected at the Site. **Table 8** does not identify UPL exceedances prior to 2019, as this was the first year UPLs were calculated.

Trend analysis was performed in 2024 for select parameters, and the results are discussed below in **Section 8.4**.

5.3 STANDARDS HISTORY

The standards for 2019 through 2024 are summarized in **Table 9**. Graphs of standards history are included in **Appendix F**.

6.0 SUMMARY OF FINDINGS FOR GROUNDWATER

6.1 COMPARISON TO STANDARDS

Two new GWPS exceedances were identified during the 2024 monitoring event.

- Cobalt at MW-11
- Lithium at MW-16

GWPS exceedances detected in September 2024, which also occurred during previous events, were:

- Cobalt at MW-2 and MW-24R
- Lithium at MW-6
- Manganese at MW-2

Cobalt, and manganese do not have established U.S. EPA MCLs; therefore, the GWPS values were set based on the SWS values.

Cobalt concentrations in samples from MW-2 exceeded the SWS in 2016 through 2018, dipped below the SWS in 2019, and exceeded the SWS again in 2020 through 2024. Manganese concentrations in samples from MW-2 have exceeded the SWS during all sampling events since 2016.

Cobalt concentrations in MW-24R have historically been well above the SWS since 2019. During the April 2024 sampling event, the cobalt concentration at MW-24R was 94 µg/L, nearly the same as the September 2022 concentration of 94.5 µg/L. During the September 2024 event, the cobalt concentration at MW-24R was an order of magnitude lower at a concentration of 8.2 µg/L. It is not clear whether this lower concentration during the September 2024 event reflects a long-term change in groundwater quality at this well or if it is related to the installation of a dedicated pump in this well during 2024. Cobalt concentrations and trends at this well will be evaluated again following the 2025 sampling event.

The September 2024 sampling event was the second time samples were tested for lithium at the Site. The lithium concentration at MW-6 exceeded the GWPS (15 µg/L) during the 2023 sampling event, and the lithium concentration at MW-16 exceeded the GWPS during the 2024 sampling event. Prediction limits for lithium cannot yet be calculated because sufficient historical data are not yet available, however, the September 2024 lithium concentration at background well MW-12 was 10 µg/L, indicating that lithium is present in background groundwater at the site at concentrations not far below the GWPS.

Most exceedances of the background UPLs were consistent with results from previous events. There were no new UPL exceedances in September 2024 for the parameters that had been sampled in previous events with the exception of chloride at MW-21.

Calcium, lithium, and molybdenum were included in the sampling program for the second time in 2024. As noted above, lithium was detected at a concentration above the GWPS in two wells. There

is no GWPS for calcium; molybdenum was not detected at a concentration over the GWPS in any monitoring well.

6.2 TREND ANALYSIS

Trend analyses are included in **Appendix G** and are summarized in **Table 10**. The trend analysis indicates the following significant trends for well/constituent pairs with SSIs in 2024. Trend tests were not performed for lithium because not enough data are available.

- Increasing trend
 - Cobalt at MW-24R
- Decreasing trend
 - None

6.3 TOTAL SUSPENDED SOLIDS EVALUATION

TSS was added to the parameter list in 2023. Elevated TSS (over 5 mg/L) was detected in 2023 at several wells, including MW-2 which now has a dedicated low-flow pump. MW-2 had the highest TSS result and also the highest concentrations of iron and manganese in September 2024, but at other wells TSS does not appear to be highly correlated with metals concentrations. The high TSS result at MW-2 appears to indicate that installation of dedicated pumps has had a limited effect on TSS at this well.

Field-filtered samples from MW-2 have been analyzed for parameters exceeding GWPSs in recent years, and dissolved concentrations have been similar to total concentrations. These results indicate that suspended solids are not the cause of the GWPS exceedances at this well.

7.0 LEACHATE MONITORING SYSTEM

Leachate levels were measured at LW-01, LW-02, and LW-03 during April and September 2024.

An attempt was made to sample the leachate wells in September 2024; however, sufficient volume was not present in the wells to obtain samples. Sufficient volume was present for field parameter analysis only at LW-1 and LW-3. Leachate depths and elevations measured during 2024 are summarized in **Table 12**.

8.0 MONITORED NATURAL ATTENUATION ASSESSMENT

A Monitored Natural Attenuation (MNA) Assessment Workplan was submitted to the IDNR on April 26, 2016. The purpose of the MNA assessment is to:

- Evaluate whether the groundwater contaminant plume(s) in the vicinity of the landfill are increasing, decreasing, or stable.
- Investigate the potential mechanism(s) and rate of contaminant attenuation.
- Develop a revised groundwater quality assessment plan outlining the methods for future measurement and/or evaluation of groundwater quality improvements.

This update on the status of the MNA evaluation includes the following elements:

- Results Review and Identification of Contaminants of Concern
- Potential Receptors
- Trend Analysis Discussion
- Additional MNA Monitoring Parameters
- Potential MNA Mechanisms
- MNA Proposed Actions

8.1 RESULTS REVIEW AND IDENTIFICATION OF CONTAMINANTS OF CONCERN

As described above, the groundwater monitoring results were compared to background UPLs and to GWPSs. Results for several parameters were higher in the downgradient wells than in upgradient wells; however, only the results identified in **Section 6.1** exceeded a health-based GWPS (Iowa SWS) in 2024.

Parameters that have health-based standards and were detected at a concentration significantly above the background level (UPL) in at least one 2024 sample include:

- Boron
- Cobalt
- Lead
- Manganese
- Selenium

Results for these parameters in 2024, as well as parameters with health-based standards that previously exceeded a UPL, are summarized below relative to health-based GWPSs:

- Arsenic concentrations were below the MCL in all 2024 groundwater samples.
- Barium concentrations were below the MCL in all 2024 groundwater samples.
- Boron concentrations were below the Iowa SWS in all 2024 groundwater samples.
- Cobalt concentrations were below the SWS in all 2024 groundwater samples with the exception of the samples from MW-2 and MW-24R.
- Copper concentrations were below the SWS in all 2024 groundwater samples.
- Lead concentrations were below the SWS in all 2024 groundwater samples.
- Lithium concentrations were below the SWS in all 2024 groundwater samples with the exception of the samples from MW-6 and MW-16.
- Manganese concentrations were below the SWS in all 2024 samples, with the exception of the sample from MW-2.
- Selenium concentrations were below the MCL in all 2024 groundwater samples.
- Zinc concentrations were below the SWS in all 2024 groundwater samples.

Because these parameters were detected at concentrations significantly above background and have groundwater standards established for protection of health, they are the preliminary contaminants of concern for the MNA evaluation.

8.2 POTENTIAL RECEPTORS

SCS contacted the Linn County Health Department for assistance with an updated receptor survey for the Site. Mr. Todd Jewell of Linn County Public Health provided assistance with a search for public and private water supply sources within one mile of the Site. Mr. Jewell suggested that searching publicly-available GeoSAM and Private Well Tracking System (PWTS) databases is typically the first approach. Mr. Jewell also offered to search the County's records and identified some wells that did not appear in either GeoSAM or PWTS. Wells within one mile of the site that appeared in one or more of these locations are summarized in tables and a map in **Appendix H**.

As shown in **Appendix H**, four private supply wells are located to the north and northwest of the Site, between the landfill and the Cedar River. Based on observed groundwater flow direction at the landfill, PW-2314 is sidegradient of the landfill. PW-4401 and PWTS #2217562 are located downgradient, but are approximately 0.2 miles away. PW-2606R is approximately 100 feet from the landfill limits and is near the SWS exceedance areas for manganese and cobalt shown on **Figure 8** and **11**; however, this well was sampled in September 2024 and no MCL, SMCL, or SWS exceedances were detected. Results are included in **Table 6B**. This well is 315 feet deep and is cased and grouted to 240 feet below ground surface. The well labeled as 28805 is recorded with "Big Bend" as the owner and a well type of "other." This record therefore does not appear to represent a water supply well.

8.3 ISOCONCENTRATION MAPS

Site maps showing boron, manganese, and cobalt concentrations at the Site in September 2024 are presented on **Figures 7** through **12**. Concentration maps for boron are included here because it is a common CCR indicator parameter. Concentration maps for manganese are included because manganese has been detected at a concentration above the GWPS and is also an indicator of reducing conditions in the groundwater. Concentration maps for cobalt are included because it has been detected at a concentration above the GWPS.

Boron concentrations in the shallow and deep hydrogeologic units in September 2024 are shown on **Figures 7** and **8**, respectively. The area of boron impacts extends off the landfill property to the northwest.

Total manganese concentrations in the shallow and deep hydrogeologic units in September 2024 are shown on **Figures 9** and **10**, respectively. An isoconcentration contour at 300 µg/L (the GWPS for manganese) is shown on **Figure 9**. No GWPS exceedances for manganese were detected in the deep hydrogeologic unit. Total and dissolved manganese exceeded the SWS at shallow monitoring well MW-2 in September 2024. MW-2 is located near the northeastern corner of the Site. In the deep hydrogeologic unit, none of the manganese concentrations exceeded the SWS.

Total cobalt concentrations in the shallow and deep hydrogeologic units in September 2024 are shown on **Figures 11** and **12**. An isoconcentration contour at 2.1 µg/L (the GWPS for cobalt) is shown on **Figure 11**. The cobalt concentrations at shallow monitoring well MW-2 equaled the SWS (2.1 µg/L) in September 2024. GWPS exceedances for cobalt were detected at MW-11 and MW-24R in the deep hydrogeologic unit. Cobalt concentrations at MW-24R have exceeded the SWS in recent years, but the September 2024 concentration was an order of magnitude lower than concentrations detected in September 2022 and April 2024.

8.4 TREND ANALYSIS

Trend analysis is a key component of MNA evaluation. Trend analyses performed in 2024 are summarized above in **Section 6.2**, and in **Table 10** and **Appendix G**.

At MW-24R, a significant increasing trend was identified for cobalt. As noted in **Section 3.1** the September 2024 cobalt concentration at MW-24R was an order of magnitude lower than the concentrations detected in September 2022 and April 2024. Further evaluation of cobalt trends at this well will be completed following the 2025 sampling event.

8.5 ADDITIONAL MNA MONITORING PARAMETERS

The collection of additional field parameters (DO and ORP) and alkalinity to support the assessment of MNA began in September 2016 and was repeated during subsequent sampling events. The results for these parameters and other field parameters for 2024 are summarized in **Table 13**. Time series plots for these parameters are included in **Appendix D**.

The results for DO and ORP have indicated that reducing conditions are present to varying degrees in groundwater upgradient and downgradient from the disposal site. This is consistent with the variability in dissolved iron and manganese that has historically been observed in groundwater samples collected at the Site. In general, September 2024 results indicated oxidizing conditions in the shallow hydrogeologic unit and less oxidizing or slightly reducing conditions in the deep hydrogeologic unit.

Alkalinity was also monitored as a general water quality indicator for the MNA assessment. Alkalinity results were fairly consistent across the Site, with lower alkalinity results generally correlating with lower pH values.

8.6 POTENTIAL MNA MECHANISMS

The primary processes through which inorganic contaminant concentrations are naturally attenuated include mechanical dispersion and chemical adsorption processes. Chemical adsorption processes, in which dissolved contaminants are transferred to the solid phase aquifer materials, can be further broken down into precipitation, co-precipitation, and adsorption processes. These processes can be chemical processes, which are often controlled by changes in redox or pH conditions in the aquifer, or in some cases can be biologically controlled. For example, selenium has been shown to be more strongly attenuated in strongly reducing environments than in mildly reducing conditions (U.S. EPA, 2007).

Source control measures have already been implemented at Big Bend through closure and capping of the disposal site. These actions have likely reduced infiltration through the CCR and reduced the mass flow of CCR constituents into groundwater.

8.7 MNA PROPOSED ACTIONS

SCS recommends the following actions prior to submittal of the 2025 AWQR:

- Continue collection of alkalinity, field DO, and field ORP.
- Complete updated trend analysis for wells/constituents with GWPS exceedances to evaluate the stability of the plume.

9.0 RECOMMENDATIONS

SCS recommends that the current monitoring program be continued during 2025, with the inclusion of calcium, lithium, molybdenum, TDS, TSS, field DO, and field redox potential. Fluoride will next be included in the sampling program in 2028. The planned monitoring schedule for 2025 is summarized in **Table 2**. SCS also recommends additional evaluation of cobalt concentrations at MW-24R, which have increased in recent years but decreased by an order of magnitude between April 2024 and September 2024, following the 2025 sampling event.

10.0 REFERENCES

Montgomery, James M., 1992, Hydrogeologic Investigation Report for the Big Bend Ash Landfill, Iowa Electric Light and Power Company, October 1992.

SCS Engineers, 2018, 2018 Annual Water Quality Report, Interstate Power and Light Company – Big Bend Closed Landfill, November 28, 2018.

U.S. EPA, 2007, Monitored Natural Attenuation of Inorganic Contaminants in Ground Water, Volume 2, Assessment for Non-Radionuclides Including Arsenic, Cadmium, Chromium, Copper, Lead, Nickel, Nitrate, Perchlorate, and Selenium, EPA/600/R-07/140, October 2007.

[This page left blank intentionally]

Tables

- 1 Monitoring Program Summary
- 2 Monitoring Program Implementation Schedule
- 3 Monitoring Well Maintenance and Performance Reevaluation Schedule
- 4A Monitoring Well Maintenance and Performance Summary
- 4B Vertical Gradients
- 5 Background and GWPS Summary
- 6A Summary of Well/Detected Constituent Pairs with No Immediately Preceding SSIs
- 6B Summary of Supply Well Monitoring/Detected Constituent Pairs
- 7 Summary of Ongoing and Newly Identified SSIs
- 8 Historic UPL and Action Level Exceedances
- 9 Historic Prediction Limits and Groundwater Protection Standards
- 10 Groundwater Quality Assessment Plan Trend Analysis
- 11 Summary of Leachate Well/Detected Constituent Pairs
- 12 Leachate Management Summary
- 13 Additional Parameters for MNA Analysis

Table 1
Monitoring Program Summary
2024 Annual Water Quality Report
Big Bend Landfill
Permit No. 57-SDP-10-90C

Monitoring Point	Formation	Current Monitoring Program	Change for Next Sampling Event	UPL Exceedances	Total # of Samples in each monitoring program since January 1, 2018
					Routine
Sampled Monitoring Wells					
MW-2	Shallow	Routine	NC	Boron, cobalt, iron, manganese	7
MW-5	Intermediate	Routine	NC	boron, selenium, sulfate	7
MW-6	Deep	Routine	NC	Boron, chloride, sulfate	7
MW-7	Deep	Routine	NC	Boron, chloride	7
MW-10	Deep	Routine	NC	Boron, chloride, lead	7
MW-11	Deep	Routine	NC	Boron, chloride	7
MW-12	Deep	Routine	NC	Chloride	7
MW-14	Shallow	Routine (Voluntary [*])	NC	Boron, selenium	7
MW-15AR	Shallow	Routine	NC	N/A***	4
MW-16	Deep	Routine	NC	Boron, chloride	7
MW-20	Shallow	Routine	NC	Boron, selenium, sulfate	7
MW-21	Shallow	Routine	NC	None	7
MW-23R	Shallow	Routine	NC	Boron	9**
MW-24R	Deep	Routine	NC	Boron, chloride, cobalt	8**
MW-25R	Shallow	Routine	NC	Boron	7
Water Level Only Monitoring Wells					
MW-8R	Shallow	Routine	NC	N/A	Water levels only
MW-13	Intermediate	Routine	NC	N/A	Water levels only
MW-17R	Shallow	Routine	NC	N/A	Water levels only
MW-18	Shallow	Routine	NC	N/A	Water levels only
Leachate Monitoring Points					
LW-1	N/A	Routine (Voluntary [^])	NC	N/A	6
LW-2	N/A	Routine	NC	N/A	Leachate level only
LW-3	N/A	Routine (Voluntary ^A)	NC	N/A	¹ (typically dry or too little volume for sample)

*: Per the IDNR letter dated October 17, 2012, only groundwater elevation and well depth are required at MW-14. This well was sampled during the 2015 through 2024 September monitoring events on a voluntary basis due to historical elevated constituents in this well.

**: MW-23R and MW-24R replaced MW-23 and MW-24 prior to the April 2018 monitoring event. MW-23R and MW-24R were each sampled twice in 2018 and 2019.

***: MW-15AR could not be sampled in 2024 due to insufficient water in the well.

^A: Samples are collected at LW-1 and LW-3 on a voluntary basis if these points are not dry during the September sampling event.

UPL = Upper prediction limit for background, based on interwell comparison to MW-21 for shallow unit and MW-12 for deep unit.

NC = No change

NM = Sample not collected

N/A = Not Applicable

Updated By: RM, 11/4/2024

Checked by: LH, 11/4/2024

Table 2
Monitoring Program Implementation Schedule
2024 Annual Water Quality Report
Big Bend Landfill
Permit No. 57-SDP-10-90C

Monitoring Point	Recent Sampling Dates and Constituents															Upcoming Sampling Dates and Constituents	
	4/25/2018	9/17-19/2018	4/23/2019	9/23-24/2019	4/21/2020	9/21-24/2020	4/28/2021	9/8-10/2021	4/29/2022	9/6-9/2022	4/18/2023	9/11-14/2023	4/16/2024	9/16-19/2024	April 2025	September 2025	
Sampled Monitoring Wells																	
MW-2																	
MW-5																	
MW-6																	
MW-7																	
MW-10																	
MW-11																	
MW-12																	
MW-14																	
MW-15AR																	
MW-16																	
MW-20																	
MW-21																	
MW-25R																	
MW-24R																	
MW-23R	List A		List A														
Water Level Only Monitoring Wells																	
MW-8R																	
MW-13	Groundwater Elevation	Groundwater Elevation	Groundwater Elevation	Groundwater Elevation	Groundwater Elevation	Groundwater Elevation	Groundwater Elevation	Groundwater Elevation	Groundwater Elevation	Groundwater Elevation	Groundwater Elevation	Groundwater Elevation	Groundwater Elevation	Groundwater Elevation	Groundwater Elevation	Groundwater Elevation	Groundwater Elevation
MW-17R																	
MW-18																	
Leachate Monitoring Points																	
LW-1		List B		List B		List B		DRY		List B		List B		List B		^	
LW-2	Leachate Elevation	Leachate Elevation	Leachate Elevation	Leachate Elevation	Leachate Elevation	Leachate Elevation	Leachate Elevation	Leachate Elevation	Leachate Elevation	Leachate Elevation	Leachate Elevation	Leachate Elevation	Leachate Elevation	Leachate Elevation	Leachate Elevation	Leachate Elevation	List B
LW-3	DRY		DRY		DRY		List B	DRY		DRY		DRY		DRY	^		List B

Notes:

^: Insufficient water was present for sample collection at MW-15AR, LW-1, and LW-3 in September 2024.

List A: arsenic, barium, beryllium, boron, cobalt, copper, iron, lead, magnesium, manganese, selenium, zinc, chloride, sulfate, field pH, field specific conductance, field temperature, groundwater elevation.

List B: arsenic, boron, selenium, sulfate, field pH, field specific conductance, field temperature, leachate elevation, and well depth.

Updated By: RM, 10/24/2024

Checked by: LH 11/4/2024

Table 3
Monitoring Well Maintenance and Performance Reevaluation Schedule
2024 Annual Water Quality Report
Big Bend Landfill
Permit No. 57-SDP-10-90C

Compliance with:	Monitoring Calendar Years						
	2019	2020	2021	2022	2023	2024	2025
567 IAC 115.21(2)a. high and low water levels (biennial)	Completed		Completed		Completed		Scheduled
567 IAC 115.21(2)b. changes in the hydrologic setting and flow paths (biennial)	Completed		Completed		Completed		Scheduled
567 IAC 115.21(2)c. well depths (annual)*	Completed	Completed	Completed	Completed	Completed	Completed	Scheduled
567 IAC 115.21(2)d. in-situ permeability tests (every 5 years)**	Not Applicable - Variance granted by IDNR (see comment below)						

Comments:

*: To avoid the potential for cross-contamination and increased sample turbidity associated with removing and re-installing dedicated pumps, well depths are not measured annually at wells with dedicated pumps.

**: A variance to IAC 567-110.9(2)(d) for in situ permeability tests every 5 years was granted by IDNR in a letter dated May 4, 1999. Although IAC 567-110 has been rescinded since the variance was granted, the same permeability test requirements are now in IAC 567-115.21(2), and our understanding is that the conditions of the variance still apply.

Updated By: RM, 10/23/2024

Checked by: LH 11/4/2024

Table 4A
Monitoring Well Maintenance and Performance Summary
2024 Annual Water Quality Report
Big Bend Landfill
Permit No. 57-SDP-10-90C

Well	Top of Casing	Top of Screen	Total Depth		Date of Measurements		Maximum Depth Discrepancy (ft)
					4/16/2024	9/16-19/2024	
MW-2	805.77	726.14	89.63	Groundwater Level (ft)	75.29	74.91	N/A
				Groundwater Elevation (Ft MSL)	730.48	730.86	
				Measured Well Depth (ft)	--	--	
				Submerged screen	Y	Y	
MW-8R	786.69	726.22	75.47	Groundwater Level (ft)	74.85	74.81	-1.33
				Groundwater Elevation (Ft MSL)	711.84	711.88	
				Measured Well Depth (ft)	76.80	74.97	
				Submerged screen	N	N	
MW-14	782.79	755.22	37.57	Groundwater Level (ft)	25.35	24.26	N/A
				Groundwater Elevation (Ft MSL)	757.44	758.53	
				Measured Well Depth (ft)	--	--	
				Submerged screen	Y	Y	
MW-15AR	800.13	725.64	89.49	Groundwater Level (ft)	88.48	87.61	-0.62
				Groundwater Elevation (Ft MSL)	711.65	712.52	
				Measured Well Depth (ft)	90.11	90.07	
				Submerged screen	N	N	
MW-17R	790.27	723.12	82.15	Groundwater Level (ft)	81.72	81.74	-1.55
				Groundwater Elevation (Ft MSL)	708.55	708.53	
				Measured Well Depth (ft)	83.70	82.90	
				Submerged screen	N	N	
MW-18	781.74	751.29	40.45	Groundwater Level (ft)	38.97	39.25	0.19
				Groundwater Elevation (Ft MSL)	742.77	742.49	
				Measured Well Depth (ft)	40.62	40.26	
				Submerged screen	N	N	
MW-20	786.66	764.11	37.55	Groundwater Level (ft)	30.61	29.80	-0.20
				Groundwater Elevation (Ft MSL)	756.05	756.86	
				Measured Well Depth (ft)	37.75	37.71	
				Submerged screen	N	N	
MW-21	779.80	766.35	28.45	Groundwater Level (ft)	19.04	17.34	1.07
				Groundwater Elevation (Ft MSL)	760.76	762.46	
				Measured Well Depth (ft)	27.38	27.85	
				Submerged screen	N	N	

Table 4A
Monitoring Well Maintenance and Performance Summary
2024 Annual Water Quality Report
Big Bend Landfill
Permit No. 57-SDP-10-90C

Hydrogeologic Unit Wells	Well	Top of Casing	Top of Screen	Total Depth		Date of Measurements		Maximum Depth Discrepancy (ft)
						4/16/2024	9/16-19/2024	
Shallow Hydrogeologic Unit Wells	MW-23R	799.54	709.34	105.20	Groundwater Level (ft)	98.36	97.45	N/A
					Groundwater Elevation (Ft MSL)	701.18	702.09	
					Measured Well Depth (ft)	--	--	
					Submerged screen	N	N	
Intermediate and Deep Hydrogeologic Unit Wells	MW-25R	794.07	755.66	53.41	Groundwater Level (ft)	44.00	43.82	0.13
					Groundwater Elevation (Ft MSL)	750.07	750.25	
					Measured Well Depth (ft)	53.28	53.28	
					Submerged screen	N	N	
Shallow Hydrogeologic Unit Wells	MW-5	782.99	721.64	71.35	Groundwater Level (ft)	63.66	61.34	-0.85
					Groundwater Elevation (Ft MSL)	719.33	721.65	
					Measured Well Depth (ft)	71.54	72.20	
					Submerged screen	N	Y	
Intermediate and Deep Hydrogeologic Unit Wells	MW-6	781.62	692.19	94.43	Groundwater Level (ft)	61.79	61.69	-1.03
					Groundwater Elevation (Ft MSL)	719.83	719.93	
					Measured Well Depth (ft)	95.46	95.20	
					Submerged screen	Y	Y	
Shallow Hydrogeologic Unit Wells	MW-7	786.65	693.4	98.25	Groundwater Level (ft)	78.78	77.87	-1.75
					Groundwater Elevation (Ft MSL)	707.87	708.78	
					Measured Well Depth (ft)	100.00	98.95	
					Submerged screen	Y	Y	
Intermediate and Deep Hydrogeologic Unit Wells	MW-10	800.15	697.94	107.21	Groundwater Level (ft)	88.41	87.78	-0.44
					Groundwater Elevation (Ft MSL)	711.74	712.37	
					Measured Well Depth (ft)	107.61	107.65	
					Submerged screen	Y	Y	
Intermediate and Deep Hydrogeologic Unit Wells	MW-11	806.16	680.75	130.41	Groundwater Level (ft)	85.84	85.14	-1.99
					Groundwater Elevation (Ft MSL)	720.32	721.02	
					Measured Well Depth (ft)	132.20	132.40	
					Submerged screen	Y	Y	
Shallow Hydrogeologic Unit Wells	MW-12	782.17	675.65	111.52	Groundwater Level (ft)	62.00	61.15	-1.18
					Groundwater Elevation (Ft MSL)	720.17	721.02	
					Measured Well Depth (ft)*	78.85 (apparent error)	112.70	
					Submerged screen	Y	Y	

Table 4A
Monitoring Well Maintenance and Performance Summary
2024 Annual Water Quality Report
Big Bend Landfill
Permit No. 57-SDP-10-90C

Well	Top of Casing	Top of Screen	Total Depth		Date of Measurements		Maximum Depth Discrepancy (ft)	
					4/16/2024	9/16-19/2024		
Intermediate and Deep Hydrogeologic Unit Wells	MW-13	782.43	719.75	72.68	Groundwater Level (ft)	25.68	24.26	-0.54
					Groundwater Elevation (Ft MSL)	756.75	758.17	
					Measured Well Depth (ft)	72.75	73.22	
					Submerged screen	Y	Y	
Leachate Wells	MW-16	790.31	677.65	117.66	Groundwater Level (ft)	89.95	88.86	-2.94
					Groundwater Elevation (Ft MSL)	700.36	701.45	
					Measured Well Depth (ft)	120.60	118.70	
					Submerged screen	Y	Y	
Leachate Wells	MW-24R	799.83	679.63	125.20	Groundwater Level (ft)	98.75	97.90	N/A
					Groundwater Elevation (Ft MSL)	701.08	701.93	
					Measured Well Depth (ft)	--	--	
					Submerged screen	Y	Y	
Leachate Wells	LW-01	790.74	754.38	41.36	Leachate Level (ft)	40.50	40.28	-1.14
					Leachate Elevation (Ft MSL)	750.24	750.46	
					Measured Well Depth (ft)	42.50	41.38	
					Submerged screen	N	N	
Leachate Wells	LW-02	798.55	783.73	19.82	Leachate Level (ft)	DRY	19.69	0.51
					Leachate Elevation (Ft MSL)	<798.55	778.86	
					Measured Well Depth (ft)	19.31	19.74	
					Submerged screen	N	N	
Leachate Wells	LW-03	798.16	764.86	38.30	Leachate Level (ft)	37.46	37.54	-0.08
					Leachate Elevation (Ft MSL)	760.70	760.62	
					Measured Well Depth (ft)	38.30	38.38	
					Submerged screen	N	N	

Notes:

(1) Total depths were not measured at MW-2, MW-14, MW-23R, or MW-24R in 2024 because dedicated pumps were installed in these wells in August 2023.

N/A = Not applicable

-- = not measured

* = The total depth measurement recorded at MW-12 in April 2024 is significantly shallower than expected measurements and is likely a field transcription error.

Updated: EMS, 7/31/2024 (April data), RM 10/30/2024 (Sept Data)

Checked: RM, 10/30/2024 (April data), LH 11/4/2024 (Sept Data)

Table 4B
Vertical Gradients
2024 Annual Water Quality Report
Big Bend Landfill
Permit No. 57-SDP-10-90C

Well Pair		Vertical Hydraulic Gradient (feet/foot)⁽¹⁾	
Shallower Well	Deeper Well	April 2024	September 2024
MW-2	MW-11	-0.225	-0.217
MW-5	MW-6	0.019	-0.064
MW-8R	MW-7	-0.192	-0.150
MW-15AR	MW-10	0.006	-0.009
MW-14	MW-12	-0.477	-0.476
MW-14	MW-13	-0.018	-0.015
MW-13	MW-12	-0.936	-0.944
MW-17R	MW-16	-0.247	-0.213
MW-23R	MW-24R	-0.005	-0.008

Notes:

(1) A negative value indicates a downward gradient; a positive value indicates an upward gradient.

Updated: RM, 10/29/2024
 Checked: MB, 11/14/2024

Table 5
Background and GWPS Summary
2024 Annual Water Quality Report
Big Bend Landfill
Permit No. 57-SDP-10-90C

Interwell Background									
Constituent	Units	Samples**	Detections**	UPL	Statistical Test	GWPS	Source	Other Standards	
Shallow Hydrogeologic Unit - MW-21									
Alkalinity*	mg/L	9	9	N/A	N/A	none	--	--	
Arsenic	µg/L	9	5	1.20	PL(NP)	10	MCL	--	
Barium	µg/L	9	9	277	PL(P)	2000	MCL	--	
Beryllium	µg/L	9	1	0.330	PL(NP)	4	MCL	--	
Boron	µg/L	9	9	202	PL(P)	6,000	SWS	--	
Calcium^	mg/L	2	2	N/A	N/A	none	--	--	
Chloride	mg/L	12	12	123	PL(P)	none	--	SMCL - 250	
Cobalt	µg/L	9	4	0.750	PL(NP)	2.1	SWS	--	
Copper	µg/L	9	3	2.80	PL(NP)	1,300	SWS	SMCL - 1,000	
Fluoride^	mg/L	2	0	N/A	N/A	4.00	MCL	SMCL 2	
Field Dissolved Oxygen*	mg/L	9	9	N/A	N/A	none	--	--	
Field ORP*	mV	9	9	N/A	N/A	none	--	--	
Field pH	SU	9	9	N/A	N/A	none	--	SMCL <6.5 or >8.5	
Field Specific Conductance	µmhos/cm	9	9	N/A	N/A	none	--	--	
Field Temperature	deg C	9	9	N/A	N/A	none	--	--	
Iron	µg/L	9	7	7,470	PL(P)	none	--	SMCL - 300	
Lead	µg/L	9	6	5.6	PL(P)	15	SWS	--	
Lithium^	µg/L	2	2	N/A	N/A	14	SWS	--	
Magnesium	µg/L	9	9	53,000	PL(P)	none	--	--	
Manganese	µg/L	9	8	661	PL(P)	300	SWS	SMCL - 50	
Molybdenum^	µg/L	2	0	N/A	N/A	40	SWS	--	
Selenium	µg/L	9	7	2.76	PL(P)	50	MCL	--	
Sulfate	mg/L	25	25	62.3	PL(P)	none	--	SMCL - 250	
Total Dissolved Solids^	mg/L	2	2	N/A	N/A	none	--	SMCL - 500	
Total Suspended Solids^	mg/L	2	2	N/A	N/A	none	--	--	
Zinc	µg/L	9	4	14.2	PL(NP)	2,000	SWS	SMCL - 5,000	

Table 5
Background and GWPS Summary
2024 Annual Water Quality Report
Big Bend Landfill
Permit No. 57-SDP-10-90C

Interwell Background								
Constituent	Units	Samples**	Detections**	UPL	Statistical Test	GWPS	Source	Other Standards
Deep Hydrogeologic Unit - MW-12								
Alkalinity*	mg/L	9	9	N/A	N/A	none	--	--
Arsenic	µg/L	9	9	1.71	PL(P)	10	MCL	--
Barium	µg/L	9	9	223	PL(P)	2000	MCL	--
Beryllium	µg/L	9	0	DQ	DQ	4	MCL	--
Boron	µg/L	9	2	110	PL(NP)	6,000	SWS	--
Calcium^	mg/L	2	2	N/A	N/A	none	--	--
Chloride	mg/L	12	12	3.89	PL(P)	none	--	SMCL - 250
Cobalt	µg/L	9	9	0.657	PL(P)	2.1	SWS	--
Copper	µg/L	9	2	2.00	PL(NP)	1,300	SWS	SMCL - 1,000
Fluoride^	mg/L	2	0	N/A	N/A	4.00	MCL	SMCL 2
Field Dissolved Oxygen*	mg/L	9	9	N/A	N/A	none	--	--
Field ORP*	mV	9	9	N/A	N/A	none	--	--
Field pH	SU	9	9	N/A	N/A	none	--	SMCL <6.5 or >8.5
Field Specific Conductance	µmhos/cm	9	9	N/A	N/A	none	--	--
Field Temperature	deg C	9	9	N/A	N/A	none	--	--
Iron	µg/L	9	9	2,040	PL(P)	none	--	SMCL - 300
Lead	µg/L	9	3	0.270	PL(NP)	15	SWS	--
Lithium^	µg/L	2	2	N/A	N/A	14	SWS	--
Magnesium	µg/L	9	9	47,000	PL(P)	none	--	--
Manganese	µg/L	9	9	303	PL(P)	303	Background	SWS 300, SMCL - 50
Molybdenum^	µg/L	2	1	N/A	N/A	40	SWS	--
Selenium	µg/L	9	0	DQ	DQ	50	MCL	--
Sulfate	mg/L	16	16	123	PL(NP)	none	--	SMCL - 250
Total Dissolved Solids^	mg/L	2	2	N/A	N/A	none	--	SMCL 500
Total Suspended Solids^	mg/L	2	2	N/A	N/A	none	--	--
Zinc	µg/L	9	3	43.0	PL(NP)	2,000	SWS	SMCL - 5,000

PL(NP) - Prediction Limit (Non-Parametric)

DQ = Double Quantification

MCL - Maximum Contaminant Level

PL(P) - Prediction Limit (Parametric)

mg/L - milligrams per liter

µg/L - micrograms per liter

SMCL - Secondary Maximum Contaminant Level

SWS - Iowa Statewide Standard for a Protected Groundwater Source (Health-Based)

UPL = Upper prediction limit for background, based on interwell comparison to MW-21 for shallow unit and MW-12 for deep unit

*: Field DO and ORP, and laboratory analysis of alkalinity are included as part of the Monitored Natural Attenuation evaluation. Field parameters and alkalinity are not included in statistical analysis.

**: For all parameters except chloride and sulfate, these columns reflect the number of samples since 2016, when unfiltered sample collection for metals analysis began.

Additional historical data are included for chloride and sulfate, which were reported as totals prior to 2016.

^: Parameters calcium, fluoride, lithium, molybdenum, total dissolved solids, and total suspended solids were added to the sampling program in 2023. Prediction limits will be calculated for these parameters when the minimum of 4 samples have been collected.

Updated by: RM, 10/30/2024

Checked by:

Table 6A
Summary of Well/Detected Constituent Pairs With No Immediately Preceding SSIs
2024 Annual Water Quality Report
Big Bend Landfill
Permit No. 57-SDP-10-90C

Well	Constituent	Units	Most Recent Result	UPL
MW-2	Alkalinity*	mg/L	300	N/A
	Arsenic	µg/L	1.8 J	1.2
	Barium	µg/L	79	277
	Calcium^	mg/L	110	N/A
	Chloride	mg/L	9.1	123
	Field Dissolved Oxygen*	mg/L	3.97	N/A
	Field ORP*	mV	-3.5	N/A
	Field pH	SU	6.55	N/A
	Field Specific Conductance	µmhos/cm	835	N/A
	Field Temperature	deg C	23.9	N/A
	Lithium^	µg/L	9.4 J	N/A
	Magnesium	µg/L	25000	53000
	Sulfate	mg/L	56	62.3
	Total Dissolved Solids^	mg/L	440	N/A
	Total Suspended Solids^	mg/L	82	N/A
Shallow Hydrogeologic Unit Wells	Alkalinity*	mg/L	400	N/A
	Arsenic	µg/L	0.55 J	1.2
	Barium	µg/L	140	277
	Calcium^	mg/L	140	N/A
	Chloride	mg/L	9.0	123
	Cobalt	µg/L	0.21 J	0.75
	Field Dissolved Oxygen*	mg/L	7.42	N/A
	Field ORP*	mV	156.6	N/A
	Field pH	SU	7.00	N/A
	Field Specific Conductance	µmhos/cm	1053	N/A
	Field Temperature	deg C	18.5	N/A
	Iron	µg/L	130	7470
	Lead	µg/L	0.42 J	5.6
	Lithium^	µg/L	12	N/A
	Magnesium	µg/L	38000	53000
	Manganese	µg/L	23	661
	Molybdenum^	µg/L	2.3	N/A
	Total Dissolved Solids^	mg/L	580	N/A
	Total Suspended Solids^	mg/L	19	N/A
MW-5	Alkalinity*	mg/L	400	N/A
	Arsenic	µg/L	0.55 J	1.2
	Barium	µg/L	140	277
	Calcium^	mg/L	140	N/A
	Chloride	mg/L	9.0	123
	Cobalt	µg/L	0.21 J	0.75
	Field Dissolved Oxygen*	mg/L	7.42	N/A
	Field ORP*	mV	156.6	N/A
	Field pH	SU	7.00	N/A
	Field Specific Conductance	µmhos/cm	1053	N/A
	Field Temperature	deg C	18.5	N/A
	Iron	µg/L	130	7470
	Lead	µg/L	0.42 J	5.6
	Lithium^	µg/L	12	N/A
	Magnesium	µg/L	38000	53000
	Manganese	µg/L	23	661
	Molybdenum^	µg/L	2.3	N/A
	Total Dissolved Solids^	mg/L	580	N/A
	Total Suspended Solids^	mg/L	19	N/A

Table 6A
Summary of Well/Detected Constituent Pairs With No Immediately Preceding SSIs
2024 Annual Water Quality Report
Big Bend Landfill
Permit No. 57-SDP-10-90C

Well	Constituent	Units	Most Recent Result	UPL
MW-14	Alkalinity*	mg/L	170	N/A
	Arsenic	µg/L	0.62 J	1.2
	Barium	µg/L	59	277
	Calcium^	mg/L	57	N/A
	Chloride	mg/L	13	123
	Field Dissolved Oxygen*	mg/L	2.64	N/A
	Field ORP*	mV	91.1	N/A
	Field pH	SU	6.01	N/A
	Field Specific Conductance	µmhos/cm	515	N/A
	Field Temperature	deg C	12.4	N/A
	Lithium^	µg/L	6.4 J	N/A
	Magnesium	µg/L	18000	53000
	Manganese	µg/L	66	661
	Sulfate	mg/L	38	62.3
	Total Dissolved Solids^	mg/L	270	N/A
	Alkalinity*	mg/L	--	N/A
	Arsenic	µg/L	--	1.2
	Barium	µg/L	--	277
MW-15AR	Beryllium	µg/L	--	0.33
	Boron	µg/L	--	202
	Calcium^	mg/L	--	N/A
	Chloride	mg/L	--	123
	Cobalt	µg/L	--	0.75
	Copper	µg/L	--	2.8
	Fluoride^	mg/L	--	N/A
	Field Dissolved Oxygen*	mg/L	--	N/A
	Field ORP*	mV	--	N/A
	Field pH	SU	--	N/A
	Field Specific Conductance	µmhos/cm	--	N/A
	Field Temperature	deg C	--	N/A
	Iron	µg/L	--	7470
	Lead	µg/L	--	5.6
	Lithium^	µg/L	--	N/A
	Magnesium	µg/L	--	53000
	Manganese	µg/L	--	661
	Molybdenum^	µg/L	--	N/A
	Selenium	µg/L	--	2.76
	Sulfate	mg/L	--	62.3
	Total Dissolved Solids^	mg/L	--	N/A
	Total Suspended Solids^	mg/L	--	N/A
	Zinc	µg/L	--	14.2
MW-20	Alkalinity*	mg/L	210	N/A

Shallow Hydrogeologic Unit Wells (continued)

Table 6A
Summary of Well/Detected Constituent Pairs With No Immediately Preceding SSIs
2024 Annual Water Quality Report
Big Bend Landfill
Permit No. 57-SDP-10-90C

Well	Constituent	Units	Most Recent Result	UPL
MW-20	Arsenic	µg/L	0.65 J	1.2
	Barium	µg/L	100	277
	Calcium^	mg/L	93	N/A
	Chloride	mg/L	39	123
	Field Dissolved Oxygen*	mg/L	5.43	N/A
	Field ORP*	mV	259	N/A
	Field pH	SU	6.12	N/A
	Field Specific Conductance	µmhos/cm	753	N/A
	Field Temperature	deg C	15.3	N/A
	Iron	µg/L	80 J	7470
	Lithium^	µg/L	3.7 J	N/A
	Magnesium	µg/L	26,000	53000
	Total Dissolved Solids^	mg/L	400	N/A
	Total Suspended Solids^	mg/L	5.5	N/A
MW-21**	Alkalinity*	mg/L	290	N/A
	Arsenic	µg/L	0.64 J	1.2
	Barium	µg/L	230	277
	Boron	µg/L	90 J	202
	Calcium^	mg/L	170	N/A
	Field Dissolved Oxygen*	mg/L	4.59	N/A
	Field ORP*	mV	173.5	N/A
	Field pH	SU	6.54	N/A
	Field Specific Conductance	µmhos/cm	1457	N/A
	Field Temperature	deg C	17.1	N/A
	Iron	µg/L	280	7470
	Lead	µg/L	0.29 J	5.6
	Lithium^	µg/L	7.2 J	N/A
	Magnesium	µg/L	47000	53000
MW-23R	Manganese	µg/L	14	661
	Sulfate	mg/L	45.0	62.3
	Total Dissolved Solids^	mg/L	740	N/A
	Total Suspended Solids^	mg/L	24	N/A
	Alkalinity*	mg/L	300	N/A
	Barium	µg/L	120	277
	Calcium^	mg/L	120	N/A
	Chloride	mg/L	13	123
	Field Dissolved Oxygen*	mg/L	6.48	N/A
	Field ORP*	mV	195.8	N/A
	Field pH	SU	6.83	N/A
	Field Specific Conductance	µmhos/cm	919	N/A
	Field Temperature	deg C	13.1	N/A
	Lithium^	µg/L	8.9 J	N/A
	Magnesium	µg/L	32000	53000

Shallow Hydrogeologic Unit Wells (continued)

Table 6A
Summary of Well/Detected Constituent Pairs With No Immediately Preceding SSIs
2024 Annual Water Quality Report
Big Bend Landfill
Permit No. 57-SDP-10-90C

Well	Constituent	Units	Most Recent Result	UPL
MW-25R	Alkalinity*	mg/L	350	N/A
	Barium	µg/L	160	277
	Calcium^	mg/L	130	N/A
	Chloride	mg/L	32	123
	Fluoride^	mg/L	0.49 J	N/A
	Field Dissolved Oxygen*	mg/L	7.70	N/A
	Field ORP*	mV	174.0	N/A
	Field pH	SU	6.95	N/A
	Field Specific Conductance	µmhos/cm	1027	N/A
	Field Temperature	deg C	18.4	N/A
	Iron	µg/L	120.0	7470
	Lithium^	µg/L	11	N/A
	Magnesium	µg/L	40000	53000
	Manganese	µg/L	9.0 J	661
	Selenium	µg/L	3.5 J	2.76
	Sulfate	mg/L	59.0	62.3
	Total Dissolved Solids^	mg/L	550.0	N/A
	Total Suspended Solids^	mg/L	17.0	N/A
MW-6	Alkalinity*	mg/L	370	N/A
	Barium	µg/L	110	223
	Calcium^	mg/L	140	N/A
	Cobalt	µg/L	0.39 J	0.657
	Field Dissolved Oxygen*	mg/L	5.58	N/A
	Field ORP*	mV	41.0	N/A
	Field pH	SU	7.00	N/A
	Field Specific Conductance	µmhos/cm	1,079	N/A
	Field Temperature	deg C	16.3	N/A
	Iron	µg/L	650	2040
	Lithium^	µg/L	24	N/A
	Magnesium	µg/L	40,000	47000
	Manganese	µg/L	250	303
	Molybdenum^	µg/L	2.6	N/A
	Selenium	µg/L	1.7 J	DQ
	Total Dissolved Solids^	mg/L	600	N/A
	Total Suspended Solids^	mg/L	5.7	N/A

Table 6A
Summary of Well/Detected Constituent Pairs With No Immediately Preceding SSIs
2024 Annual Water Quality Report
Big Bend Landfill
Permit No. 57-SDP-10-90C

Well	Constituent	Units	Most Recent Result	UPL
MW-7	Alkalinity*	mg/L	350	N/A
	Barium	µg/L	120.0	223
	Calcium^	mg/L	110	N/A
	Field Dissolved Oxygen*	mg/L	0.87	N/A
	Field ORP*	mV	-123	N/A
	Field pH	SU	7.04	N/A
	Field Specific Conductance	µmhos/cm	834	N/A
	Field Temperature	deg C	16.4	N/A
	Iron	µg/L	92 J	2040
	Lead	µg/L	0.27 J	0.27
	Lithium^	µg/L	9.1 J	N/A
	Magnesium	µg/L	33000	47000
	Manganese	µg/L	12	303
	Sulfate	mg/L	13	123
	Total Dissolved Solids^	mg/L	430	N/A
	Total Suspended Solids^	mg/L	10.0	N/A
	Zinc	µg/L	12 J	43
MW-10	Alkalinity*	mg/L	360	N/A
	Arsenic	µg/L	1.7 J	1.71
	Barium	µg/L	99	223
	Calcium^	mg/L	130	N/A
	Copper	µg/L	2.5 J	2
	Field Dissolved Oxygen*	mg/L	9.07	N/A
	Field ORP*	mV	92.5	N/A
	Field pH	SU	7.39	N/A
	Field Specific Conductance	µmhos/cm	1070	N/A
	Field Temperature	deg C	14.2	N/A
	Iron	µg/L	730	2040
	Lithium^	µg/L	10	N/A
	Magnesium	µg/L	39000	47000
	Manganese	µg/L	63	303
	Molybdenum^	µg/L	2.3	N/A
	Sulfate	mg/L	120	123
	Total Dissolved Solids^	mg/L	590	N/A
	Total Suspended Solids^	mg/L	13	N/A

Deep Hydrogeologic Unit Wells (continued)

Table 6A
Summary of Well/Detected Constituent Pairs With No Immediately Preceding SSIs
2024 Annual Water Quality Report
Big Bend Landfill
Permit No. 57-SDP-10-90C

Well	Constituent	Units	Most Recent Result	UPL
MW-11	Alkalinity*	mg/L	320	N/A
	Arsenic	µg/L	1.1 J	1.71
	Barium	µg/L	93	223
	Calcium^	mg/L	120	N/A
	Field Dissolved Oxygen*	mg/L	0.90	N/A
	Field ORP*	mV	25.6	N/A
	Field pH	SU	6.80	N/A
	Field Specific Conductance	µmhos/cm	978	N/A
	Field Temperature	deg C	28.8	N/A
	Iron	µg/L	160	2040
	Lead	µg/L	0.37 J	0.27
	Lithium^	µg/L	11	N/A
	Magnesium	µg/L	37,000	47000
	Manganese	µg/L	220	303
	Molybdenum^	µg/L	14	N/A
	Sulfate	mg/L	83	123
	Total Dissolved Solids^	mg/L	520	N/A
	Total Suspended Solids^	mg/L	4.80	N/A
MW-12**	Alkalinity*	mg/L	380	N/A
	Arsenic	µg/L	0.60 J	1.71
	Barium	µg/L	110	223
	Calcium^	mg/L	110	N/A
	Cobalt	µg/L	0.21 J	0.657
	Field Dissolved Oxygen*	mg/L	1.37	N/A
	Field ORP*	mV	-134.9	N/A
	Field pH	SU	7.19	N/A
	Field Specific Conductance	µmhos/cm	923	N/A
	Field Temperature	deg C	14.9	N/A
	Iron	µg/L	220	2040
	Lead	µg/L	0.31 J	0.27
	Lithium^	µg/L	10	N/A
	Magnesium	µg/L	38000	47000
	Manganese	µg/L	230	303
	Sulfate	mg/L	37	123
	Total Dissolved Solids^	mg/L	470	N/A
	Total Suspended Solids^	mg/L	12	N/A

Deep Hydrogeologic Unit Wells (continued)

Table 6A
Summary of Well/Detected Constituent Pairs With No Immediately Preceding SSIs
2024 Annual Water Quality Report
Big Bend Landfill
Permit No. 57-SDP-10-90C

Well	Constituent	Units	Most Recent Result	UPL
MW-16	Alkalinity*	mg/L	340	N/A
	Barium	µg/L	110	223
	Calcium^	mg/L	110	N/A
	Field Dissolved Oxygen*	mg/L	1.34	N/A
	Field ORP*	mV	-61.4	N/A
	Field pH	SU	7.01	N/A
	Field Specific Conductance	µmhos/cm	915	N/A
	Field Temperature	deg C	15.5	N/A
	Iron	µg/L	41 J	2040
	Lithium^	µg/L	15	N/A
	Magnesium	µg/L	35000	47000
	Molybdenum^	µg/L	1.7 J	N/A
	Selenium	µg/L	2.9 J	DQ
	Sulfate	mg/L	83	123
	Total Dissolved Solids^	mg/L	480	N/A
	Total Suspended Solids^	mg/L	2.5	N/A
MW-24R	Alkalinity*	mg/L	340	N/A
	Arsenic	µg/L	0.79 J	1.71
	Barium	µg/L	110	223
	Calcium^	mg/L	110	N/A
	Field Dissolved Oxygen*	mg/L	7.16	N/A
	Field ORP*	mV	183	N/A
	Field pH	SU	6.89	N/A
	Field Specific Conductance	µmhos/cm	936	N/A
	Field Temperature	deg C	19.3	N/A
	Iron	µg/L	190	2040
	Lithium^	µg/L	10	N/A
	Magnesium	µg/L	32000	47000
	Manganese	µg/L	9.1 J	303
	Selenium	µg/L	3.9 J	DQ
	Sulfate	mg/L	72	123
	Total Dissolved Solids^	mg/L	520	N/A
	Total Suspended Solids^	mg/L	2.4	N/A

Comments:

1. This table includes results for wells/constituents that were below UPLs in 2024.
2. Results below the limit of quantitation (J flags) are estimated values and are not compared to the UPL or GWPS. They are included in this table regardless of whether the estimated value is higher or lower than the UPL.

*: Field DO and ORP, and laboratory analysis of alkalinity are included as part of the Monitored Natural Attenuation evaluation and do not have calculated UPLs. Field parameters and alkalinity are not included in statistical analysis.

**: MW-12 and MW-21 are the background wells, so UPLs do not apply.

^: Calcium, fluoride, lithium, molybdenum, TDS, and TSS were added in 2023, so UPLs have not been calculated.

µg/L - micrograms per liter

mg/L - milligrams per liter

Updated by: RM, 10/29/2024

Checked by: LH 11/4/2024

Table 6B
Summary of Supply Well Monitoring/Detected Constituent Pairs
2024 Annual Water Quality Report
Big Bend Landfill
Permit No. 57-SDP-10-90C

Supply Well Monitoring	Constituent	Units	Most Recent Result	MCL / SMCL
PW-2606R (2602 Big Bend Road)	Alkalinity	mg/L	330	--
	Arsenic	µg/L	<0.53	10 - MCL
	Barium	µg/L	96	2000 - MCL
	Beryllium	µg/L	<0.33	4 - MCL
	Boron	µg/L	510	--
	Calcium	mg/L	110	--
	Chloride	mg/L	11	250 - SMCL
	Cobalt	µg/L	<0.17	--
	Copper	µg/L	8.7	1000 - SMCL
	Fluoride	mg/L	<0.38	4 - MCL
	Field Dissolved Oxygen	mg/L	4.96	--
	Field ORP	mV	69.7	--
	Field pH	SU	7.04	SMCL <6.5 or >8.5
	Field Specific Conductance	µmhos/cm	962	--
	Field Temperature	deg C	20.4	--
	Iron	µg/L	<36	--
	Lead	µg/L	<0.26	15 - Action Level
	Lithium	µg/L	9.0 J	--
	Magnesium	µg/L	39,000	--
	Manganese	µg/L	<3.6	50 - SMCL
	Molybdenum	µg/L	<1.3	--
	Selenium	µg/L	7.2	50 - MCL
	Sulfate	mg/L	84	250 - SMCL
	Total Dissolved Solids	mg/L	500	500 - SMCL
	Total Suspended Solids	mg/L	<3.7	--
	Zinc	µg/L	47	5000 - SMCL

µg/L - micrograms per liter

mg/L - milligrams per liter

Updated by: RM, 10/23/2024

Checked by: LH 11/4/2024

Table 7
Summary of Ongoing and Newly Identified SSIs
2024 Annual Water Quality Report
Big Bend Landfill
Permit No. 57-SDP-10-90C

Well	Constituent	Units	Most Recent Result	UPL	GWPS
MW-2	Boron	µg/L	950	202	6,000
	Cobalt	µg/L	2.1	0.75	2.1
	Iron	µg/L	12000	7470	none
	Manganese	µg/L	1300	661	300
MW-5	Boron	µg/L	750	202	6,000
	Selenium	µg/L	5.1	2.76	50
	Sulfate	mg/L	81	62.3	none
MW-14	Boron	µg/L	1500	202	6,000
	Selenium	µg/L	26	2.76	50
MW-15AR*	Boron	µg/L	3,300*	202	6,000
	Selenium	µg/L	19*	2.76	50
	Sulfate	mg/L	270*	62.3	none
MW-20	Boron	µg/L	2300	202	6,000
	Selenium	µg/L	28	2.76	50
	Sulfate	mg/L	72	62.3	none
MW-21	Chloride	mg/L	210	123	none
MW-23R	Boron	µg/L	490	202	6,000
MW-25R	Boron	µg/L	310	202	6,000
Deep Hydrogeologic Unit	MW-6	Boron	µg/L	1100	110
		Chloride	mg/L	13	3.89
		Lithium^	µg/L	24	N/A
		Sulfate	µg/L	130	123
	MW-7	Boron	µg/L	200	110
		Chloride	mg/L	5.5	3.89
	MW-10	Boron	µg/L	1300	110
		Chloride	mg/L	11	3.89
		Lead	µg/L	0.54	0.27
	MW-11	Boron	µg/L	400	110
		Chloride	mg/L	21	3.89
		Cobalt	mg/L	4.6	0.657
MW-12	Chloride	mg/L	7	3.89	none
MW-16	Boron	µg/L	1900	110	6,000
	Chloride	mg/L	9.1	3.89	
	Lithium^	µg/L	15	N/A	
MW-24R	Boron	µg/L	700	110	6,000
	Chloride	µg/L	13	3.89	
	Cobalt	µg/L	8.2	0.657	

Notes:

* MW-15AR was unable to be sampled during the 2023 and 2024 monitoring events. The most recent result for this well is from September 2022.

µg/L - micrograms per liter
mg/L - milligrams per liter

UPL - Upper Prediction Limit
GWPS - Groundwater Protection Standard

Updated by: RM, 10/30/2024
Checked by: LH 11/4/2024

Table 8
Historic UPL & Action Level Exceedances
2024 Annual Water Quality Report
Big Bend Landfill
Permit No. 57-SDP-10-90C

Key: gray =UPL exceedance; black =action level (GWPS) exceedance

Well	Constituent	2016	2017	2018	2019	2020	2021	2022	2023	2024
MW-2	Arsenic									
	Barium									
	Boron									
	Cobalt									
	Copper									
	Iron									
	Manganese									
	Sulfate									
	Zinc									
MW-5	Boron									
	Magnesium									
	Selenium									
	Sulfate									
	Zinc									
MW-6	Chloride									
	Sulfate									
	Arsenic									
	Boron									
	Iron									
	Lithium^									
	Manganese									
MW-7	Selenium									
	Chloride									
	Boron									
	Lead									
MW-10	Zinc									
	Chloride									
	Sulfate									
	Arsenic									
	Boron									
	Lead									
MW-11	Selenium									
	Zinc									
	Chloride									
	Arsenic									
	Boron									
MW-12	Cobalt									
	Zinc									
MW-14	Chloride									
	Boron									
	Copper									
	Cobalt									
	Manganese									
	Selenium									
	Zinc									

Table 8
Historic UPL & Action Level Exceedances
2024 Annual Water Quality Report
Big Bend Landfill
Permit No. 57-SDP-10-90C

Key: gray =UPL exceedance; black =action level (GWPS) exceedance

Well	Constituent	2016	2017	2018	2019	2020	2021	2022	2023	2024
MW-15AR	Sulfate									
	Boron									
	Magnesium									
	Selenium						(3)		(3)	(3)
MW-16	Chloride									
	Boron									
	Lithium ^A									
	Zinc									
MW-20	Sulfate									
	Boron									
	Selenium									
	Zinc									
MW-21	Chloride									
MW-23/ MW-23R ²	Sulfate									
	Boron									
	Cobalt									
	Copper									
	Lead									
	Magnesium									
	Manganese									
MW-24/ MW-24R ²	Sulfate									
	Boron									
	Chloride									
	Cobalt									
	Manganese									
MW-25R	Zinc									
	Sulfate									
	Boron									
	Zinc									

UPL - Upper Prediction Limit

GWPS - Groundwater Protection Standard

Comments:

1. UPLs were calculated annually beginning in 2019 when at least four sampling events with unfiltered (total) data. UPLs are only applied to 2019 and later results in this table.

2. MW-23R and MW-24R replaced MW-23 and MW-24 between the September 2017 and April 2018 monitoring events.

3. A sample could not be collected from MW-15AR during the September 2021, 2023, or 2024 events.

4. A sample could not be collected from MW-24R during the September 2023 event.

^A: Lithium was added to the sampling program in 2023. Prediction limits will be calculated when the minimum of 4 samples have been collected.

Updated by: RM, 10/31/2024
 Checked by: LH 11/4/2024

Table 9
Historic Prediction Limits and Groundwater Protection Standards
2024 Annual Water Quality Report
Big Bend Landfill
Permit No. 03-SDP-05-01P

Constituent	Units	UPL						GWPS					
		2019	2020	2021	2022	2023	2024	2019	2020	2021	2022	2023	2024
Shallow Hydrogeologic Unit	Arsenic	µg/L	2.48	2.01	1.2	1.2	1.2	10	10	10	10	10	10
	Barium	µg/L	289	274	289.5	294	277	2,000	2,000	2,000	2,000	2,000	2,000
	Beryllium	µg/L	0.27	0.27	0.27	0.27	0.33	4	4	4	4	4	4
	Boron	µg/L	322	262	236.9	222.5	202	6,000	6,000	6,000	6,000	6,000	6,000
	Chloride	mg/L	98	45.9	412.3	123	123	none	none	none	none	none	none
	Cobalt	µg/L	1.81	1.6	1.285	0.75	0.75	2.1	2.1	2.1	2.1	2.1	2.1
	Copper	µg/L	5.07	4.46	2.8	2.8	2.8	300	1,300	1,300	1,300	1,300	1,300
	Iron	µg/L	3,630	2,820	2,153	16,900	7,470	none	none	none	none	none	none
	Lead	µg/L	5.15	3.82	3,009	9.34	5.6	15	15	15	15	15	15
	Magnesium	µg/L	43,100	44,100	46,216	50,800	53,000	none	none	none	none	none	none
	Manganese	µg/L	198	155	129.1	114	661	300	300	300	300	300	300
	Selenium	µg/L	4.61	3.81	3,154	2.88	2.76	50	50	50	50	50	50
	Sulfate	mg/L	62.7	62.8	62.64	62.3	62.3	none	none	none	none	none	none
	Zinc	µg/L	33.7	26.7	14.2	14.2	14.2	2,000	2,000	2,000	2,000	2,000	2,000
Deep Hydrogeologic Unit	Arsenic	µg/L	2.32	1.96	1.687	1.81	1.71	1.71	10	10	10	10	10
	Barium	µg/L	224	217	217.9	218	223	2,000	2,000	2,000	2,000	2,000	2,000
	Beryllium	µg/L	DQ	DQ	0.33	DQ	DQ	4	4	4	4	4	4
	Boron	µg/L	83.4	110	110	110	110	6,000	6,000	6,000	6,000	6,000	6,000
	Chloride	mg/L	5.6	5.6	3.95	3.92	3.89	none	none	none	none	none	none
	Cobalt	µg/L	0.915	0.80	0.7067	0.668	0.657	2.1	2.1	2.1	2.1	2.1	2.1
	Copper	µg/L	2.00	2.00	2.00	2	2	1,300	1,300	1,300	1,300	1,300	1,300
	Iron	µg/L	2,080	2,120	198	2,100	2,040	none	none	none	none	none	none
	Lead	µg/L	0.27	0.27	0.27	0.27	0.27	15	15	15	15	15	15
	Magnesium	µg/L	57,300	53,400	49,488	48,100	47,000	47,000	none	none	none	none	none
	Manganese	µg/L	333	322	309.1	304	303	333	322	322	303	303	303
	Selenium	µg/L	DQ	DQ	DQ	DQ	DQ	50	50	50	50	50	50
	Sulfate	mg/L	123	123	123	123	123	none	none	none	none	none	none
	Zinc	µg/L	10.0	10.00	10	43.0	43.0	2,000	2,000	2,000	2,000	2,000	2,000

UPL - Upper Prediction Limit

GWPS - Groundwater Protection Limit

µg/L - micrograms per liter

mg/L - milligrams per liter

Updated by: RM, 10/23/2024

Checked by: LH 11/4/2024

Table 10
Groundwater Quality Assessment Plan Trend Analysis
2024 Annual Water Quality Report
Big Bend Landfill
Permit No. 57-SDP-10-90C

Well	Current GWPS Exceedances	Significant Trend
MW-2	Cobalt	No significant trend
	Manganese	No significant trend
MW-11	Cobalt	No significant trend
MW-24/MW-24R	Cobalt	Increasing trend

Notes:

(1): Trend analysis was performed for well parameters pairs that exceeded a GWPS in 2024.

Updated by: RM, 11/5/2024
Checked by: LH, 11/5/2024

Table 11
Summary of Leachate Well/Detected Constituent Pairs
2024 Annual Water Quality Report
Big Bend Landfill
Permit No. 57-SDP-10-90C

Monitoring Point	Constituent	Units	Most Recent Result
LW-1	Field Dissolved Oxygen	mg/L	3.55
	Field pH	SU	8.02
	Field Specific Conductivity	umhos/cm	2,073
	Field Temperature	deg C	20.6
	Field Oxidation Reduction Potential	mV	143.8
LW-2	Not sampled in 2024, insufficient liquid present.		
LW-3*	Field Dissolved Oxygen	mg/L	4.28
	Field pH	SU	7.31
	Field Temperature	deg C	21.6
	Field Oxidation Reduction Potential	mV	-22.3

1. LW-1 and LW-3 had an insufficient amount of water for sample collection in 2024, but enough water to measure field parameters.

*. A field conductivity value from LW-3 was recorded in the field notes, but upon review it was determined that the value was unrealistically low. This is likely due to the measurement probe not being fully submerged in the sample. Therefore, the field conductivity value has been omitted from this table.

µg/L - micrograms per liter
 umhos/cm - micromhos per centimeter

mg/L - milligrams per liter
 mV - millivolts

Updated by: RM, 10/30/2024
 Checked by: LH, 11/5/2024

Table 12
Leachate Management Summary
2024 Annual Water Quality Report
Big Bend Landfill
Permit No. 57-SDP-10-90C

Month	Measured Leachate Depth (ft)			Leachate Elevation (ft amsl)		
	LW-1	LW-2	LW-3	LW-1	LW-2	LW-3
April 2024	0.86	0.51	0.84	750.24	779.24	760.70
September 2024	1.08	0.13	0.76	750.46	778.86	760.62

Updated by: RM, 10/30/2024
Checked by: LH 11/4/2024

Table 13
Additional Parameters for MNA Analysis
2024 Annual Water Quality Report
Big Bend Landfill
Permit No. 57-SDP-10-90C

Well	Alkalinity (mg/L)	Field Dissolved Oxygen (mg/L)	Field Oxidation- Reduction Potential (mV)	Field Specific Conductance ($\mu\text{mhos}/\text{cm}$)	Field Temperature (deg C)
Shallow Hydrogeologic Unit					
MW-2	300	3.97	-3.5	835	23.9
MW-5	400	7.42	156.6	1,053	18.5
MW-14	170	2.64	91.1	515	12.4
MW-15AR			Unable to sample in 2024		
MW-20	210	5.43	259	753	15.3
MW-21	290	4.59	173.5	1,457	17.1
MW-23R	300	6.48	195.8	919	13.1
MW-25R	350	7.7	174	1,027	18.4
Deep Hydrogeologic Unit					
MW-6	370	5.58	41	1,079	16.3
MW-7	350	0.87	-123	834	16.4
MW-10	360	9.07	92.5	1,070	14.2
MW-11	320	0.90	25.6	978	28.8
MW-12	380	1.37	-134.9	923	14.9
MW-16	340	1.34	-61.4	915	15.5
MW-24R	340	7.16	183	936	19.3

Notes:

(1) Samples collected September 2023.

$\mu\text{g/L}$ - micrograms per liter
 mg/L - milligrams per liter

mV - millivolts
 $\mu\text{mhos}/\text{cm}$ - micromhos per centimeter

Updated by: RM, 10/30/2024
 Checked by: LH, 11/4/2024

Figures

- 1 Site Location Map
- 2 Monitoring Well Location and Private Well Locations
- 3 Water Table Surface – April 2024
- 4 Water Table Surface – September 2024
- 5 Potentiometric Surface Map – April 2024
- 6 Potentiometric Surface Map – September 2024
- 7 September 2024 Boron Concentrations – Shallow Hydrogeologic Unit
- 8 September 2024 Boron Concentrations – Deep Hydrogeologic Unit
- 9 September 2024 Manganese Concentrations – Shallow Hydrogeologic Unit
- 10 September 2024 Manganese Concentrations – Deep Hydrogeologic Unit
- 11 September 2024 Cobalt Concentrations – Shallow Hydrogeologic Unit
- 12 September 2024 Cobalt Concentrations – Deep Hydrogeologic Unit




BERTRAM QUADRANGLE

IOWA-LINN CO.

7.5 MINUTE SERIES (TOPOGRAPHIC)

2015

SCALE: 1" = 2,000'



CLIENT	ALLIANT ENERGY	SITE	INTERSTATE POWER AND LIGHT BIG BEND LANDFILL CEDAR RAPIDS, IOWA	SITE LOCATION MAP	
PROJECT NO.	25216063.00	DRAWN BY:	AHB	ENGINEER	FIGURE
DRAWN:	10/26/16	CHECKED BY:	MDB	SCS ENGINEERS	
REVISED:	10/26/16	APPROVED BY:	KK 09/29/17	2830 DAIRY DRIVE MADISON, WI 53718-6751 PHONE: (608) 224-2830	1




NOTES:

1. MONITORING WELL LOCATIONS ARE APPROXIMATE.
2. AERIAL IMAGE IMPORTED FROM ARCMAP'S BING MAPS BASEMAP.
3. APPROXIMATE NORTH, EAST, AND SOUTH PROPERTY LINES FROM FIGURES IN OCTOBER 1992 HYDROGEOLOGICAL INVESTIGATION REPORT. WESTERN PROPERTY LINE WAS NOT SHOWN ON THESE FIGURES. APPROXIMATE WESTERN PROPERTY LINE FROM [HTTPS://GIS.LINNCOUNTYIOWA.GOV/APPS/REAL-ESTATE/LAND-RECORDS/](https://gis.linncountyiowa.gov/apps/real-estate/land-records/), ACCESSED ON 11/29/2023.

300 0 300

SCALE: 1" = 300'

PROJECT NO.	25216063.00	DRAWN BY:	KG	DRAWN:	10/28/16	CHECKED BY:	MB	ENGINEER	SCS ENGINEERS	2830 DAIRY DRIVE MADISON, WI 53718-6751	PHONE: (608) 224-2830	CLIENT	ALLIANT ENERGY	INTERSTATE POWER AND LIGHT	SITE	BIG BEND LANDFILL CEDAR RAPIDS, IOWA	MONITORING WELL AND PRIVATE WELL LOCATIONS	FIGURE
REVISED:	11/29/2023	APPROVED BY:	MDB 11/29/2023														2	



LEGEND

- - - APPROXIMATE LIMITS OF ASH DISPOSAL	
MW-5 (●)	MONITORING WELL
MW-10 (●)	DEEP MONITORING WELL
LW-2 (x)	LEACHATE HEAD WELL
PW-2314 (○)	PRIVATE WELL
MW-25 (⊕)	ABANDONED MONITORING WELL
MW-15A (⊕)	ABANDONED DEEP MONITORING WELL
AWS (○)	ABANDONED PRIVATE WELL
742.77	WATER TABLE ELEVATION
(779.24)	WATER LEVEL ELEVATION (NOT USED IN CONTOURING)
- - -	WATER TABLE CONTOUR (10-FOOT CONTOUR INTERVAL) (DASHED WHERE INFERRED)
→	APPROXIMATE GROUNDWATER FLOW DIRECTION
- - -	APPROXIMATE PROPERTY LINE

NOTES:


1. MONITORING WELL LOCATIONS ARE APPROXIMATE.
2. WATER LEVELS WERE MEASURED APRIL 16, 2024.
3. AERIAL IMAGE IMPORTED FROM ARCMAP'S BING MAPS BASEMAP.
4. APPROXIMATE NORTH, EAST, AND SOUTH PROPERTY LINES FROM FIGURES IN OCTOBER 1992 HYDROGEOLOGICAL INVESTIGATION REPORT. WESTERN PROPERTY LINE WAS NOT SHOWN ON THESE FIGURES. APPROXIMATE WESTERN PROPERTY LINE FROM [HTTPS://GIS.LINNCOUNTYIOWA.GOV/APPS/REAL-ESTATE/LAND-RECORDS/](https://GIS.LINNCOUNTYIOWA.GOV/APPS/REAL-ESTATE/LAND-RECORDS/), ACCESSED ON 11/29/2023.

N

100 0 100

SCALE: 1" = 100'

PROJECT NO.	25224063.00	DRAWN BY:	SB	DRAWN:	08/29/2024	CHECKED BY:	BRK	ENGINEER	SCS ENGINEERS	CLIENT	ALLIANT ENERGY	INTERSTATE POWER AND LIGHT	SITE	BIG BEND LANDFILL CEDAR RAPIDS, IOWA	WATER TABLE SURFACE APRIL 2024	FIGURE
REVISED:	09/20/2024					APPROVED BY:	BRK (09/20/2024)									3



LEGEND

- - - APPROXIMATE LIMITS OF ASH DISPOSAL	
MW-5 (●)	MONITORING WELL
MW-10 (●)	DEEP MONITORING WELL
LW-2 (x)	LEACHATE HEAD WELL
PW-2314 (○)	PRIVATE WELL
MW-25 (⊕)	ABANDONED MONITORING WELL
MW-15A (⊕)	ABANDONED DEEP MONITORING WELL
AWS (○)	ABANDONED PRIVATE WELL

742.77 WATER TABLE ELEVATION
(779.24) WATER LEVEL ELEVATION
 (NOT USED IN CONTOURING)
— — — WATER TABLE CONTOUR LINE
 (10-FOOT CONTOUR INTERVAL)
 (DASHED WHERE INFERRED)
→ APPROXIMATE GROUNDWATER
 FLOW DIRECTION
— — — APPROXIMATE PROPERTY LINE

NOTES:


1. MONITORING WELL LOCATIONS ARE APPROXIMATE.
2. WATER LEVELS WERE MEASURED SEPTEMBER 16–19, 2024.
3. AERIAL IMAGE IMPORTED FROM ARCMAP'S BING MAPS BASEMAP.
4. APPROXIMATE NORTH, EAST, AND SOUTH PROPERTY LINES FROM FIGURES IN OCTOBER 1992 HYDROGEOLOGICAL INVESTIGATION REPORT. WESTERN PROPERTY LINE WAS NOT SHOWN ON THESE FIGURES. APPROXIMATE WESTERN PROPERTY LINE FROM [HTTPS://GIS.LINNCOUNTYIOWA.GOV/APPS/REAL-ESTATE/LAND-RECORDS/](https://GIS.LINNCOUNTYIOWA.GOV/APPS/REAL-ESTATE/LAND-RECORDS/), ACCESSED ON 11/29/2023.

N

100 0 100

SCALE: 1" = 100'

PROJECT NO.	25224063.00	DRAWN BY:	SB	DRAWN:	11/12/2024	CHECKED BY:	NLB	ENGINEER	SCS ENGINEERS	CLIENT	ALLIANT ENERGY	INTERSTATE POWER AND LIGHT	SITE	BIG BEND LANDFILL CEDAR RAPIDS, IOWA	ANNUAL WATER QUALITY REPORT WATER TABLE CONTOUR MAP SEPTEMBER 2024	FIGURE
REVISED:		APPROVED BY:	TK 11/14/2024												4	




LEGEND

- - - APPROXIMATE LIMITS OF ASH DISPOSAL	707.87	PIEZOMETRIC SURFACE ELEVATION
- - - APPROXIMATE PROPERTY LINE	(756.75)	WATER LEVEL ELEVATION (NOT USED IN CONTOURING)
MW-5 ● MONITORING WELL	- - -	PIEZOMETRIC SURFACE CONTOUR (5-FOOT CONTOUR INTERVAL) (DASHED WHERE INFERRED)
MW-10 ○ DEEP MONITORING WELL	→	APPROXIMATE GROUNDWATER FLOW DIRECTION
LW-2 X LEACHATE HEAD WELL		
PW-2314① PRIVATE WELL		
MW-25 + ABANDONED MONITORING WELL		
MW-15A ⊕ ABANDONED DEEP MONITORING WELL		
AWS ① ABANDONED PRIVATE WELL		

NOTES:


- MONITORING WELL LOCATIONS ARE APPROXIMATE.
- WATER LEVELS WERE MEASURED APRIL 16, 2024.
- AERIAL IMAGE IMPORTED FROM ARCMAP'S BING MAPS.
- WELL MW-13 IS NOT USED IN THE INTERPRETATION OF THE POTENIOMETRIC SURFACE DUE TO THE HYDRAULIC CONDITIONS AT THIS WELL.
- APPROXIMATE NORTH, EAST, AND SOUTH PROPERTY LINES FROM FIGURES IN OCTOBER 1992 HYDROGEOLOGICAL INVESTIGATION REPORT. WESTERN PROPERTY LINE WAS NOT SHOWN ON THESE FIGURES. APPROXIMATE WESTERN PROPERTY LINE FROM [HTTPS://GIS.LINNCOUNTYIOWA.GOV/APPS/REAL-ESTATE/LAND-RECORDS/](https://gis.linncountyiowa.gov/apps/real-estate/land-records/), ACCESSED ON 11/29/2023.

N



SCALE: 1" = 100'

PROJECT NO.	25224063.00	DRAWN BY:	SB	DRAWN:	11/12/2024	CHECKED BY:	NLB	ENGINEER	SCS ENGINEERS	2830 DAIRY DRIVE MADISON, WI 53718-6751	PHONE: (608) 224-2830	CLIENT	ALLIANT ENERGY	INTERSTATE POWER AND LIGHT	SITE	BIG BEND LANDFILL CEDAR RAPIDS, IOWA	2024 ANNUAL WATER QUALITY REPORT PIEZOMETRIC SURFACE MAP APRIL 2024	FIGURE
REVISED:				APPROVED BY:	11/14/2024													5
I:\25224063.00\Drawings\2024 Annual Water Quality Report\WTBL April 2024.dwg, 11/12/2024 11:26:44 AM																		



LEGEND

- - - APPROXIMATE LIMITS OF ASH DISPOSAL	707.87 PIEZOMETRIC SURFACE ELEVATION
- - - APPROXIMATE PROPERTY LINE	(756.75) WATER LEVEL ELEVATION (NOT USED IN CONTOURING)
MW-5 (●) MONITORING WELL	- - - PIEZOMETRIC GROUNDWATER SURFACE CONTOUR LINE (5-FOOT CONTOUR INTERVAL) (DASHED WHERE INFERRED)
MW-10 (◎) DEEP MONITORING WELL	
LW-2 (x) LEACHATE HEAD WELL	→ APPROXIMATE GROUNDWATER FLOW DIRECTION
PW-2314 (○) PRIVATE WELL	
MW-25 (⊕) ABANDONED MONITORING WELL	
MW-15A (⊖) ABANDONED DEEP MONITORING WELL	
AWS (○) ABANDONED PRIVATE WELL	

NOTES:

- MONITORING WELL LOCATIONS ARE APPROXIMATE.
- WATER LEVELS WERE MEASURED SEPTEMBER 16–19, 2024.
- AERIAL IMAGE IMPORTED FROM ARCMAP'S BING MAPS.
- WELL MW-13 IS NOT USED IN THE INTERPRETATION OF THE POTENIOMETRIC SURFACE DUE TO THE HYDRAULIC CONDITIONS AT THIS WELL.
- APPROXIMATE NORTH, EAST, AND SOUTH PROPERTY LINES FROM FIGURES IN OCTOBER 1992 HYDROGEOLOGICAL INVESTIGATION REPORT. WESTERN PROPERTY LINE WAS NOT SHOWN ON THESE FIGURES. APPROXIMATE WESTERN PROPERTY LINE FROM [HTTPS://GIS.LINNCOUNTYIOWA.GOV/APPS/REAL-ESTATE/LAND-RECORDS/](https://gis.linncountyiowa.gov/apps/real-estate/land-records/), ACCESSED ON 11/29/2023.

N

100 0 100

SCALE: 1" = 100'

PROJECT NO.	25224063.00	DRAWN BY:	SB	DRAWN:	11/12/2024	CHECKED BY:	NLB	ENGINEER	SCS ENGINEERS	2830 DAIRY DRIVE MADISON, WI 53718-6751	PHONE: (608) 224-2830	CLIENT	ALLIANT ENERGY	INTERSTATE POWER AND LIGHT	SITE	BIG BEND LANDFILL CEDAR RAPIDS, IOWA	ANNUAL WATER QUALITY REPORT PIEZOMETRIC GROUNDWATER SURFACE CONTOUR MAP SEPTEMBER 2024	FIGURE
REVISED:																		
																		6




LEGEND

- - - APPROXIMATE LIMITS OF ASH DISPOSAL	
MW-5 (●)	MONITORING WELL
MW-10 (●)	DEEP MONITORING WELL
LW-2 (x)	LEACHATE HEAD WELL
PW-2314 (○)	PRIVATE WELL
MW-25 (⊕)	ABANDONED MONITORING WELL
MW-15A (⊕)	ABANDONED DEEP MONITORING WELL
AWS (○)	ABANDONED PRIVATE WELL

NOTES:


1. MONITORING WELL LOCATIONS ARE APPROXIMATE.
2. AERIAL IMAGE IMPORTED FROM ARCMAP'S BING MAPS
3. MW-15AR COULD NOT BE SAMPLED IN SEPTEMBER 2023 AND 2024.
4. APPROXIMATE NORTH, EAST, AND SOUTH PROPERTY LINES FROM FIGURES IN OCTOBER 1992 HYDROGEOLOGICAL INVESTIGATION REPORT. WESTERN PROPERTY LINE WAS NOT SHOWN ON THESE FIGURES. APPROXIMATE WESTERN PROPERTY LINE FROM [HTTPS://GIS.LINNCOUNTYIOWA.GOV/APPS/REAL-ESTATE/LAND-RECORDS/](https://GIS.LINNCOUNTYIOWA.GOV/APPS/REAL-ESTATE/LAND-RECORDS/), ACCESSED ON 11/29/2023.

N



SCALE: 1" = 100'

PROJECT NO.	25224063.00	DRAWN BY:	SB	DRAWN:	11/12/2024	CHECKED BY:	NLB	ENGINEER	SCS ENGINEERS 2830 DAIRY DRIVE MADISON, WI 53718-6751 PHONE: (608) 224-2830	CLIENT	ALLIANT ENERGY	INTERSTATE POWER AND LIGHT	SITE	BIG BEND LANDFILL CEDAR RAPIDS, IOWA	ANNUAL WATER QUALITY REPORT SEPTEMBER 16-19, 2024 BORON CONCENTRATIONS – SHALLOW HYDROGEOLOGIC UNIT	FIGURE
REVISED:		APPROVED BY:	TK 11/14/2024												7	




LEGEND


- - - APPROXIMATE LIMITS OF ASH DISPOSAL		1,300	TOTAL BORON CONCENTRATION (ug/L) DETECTED IN SEPTEMBER 2024
MW-5 (●)	MONITORING WELL		BORON ISOCONCENTRATION CONTOUR (1,000 ug/L CONTOUR SHOWN) DASHED WHERE INFERRED
MW-10 (●)	DEEP MONITORING WELL		- - - APPROXIMATE PROPERTY LINE
LW-2 (x)	LEACHATE HEAD WELL		
PW-2314 (○)	PRIVATE WELL		
MW-25 (⊕)	ABANDONED MONITORING WELL		
MW-15A (⊕)	ABANDONED DEEP MONITORING WELL		
AWS (○)	ABANDONED PRIVATE WELL		

NOTES:

1. MONITORING WELL LOCATIONS ARE APPROXIMATE.
2. AERIAL IMAGE IMPORTED FROM ARCMAP'S BING MAPS.
3. APPROXIMATE NORTH, EAST, AND SOUTH PROPERTY LINES FROM FIGURES IN OCTOBER 1992 HYDROGEOLOGICAL INVESTIGATION REPORT. WESTERN PROPERTY LINE WAS NOT SHOWN ON THESE FIGURES. APPROXIMATE WESTERN PROPERTY LINE FROM [HTTPS://GIS.LINNCOUNTYIOWA.GOV/APPS/REAL-ESTATE/LAND-RECORDS/](https://GIS.LINNCOUNTYIOWA.GOV/APPS/REAL-ESTATE/LAND-RECORDS/), ACCESSED ON 11/29/2023.



PROJECT NO.	25224063.00	DRAWN BY:	SB	DRAWN:	11/12/2024	CHECKED BY:	NLB	ENGINEER	SCS ENGINEERS 2830 DAIRY DRIVE MADISON, WI 53718-6751 PHONE: (608) 224-2830	CLIENT	ALLIANT ENERGY	INTERSTATE POWER AND LIGHT	SITE	BIG BEND LANDFILL CEDAR RAPIDS, IOWA	ANNUAL WATER QUALITY REPORT SEPTEMBER 16-19, 2024 BORON CONCENTRATIONS – DEEP HYDROGEOLOGIC UNIT	FIGURE
REVISED:		APPROVED BY:	TK 11/14/2024												8	



LEGEND

- - - APPROXIMATE LIMITS OF ASH DISPOSAL		1,400	TOTAL MANGANESE CONCENTRATION (ug/L) DETECTED IN SEPTEMBER 2024
MW-5 ●	MONITORING WELL		MANGANESE ISOCONCENTRATION CONTOUR (300 ug/L CONTOUR SHOWN) DASHED WHERE INFERRED
MW-10 ●	DEEP MONITORING WELL		
LW-2 ✕	LEACHATE HEAD WELL		
PW-2314 ◑	PRIVATE WELL		- - - APPROXIMATE PROPERTY LINE
MW-25 +	ABANDONED MONITORING WELL		
MW-15A +	ABANDONED DEEP MONITORING WELL		
AWS ◑	ABANDONED PRIVATE WELL		

NOTES:

1. MONITORING WELL LOCATIONS ARE APPROXIMATE.
2. AERIAL IMAGE IMPORTED FROM ARCMAP'S BING MAPS.
3. MW-15AR COULD NOT BE SAMPLED IN SEPTEMBER 2023 AND 2024. MANGANESE WAS NOT DETECTED AT MW-15AR DURING THE PREVIOUS SAMPLING EVENT IN SEPTEMBER 2020.
4. APPROXIMATE NORTH, EAST, AND SOUTH PROPERTY LINES FROM FIGURES IN OCTOBER 1992 HYDROGEOLOGICAL INVESTIGATION REPORT. WESTERN PROPERTY LINE WAS NOT SHOWN ON THESE FIGURES. APPROXIMATE WESTERN PROPERTY LINE FROM [HTTPS://GIS.LINNCOUNTYIOWA.GOV/APPS/REAL-ESTATE/LAND-RECORDS/](https://GIS.LINNCOUNTYIOWA.GOV/APPS/REAL-ESTATE/LAND-RECORDS/), ACCESSED ON 11/29/2023.

N

100 0 100

SCALE: 1" = 100'

PROJECT NO.	25224063.00	DRAWN BY:	SB	DRAWN:	11/12/2024	CHECKED BY:	NLB	ENGINEER	SCS ENGINEERS	CLIENT	ALLIANT ENERGY	INTERSTATE POWER AND LIGHT	SITE	BIG BEND LANDFILL CEDAR RAPIDS, IOWA	ANNUAL WATER QUALITY REPORT SEPTEMBER 16-19, 2024 MANGANESE CONCENTRATIONS – SHALLOW HYDROGEOLOGIC UNIT	FIGURE
REVISED:									2830 DAIRY DRIVE MADISON, WI 53718-6751 PHONE: (608) 224-2830							
																9



LEGEND

- - - - APPROXIMATE LIMITS OF ASH DISPOSAL	230 TOTAL MANGANESE CONCENTRATION (ug/L) DETECTED IN SEPTEMBER 2024 (J = CONCENTRATION IS ESTIMATED)
MW-5 (●) MONITORING WELL	
MW-10 (●) DEEP MONITORING WELL	- - - - APPROXIMATE PROPERTY LINE
LW-2 (x) LEACHATE HEAD WELL	
PW-2314 (○) PRIVATE WELL	
MW-25 (⊕) ABANDONED MONITORING WELL	
MW-15A (⊕) ABANDONED DEEP MONITORING WELL	
AWS (○) ABANDONED PRIVATE WELL	


NOTES:

- MONITORING WELL LOCATIONS ARE APPROXIMATE.
- AERIAL IMAGE IMPORTED FROM ARCMAP'S BING MAPS.
- NO MANGANESE GWPS EXCEEDANCES WERE DETECTED IN THE DEEP UNIT IN SEPTEMBER 2024.
- APPROXIMATE NORTH, EAST, AND SOUTH PROPERTY LINES FROM FIGURES IN OCTOBER 1992 HYDROGEOLOGICAL INVESTIGATION REPORT. WESTERN PROPERTY LINE WAS NOT SHOWN ON THESE FIGURES. APPROXIMATE WESTERN PROPERTY LINE FROM [HTTPS://GIS.LINNCOUNTYIOWA.GOV/APPS/REAL-ESTATE/LAND-RECORDS/](https://GIS.LINNCOUNTYIOWA.GOV/APPS/REAL-ESTATE/LAND-RECORDS/), ACCESSED ON 11/29/2023.

N

100 0 100
SCALE: 1" = 100'

PROJECT NO.	DRAWN BY:	SB	DRAWN:	CHECKED BY:	NLB	ENGINEER	SCS ENGINEERS	CLIENT	INTERSTATE POWER AND LIGHT	SITE	BIG BEND LANDFILL	ANNUAL WATER QUALITY REPORT	FIGURE
25224063.00	11/12/2024											SEPTEMBER 16-19, 2024 MANGANESE CONCENTRATIONS – DEEP HYDROGEOLOGIC UNIT	
													10



LEGEND

- - - APPROXIMATE LIMITS OF ASH DISPOSAL

MW-5 ● MONITORING WELL

MW-10 ● DEEP MONITORING WELL

LW-2 X LEACHATE HEAD WELL

PW-2314 ○ PRIVATE WELL

MW-25 ○ ABANDONED MONITORING WELL

MW-15A ○ ABANDONED DEEP MONITORING WELL

AWS ○ ABANDONED PRIVATE WELL

2.3 TOTAL COBALT CONCENTRATION (ug/L)
DETECTED IN SEPTEMBER 2024
(J = CONCENTRATION IS ESTIMATED)


— COBALT ISOCONCENTRATION CONTOUR
(2.1 ug/L CONTOUR SHOWN)
DASHED WHERE INFERRED

- - - APPROXIMATE PROPERTY LINE

NOTES:


- MONITORING WELL LOCATIONS ARE APPROXIMATE.
- MW-15AR COULD NOT BE SAMPLED IN SEPTEMBER 2024. COBALT WAS NOT DETECTED AT MW-15AR DURING THE PREVIOUS SAMPLING EVENT IN SEPTEMBER 2020.
- APPROXIMATE NORTH, EAST, AND SOUTH PROPERTY LINES FROM FIGURES IN OCTOBER 1992 HYDROGEOLOGICAL INVESTIGATION REPORT. WESTERN PROPERTY LINE WAS NOT SHOWN ON THESE FIGURES. APPROXIMATE WESTERN PROPERTY LINE FROM [HTTPS://GIS.LINNCOUNTYIOWA.GOV/APPS/REAL-ESTATE/LAND-RECORDS/](https://GIS.LINNCOUNTYIOWA.GOV/APPS/REAL-ESTATE/LAND-RECORDS/), ACCESSED ON 11/29/2023.

N



SCALE: 1" = 100'

PROJECT NO.	25224063.00	DRAWN BY:	SB				ANNUAL WATER QUALITY REPORT SEPTEMBER 16–19, 2024 COBALT CONCENTRATIONS – SHALLOW HYDROGEOLOGIC UNIT	FIGURE 11
DRAWN:	11/12/2024	CHECKED BY:	NLB					
REVISED:		APPROVED BY:	TK 11/14/2024	ENGINEER	SCS ENGINEERS 2830 DAIRY DRIVE MADISON, WI 53718-6751 PHONE: (608) 224-2830	CLIENT INTERSTATE POWER AND LIGHT SITE BIG BEND LANDFILL CEDAR RAPIDS, IOWA		




LEGEND

- - - APPROXIMATE LIMITS OF ASH DISPOSAL	
MW-5 (●)	MONITORING WELL
MW-10 (●)	DEEP MONITORING WELL
LW-2 (x)	LEACHATE HEAD WELL
PW-2314 (○)	PRIVATE WELL
MW-25 (⊕)	ABANDONED MONITORING WELL
MW-15A (⊕)	ABANDONED DEEP MONITORING WELL
AWS (○)	ABANDONED PRIVATE WELL

0.34 TOTAL COBALT CONCENTRATION ($\mu\text{g}/\text{L}$) DETECTED IN SEPTEMBER 2024
(J = CONCENTRATION IS ESTIMATED)
— COBALT ISOCONCENTRATION CONTOUR (2.1 $\mu\text{g}/\text{L}$ CONTOUR SHOWN)
DASHED WHERE INFERRED
- - - APPROXIMATE PROPERTY LINE

NOTES:

- MONITORING WELL LOCATIONS ARE APPROXIMATE.
- AERIAL IMAGE IMPORTED FROM ARCMAP'S BING MAPS.
- NO COBALT GWPS EXCEEDED IN THE DEEP UNIT IN SEPTEMBER 2024. COBALT CONCENTRATIONS AT MW-24R EXCEEDED THE GWPS IN 2019–2022, BUT THIS WELL COULD NOT BE SAMPLED IN 2023 AND 2024.
- APPROXIMATE NORTH, EAST, AND SOUTH PROPERTY LINES FROM FIGURES IN OCTOBER 1992 HYDROGEOLOGICAL INVESTIGATION REPORT. WESTERN PROPERTY LINE WAS NOT SHOWN ON THESE FIGURES. APPROXIMATE WESTERN PROPERTY LINE FROM [HTTPS://GIS.LINNCOUNTIOWA.GOV/APPS/REAL-ESTATE/LAND-RECORDS/](https://GIS.LINNCOUNTIOWA.GOV/APPS/REAL-ESTATE/LAND-RECORDS/), ACCESSED ON 11/29/2023.



PROJECT NO.	25224063.00	DRAWN BY:	SB	DRAWN:	11/12/2024	CHECKED BY:	NLB	ENGINEER	SCS ENGINEERS	CLIENT	ALLIANT ENERGY	INTERSTATE POWER AND LIGHT	SITE	BIG BEND LANDFILL CEDAR RAPIDS, IOWA	ANNUAL WATER QUALITY REPORT SEPTEMBER 16–19, 2024 COBALT CONCENTRATIONS – DEEP HYDROGEOLOGIC UNIT	FIGURE
REVISED:		APPROVED BY:	TK 11/14/2024												12	

Appendix A

Annual Inspection

SEMIANNUAL ANNUAL FACILITY INSPECTION REPORT 2024

INTERSTATE POWER AND LIGHT COMPANY

BIG BEND CLOSED LANDFILL

PERMIT NO. 57-SDP-10-90C

The semiannual inspections of the Interstate Power and Light Company (IPL) Big Bend Closed Landfill were conducted on April 16 and September 19, 2024. As required in the general provisions of the permit (Sanitary Disposal Permit No. 57-SDP-10-90C), inspections must be performed by, or under the direct supervision of, an Iowa registered engineer, and a brief report must be submitted to the Iowa Department of Natural Resources (IDNR).

SITE CONDITIONS

The Big Bend Landfill was a sand pit prior to its use as a disposal site for coal combustion residuals. The landfill was closed in 1992, and it no longer receives waste. Site Inspection Reports forms for 2024 are included in **Attachment A**.

SITE INSPECTION

Staff from SCS Engineers (SCS) conducted the site inspections under the supervision of Licensed Professional Engineer Eric Nelson, PE, of SCS. This inspection report discusses the items observed during the inspections.

Access Road and Perimeter Fencing

The access road at the entrance of the property and perimeter fencing were inspected. The access road and perimeter fencing were observed to be in good condition, with the exception of a fallen tree noted on the perimeter road during the September inspection. There were no ruts in the access road, and the fence was not damaged.

Erosion Control

The property was well vegetated during the 2024 site inspections. During the September event, the site appeared to have been recently mowed.

Groundwater Wells

Groundwater wells were observed to be in good condition during the 2024 sampling events.

IDNR Inspections

The most recent IDNR inspection of the facility was performed on April 7, 1998. In addition, IDNR visited the site in October 1998.

Attachment A

Site Inspection Report Forms

SITE INSPECTION REPORT

Project: IPL=Stoney Point Closed Landfill Big Bend Project #: 2521606#3
Site: Stoney Point Closed Ash Landfill Permit number: 57-SDP-11-60C
Date: 4/16/24 Prepared by: Tyler Stirling
Weather: Windy, Overcast 53°F On site/Off site: 11:00 a.m. 2:00 p.m.
Personnel: Tyler Stirling, Brad Kraemer
Equipment:

Landfill Cover and Erosion Control (Provide description of cover condition, whether grass appears mowed, and any erosional features or other observed issues)
Photos Taken (check)

Notes: Very good condition

Primary Access Roads and Perimeter Fencing (Provide description of current road and perimeter fencing condition and if improvements are necessary) Photos Taken (check)
Draw/Note location of necessary improvements on the attached figure.

Notes: Good condition

Groundwater and surface Water (Provide description of current monitoring points in need of improvements if necessary) Photos Taken (check)

Notes: Very good condition

Miscellaneous Notes: All Alliant locks replaced w/
OGI Keys. Only lock remaining is
the Alliant gate #lock at entrance.



SITE INSPECTION REPORT

Communications with Onsite Personnel:

Texts to Jenney Coughlin
when onsite and off.

Signature: _____

C:\Users\3510med\Desktop\Site Inspection Form.doc

SITE INSPECTION REPORT

Project: IPL – Big Bend Closed Landfill Project #: 25219063.00
Site: Big Bend Closed Ash Landfill Permit number: 57-SDP-10-90C
Date: 9/19/24 Prepared by: Michael Morgan
Weather: Cloudy, 81°F, 57% Humidity On site/Off site: 7:00 a.m. 4:15 p.m.
Personnel: Michael Morgan
Equipment: Phone

Landfill Cover and Erosion Control (Provide description of cover condition, whether grass appears mowed, and any erosional features or other observed issues)
Photos Taken (check)

Notes: Landfill mowed - grass ~ ankle high
No erosion features observed

Primary Access Roads and Perimeter Fencing (Provide description of current road and perimeter fencing condition and if improvements are necessary) Photos Taken (check)
Draw/Note location of necessary improvements on the attached figure.

Notes: Fallen tree ~ 20m from MW-18 blocking perimeter
rd / vehicle path - Tree needs to be cleared
fence condition appears good

Leachate System Performance (Provide description of leachate head wells in need of improvements if necessary)
Photos Taken (check)

Notes: All look in good condition

Groundwater (Provide description of current groundwater wells in need of improvements if necessary)
Photos Taken (check)

Notes: Metal fence posts on ground / in grass around MW-16 &
MW-17 R - Require ~~all~~ extraction



SITE INSPECTION REPORT

Miscellaneous Notes:

Communications with Onsite Personnel:

Signed in and out with ~~Jenny Coughlin~~
via text daily

Signature:

C:\Users\3510med\Desktop\Site Inspection Form.doc

Appendix B

Groundwater Sampling Field Sheets

Groundwater Sampling Log

Project No.	Site		<u>Big Bend</u>
Well No.	Date		<u>4/25/24</u>
Sampling Personnel	<u>TS</u>		
Total Well Depth	pH/temp/cond/DO/ORP meter		
Depth to Water	model & unit ID #		
Well Volume*	Date/time pH Calibration Last Checked: <u>4/25/24 @ 7:00</u>		
Sampling Device:	Turbidity meter model & unit ID #		
Water Color/Odor	Bladder Pump	Peristaltic Pump	Other:
Temperature: <u>52</u>	Wind Direction: <u>N</u>	E S <u>W</u>	Precip: <u>None</u> Light Heavy
			Sky: Cloudy <u>Sunny</u> Partly

Sample Bottles Collected:

Sample Date /Time:

Additional Notes:

*: Volume in a 2-inch well = 617 ml/ft
S:\1_Scientist Log Forms\LOG FORMS\Groundwater Sampling Log_v3.docx

Groundwater Sampling Log

Project No.	25224663.00	Site	Big Bend Cr
Well No.	MW-2	Date	9/17/24
Sampling Personnel	Michael Morgan		
Total Well Depth		pH/temp/cond/DO/ORP meter model & unit ID #	Pro DSS 23A1034-13
Depth to Water	74.91	Date/time pH Calibration Last Checked:	9/17/24 08:10
Well Volume*	Turbidity meter model & unit ID # MicroTRW: 2023020684		
Sampling Device:	Bladder Pump	Peristaltic Pump	Other:
Water Color/Odor	clear *	/	Pumping Rate: 106 ml/min
Temperature: 78°F	Wind Direction: N E (S) W	Precip: (None) Light Heavy	Sky: Cloudy Sunny Partly

Time	Depth to Water (ft)	Temp. (deg. C)	pH (standard units)	DO (mg/L)	Cond. (µs/cm)	ORP (mV)	Turbidity (NTU)	Notes
Stability Requirements - last 3 consecutive readings must be within:		+/- 3%	+/- 0.1 unit	+/- 10% or 3 readings <0.5 mg/L	+/- 3%	+/- 10mV	+/- 10% or 3 readings <5 NTU	
10:35	75.69	20.0	7.86	8.80	772	153.9	27.25	orange (Fe)? particulate
10:40	75.69	18.1	7.69	9.20	796	159.8	22.40	
10:45								Phane coll
10:50	75.52	22.1	7.14	7.87	815	169.4	23.86	
10:55	75.48	23.2	7.05	7.36	824	171.8	28.11	
11:00	75.45	23.6	6.94	7.13	832	171.4	33.27	
11:05	75.47	23.5	6.78	7.00	833	174.8	50.56	
11:10	75.45	23.3	6.70	5.75	838	174.6	66.80	
11:15	75.55	23.1	6.69	5.27	838	173.7	59.81	
11:20	75.47	23.0	6.64	4.96	837	176.2	43.18	
11:25	75.46	23.3	6.62	4.52	835	135.0	33.39	
11:30	75.46	23.4	6.62	4.35	835	105.2	28.43	

Sample Bottles Collected: _____

Sample Date /Time: _____

Additional Notes: Top of pump ~83 ft * orange particulate present
Lt orange tint*: Volume in a 2-inch well = 617 ml/ft
S:\1_Scientist Log Forms\LOG FORMS\Groundwater Sampling Log_v3.docx

Groundwater Sampling Log

Project No.	25224063-00	Site	Big Bend CL
Well No.	MW-2 cont..	Date	9/17/24
Sampling Personnel Michael Morgan			
Total Well Depth	pH/temp/cond/DO/ORP meter model & unit ID #		
Depth to Water	Date/time pH Calibration Last Checked:		
Well Volume*	Turbidity meter model & unit ID #		
Sampling Device:	Bladder Pump	Peristaltic Pump	Other: _____ Pumping Rate: _____
Water Color/Odor	/	Pump Start/Stop Time /	
Temperature:	Wind Direction: N E S W Precip: None Light Heavy Sky: Cloudy Sunny Partly		

Sample Bottles Collected:

Sample Date /Time: _____

Additional Notes:

*: Volume in a 2-inch well = 617 ml/ft
S:\1_Scientist Log Forms\LOG FORMS\Groundwater Sampling Log_v3.docx



Groundwater Sampling Log

Project No.	25224063.00	Site	Big Bend CL
Well No.	MW-5	Date	9/17/24
Sampling Personnel Michael Morgan			
Total Well Depth	72.20	pH/temp/cond/DO/ORP meter model & unit ID #	PnDSS 23A103413
Depth to Water	61.34	Date/time pH Calibration Last	9/16/24 9/17/24
Well Volume*		Checked:	
Sampling Device:	Bladder Pump	Peristaltic Pump	Other: SAMPLE PRO
Water Color/Odor	cloudy	/slightly Earthy	Pumping Rate: 100 ml/min
Temperature:	86°F	Wind Direction: N E (S) W	Pump Start/Stop Time 17:15 /18:24
		Precip: (None)	Light Heavy Sky: Cloudy Sunny

Time	Depth to Water (ft)	Temp. (deg. C)	pH (standard units)	DO (mg/L)	Cond. (µs/cm)	ORP (mV)	Turbidity (NTU)	Notes
Stability Requirements - last 3 consecutive readings must be within:		+/- 3%	+/- 0.1 unit	+/- 10% or 3 readings <0.5 mg/L	+/- 3%	+/- 10mV	+/- 10% or 3 readings <5 NTU	
17:24	63.43	18.1	7.09	5.80	1119	141.9	48.21	
17:29	63.40	16.8	6.99	5.86	1084	145.8	54.97	
17:34	63.44	17.6	7.00	6.52	1072	147.9	52.17	
17:39	63.45	18.0	7.00	6.94	1068	150.3	43.89	
17:44	18.1	6.99	7.20	1062	152.4	35.73		
17:49	18.3	6.99	7.32	1059	154.1	28.70		
17:54	18.4	6.99	7.39	1057	155.6	26.53		
17:54	18.5	7.00	7.42	1053	156.6	26.16	SAMPLE	

Sample Bottles Collected: _____

Sample Date /Time: _____

Additional Notes: ~~black marker~~

* water became less cloudy as time progressed

*: Volume in a 2-inch well = 617 ml/ft

S:\1_Scientist Log Forms\LOG FORMS\Groundwater Sampling Log_v3.docx



Groundwater Sampling Log

Project No.	25224063.00	Site	Big Bend CL					
Well No.	MW-6	Date	9/17/24					
Sampling Personnel Michael Morgan								
Total Well Depth	95.20	pH/temp/cond/DO/ORP meter model & unit ID # ProDSS 23A103413						
Depth to Water	61.69	Date/time pH Calibration Last Checked: 9/17/24						
Well Volume*		Turbidity meter model & unit ID # M _(air) TPW: 2023020684						
Sampling Device:	Bladder Pump	Peristaltic Pump	Other: Sample Pro					
Water Color/Odor	Clear	/Sulfur	Pumping Rate: 200 ml/min					
Temperature: 87°F	Wind Direction: N E S W	Precip: (None)	Pump Start/Stop Time 15:30 / 16:41					
Time	Depth to Water (ft)	Temp. (deg. C)	pH (standard units)	DO (mg/L)	Cond. (µs/cm)	ORP (mV)	Turbidity (NTU)	Notes

Time	Depth to Water (ft)	Temp. (deg. C)	pH (standard units)	DO (mg/L)	Cond. (µs/cm)	ORP (mV)	Turbidity (NTU)	Notes
Stability Requirements – last 3 consecutive readings must be within:	+/- 3%	+/- 0.1 unit	+/- 10% or 3 readings <0.5 mg/L	+/- 3%	+/- 10mV	+/- 10% or 3 readings <5 NTU		
15:38	61.72	23.6	7.31	4.82	1098	20.7	14.16	
15:43	61.69	17.9	6.98	2.62	1055	-7.0	10.66	
15:48	61.70	17.0	7.01	3.45	1045	-3.0	10.60	
15:53	61.70	17.0	7.02	4.14	1047	4.2	8.91	
15:58	61.72	16.8	7.02	4.68	1054	11.8	9.82	
16:03	61.70	16.8	7.00	4.95	1065	21.0	8.84	
16:08	61.75	16.8	6.99	5.07	1077	28.8	7.99	
16:13	61.75	16.8	6.99	5.23	1077	34.7	6.17	
16:18	61.65	16.4	6.99	5.41	1079	38.0	6.68	
16:23	61.68	16.13	7.00	5.58	1079	41.0	6.77	SAMPLE

Sample Bottles Collected: _____

Sample Date /Time: _____

Additional Notes: _____

*: Volume in a 2-inch well = 617 ml/ft
 S:\1_Scientist Log Forms\LOG FORMS\Groundwater Sampling Log_v3.docx



Groundwater Sampling Log

Project No.	25224063.00	Site	Big Bend CL
Well No.	MW-7	Date	9/18/24
Sampling Personnel Michael Morgan			
Total Well Depth	98.95	pH/temp/cond/DO/ORP meter model & unit ID # ProDSS : 23A105517	
Depth to Water	77.87	Date/time pH Calibration Last Checked: 9/18/24 8:15	
Well Volume*		Turbidity meter model & unit ID # Micro TAW: 2023020684	
Sampling Device:	Bladder Pump	Peristaltic Pump	Other: Sample Pro Pumping Rate: 150 ml/min
Water Color/Odor	clear / seaweed smell		Pump Start/Stop Time 11:15 / 12:25
Temperature: 76°F	Wind Direction: N (E S) W	Precip: None	Light Heavy Sky: Cloudy Sunny Partly

Time	Depth to Water (ft)	Temp. (deg. C)	pH (standard units)	DO (mg/L)	Cond. (µs/cm)	ORP (mV)	Turbidity (NTU)	Notes
Stability Requirements - last 3 consecutive readings must be within:		+/- 3%	+/- 0.1 unit	+/- 10% or 3 readings <0.5 mg/L	+/- 3%	+/- 10mV	+/- 10% or 3 readings <5 NTU	
11:29	78.10	18.9	6.92	5.26	826	-9.4	12.22	
11:34	78.12	16.3	7.02	2.57	834	-69.1	11.24	
11:39	78.14	16.2	7.04	1.90	836	-87.2	11.14	
11:44	78.03	16.1	7.05	1.45	834	-100.2	9.52	
11:49	78.08	16.2	7.05	1.21	835	-108.0	8.91	
11:54	78.08	16.2	7.06	1.06	835	-116.6	9.69	
11:59	78.13	16.1	7.06	0.95	834	-121.1	9.76	
12:04	78.12	16.4	7.05	0.90	834	-122.7	9.37	
12:09	78.11	16.4	7.04	0.87	834	-123.0	10.09	SAMPLE

Sample Bottles Collected: _____

Sample Date /Time: _____

Additional Notes: Midday col check at 12:15

*: Volume in a 2-inch well = 617 ml/ft
 S:\1_Scientist Log Forms\LOG FORMS\Groundwater Sampling Log_v3.docx



SCS ENGINEERS

Groundwater Sampling Log

Project No. 25224063-00 Site Big Bend CL
Well No. MW-8R Date 9/16/24
Well Depth 74.97 Sampling Device water level tape
Water Level 74.81 Other Info.
Purge Volume Pumping Rate
Sampling Personnel Michael Morgan
Color/Odor

Type of Samples Collected: _____

Additional Notes:

Information: 2 in = 617 ml/ft, 4 in = 2,470 ml/ft; $\text{Vol}_{\text{cyl}} = \pi r^2 h$, $\text{Vol}_{\text{sphere}} = \frac{4}{3} \pi r^3$

Groundwater Sampling Log

Project No.	25224063.00	Site	Big Bend CL
Well No.	MW-10	Date	9/18/24
Sampling Personnel Michael Morgan			
Total Well Depth	107.65	pH/temp/cond/DO/ORP meter model & unit ID # Pro DSS: 28A105517	
Depth to Water	87.78	Date/time pH Calibration Last Checked: 9/18/24 12:15	
Well Volume*		Turbidity meter model & unit ID # Micro TPW: 2023070684	
Sampling Device:	Bladder Pump	Peristaltic Pump	Other: Sample Pro Pumping Rate: 150 ml/min
Water Color/Odor	clear / None	Pump Start/Stop Time 17:13 / 18:36	
Temperature: 85°F	Wind Direction: N (E) S W	Precip: None Light Heavy Sky: Cloudy Sunny Partly	

Time	Depth to Water (ft)	Temp. (deg. C)	pH (standard units)	DO (mg/L)	Cond. (µs/cm)	ORP (mV)	Turbidity (NTU)	Notes
Stability Requirements – last 3 consecutive readings must be within:		+/- 3%	+/- 0.1 unit	+/- 10% or 3 readings <0.5 mg/L	+/- 3%	+/- 10mV	+/- 10% or 3 readings <5 NTU	
17:19	88.09	25.5	7.23	5.72	1082	106.9	10.30	
17:34	88.08	17.2	7.28	8.86	1051	1+7	9.23	
17:39	88.33	16.9	7.62	10.52	1044	4.0	9.66	
17:44	87.59	17.3	7.71	10.71	1037	25.1	9.55	
17:49	88.21	17.8	7.69	10.57	1040	35.0	8.58	
17:54	87.94	18.7	7.66	10.44	1037	39.9	8.80	
18:59	87.71	20.2	7.66	10.37	1042	44.7	8.21	
18:04								* Air valve
18:09	88.64	16.6	7.60	9.57	1081	74.2	18.85	
18:14	88.68	14.2	7.48	9.56	1074	90.0	18.06	
18:19	↓	14.2	7.43	9.34	1071	92.2	17.26	
18:24	↓	14.2	7.39	9.07	1070	92.5	16.46	SAMPLE

Sample Bottles Collected: _____

Sample Date / Time:

Additional Notes: * Depth to water fluctuated a lot during stabilizing

* Air valve / pump controller issue -? overheating?

- Found air in line at pump control to air line - ~~re-wt~~ re-wt

* Volume in a 2-inch well = 617 ml/ft

S:\1_Scientist Log Forms\LOG FORMS\Groundwater Sampling Log_v3.docx



Groundwater Sampling Log

Project No.	25224063.00	Site	Big Bend CL
Well No.	MW-11	Date	9/17/24
Sampling Personnel Michael Morgan			
Total Well Depth	132.4	pH/temp/cond/DO/ORP meter model & unit ID #	Pro DSS 23A103413
Depth to Water	85.14	Date/time pH Calibration Last Checked:	9/17/24 08:10
Well Volume*		Turbidity meter model & unit ID # MicroTPW: 2023020684	
Sampling Device:	Bladder Pump	Peristaltic Pump	Other: Sample Pro
Water Color/Odor	clear	/ slight sulfur	Pumping Rate: 150 ml/min
Wind Temperature: 85°F	Direction: N E (S) W	Precip: None	Pump Start/Stop Time 12:50 / 14:45

Time	Depth to Water (ft)	Temp. (deg. C)	pH (standard units)	DO (mg/L)	Cond. (µs/cm)	ORP (mV)	Turbidity (NTU)	Notes
Stability Requirements - last 3 consecutive readings must be within:		+/- 3%	+/- 0.1 unit	+/- 10% or 3 readings <0.5 mg/L	+/- 3%	+/- 10mV	+/- 10% or 3 readings <5 NTU	
13:13	85.17	32.4	6.94	4.65	990	115.0	13.32	
13:18	85.16	30.0	6.81	3.36	982	121.3	8.42	
13:23	85.17	29.7	6.78	2.51	975	107.4	7.09	
13:28	85.18	29.4	6.78	2.01	973	87.9	7.70	
13:33	85.21	28.9	6.79	1.66	972	72.4	7.62	
13:38	85.19	29.3	6.78	1.46	974	61.7	6.56	
13:43	85.20	29.3	6.79	1.27	973	52.4	8.00	
13:48	85.19	28.7	6.79	1.16	971	46.7	7.57	
13:53	1	29.1	6.79	1.09	971	40.0	7.27	
13:58		29.3	6.79	1.04	975	37.3	7.99	
14:03		29.6	6.79	0.97	975	30.1	7.88	
14:08	▽	29.4	6.79	0.92	975	26.5	8.13	

Sample Bottles Collected: _____

Sample Date /Time: _____

Additional Notes: _____

~~Wait until water flows~~ • Took ~ 25 min for water to flow
 *: Volume in a 2-inch well = 617 ml/ft

S:\1_Scientist Log Forms\LOG FORMS\Groundwater Sampling Log_v3.docx



FORM FOR GROUNDWATER SAMPLING

Project: Big Bend Cl

Monitoring Well/Piezometer ID: MW-11 Cont...

Gradient (circle one): Up / Down / Supp / Compliance

Sampler: Michael Morgan

Date: 9/17/24

A. MW/PIEZOMETER CONDITIONS

Well/Piezometer Capped? (circle one): Yes No If No, explain:

Litter/Standing Water? (circle one): Yes No If Yes, explain:

B. GROUNDWATER ELEVATION MEASUREMENT (+/- 0.01 foot, MSL)

Measured Well Total Depth (feet):

Peri Tubing Used (feet):

Initial Static Water Level (feet):

Sub Tubing Used (feet):

Equipment Used (check one): Dedicated Peristaltic Tubing
 Dedicated Bailer Other:

Dedicated Submersible Pump*

*Controller Type: G / Y / BR

C. WELL PURGING

FIELD PARAMETERS [stabilization criteria] RECORD EVERY 3 MINUTES

Time	Temperature (°C) +/- 10%	Dissolved Oxygen (mg/L)	Conductivity (µS/cm) +/- 10%	pH (S.U.) +/- 0.1	ORP (mV)	Turbidity (FNU)	Static Water Level (feet)
SAMPLE 14:13	Purging start time 28.8	0.90	978	6.80	25.6	8.53	85.19

Parameters stabilized for 3 consecutive readings, YSI stopped recording, sample collected
 ←Final SWL Record Time Finished collecting sample Final SWL after sampling →

Quantity of Water Removed from Well (circle units: liters / gallons):

Was well pumped/bailed dry?

Total Amount of Time Purged (minutes)

Color Describe:

Odor Describe:

D. WELL MAINTENANCE

Does the monitoring well/piezometer require any future maintenance? Yes / No

If yes, explain:

Is the monitoring well/piezometer correctly labeled with a physical tag visible on the outside of the protective well casing? Yes / No

Additional Comments/Sampling Issues:

Groundwater Sampling Log

Project No.	25224063.00			Site	Big Bend CC		
Well No.	MW-12			Date	9/18/24		
Sampling Personnel	Michael Morgan						
Total Well Depth	112.70			pH/temp/cond/DO/ORP meter model & unit ID #	Pro DSS-23A105517		
Depth to Water	61.15			Date/time pH Calibration Last Checked:	9/18/24 8:15		
Well Volume*				Turbidity meter model & unit ID #	Minut PW-2023020684		
Sampling Device:	Bladder Pump	Peristaltic Pump	Other: sample Pro	Pumping Rate:	100 ml/min		
Water Color/Odor	clear / sulfur			Pump Start/Stop Time	08:25	/09:34	
Temperature: 66°F	Wind Direction:	N (E) (S) W	Precip:	(None)	Light	Heavy	Sky: Cloudy Sunny Partly

Time	Depth to Water (ft)	Temp. (deg. C)	pH (standard units)	DO (mg/L)	Cond. (µs/cm)	ORP (mV)	Turbidity (NTU)	Notes
Stability Requirements – last 3 consecutive readings must be within:		+/- 3%	+/- 0.1 unit	+/- 10% or 3 readings <0.5 mg/L	+/- 3%	+/- 10mV	+/- 10% or 3 readings <5 NTU	
8:55	61.17	16.6	7.75	8.83	486	102.2	13.36	
8:40	61.13	15.1	7.05	5.87	931	-4.9	13.18	
8:45	61.15	14.7	6.94	3.08	929	-55.0	9.23	
8:50	61.15	14.7	7.05	2.12	925	-90.4	9.21	
8:55	61.22	14.7	7.17	1.58	925	-120.1	8.77	
9:00	61.18	14.6	7.18	1.49	924	-124.3	7.80	
9:05	61.22	14.8	7.19	1.40	923	-131.1	7.61	
9:10	61.23	14.9	7.19	1.37	923	-134.9	8.15	SAMPLE

Sample Bottles Collected: _____

Sample Date /Time: _____

Additional Notes: _____

*: Volume in a 2-inch well = 617 ml/ft
 S:\1_Scientist Log Forms\LOG FORMS\Groundwater Sampling Log_v3.docx



SCS ENGINEERS

Groundwater Sampling Log

Project No. 25224-063.00 Site Big Bend CL
Well No. M-2-13 Date 9/16/24
Well Depth 73.22 Sampling Device water level tape
Water Level 24.49 Other Info.
Purge Volume Pumping Rate
Sampling Personnel Michael Morgan
Color/Odor

Type of Samples Collected:

Additional Notes:

Information: 2 in = 617 ml/ft, 4 in = 2,470 ml/ft; $\text{Vol}_{\text{cyl}} = \pi r^2 h$, $\text{Vol}_{\text{sphere}} = \frac{4}{3} \pi r^3$

Groundwater Sampling Log

Project No.	25224063.00	Site	Big Bend CI
Well No.	MW-14	Date	9/18/24
Sampling Personnel			
Total Well Depth	1	pH/temp/cond/DO/ORP meter	
Depth to Water	24.26	model & unit ID #	Pro DSS: 23A10 5517
Well Volume*		Date/time pH Calibration Last	Checked: 9/18/24 8:15
Sampling Device:	Bladder Pump	Turbidity meter model & unit ID #	MicroTPW: 2023020684
Water Color/Odor	clear	Peristaltic Pump	Other:
Temperature: 72°F	Wind Direction: N (E) (S) W	Pumping Rate: 200 ml/min	Pump Start/Stop Time 10:00 / 10:39
Precip: (None)	Light	Heavy	Sky: Cloudy
			Sunny (Partly)

Sample Bottles Collected:

Sample Date /Time: _____

Additional Notes: Field sample collected at 10:45

*: Volume in a 2-inch well = 617 ml/ft
S:\1_Scientist Log Forms\LOG FORMS\Groundwater Sampling Log_v3.docx



Groundwater Sampling Log

Project No.	25224063.00	Site	Big Bend CL
Well No.	MW-15AR	Date	9/18/24
Sampling Personnel	Michael Morgan		
Total Well Depth	90.07	pH/temp/cond/DO/ORP meter model & unit ID #	Pico DSS: 23A105517
Depth to Water	87.61	Date/time pH Calibration Last Checked:	9/18/24 12:15
Well Volume*		Turbidity meter model & unit ID #	Micron TRW: 2023020684
Sampling Device:	Bladder Pump	Peristaltic Pump	Other: Sample Pro Pumping Rate:
Water Color/Odor	/	Pump Start/Stop Time 16:20 / 16:30	
Temperature:	Wind Direction: N E S W Precip: None Light Heavy Sky: Cloudy Sunny Partly		

Sample Date /Time:

*: Volume in a 2-inch well = 617 ml/ft

S:\1 Scientist Log Forms\LOG FORMS\Groundwater Sampling Log_v3.docx



Groundwater Sampling Log

Project No.	25224063.00	Site	Big Bend CL
Well No.	MW-16	Date	9/18/24
Sampling Personnel Michael Morgan			
Total Well Depth	118.70	pH/temp/cond/DO/ORP meter model & unit ID #	ProDSS-23A105517
Depth to Water	88.86	Date/time pH Calibration Last Checked:	9/18/24 12:15
Well Volume*		Turbidity meter model & unit ID #	MicroTPW: 2023020684
Sampling Device:	Bladder Pump	Peristaltic Pump	Other: Sample Pro Pumping Rate: 100 ml/min
Water Color/Odor	clear	/ Sulfur	Pump Start/Stop Time 14:08 / 15:40
Temperature: 85°F	Wind Direction: N E (S) W	Precip: None Light Heavy	Sky: Cloudy Sunny (Partly)

Time	Depth to Water (ft)	Temp. (deg. C)	pH (standard units)	DO (mg/L)	Cond. (µs/cm)	ORP (mV)	Turbidity (NTU)	Notes
Stability Requirements - last 3 consecutive readings must be within:		+/- 3%	+/- 0.1 unit	+/- 10% or 3 readings <0.5 mg/L	+/- 3%	+/- 10mV	+/- 10% or 3 readings <5 NTU	
14:16	88.91	19.4	7.14	3.81	806	-28.5	7.39	
14:21	88.92	18.6	7.09	3.08	800	-43.7	6.48	
14:26	88.90	18.0	7.07	2.58	795	-55.0	6.62	
14:31	17.7	17.7	7.05	1.99	790	-65.9	5.24	
14:36	16.8	16.8	7.05	1.74	788	-73.1	5.77	
14:41	16.6	16.6	7.04	1.52	789	-77.7	5.97	
14:46	16.0	16.0	7.04	1.37	793	-80.6	4.95	
14:51	15.5	15.5	7.03	1.29	814	-80.7	5.02	
14:56	88.94	15.5	7.03	1.30	842	-79.0	4.76	
15:01	88.92	15.5	7.02	1.33	878	-74.4	5.11	
15:06	88.93	15.7	7.01	1.34	898	-70.2	5.37	
15:11	88.93	15.7	7.01	1.35	908	-65.3	5.60	

Sample Bottles Collected: _____

Sample Date /Time: _____

Additional Notes: _____

*: Volume in a 2-inch well = 617 ml/ft
 S:\1_Scientist Log Forms\LOG FORMS\Groundwater Sampling Log_v3.docx



Groundwater Sampling Log

Project No.	25224063.00	Site	Big Bend CL	
Well No.	HW-16 cont --	Date	9/18/24	
Sampling Personnel Michael Morgan				
Total Well Depth	pH/temp/cond/DO/ORP meter model & unit ID #			
Depth to Water	Date/time pH Calibration Last Checked:			
Well Volume*	Turbidity meter model & unit ID #			
Sampling Device:	Bladder Pump	Peristaltic Pump	Other: _____ Pumping Rate: _____	
Water Color/Odor	/	Pump Start/Stop Time	/	
Temperature:	Wind Direction:	N E S W	Precip: None Light Heavy	Sky: Cloudy Sunny Partly

Sample Bottles Collected: _____

Sample Date /Time: _____

Additional Notes: _____

*: Volume in a 2-inch well = 617 ml/ft
S:\1_Scientist Log Forms\LOG FORMS\Groundwater Sampling Log_v3.docx



SCS ENGINEERS

Groundwater Sampling Log

Project No. 25224063.00 Site Big Bend CL
Well No. MW-17R Date 9/16/24
Well Depth 82.90 Sampling Device water level type
Water Level 81-74 Other Info.
Purge Volume Pumping Rate
Sampling Personnel _____
Color/Odor _____

Type of Samples Collected:

Additional Notes:

Information: 2 in = 617 ml/ft, 4 in = 2,470 ml/ft; $\text{Vol}_{\text{cyl}} = \pi r^2 h$, $\text{Vol}_{\text{sphere}} = 4/3\pi r^3$

Environmental Consultants and Contractors

2830 Dairy Drive
Madison, WI 53718-6751

608 224-2830
FAX 608 224-2839
www.scsengineers.com

SCS ENGINEERS

Groundwater Sampling Log

Project No.	25224063-00	Site	Big Bend CL
Well No.	MW-18	Date	9/16/24
Well Depth	40-26	Sampling Device	water level tape
Water Level	39.25	Other Info.	
Purge Volume		Pumping Rate	
Sampling Personnel			
Color/Odor			

Type of Samples Collected:

Additional Notes: _____

Information: 2 in = 617 ml/ft, 4 in = 2,470 ml/ft; $\text{Vol}_{\text{cyl}} = \pi r^2 h$, $\text{Vol}_{\text{sphere}} = \frac{4}{3} \pi r^3$

Groundwater Sampling Log

Project No.	25224 063.00	Site	Big Bend					
Well No.	MW - 20	Date	9/16/24					
Sampling Personnel Michael Morgan								
Total Well Depth	37.71	pH/temp/cond/DO/ORP meter model & unit ID # Pro PSS 13A103413						
Depth to Water	29.80	Date/time pH Calibration Last Checked: 14:30 9/16/24						
Well Volume*		Turbidity meter model & unit ID # MicroTPW : 2020 3020684						
Sampling Device:	Bladder Pump	Peristaltic Pump	Other: Sample Pro					
Water Color/Odor	cloudy	/slight earthy	Pumping Rate: 200 ml/min					
Temperature:	87°F	Wind Direction: N E S W	Pump Start/Stop Time 14:54 /15:53					
Time	Depth to Water (ft)	Temp. (deg. C)	pH (standard units)	DO (mg/L)	Cond. (µs/cm)	ORP (mV)	Turbidity (NTU)	Notes

Time	Depth to Water (ft)	Temp. (deg. C)	pH (standard units)	DO (mg/L)	Cond. (µs/cm)	ORP (mV)	Turbidity (NTU)	Notes
14:54	30.06	18.2	6.64	6.44	793	197.3	63.65	
14:59	30.26	15.5	6.14	5.82	756	239.8	59.79	color - cloudy light brown
15:04	30.37	15.2	6.12	5.79	753	246.9	44.67	
15:09	30.37	15.2	6.13	5.79	755	249.0	41.56	
15:14	30.42	15.2	6.14	5.73	754	252.3	39.04	color - cloudy
15:19	30.44	14.6	6.14	5.73	753	255.2	29.48	
15:24	30.42	14.8	6.13	5.64	754	156.6	24.55	
15:29	30.43	14.9	6.12	5.54	753	257.9	14.36	
15:34	30.47	15.1	6.12	5.47	754	258.5	18.84	
15:39	30.43	15.3	6.12	5.43	753	259.0	17.18	SAMPLE

Sample Bottles Collected: _____

Sample Date /Time: _____

Additional Notes: _____

*: Volume in a 2-inch well = 617 ml/ft
 S:\1_Scientist Log Forms\LOG FORMS\Groundwater Sampling Log_v3.docx



Groundwater Sampling Log

Project No.	25224 063.00	Site	Big Bend CL
Well No.	MWS-21	Date	9/19/24
Sampling Personnel Michael Morgan			
Total Well Depth	27.85	pH/temp/cond/DO/ORP meter model & unit ID #	PrecDSS: 23A105517
Depth to Water	17.34	Date/time pH Calibration Last Checked:	9/19/24 7:45
Well Volume*		Turbidity meter model & unit ID #	MicroTPW: 2023020684
Sampling Device:	Bladder Pump	Peristaltic Pump	Other: Sample Pro Pumping Rate: 150 ml/min
Water Color/Odor	* Cloudy / none	Pump Start/Stop Time 15:01 / 16:05	
Temperature: 88°F	Wind Direction: N E (S) W	Precip:	None Light Heavy Sky: (Cloudy) Sunny Partly

Time	Depth to Water (ft)	Temp. (deg. C)	pH (standard units)	DO (mg/L)	Cond. (µs/cm)	ORP (mV)	Turbidity (NTU)	Notes
Stability Requirements - last 3 consecutive readings must be within:		+/- 3%	+/- 0.1 unit	+/- 10% or 3 readings <0.5 mg/L	+/- 3%	+/- 10mV	+/- 10% or 3 readings <5 NTU	
15:03	17.65	18.2	6.78	6.00	1479	146.0	175.8	
15:08	18.09	14.8	6.58	4.94	1452	161.0	176.1	
15:13	18.27	14.6	6.54	4.82	1446	166.2	116.0	
15:18	17.98	15.9	6.52	4.77	1448	168.6	98.90	
15:23	17.93	16.4	6.53	4.73	1450	170.3	83.51	
15:28	17.85	16.8	6.53	4.69	1451	172.2	72.18	
15:33	17.89	16.8	6.53	4.66	1452	173.0	60.57	
15:38	17.86	16.7	6.53	4.64	1452	173.6	56.22	
15:43	17.80	16.9	6.53	4.64	1453	174.2	50.65	
15:48	17.83	17.1	6.54	4.66	1453	173.5	48.52	
15:53	17.78	17.1	6.54	4.59	1457	173.5	46.07	SAMPLE

Sample Bottles Collected: _____

Sample Date /Time: _____

Additional Notes: Unable to locate float mount well in thick grass in vegetation initially -

* Color - cloudy straw brown

*: Volume in a 2-inch well = 617 ml/ft

S:\1_Scientist Log Forms\LOG FORMS\Groundwater Sampling Log_v3.docx



Groundwater Sampling Log

Project No.	25224-063.00	Site	Big Bend CL
Well No.	MW-23 R	Date	9/19/24
Sampling Personnel	Michael Morgan		
Total Well Depth	—	pH/temp/cond/DO/ORP meter model & unit ID #	PreOSS: 23A105517
Depth to Water	97.45	Date/time pH Calibration Last Checked:	9/19/24 7:45
Well Volume*	Turbidity meter model & unit ID # MicroTRV: 20230720584		
Sampling Device:	Bladder Pump	Peristaltic Pump	Other:
Water Color/Odor	clear	/ none	Pumping Rate: 200 ml/min
Temperature:	73°F	Wind Direction: N E (S) W	Precip: None Light Heavy Sky: Cloudy Sunny Partly

Sample Bottles Collected: _____

Sample Date /Time: _____

Additional Notes: _____

*: Volume in a 2-inch well = 617 ml/ft
S:\1_Scientist Log Forms\LOG FORMS\Groundwater Sampling Log_v3.docx



Groundwater Sampling Log

Project No.	25224 CG3.00	Site	Big Bend CL
Well No.	MW-24R	Date	9/19/24
Sampling Personnel	Michael Morgan		
Total Well Depth	~	pH/temp/cond/DO/ORP meter model & unit ID #	ProDSS 23A105517
Depth to Water	47.90	Date/time pH Calibration Last Checked:	9/19/24 7:45
Well Volume*	Turbidity meter model & unit ID # MicroTPW: 202302C-684		
Sampling Device:	Bladder Pump	Peristaltic Pump	Other: _____
	Pumping Rate: 50 ml/min		
Water Color/Odor	Clear	/	clear
	Pump Start/Stop Time 10:18 /		
Temperature: 79°F	Wind Direction:	N E (S) W	Precip: (None) Light Heavy Sky: Cloudy Sunny Partly

Sample Bottles Collected: _____

Sample Date /Time: _____

Additional Notes: * 2023 Sampling event indicated pump was at ~86 ft
this is incorrect - likely pipe was sampler didn't let pump run for
long enough time to ~~allow~~ extract water.

*: Volume in a 2-inch well = 617 ml/ft

S:\1_Scientist Log Forms\LOG FORMS\Groundwater Sampling Log_v3.docx



Groundwater Sampling Log

Project No.	15224 063-00	Site	Big Bend CL					
Well No.	MW - 25 R	Date	9/17/24					
Sampling Personnel Michael Morgan								
Total Well Depth	53.28	pH/temp/cond/DO/ORP meter model & unit ID # ProBSS 23A103413						
Depth to Water	43.82	Date/time pH Calibration Last Checked: 08:10 9/17/24						
Well Volume*		Turbidity meter model & unit ID # MicroTPW: 2023 020 684						
Sampling Device:	Bladder Pump	Peristaltic Pump	Other: Sample Pro					
Water Color/Odor	cloudy brown / none		Pumping Rate: 100 ml/min					
Temperature: 70°F	Wind Direction: N E S W	Precip: <input checked="" type="radio"/> None	Pump Start/Stop Time 08:32 / 09:54					
Time	Depth to Water (ft)	Temp. (deg. C)	pH (standard units)	DO (mg/L)	Cond. (µs/cm)	ORP (mV)	Turbidity (NTU)	Notes

Time	Depth to Water (ft)	Temp. (deg. C)	pH (standard units)	DO (mg/L)	Cond. (µs/cm)	ORP (mV)	Turbidity (NTU)	Notes
Stability Requirements – last 3 consecutive readings must be within:		+/- 3%	+/- 0.1 unit	+/- 10% or 3 readings <0.5 mg/L	+/- 3%	+/- 10mV	+/- 10% or 3 readings <5 NTU	
8:34	44.16	18.1	7.08	6.17	1055	120.4	42.00	
8:39	44.11	15.8	6.73	4.80	1039	169.8	92.04	water cloudy
8:44	44.09	17.1	6.71	6.41	1036	176.6	101.0	
8:49	43.95	17.8	6.75	6.87	1035	176.0	91.38	
8:54	44.00	17.8	6.83	7.17	1036	173.8	75.51	
8:59	44.12	16.6	6.88	7.35	1030	172.8	62.39	
9:04	44.27	15.9	6.63	7.63	1025	172.5	41.13	
9:09	45.09	18.0	6.92	7.61	1015	172.4	34.81	
9:14	43.96	19.0	6.92	7.58	1022	172.5	34.16	
9:19	43.96	19.2	6.92	7.50	1031	173.0	31.84	
9:24	43.98	18.6	6.93	7.48	1028	173.5	27.63	
9:29	44.06	18.4	6.95	7.63	1026	173.8	27.27	

Sample Bottles Collected: _____

Sample Date /Time: _____

Additional Notes: _____

*: Volume in a 2-inch well = 617 ml/ft
 S:\1_Scientist Log Forms\LOG FORMS\Groundwater Sampling Log_v3.docx



Groundwater Sampling Log

Project No.	25224063.00	Site	Big Bend CL
Well No.	MW-25R cont....	Date	9/17/24
Sampling Personnel Michael Morgan			
Total Well Depth	pH/temp/cond/DO/ORP meter model & unit ID #		
Depth to Water	Date/time pH Calibration Last Checked:		
Well Volume*	Turbidity meter model & unit ID #		
Sampling Device:	Bladder Pump	Peristaltic Pump	Other: _____ Pumping Rate: _____
Water Color/Odor	/	Pump Start/Stop Time /	
Temperature:	Wind Direction: N E S W Precip: None Light Heavy Sky: Cloudy Sunny Partly		

Sample Bottles Collected:

Sample Date /Time:

Additional Notes:

*: Volume in a 2-inch well = 617 ml/ft
S:\1_Scientist Log Forms\LOG FORMS\Groundwater Sampling Log_v3.docx

Groundwater Sampling Log

Project No.	25224063.00	Site	Big Bend CL
Well No.	LW-1	Date	9/19/24
Sampling Personnel Michael Morgan			
Total Well Depth	41.38	pH/temp/cond/DO/ORP meter model & unit ID #	ProDSS 23A105517
Depth to Water	40.28	Date/time pH Calibration Last Checked:	9/19/24 7:45
Well Volume*		Turbidity meter model & unit ID #	MunroTPW 2023020684
Sampling Device:	Bladder Pump	Peristaltic Pump	Other: _____ Pumping Rate: _____
Water Color/Odor	Grey	/Sulfur/Seaweed	Pump Start/Stop Time /
Temperature:	87°F	Wind Direction:	N E (S) W
Precip:	(None)	Light	Heavy
Sky:	Cloudy	Sunny	Partly

Sample Bottles Collected: _____

Sample Date /Time: _____

Additional Notes: low water levels, unable to sample.
blade particulate notable

*: Volume in a 2-inch well = 617 ml/ft
S:\1_Scientist Log Forms\LOG FORMS\Groundwater Sampling Log_v3.docx



SCS ENGINEERS

Groundwater Sampling Log

Project No. 25224063-00 Site Big Bend CL
Well No. LW-02 Date 9/16/24
Well Depth 19.74 Sampling Device water level tape.
Water Level 19.69 Other Info.
Purge Volume Pumping Rate
Sampling Personnel _____
Color/Odor _____

Type of Samples Collected:

Additional Notes:

Information: 2 in = 617 ml/ft, 4 in = 2,470 ml/ft; $\text{Vol}_{\text{cyl}} = \pi r^2 h$, $\text{Vol}_{\text{sphere}} = \frac{4}{3}\pi r^3$

FORM FOR GROUNDWATER SAMPLING

Project: Big Bend CL 25224063.00

Monitoring Well/Piezometer ID: LW-3

Date: 9/18/14

Gradient (circle one): Up / Down / Supp / Compliance Sampler: Michael Morgan

A. MW/PIEZOMETER CONDITIONS

Well/Piezometer Capped? (circle one): Yes No If No, explain:

Litter/Standing Water? (circle one): Yes No If Yes, explain:

B. GROUNDWATER ELEVATION MEASUREMENT (+/- 0.01 foot, MSL)

Measured Well Total Depth (feet): 38.38

Peri Tubing Used (feet):

Initial Static Water Level (feet): 37.54

Sub Tubing Used (feet):

Equipment Used (check one): Dedicated Peristaltic Tubing

Dedicated Submersible Pump*

Dedicated Bailer

Other: Disposable Bailer

*Controller Type: G / Y / BR

C. WELL PURGING

FIELD PARAMETERS [stabilization criteria] RECORD EVERY 3 MINUTES

Time	Temperature (°C) +/- 10%	Dissolved Oxygen (mg/L)	Conductivity (µS/cm) +/- 10%	pH (S.U.) +/- 0.1	ORP (mV)	Turbidity (FNU)	Static Water Level (feet)
12:47	Purging start time 21.6	4.18	57.5	7.31	-22.5		37.51

Parameters stabilized for 3 consecutive readings, YSI stopped recording, sample collected
 ←Final SWL Record Time Finished collecting sample Final SWL after sampling →

Quantity of Water Removed from Well (circle units: liters / gallons):

Was well pumped/bailed dry?

Total Amount of Time Purged (minutes)

Color Describe: brown / black "like black tea"

Odor Describe: slightly earthy w some sulfur

D. WELL MAINTENANCE

Does the monitoring well/piezometer require any future maintenance? Yes / No

If yes, explain:

Is the monitoring well/piezometer correctly labeled with a physical tag visible on the outside of the protective well casing? Yes / No

Additional Comments/Sampling Issues: noticeable detritus / particulate
 * low water levels, unable to sample.

Weather = 87°F , wind Sth , no precipitation , partly cloudy

Groundwater Sampling Log

Project No.	Site			Big Bend CL
Well No.	Date			9/18/24
Sampling Personnel	Michael Morgan			
Total Well Depth	pH/temp/cond/DO/ORP meter model & unit ID #			Pro DSS-23A105517
Depth to Water	Date/time pH Calibration Last			9/18/24 12:15
Well Volume*	Checked:			Turbidity meter model & unit ID # MicroTPW-1023020684
Sampling Device:	Bladder Pump	Peristaltic Pump	Other: Supply well	Pumping Rate:
Water Color/Odor	clear	/ None		Pump Start/Stop Time 13:14 / 13:32
Temperature:	86°F	Wind Direction:	N E (S) W	Precip: None Light Heavy Sky: Cloudy Sunny Partly

Sample Bottles Collected:

Sample Date /Time: _____

Additional Notes: Purged well for 15 min before sampling and taking readings
13:14 - 13:29

*: Volume in a 2-inch well = 617 ml/ft

S:\1_Scientist Log Forms\LOG FORMS\Groundwater Sampling Log_v3.docx



Appendix C

Laboratory Analytical Reports

ANALYTICAL REPORT

PREPARED FOR

Attn: Meghan Blodgett
SCS Engineers
2830 Dairy Drive
Madison, Wisconsin 53718

Generated 5/10/2024 10:57:51 AM

JOB DESCRIPTION

Big Bend Landfill - 25224063.00

JOB NUMBER

310-279947-1

Eurofins Cedar Falls

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
5/10/2024 10:57:51 AM

Authorized for release by
Sandie Fredrick, Senior Project Manager
Sandra.Fredrick@et.eurofinsus.com
(920)261-1660

Table of Contents

Cover Page	1
Table of Contents	3
Case Narrative	4
Sample Summary	5
Detection Summary	6
Client Sample Results	7
Definitions	9
QC Sample Results	10
QC Association	12
Chronicle	13
Certification Summary	14
Method Summary	15
Chain of Custody	16
Receipt Checklists	20
Field Data Sheets	21

Case Narrative

Client: SCS Engineers
Project: Big Bend Landfill - 25224063.00

Job ID: 310-279947-1

Job ID: 310-279947-1

Eurofins Cedar Falls

Job Narrative 310-279947-1

Receipt

The samples were received on 4/26/2024 4:00 PM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 0.4° C.

HPLC/IC

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Metals

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

General Chemistry

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Sample Summary

Client: SCS Engineers
Project/Site: Big Bend Landfill - 25224063.00

Job ID: 310-279947-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
310-279947-1	MW-24R	Water	04/25/24 16:25	04/26/24 16:00
310-279947-2	Field Blank	Water	04/25/24 16:30	04/26/24 16:00

Detection Summary

Client: SCS Engineers
Project/Site: Big Bend Landfill - 25224063.00

Job ID: 310-279947-1

Client Sample ID: MW-24R

Lab Sample ID: 310-279947-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	8.2		5.0	2.3	mg/L	5		9056A	Total/NA
Sulfate	46		5.0	2.1	mg/L	5		9056A	Total/NA
Arsenic	1.4 J		2.0	0.53	ug/L	1		6020B	Total/NA
Barium	120		2.0	0.66	ug/L	1		6020B	Total/NA
Boron	300		100	76	ug/L	1		6020B	Total/NA
Calcium	100		0.50	0.19	mg/L	1		6020B	Total/NA
Cobalt	94		0.50	0.17	ug/L	1		6020B	Total/NA
Lithium	9.5 J		10	2.5	ug/L	1		6020B	Total/NA
Magnesium	29000		500	150	ug/L	1		6020B	Total/NA
Manganese	33		10	3.6	ug/L	1		6020B	Total/NA
Molybdenum	2.4		2.0	1.3	ug/L	1		6020B	Total/NA
Selenium	1.5 J		5.0	1.4	ug/L	1		6020B	Total/NA
Bicarbonate Alkalinity as CaCO ₃	130		5.0	2.5	mg/L	1		SM 2320B	Total/NA
Total Alkalinity as CaCO ₃	130		5.0	2.5	mg/L	1		SM 2320B	Total/NA
Total Dissolved Solids	420		50	42	mg/L	1		SM 2540C	Total/NA
Groundwater Elevation	701.25				ft	1		Field Sampling	Total/NA
Oxidation Reduction Potential	81.5				mV	1		Field Sampling	Total/NA
Oxygen, Dissolved	1.68				mg/L	1		Field Sampling	Total/NA
Field pH	6.96				SU	1		Field Sampling	Total/NA
Field Conductivity	732				umhos/cm	1		Field Sampling	Total/NA
Field Temperature	11.1				Degrees C	1		Field Sampling	Total/NA
Field Turbidity	-				NTU	1		Field Sampling	Total/NA

Client Sample ID: Field Blank

Lab Sample ID: 310-279947-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Bicarbonate Alkalinity as CaCO ₃	130		5.0	2.5	mg/L	1		SM 2320B	Total/NA
Total Alkalinity as CaCO ₃	130		5.0	2.5	mg/L	1		SM 2320B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cedar Falls

Client Sample Results

Client: SCS Engineers
Project/Site: Big Bend Landfill - 25224063.00

Job ID: 310-279947-1

Client Sample ID: MW-24R
Date Collected: 04/25/24 16:25
Date Received: 04/26/24 16:00

Lab Sample ID: 310-279947-1
Matrix: Water

Method: SW846 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	8.2		5.0	2.3	mg/L			05/08/24 20:06	5
Fluoride	<0.38		1.0	0.38	mg/L			05/08/24 20:06	5
Sulfate	46		5.0	2.1	mg/L			05/08/24 20:06	5

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	1.4	J	2.0	0.53	ug/L		04/30/24 09:00	05/01/24 17:47	1
Barium	120		2.0	0.66	ug/L		04/30/24 09:00	05/01/24 17:47	1
Beryllium	<0.33		1.0	0.33	ug/L		04/30/24 09:00	05/01/24 17:47	1
Boron	300		100	76	ug/L		04/30/24 09:00	05/01/24 17:47	1
Calcium	100		0.50	0.19	mg/L		04/30/24 09:00	05/01/24 17:47	1
Cobalt	94		0.50	0.17	ug/L		04/30/24 09:00	05/01/24 17:47	1
Copper	<1.8		5.0	1.8	ug/L		04/30/24 09:00	05/01/24 17:47	1
Iron	<36		100	36	ug/L		04/30/24 09:00	05/01/24 17:47	1
Lead	<0.26		0.50	0.26	ug/L		04/30/24 09:00	05/01/24 17:47	1
Lithium	9.5	J	10	2.5	ug/L		04/30/24 09:00	05/01/24 17:47	1
Magnesium	29000		500	150	ug/L		04/30/24 09:00	05/01/24 17:47	1
Manganese	33		10	3.6	ug/L		04/30/24 09:00	05/01/24 17:47	1
Molybdenum	2.4		2.0	1.3	ug/L		04/30/24 09:00	05/01/24 17:47	1
Selenium	1.5	J	5.0	1.4	ug/L		04/30/24 09:00	05/01/24 17:47	1
Zinc	<9.7		20	9.7	ug/L		04/30/24 09:00	05/01/24 17:47	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Solids (USGS I-3765-85)	<1.4		1.9	1.4	mg/L			04/30/24 11:12	1
Bicarbonate Alkalinity as CaCO₃ (SM 2320B)	130		5.0	2.5	mg/L			05/08/24 12:00	1
Carbonate Alkalinity as CaCO ₃ (SM 2320B)	<2.5		5.0	2.5	mg/L			05/08/24 12:00	1
Total Alkalinity as CaCO₃ (SM 2320B)	130		5.0	2.5	mg/L			05/08/24 12:00	1
Total Dissolved Solids (SM 2540C)	420		50	42	mg/L			04/30/24 16:31	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Groundwater Elevation	701.25				ft			04/25/24 16:25	1
Oxidation Reduction Potential	81.5				mV			04/25/24 16:25	1
Oxygen, Dissolved	1.68				mg/L			04/25/24 16:25	1
Field pH	6.96				SU			04/25/24 16:25	1
Field Conductivity	732				umhos/cm			04/25/24 16:25	1
Field Temperature	11.1				Degrees C			04/25/24 16:25	1
Field Turbidity	-				NTU			04/25/24 16:25	1

Eurofins Cedar Falls

Client Sample Results

Client: SCS Engineers
Project/Site: Big Bend Landfill - 25224063.00

Job ID: 310-279947-1

Client Sample ID: Field Blank

Date Collected: 04/25/24 16:30
Date Received: 04/26/24 16:00

Lab Sample ID: 310-279947-2

Matrix: Water

Method: SW846 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.45		1.0	0.45	mg/L			05/09/24 16:33	1
Fluoride	<0.075		0.20	0.075	mg/L			05/09/24 16:33	1
Sulfate	<0.42		1.0	0.42	mg/L			05/09/24 16:33	1

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	<0.53		2.0	0.53	ug/L			04/30/24 09:00	1
Barium	<0.66		2.0	0.66	ug/L			04/30/24 09:00	1
Beryllium	<0.33		1.0	0.33	ug/L			04/30/24 09:00	1
Boron	<76		100	76	ug/L			04/30/24 09:00	1
Calcium	<0.19		0.50	0.19	mg/L			04/30/24 09:00	1
Cobalt	<0.17		0.50	0.17	ug/L			04/30/24 09:00	1
Copper	<1.8		5.0	1.8	ug/L			04/30/24 09:00	1
Iron	<36		100	36	ug/L			04/30/24 09:00	1
Lead	<0.26		0.50	0.26	ug/L			04/30/24 09:00	1
Lithium	<2.5		10	2.5	ug/L			04/30/24 09:00	1
Magnesium	<150		500	150	ug/L			04/30/24 09:00	1
Manganese	<3.6		10	3.6	ug/L			04/30/24 09:00	1
Molybdenum	<1.3		2.0	1.3	ug/L			04/30/24 09:00	1
Selenium	<1.4		5.0	1.4	ug/L			04/30/24 09:00	1
Zinc	<9.7		20	9.7	ug/L			04/30/24 09:00	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Solids (USGS I-3765-85)	<1.4		1.9	1.4	mg/L			04/30/24 11:12	1
Bicarbonate Alkalinity as CaCO₃ (SM 2320B)	130		5.0	2.5	mg/L			05/08/24 12:00	1
Carbonate Alkalinity as CaCO ₃ (SM 2320B)	<2.5		5.0	2.5	mg/L			05/08/24 12:00	1
Total Alkalinity as CaCO₃ (SM 2320B)	130		5.0	2.5	mg/L			05/08/24 12:00	1
Total Dissolved Solids (SM 2540C)	<42		50	42	mg/L			04/30/24 16:31	1

Definitions/Glossary

Client: SCS Engineers
Project/Site: Big Bend Landfill - 25224063.00

Job ID: 310-279947-1

Qualifiers

Metals

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

QC Sample Results

Client: SCS Engineers
Project/Site: Big Bend Landfill - 25224063.00

Job ID: 310-279947-1

Method: 9056A - Anions, Ion Chromatography

Lab Sample ID: MB 310-421186/22

Matrix: Water

Analysis Batch: 421186

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.45		1.0	0.45	mg/L			05/08/24 20:43	1
Fluoride	<0.075		0.20	0.075	mg/L			05/08/24 20:43	1
Sulfate	<0.42		1.0	0.42	mg/L			05/08/24 20:43	1

Lab Sample ID: LCS 310-421186/23

Matrix: Water

Analysis Batch: 421186

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte		Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Chloride		10.0	9.95		mg/L		100	90 - 110
Fluoride		2.00	2.08		mg/L		104	90 - 110
Sulfate		10.0	9.56		mg/L		96	90 - 110

Method: 6020B - Metals (ICP/MS)

Lab Sample ID: MB 310-420157/1-A

Matrix: Water

Analysis Batch: 420438

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 420157

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	<0.53		2.0	0.53	ug/L		04/30/24 09:00	05/01/24 17:31	1
Barium	<0.66		2.0	0.66	ug/L		04/30/24 09:00	05/01/24 17:31	1
Beryllium	<0.33		1.0	0.33	ug/L		04/30/24 09:00	05/01/24 17:31	1
Boron	<76		100	76	ug/L		04/30/24 09:00	05/01/24 17:31	1
Calcium	<0.19		0.50	0.19	mg/L		04/30/24 09:00	05/01/24 17:31	1
Cobalt	<0.17		0.50	0.17	ug/L		04/30/24 09:00	05/01/24 17:31	1
Copper	<1.8		5.0	1.8	ug/L		04/30/24 09:00	05/01/24 17:31	1
Iron	<36		100	36	ug/L		04/30/24 09:00	05/01/24 17:31	1
Lead	<0.26		0.50	0.26	ug/L		04/30/24 09:00	05/01/24 17:31	1
Lithium	<2.5		10	2.5	ug/L		04/30/24 09:00	05/01/24 17:31	1
Magnesium	<150		500	150	ug/L		04/30/24 09:00	05/01/24 17:31	1
Manganese	<3.6		10	3.6	ug/L		04/30/24 09:00	05/01/24 17:31	1
Molybdenum	<1.3		2.0	1.3	ug/L		04/30/24 09:00	05/01/24 17:31	1
Selenium	<1.4		5.0	1.4	ug/L		04/30/24 09:00	05/01/24 17:31	1
Zinc	<9.7		20	9.7	ug/L		04/30/24 09:00	05/01/24 17:31	1

Lab Sample ID: LCS 310-420157/2-A

Matrix: Water

Analysis Batch: 420438

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 420157

Analyte		Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Arsenic		200	211		ug/L		106	80 - 120
Barium		100	104		ug/L		104	80 - 120
Beryllium		100	104		ug/L		104	80 - 120
Boron		200	177		ug/L		89	80 - 120
Calcium		2.00	1.88		mg/L		94	80 - 120
Cobalt		100	117		ug/L		117	80 - 120
Copper		200	226		ug/L		113	80 - 120
Iron		200	222		ug/L		111	80 - 120

Eurofins Cedar Falls

QC Sample Results

Client: SCS Engineers
Project/Site: Big Bend Landfill - 25224063.00

Job ID: 310-279947-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: LCS 310-420157/2-A

Matrix: Water

Analysis Batch: 420438

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 420157

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Lead	200	214		ug/L		107	80 - 120
Lithium	200	220		ug/L		110	80 - 120
Magnesium	2000	2120		ug/L		106	80 - 120
Manganese	100	99.4		ug/L		99	80 - 120
Molybdenum	200	204		ug/L		102	80 - 120
Selenium	400	400		ug/L		100	80 - 120
Zinc	200	198		ug/L		99	80 - 120

Method: I-3765-85 - Residue, Non-filterable (TSS)

Lab Sample ID: MB 310-420222/1

Matrix: Water

Analysis Batch: 420222

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Solids	<3.7		5.0	3.7	mg/L			04/30/24 11:12	1

Lab Sample ID: LCS 310-420222/2

Matrix: Water

Analysis Batch: 420222

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Total Suspended Solids	100	101		mg/L		101	75 - 116

Method: SM 2320B - Alkalinity

Lab Sample ID: LCS 310-421050/2

Matrix: Water

Analysis Batch: 421050

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Total Alkalinity as CaCO ₃	1000	899		mg/L		90	90 - 110

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 310-420277/1

Matrix: Water

Analysis Batch: 420277

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<42		50	42	mg/L			04/30/24 16:31	1

Lab Sample ID: LCS 310-420277/2

Matrix: Water

Analysis Batch: 420277

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Total Dissolved Solids	1000	958		mg/L		96	90 - 110

Eurofins Cedar Falls

QC Association Summary

Client: SCS Engineers
Project/Site: Big Bend Landfill - 25224063.00

Job ID: 310-279947-1

HPLC/IC

Analysis Batch: 421186

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-279947-1	MW-24R	Total/NA	Water	9056A	
310-279947-2	Field Blank	Total/NA	Water	9056A	
MB 310-421186/22	Method Blank	Total/NA	Water	9056A	
LCS 310-421186/23	Lab Control Sample	Total/NA	Water	9056A	

Metals

Prep Batch: 420157

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-279947-1	MW-24R	Total/NA	Water	3005A	
310-279947-2	Field Blank	Total/NA	Water	3005A	
MB 310-420157/1-A	Method Blank	Total/NA	Water	3005A	
LCS 310-420157/2-A	Lab Control Sample	Total/NA	Water	3005A	

Analysis Batch: 420438

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-279947-1	MW-24R	Total/NA	Water	6020B	420157
310-279947-2	Field Blank	Total/NA	Water	6020B	420157
MB 310-420157/1-A	Method Blank	Total/NA	Water	6020B	420157
LCS 310-420157/2-A	Lab Control Sample	Total/NA	Water	6020B	420157

General Chemistry

Analysis Batch: 420222

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-279947-1	MW-24R	Total/NA	Water	I-3765-85	
310-279947-2	Field Blank	Total/NA	Water	I-3765-85	
MB 310-420222/1	Method Blank	Total/NA	Water	I-3765-85	
LCS 310-420222/2	Lab Control Sample	Total/NA	Water	I-3765-85	

Analysis Batch: 420277

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-279947-1	MW-24R	Total/NA	Water	SM 2540C	
310-279947-2	Field Blank	Total/NA	Water	SM 2540C	
MB 310-420277/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 310-420277/2	Lab Control Sample	Total/NA	Water	SM 2540C	

Analysis Batch: 421050

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-279947-1	MW-24R	Total/NA	Water	SM 2320B	
310-279947-2	Field Blank	Total/NA	Water	SM 2320B	
LCS 310-421050/2	Lab Control Sample	Total/NA	Water	SM 2320B	

Field Service / Mobile Lab

Analysis Batch: 420871

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-279947-1	MW-24R	Total/NA	Water	Field Sampling	

Eurofins Cedar Falls

Lab Chronicle

Client: SCS Engineers
 Project/Site: Big Bend Landfill - 25224063.00

Job ID: 310-279947-1

Client Sample ID: MW-24R

Date Collected: 04/25/24 16:25

Date Received: 04/26/24 16:00

Lab Sample ID: 310-279947-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	9056A		5	421186	QTZ5	EET CF	05/08/24 20:06
Total/NA	Prep	3005A			420157	QTZ5	EET CF	04/30/24 09:00
Total/NA	Analysis	6020B		1	420438	NFT2	EET CF	05/01/24 17:47
Total/NA	Analysis	I-3765-85		1	420222	DGU1	EET CF	04/30/24 11:12
Total/NA	Analysis	SM 2320B		1	421050	WZC8	EET CF	05/08/24 12:00
Total/NA	Analysis	SM 2540C		1	420277	D7CP	EET CF	04/30/24 16:31
Total/NA	Analysis	Field Sampling		1	420871	BJ0R	EET CF	04/25/24 16:25

Client Sample ID: Field Blank

Date Collected: 04/25/24 16:30

Date Received: 04/26/24 16:00

Lab Sample ID: 310-279947-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	9056A		1	421186	QTZ5	EET CF	05/09/24 16:33
Total/NA	Prep	3005A			420157	QTZ5	EET CF	04/30/24 09:00
Total/NA	Analysis	6020B		1	420438	NFT2	EET CF	05/01/24 17:49
Total/NA	Analysis	I-3765-85		1	420222	DGU1	EET CF	04/30/24 11:12
Total/NA	Analysis	SM 2320B		1	421050	WZC8	EET CF	05/08/24 12:00
Total/NA	Analysis	SM 2540C		1	420277	D7CP	EET CF	04/30/24 16:31

Laboratory References:

EET CF = Eurofins Cedar Falls, 3019 Venture Way, Cedar Falls, IA 50613, TEL (319)277-2401

Accreditation/Certification Summary

Client: SCS Engineers
Project/Site: Big Bend Landfill - 25224063.00

Job ID: 310-279947-1

Laboratory: Eurofins Cedar Falls

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Iowa	State	007	12-01-25

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Method Summary

Client: SCS Engineers
Project/Site: Big Bend Landfill - 25224063.00

Job ID: 310-279947-1

Method	Method Description	Protocol	Laboratory
9056A	Anions, Ion Chromatography	SW846	EET CF
6020B	Metals (ICP/MS)	SW846	EET CF
I-3765-85	Residue, Non-filterable (TSS)	USGS	EET CF
SM 2320B	Alkalinity	SM	EET CF
SM 2540C	Solids, Total Dissolved (TDS)	SM	EET CF
Field Sampling	Field Sampling	EPA	EET CF
3005A	Preparation, Total Metals	SW846	EET CF

Protocol References:

EPA = US Environmental Protection Agency

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.


USGS = "Methods For Analysis Of Water And Fluvial Sediments", USGS, 1989

Laboratory References:

EET CF = Eurofins Cedar Falls, 3019 Venture Way, Cedar Falls, IA 50613, TEL (319)277-2401



Environment Testing
America



310-279947 Chain of Custody

Cooler/Sample Receipt and Temperature Log Form

Client Information				
Client: SCS				
City/State:	CITY	STATE	Project:	
Receipt Information				
Date/Time Received:	DATE 4/26/24	TIME 1600	Received By: 873	
Delivery Type:	<input type="checkbox"/> UPS <input type="checkbox"/> FedEx <input type="checkbox"/> FedEx Ground <input type="checkbox"/> US Mail <input type="checkbox"/> Spee-Dee <input checked="" type="checkbox"/> Lab Courier <input type="checkbox"/> Lab Field Services <input type="checkbox"/> Client Drop-off <input type="checkbox"/> Other: _____			
Condition of Cooler/Containers				
Sample(s) received in Cooler?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If yes: Cooler ID: _____			
Multiple Coolers?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes: Cooler # _____ of _____			
Cooler Custody Seals Present?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes: Cooler custody seals intact? <input type="checkbox"/> Yes <input type="checkbox"/> No			
Sample Custody Seals Present?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes: Sample custody seals intact? <input type="checkbox"/> Yes <input type="checkbox"/> No			
Trip Blank Present?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes: Which VOA samples are in cooler? ↓ _____			
Temperature Record				
Coolant:	<input checked="" type="checkbox"/> Wet ice <input type="checkbox"/> Blue ice <input type="checkbox"/> Dry ice <input type="checkbox"/> Other: _____ <input type="checkbox"/> NONE			
Thermometer ID:	Correction Factor (°C): 0			
• Temp Blank Temperature – If no temp blank, or temp blank temperature above criteria, proceed to Sample Container Temperature				
Uncorrected Temp (°C): 0.4	Corrected Temp (°C): 0.4			
• Sample Container Temperature				
Container(s) used:	CONTAINER 1		CONTAINER 2	
Uncorrected Temp (°C):				
Corrected Temp (°C):				
Exceptions Noted				
1) If temperature exceeds criteria, was sample(s) received same day of sampling? <input type="checkbox"/> Yes <input type="checkbox"/> No a) If yes: Is there evidence that the chilling process began? <input type="checkbox"/> Yes <input type="checkbox"/> No				
2) If temperature is <0°C, are there obvious signs that the integrity of sample containers is compromised? (e.g., bulging septa, broken/cracked bottles, frozen solid?) <input type="checkbox"/> Yes <input type="checkbox"/> No				
NOTE: If yes, contact PM before proceeding. If no, proceed with login				
Additional Comments				

Eurofins Cedar Falls

3019 Venture Way
Cedar Falls IA 50613
Phone (319) 277-2401 Phone (319) 277-2425

Chain of Custody Record

TestAmerica Des Moines SC
214

Environment & 5
eurofins

Client Information		Sampler: Tyler St. Lugo	Lab P.M.: Sandie Fredrick	Carrier Tracking No(s)	COC No.
Client Contact:	Phone: 515 505 2716	E-Mail: Sandie.Fredrick@et.eurofinsus.com	State of Origin:	Page:	
Company: SCS Engineers	PWSID:	Analysis Requested			Job #:
Address: 2830 Dairy Dr	Due Date Requested:				Preservation Codes:
City: Madison	TAT Requested (days):				A - ICL M - Hexane B - NaOH N - None C - Zn Acetate O - NaNO2 D - Nitric Acid P - Na2O4S E - Na2SO4 Q - Na2SO3 F - MeOH R - Na2S2O3 G - Ammonium S - H2SO4 H - Ascorbic Acid T - TSP Dodecylhydrate I - Ice U - Acetone J - DI Water V - MCAA K - EDTA W - pH 4-5 L - EDA Y - Trizma Other: Z - other (specify)
State/ Zip: WI 53718	Compliance Project: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No				
Phone: 608-345-9221	PO#:				
Email: mblodgett@scsenengineers.com	WO#:				
Project Name: Big Bend Landfill	Project #: 25224063 00				
Site: Big Bend Landfill	SSOW#:				
Total Number of Contaminates					
Perform MS/MSD (Yes or No)					
Field Filtered Sample (Yes or No)					
Special Instructions/Note:					
HOLD filtered samples. SCS will follow up if we need them run. Unfiltered can be run right away					
Sample Identification		Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix (W=water, S=solid, O=organic oil, T=tissue, A=Au)
MW-24R	4/12/24 1625	G	W	N	<input checked="" type="checkbox"/> D <input type="checkbox"/> N <input type="checkbox"/> N <input type="checkbox"/> Akalinity <input type="checkbox"/> TDS, TSS <input type="checkbox"/> Cl, F, SO4 <input type="checkbox"/> As, Be, B, Ca, Co, Cu, Fe, Pb, Li, Mg, Mn, Mo, Se, Zn
Field Blank	4/15/24 1630	G	W	N	<input type="checkbox"/> X <input type="checkbox"/> X <input type="checkbox"/> X <input type="checkbox"/> X
Preservation Code:					
MW-24R 4/12/24 1625 G W N <input checked="" type="checkbox"/> D <input type="checkbox"/> N <input type="checkbox"/> N <input type="checkbox"/> Akalinity <input type="checkbox"/> TDS, TSS <input type="checkbox"/> Cl, F, SO4 <input type="checkbox"/> As, Be, B, Ca, Co, Cu, Fe, Pb, Li, Mg, Mn, Mo, Se, Zn					
Field Blank 4/15/24 1630 G W N <input type="checkbox"/> X <input type="checkbox"/> X <input type="checkbox"/> X <input type="checkbox"/> X					
Special Instructions/QC Requirements:					
Sample Disposal / A fee may be assessed if samples are retained longer than 1 month					
<input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For Months					
Possible Hazard Identification <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological					
Deliverable Requested I II III IV Other (specify)					
Empty Kit Relinquished by: Date: Time: Method of Shipment:					
Relinquished by: Tyler S.	Date/Time: 4/12/24 12:00	Company: SCS Engineers	Received by: Crim.	Date/Time: 4/12/24 12:30	Company: eurofins
Relinquished by:	Date/Time:	Company:	Received by:	Date/Time:	Company:
Relinquished by:	Date/Time:	Company:	Received by:	Date/Time: 4/12/24 1600	Company: eurofins
Cooler Temperature(s) °C and Other Remarks:					
Custody Seals Intact		Custody Seal No			
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No					

Ver. 01/12/2023

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15



Environment Testing
America



310-279947 Chain of Custody

Cooler/Sample Receipt and Temperature Log Form

Client Information				
Client: SCS				
City/State:	CITY	STATE	Project:	
Receipt Information				
Date/Time Received:	DATE 4/26/24	TIME 1600	Received By: 873	
Delivery Type:	<input type="checkbox"/> UPS <input type="checkbox"/> FedEx <input type="checkbox"/> FedEx Ground <input type="checkbox"/> US Mail <input type="checkbox"/> Spee-Dee <input checked="" type="checkbox"/> Lab Courier <input type="checkbox"/> Lab Field Services <input type="checkbox"/> Client Drop-off <input type="checkbox"/> Other: _____			
Condition of Cooler/Containers				
Sample(s) received in Cooler?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If yes: Cooler ID: _____			
Multiple Coolers?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes: Cooler # _____ of _____			
Cooler Custody Seals Present?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes: Cooler custody seals intact? <input type="checkbox"/> Yes <input type="checkbox"/> No			
Sample Custody Seals Present?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes: Sample custody seals intact? <input type="checkbox"/> Yes <input type="checkbox"/> No			
Trip Blank Present?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes: Which VOA samples are in cooler? ↓ _____			
Temperature Record				
Coolant:	<input checked="" type="checkbox"/> Wet ice <input type="checkbox"/> Blue ice <input type="checkbox"/> Dry ice <input type="checkbox"/> Other: _____ <input type="checkbox"/> NONE			
Thermometer ID:	Correction Factor (°C): 0			
• Temp Blank Temperature – If no temp blank, or temp blank temperature above criteria, proceed to Sample Container Temperature				
Uncorrected Temp (°C): 0.4	Corrected Temp (°C): 0.4			
• Sample Container Temperature				
Container(s) used:	CONTAINER 1		CONTAINER 2	
Uncorrected Temp (°C):				
Corrected Temp (°C):				
Exceptions Noted				
1) If temperature exceeds criteria, was sample(s) received same day of sampling? <input type="checkbox"/> Yes <input type="checkbox"/> No a) If yes: Is there evidence that the chilling process began? <input type="checkbox"/> Yes <input type="checkbox"/> No				
2) If temperature is <0°C, are there obvious signs that the integrity of sample containers is compromised? (e.g., bulging septa, broken/cracked bottles, frozen solid?) <input type="checkbox"/> Yes <input type="checkbox"/> No				
NOTE: If yes, contact PM before proceeding. If no, proceed with login				
Additional Comments				

Eurofins Cedar Falls

3019 Venture Way
Cedar Falls IA 50613
Phone (319) 277-2401 Phone (319) 277-2425

Chain of Custody Record

TestAmerica Des Moines SC
214

Environment & 5
eurofins

Client Information		Sampler: Tyler St. Lugo	Lab P.M.: Sandie Fredrick	Carrier Tracking No(s)	COC No.
Client Contact:	Phone: 515 505 2716	E-Mail: Sandie.Fredrick@et.eurofinsus.com	State of Origin:	Page:	
Company: SCS Engineers	PWSID:	Analysis Requested			Job #:
Address: 2830 Dairy Dr	Due Date Requested:				Preservation Codes:
City: Madison	TAT Requested (days):				A - ICL M - Hexane B - NaOH N - None C - Zn Acetate O - NaNO2 D - Nitric Acid P - Na2O4S E - Na2SO4 Q - Na2CO3 F - MeOH R - Na2S2O3 G - Ammonium S - H2SO4 H - Ascorbic Acid T - TSP Dodecylhydrate I - Ice U - Acetone J - DI Water V - MCAA K - EDTA W - pH 4-5 L - EDA Y - Trizma Other: Z - other (specify)
State/ Zip: WI 53718	Compliance Project: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No				
Phone: 608-345-9221	PO#:				
Email: mblodgett@scsenengineers.com	WO#:				
Project Name: Big Bend Landfill	Project #: 25224063 00				
Site: Big Bend Landfill	SSOW#:				
Total Number of Contaminates					
Perform MS/MSD (Yes or No)					
Field Filtered Sample (Yes or No)					
Special Instructions/Note:					
HOLD filtered samples. SCS will follow up if we need them run. Unfiltered can be run right away					
Sample Identification		Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix (W=water, S=solid, O=organic oil, T=tissue, A=Au)
MW-24R	4/12/24 1625	G	W	N	<input checked="" type="checkbox"/> D <input type="checkbox"/> N <input type="checkbox"/> N <input type="checkbox"/> Akalinity <input type="checkbox"/> TDS, TSS <input type="checkbox"/> Cl, F, SO4 <input type="checkbox"/> As, Be, B, Ca, Co, Cu, Fe, Pb, Li, Mg, Mn, Mo, Se, Zn
Field Blank	4/15/24 1630	G	W	N	<input type="checkbox"/> X <input type="checkbox"/> X <input type="checkbox"/> X <input type="checkbox"/> X
Preservation Code:					
MW-24R 4/12/24 1625 G W N <input checked="" type="checkbox"/> D <input type="checkbox"/> N <input type="checkbox"/> N <input type="checkbox"/> Akalinity <input type="checkbox"/> TDS, TSS <input type="checkbox"/> Cl, F, SO4 <input type="checkbox"/> As, Be, B, Ca, Co, Cu, Fe, Pb, Li, Mg, Mn, Mo, Se, Zn					
Field Blank 4/15/24 1630 G W N <input type="checkbox"/> X <input type="checkbox"/> X <input type="checkbox"/> X <input type="checkbox"/> X					
Special Instructions/QC Requirements:					
Sample Disposal / A fee may be assessed if samples are retained longer than 1 month					
<input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For Months					
Possible Hazard Identification <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological					
Deliverable Requested I II III IV Other (specify)					
Empty Kit Relinquished by:					
Relinquished by: <i>Tyler S</i>	Date/Time: <i>4/12/24 12:00</i>	Company: SCS Engineers	Received by: <i>Erin P.</i>	Method of Shipment: <i>Ground</i>	Date/Time: <i>4/12/24 12:30</i>
Relinquished by:	Date/Time:	Company:	Received by:	Archive For:	Months:
Relinquished by:	Date/Time:	Company:	Received by:	Disposal By Lab:	
Cooler Temperature(s) °C and Other Remarks:					
Custody Seals Intact		Custody Seal No			
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No					

Ver. 01/12/2023
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

Login Sample Receipt Checklist

Client: SCS Engineers

Job Number: 310-279947-1

Login Number: 279947

List Source: Eurofins Cedar Falls

List Number: 1

Creator: Bennett, Samantha

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Table 1. Groundwater Monitoring Results - Field Parameters
Big Bend Closed Landfill / SCS Engineers Project No. 25224063.00
April 2024

Sample	Sample Date	Temperature (Deg. C)	pH (Std. Units)	Dissolved Oxygen (mg/L)	Specific Conductivity (μ mhos/cm)	ORP (mV)	Groundwater Elevation (amsl)
MW-24R	4/25/2024	11.1	6.96	1.68	732	81.5	701.25

Abbreviations:

mg/L = milligrams per liter

amsl = above mean sea level

mV = millivolts

μ mhos/cm = micromhos per cm

Created by:

MDB

Date: 5/15/2019

Last revision by:

RM

Date: 5/2/2024

Checked by:

NLB

Date: 5/6/2024

C:\Users\hld0\AppData\Local\Microsoft\Windows\INetCache\Content.Outlook\USG3GGGC\[Big Bend_Field_2404_MW24R.xlsx]GW Field Parameters

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Table 1. Groundwater Monitoring Results - Field Parameters
Big Bend Closed Landfill / SCS Engineers Project No. 25224063.00
April 2024

Sample	Sample Date	Temperature (Deg. C)	pH (Std. Units)	Dissolved Oxygen (mg/L)	Specific Conductivity (μ mhos/cm)	ORP (mV)	Groundwater Elevation (amsl)
MW-24R	4/25/2024	11.1	6.96	1.68	732	81.5	701.25

Abbreviations:

mg/L = milligrams per liter

amsl = above mean sea level

mV = millivolts

μ mhos/cm = micromhos per cm

Created by:

MDB

Date: 5/15/2019

Last revision by:

RM

Date: 5/2/2024

Checked by:

NLB

Date: 5/6/2024

C:\Users\hld0\AppData\Local\Microsoft\Windows\INetCache\Content.Outlook\USG3GGGC\[Big Bend_Field_2404_MW24R.xlsx]GW Field Parameters

ANALYTICAL REPORT

PREPARED FOR

Attn: Meghan Blodgett
SCS Engineers
2830 Dairy Drive
Madison, Wisconsin 53718

Generated 10/14/2024 4:53:56 PM Revision 1

JOB DESCRIPTION

Big Bend Closed LF 25224063

JOB NUMBER

310-291150-1

Eurofins Cedar Falls

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
10/14/2024 4:53:56 PM
Revision 1

Authorized for release by
Sandie Fredrick, Senior Project Manager
Sandra.Fredrick@et.eurofinsus.com
(920)261-1660

Table of Contents

Cover Page	1
Table of Contents	3
Case Narrative	4
Sample Summary	5
Detection Summary	6
Client Sample Results	7
Definitions	8
QC Sample Results	9
QC Association	12
Chronicle	13
Certification Summary	14
Method Summary	15
Chain of Custody	16
Receipt Checklists	18
Field Data Sheets	19

Case Narrative

Client: SCS Engineers
Project: Big Bend Closed LF 25224063

Job ID: 310-291150-1

Job ID: 310-291150-1

Eurofins Cedar Falls

Job Narrative 310-291150-1

Revision

The report being provided is a revision of the original report sent on 10/9/2024. The report (revision 1) is being revised due to:
Updated metals analyte list per client.

Receipt

The sample was received on 9/20/2024 4:02 PM. Unless otherwise noted below, the sample arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 0.8° C.

HPLC/IC

Method 9056A: The following sample was diluted due to the nature of the sample matrix: 2606 Big Bend Rd (310-291150-1). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Metals

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

General Chemistry

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Sample Summary

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291150-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
310-291150-1	2606 Big Bend Rd	Water	09/18/24 13:30	09/20/24 16:02

Detection Summary

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291150-1

Client Sample ID: 2606 Big Bend Rd

Lab Sample ID: 310-291150-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	11		5.0	2.3	mg/L	5		9056A	Total/NA
Sulfate	84		5.0	2.1	mg/L	5		9056A	Total/NA
Barium	96		2.0	0.66	ug/L	1		6020B	Total/NA
Boron	510		100	76	ug/L	1		6020B	Total/NA
Calcium	110		0.50	0.19	mg/L	1		6020B	Total/NA
Copper	8.7		5.0	1.8	ug/L	1		6020B	Total/NA
Lithium	9.0 J		10	2.5	ug/L	1		6020B	Total/NA
Magnesium	39000		500	150	ug/L	1		6020B	Total/NA
Selenium	7.2		5.0	1.4	ug/L	1		6020B	Total/NA
Zinc	47		20	9.7	ug/L	1		6020B	Total/NA
Bicarbonate Alkalinity as CaCO ₃	330		5.0	2.5	mg/L	1		SM 2320B	Total/NA
Total Alkalinity as CaCO ₃	330		5.0	2.5	mg/L	1		SM 2320B	Total/NA
Total Dissolved Solids	500		50	42	mg/L	1		SM 2540C	Total/NA
pH	7.2 HF		1.0	1.0	SU	1		SM 4500 H+ B	Total/NA
Oxidation Reduction Potential	69.7				mV	1		Field Sampling	Total/NA
Oxygen, Dissolved	4.96				mg/L	1		Field Sampling	Total/NA
Field pH	7.04				SU	1		Field Sampling	Total/NA
Field Conductivity	962				umhos/cm	1		Field Sampling	Total/NA
Field Temperature	20.4				Degrees C	1		Field Sampling	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cedar Falls

Client Sample Results

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291150-1

Client Sample ID: 2606 Big Bend Rd

Lab Sample ID: 310-291150-1

Matrix: Water

Date Collected: 09/18/24 13:30
Date Received: 09/20/24 16:02

Method: SW846 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	11		5.0	2.3	mg/L			09/26/24 16:07	5
Fluoride	<0.38		1.0	0.38	mg/L			09/26/24 16:07	5
Sulfate	84		5.0	2.1	mg/L			09/26/24 16:07	5

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	<0.53		2.0	0.53	ug/L		09/24/24 15:31	10/03/24 20:23	1
Barium	96		2.0	0.66	ug/L		09/24/24 15:31	10/03/24 20:23	1
Beryllium	<0.33		1.0	0.33	ug/L		09/24/24 15:31	10/03/24 20:23	1
Boron	510		100	76	ug/L		09/24/24 15:31	10/03/24 20:23	1
Calcium	110		0.50	0.19	mg/L		09/24/24 15:31	10/03/24 20:23	1
Cobalt	<0.17		0.50	0.17	ug/L		09/24/24 15:31	10/03/24 20:23	1
Copper	8.7		5.0	1.8	ug/L		09/24/24 15:31	10/03/24 20:23	1
Iron	<36		100	36	ug/L		09/24/24 15:31	10/03/24 20:23	1
Lead	<0.26		0.50	0.26	ug/L		09/24/24 15:31	10/03/24 20:23	1
Lithium	9.0 J		10	2.5	ug/L		09/24/24 15:31	10/03/24 20:23	1
Magnesium	39000		500	150	ug/L		09/24/24 15:31	10/03/24 20:23	1
Manganese	<3.6		10	3.6	ug/L		09/24/24 15:31	10/03/24 20:23	1
Molybdenum	<1.3		2.0	1.3	ug/L		09/24/24 15:31	10/03/24 20:23	1
Selenium	7.2		5.0	1.4	ug/L		09/24/24 15:31	10/03/24 20:23	1
Zinc	47		20	9.7	ug/L		09/24/24 15:31	10/03/24 20:23	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Solids (USGS I-3765-85)	<3.7		5.0	3.7	mg/L			09/23/24 11:26	1
Bicarbonate Alkalinity as CaCO₃ (SM 2320B)	330		5.0	2.5	mg/L			09/25/24 19:35	1
Carbonate Alkalinity as CaCO ₃ (SM 2320B)	<2.5		5.0	2.5	mg/L			09/25/24 19:35	1
Total Alkalinity as CaCO₃ (SM 2320B)	330		5.0	2.5	mg/L			09/25/24 19:35	1
Total Dissolved Solids (SM 2540C)	500		50	42	mg/L			09/23/24 17:41	1
pH (SM 4500 H+ B)	7.2 HF		1.0	1.0	SU			09/23/24 12:14	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oxidation Reduction Potential	69.7				mV			09/18/24 13:30	1
Oxygen, Dissolved	4.96				mg/L			09/18/24 13:30	1
Field pH	7.04				SU			09/18/24 13:30	1
Field Conductivity	962				umhos/cm			09/18/24 13:30	1
Field Temperature	20.4				Degrees C			09/18/24 13:30	1

Eurofins Cedar Falls

Definitions/Glossary

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291150-1

Qualifiers

Metals

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

General Chemistry

Qualifier	Qualifier Description
HF	Parameter with a holding time of 15 minutes. Test performed by laboratory at client's request. Sample was analyzed outside of hold time.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☀	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

QC Sample Results

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291150-1

Method: 9056A - Anions, Ion Chromatography

Lab Sample ID: MB 310-434581/3

Matrix: Water

Analysis Batch: 434581

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.45		1.0	0.45	mg/L			09/26/24 09:36	1
Fluoride	<0.075		0.20	0.075	mg/L			09/26/24 09:36	1
Sulfate	<0.42		1.0	0.42	mg/L			09/26/24 09:36	1

Lab Sample ID: LCS 310-434581/4

Matrix: Water

Analysis Batch: 434581

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte		Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Chloride		10.0	9.93		mg/L		99	90 - 110
Fluoride		2.00	1.97		mg/L		98	90 - 110
Sulfate		10.0	10.2		mg/L		102	90 - 110

Method: 6020B - Metals (ICP/MS)

Lab Sample ID: MB 310-434157/1-A

Matrix: Water

Analysis Batch: 435215

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 434157

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	<0.53		2.0	0.53	ug/L		09/24/24 15:31	10/03/24 18:37	1
Barium	<0.66		2.0	0.66	ug/L		09/24/24 15:31	10/03/24 18:37	1
Beryllium	<0.33		1.0	0.33	ug/L		09/24/24 15:31	10/03/24 18:37	1
Boron	<76		100	76	ug/L		09/24/24 15:31	10/03/24 18:37	1
Calcium	<0.19		0.50	0.19	mg/L		09/24/24 15:31	10/03/24 18:37	1
Cobalt	<0.17		0.50	0.17	ug/L		09/24/24 15:31	10/03/24 18:37	1
Copper	<1.8		5.0	1.8	ug/L		09/24/24 15:31	10/03/24 18:37	1
Iron	<36		100	36	ug/L		09/24/24 15:31	10/03/24 18:37	1
Lead	<0.26		0.50	0.26	ug/L		09/24/24 15:31	10/03/24 18:37	1
Lithium	<2.5		10	2.5	ug/L		09/24/24 15:31	10/03/24 18:37	1
Magnesium	<150		500	150	ug/L		09/24/24 15:31	10/03/24 18:37	1
Manganese	<3.6		10	3.6	ug/L		09/24/24 15:31	10/03/24 18:37	1
Molybdenum	<1.3		2.0	1.3	ug/L		09/24/24 15:31	10/03/24 18:37	1
Selenium	<1.4		5.0	1.4	ug/L		09/24/24 15:31	10/03/24 18:37	1
Zinc	<9.7		20	9.7	ug/L		09/24/24 15:31	10/03/24 18:37	1

Lab Sample ID: LCS 310-434157/2-A

Matrix: Water

Analysis Batch: 435215

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 434157

Analyte		Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Arsenic		200	214		ug/L		107	80 - 120
Barium		100	100		ug/L		100	80 - 120
Beryllium		100	97.1		ug/L		97	80 - 120
Boron		200	172		ug/L		86	80 - 120
Calcium		2.00	1.77		mg/L		88	80 - 120
Cobalt		100	98.8		ug/L		99	80 - 120
Copper		200	206		ug/L		103	80 - 120
Iron		200	200		ug/L		100	80 - 120

Eurofins Cedar Falls

QC Sample Results

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291150-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: LCS 310-434157/2-A

Matrix: Water

Analysis Batch: 435215

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 434157

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Lead	200	205		ug/L		102	80 - 120
Lithium	200	198		ug/L		99	80 - 120
Magnesium	2000	1930		ug/L		97	80 - 120
Manganese	100	100		ug/L		100	80 - 120
Molybdenum	200	191		ug/L		96	80 - 120
Selenium	400	371		ug/L		93	80 - 120
Zinc	200	189		ug/L		94	80 - 120

Method: I-3765-85 - Residue, Non-filterable (TSS)

Lab Sample ID: MB 310-433958/1

Matrix: Water

Analysis Batch: 433958

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Solids	<3.7		5.0	3.7	mg/L			09/23/24 11:26	1

Lab Sample ID: LCS 310-433958/2

Matrix: Water

Analysis Batch: 433958

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Total Suspended Solids	100	93.0		mg/L		93	81 - 116

Method: SM 2320B - Alkalinity

Lab Sample ID: LCS 310-434354/2

Matrix: Water

Analysis Batch: 434354

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Total Alkalinity as CaCO3	1000	916		mg/L		92	86 - 111

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 310-434029/1

Matrix: Water

Analysis Batch: 434029

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<42		50	42	mg/L			09/23/24 17:41	1

Lab Sample ID: LCS 310-434029/2

Matrix: Water

Analysis Batch: 434029

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Total Dissolved Solids	1000	1050		mg/L		105	88 - 110

Eurofins Cedar Falls

QC Sample Results

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291150-1

Method: SM 4500 H+ B - pH

Lab Sample ID: LCS 310-433960/1

Matrix: Water

Analysis Batch: 433960

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
pH	7.00	7.0		SU	100	98 - 102	

QC Association Summary

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291150-1

HPLC/IC

Analysis Batch: 434581

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-291150-1	2606 Big Bend Rd	Total/NA	Water	9056A	
MB 310-434581/3	Method Blank	Total/NA	Water	9056A	
LCS 310-434581/4	Lab Control Sample	Total/NA	Water	9056A	

Metals

Prep Batch: 434157

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-291150-1	2606 Big Bend Rd	Total/NA	Water	3005A	
MB 310-434157/1-A	Method Blank	Total/NA	Water	3005A	
LCS 310-434157/2-A	Lab Control Sample	Total/NA	Water	3005A	

Analysis Batch: 435215

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-291150-1	2606 Big Bend Rd	Total/NA	Water	6020B	434157
MB 310-434157/1-A	Method Blank	Total/NA	Water	6020B	434157
LCS 310-434157/2-A	Lab Control Sample	Total/NA	Water	6020B	434157

General Chemistry

Analysis Batch: 433958

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-291150-1	2606 Big Bend Rd	Total/NA	Water	I-3765-85	
MB 310-433958/1	Method Blank	Total/NA	Water	I-3765-85	
LCS 310-433958/2	Lab Control Sample	Total/NA	Water	I-3765-85	

Analysis Batch: 433960

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-291150-1	2606 Big Bend Rd	Total/NA	Water	SM 4500 H+ B	
LCS 310-433960/1	Lab Control Sample	Total/NA	Water	SM 4500 H+ B	

Analysis Batch: 434029

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-291150-1	2606 Big Bend Rd	Total/NA	Water	SM 2540C	
MB 310-434029/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 310-434029/2	Lab Control Sample	Total/NA	Water	SM 2540C	

Analysis Batch: 434354

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-291150-1	2606 Big Bend Rd	Total/NA	Water	SM 2320B	
LCS 310-434354/2	Lab Control Sample	Total/NA	Water	SM 2320B	

Field Service / Mobile Lab

Analysis Batch: 435723

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-291150-1	2606 Big Bend Rd	Total/NA	Water	Field Sampling	

Eurofins Cedar Falls

Lab Chronicle

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291150-1

Client Sample ID: 2606 Big Bend Rd

Lab Sample ID: 310-291150-1

Matrix: Water

Date Collected: 09/18/24 13:30
Date Received: 09/20/24 16:02

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	9056A		5	434581	HE7K	EET CF	09/26/24 16:07
Total/NA	Prep	3005A			434157	F5MW	EET CF	09/24/24 15:31
Total/NA	Analysis	6020B		1	435215	NFT2	EET CF	10/03/24 20:23
Total/NA	Analysis	I-3765-85		1	433958	HE7K	EET CF	09/23/24 11:26
Total/NA	Analysis	SM 2320B		1	434354	HE7K	EET CF	09/25/24 19:35
Total/NA	Analysis	SM 2540C		1	434029	ENB7	EET CF	09/23/24 17:41
Total/NA	Analysis	SM 4500 H+ B		1	433960	W9YR	EET CF	09/23/24 12:14
Total/NA	Analysis	Field Sampling		1	435723	BJ0R	EET CF	09/18/24 13:30

Laboratory References:

EET CF = Eurofins Cedar Falls, 3019 Venture Way, Cedar Falls, IA 50613, TEL (319)277-2401

Accreditation/Certification Summary

Client: SCS Engineers

Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291150-1

Laboratory: Eurofins Cedar Falls

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Iowa	State	007	12-01-25

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Eurofins Cedar Falls

Method Summary

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291150-1

Method	Method Description	Protocol	Laboratory
9056A	Anions, Ion Chromatography	SW846	EET CF
6020B	Metals (ICP/MS)	SW846	EET CF
I-3765-85	Residue, Non-filterable (TSS)	USGS	EET CF
SM 2320B	Alkalinity	SM	EET CF
SM 2540C	Solids, Total Dissolved (TDS)	SM	EET CF
SM 4500 H+ B	pH	SM	EET CF
Field Sampling	Field Sampling	EPA	EET CF
3005A	Preparation, Total Metals	SW846	EET CF

Protocol References:

EPA = US Environmental Protection Agency

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

USGS = "Methods For Analysis Of Water And Fluvial Sediments", USGS, 1989

Laboratory References:

EET CF = Eurofins Cedar Falls, 3019 Venture Way, Cedar Falls, IA 50613, TEL (319)277-2401

Environment Testing
America

310-291150 Chain of Custody

Cooler/Sample Receipt and Temperature Log Form

Client Information	
Client: SCS Engineers	
City/State:	CITY _____ STATE _____ Project. _____
Receipt Information	
Date/Time Received:	DATE 9.20.24 TIME 1602 Received By: CGC
Delivery Type:	<input type="checkbox"/> UPS <input type="checkbox"/> FedEx <input type="checkbox"/> FedEx Ground <input type="checkbox"/> US Mail <input type="checkbox"/> Spee-Dee <input checked="" type="checkbox"/> Lab Courier <input type="checkbox"/> Lab Field Services <input type="checkbox"/> Client Drop-off <input type="checkbox"/> Other. _____
Condition of Cooler/Containers	
Sample(s) received in Cooler?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If yes: Cooler ID: _____
Multiple Coolers?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes: Cooler # _____ of _____
Cooler Custody Seals Present?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes: Cooler custody seals intact? <input type="checkbox"/> Yes <input type="checkbox"/> No
Sample Custody Seals Present?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes: Sample custody seals intact? <input type="checkbox"/> Yes <input type="checkbox"/> No
Trip Blank Present?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes: Which VOA samples are in cooler? ↓ _____
Temperature Record	
Coolant:	<input checked="" type="checkbox"/> Wet ice <input type="checkbox"/> Blue ice <input type="checkbox"/> Dry ice <input type="checkbox"/> Other: _____ <input type="checkbox"/> NONE
Thermometer ID:	R Correction Factor (°C): 0
• Temp Blank Temperature – If no temp blank, or temp blank temperature above criteria, proceed to Sample Container Temperature	
Uncorrected Temp (°C):	0.8 Corrected Temp (°C): 0.8
• Sample Container Temperature	
Container(s) used:	<u>CONTAINER 1</u> <u>CONTAINER 2</u>
Uncorrected Temp (°C):	
Corrected Temp (°C):	
Exceptions Noted	
1) If temperature exceeds criteria, was sample(s) received same day of sampling? <input type="checkbox"/> Yes <input type="checkbox"/> No a) If yes: Is there evidence that the chilling process began? <input type="checkbox"/> Yes <input type="checkbox"/> No	
2) If temperature is <0°C, are there obvious signs that the integrity of sample containers is compromised? (e.g., bulging septa, broken/cracked bottles, frozen solid?) <input type="checkbox"/> Yes <input type="checkbox"/> No	
NOTE If yes, contact PM before proceeding. If no, proceed with login	
Additional Comments	

Login Sample Receipt Checklist

Client: SCS Engineers

Job Number: 310-291150-1

Login Number: 291150

List Source: Eurofins Cedar Falls

List Number: 1

Creator: Hirsch, Preston

Question	Answer	Comment	
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A		1
The cooler's custody seal, if present, is intact.	N/A		2
Sample custody seals, if present, are intact.	N/A		3
The cooler or samples do not appear to have been compromised or tampered with.	True		4
Samples were received on ice.	True		5
Cooler Temperature is acceptable.	True		6
Cooler Temperature is recorded.	True		7
COC is present.	True		8
COC is filled out in ink and legible.	True		9
COC is filled out with all pertinent information.	True		10
Is the Field Sampler's name present on COC?	True		11
There are no discrepancies between the containers received and the COC.	True		12
Samples are received within Holding Time (excluding tests with immediate HTs)	True		13
Sample containers have legible labels.	True		14
Containers are not broken or leaking.	True		15
Sample collection date/times are provided.	True		
Appropriate sample containers are used.	True		
Sample bottles are completely filled.	True		
Sample Preservation Verified.	True		
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True		
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True		
Multiphasic samples are not present.	True		
Samples do not require splitting or compositing.	True		
Residual Chlorine Checked.	N/A		

Table 1. Groundwater Monitoring Results - Field Parameters
Big Bend Closed Landfill / SCS Engineers Project No. 25224063.00
September 2024

Sample	Sample Date	Temperature (Deg. C)	pH (Std. Units)	Dissolved Oxygen (mg/L)	Specific Conductivity ($\mu\text{mhos}/\text{cm}$)	ORP (mV)	Groundwater Elevation (amsl)	Leachate Elevation (amsl)
MW-2	9/17/2024	23.9	6.55	3.97	835	-3.5	730.86	--
MW-5	9/17/2024	18.5	7.00	7.42	1,053	156.6	721.65	--
MW-6	9/17/2024	16.3	7.00	5.58	1079	41.0	719.93	--
MW-7	9/18/2024	16.4	7.04	0.87	834	-123.0	708.78	--
MW-8R	9/16/2024	--	--	--	--	--	711.88	--
MW-10	9/18/2024	14.2	7.39	9.07	1070	92.5	712.37	--
MW-11	9/17/2024	28.8	6.80	0.90	978	25.6	721.02	--
MW-12	9/18/2024	14.9	7.19	1.37	923	-134.9	721.02	--
MW-13	9/16/2024	--	--	--	--	--	757.94	--
MW-14	9/18/2024	12.4	6.01	2.64	515	91.1	758.53	--
MW-15AR	9/18/2024	--	--	--	--	--	712.52	--
MW-16	9/18/2024	15.5	7.01	1.34	915	-61.4	701.45	--
MW-17R	9/16/2024	--	--	--	--	--	708.53	--
MW-18	9/16/2024	--	--	--	--	--	742.49	--
MW-20	9/16/2024	15.3	6.12	5.43	753	259.0	756.86	--
MW-21	9/19/2024	17.1	6.54	4.59	1,457	173.5	762.46	--
MW-23R	9/19/2024	13.1	6.83	6.48	919	195.8	702.09	--
MW-24R	9/19/2024	19.3	6.89	7.16	936	183.0	701.93	--
MW-25R	9/17/2024	18.4	6.95	7.70	1027	174.0	750.25	--
LW-01	9/19/2024	20.6	8.02	3.55	2073	143.8	--	750.46
LW-02	9/16/2024	--	--	--	--	--	--	778.86
LW-03	9/18/2024	21.6	7.31	4.28	57.5	-22.3	--	760.62
2606 Big Bend Road	9/18/2024	20.4	7.04	4.96	962	69.7	--	--

Abbreviations:

mg/L = milligrams per liter

amsl = above mean sea level

mV = millivolts

$\mu\text{mhos}/\text{cm}$ = micromhos per cm

Notes:

None

Created by:

MDB

Date: 5/15/2019

Last revision by:

BLR

Date: 9/23/2024

Checked by:

RM

Date: 9/24/2024

C:\Users\hld0\AppData\Local\Microsoft\Windows\INetCache\Content.Outlook\QXEGUGFO\[Big Bend_Field_2409.xlsx]GW Field Parameters

ANALYTICAL REPORT

PREPARED FOR

Attn: Meghan Blodgett
SCS Engineers
2830 Dairy Drive
Madison, Wisconsin 53718

Generated 10/24/2024 1:53:10 PM

JOB DESCRIPTION

Big Bend Closed LF 25224063

JOB NUMBER

310-291151-1

Eurofins Cedar Falls

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
10/24/2024 1:53:10 PM

Authorized for release by
Sandie Fredrick, Senior Project Manager
Sandra.Fredrick@et.eurofinsus.com
(920)261-1660

Table of Contents

Cover Page	1
Table of Contents	3
Case Narrative	4
Sample Summary	5
Detection Summary	6
Client Sample Results	14
Definitions	29
QC Sample Results	30
QC Association	36
Chronicle	40
Certification Summary	45
Method Summary	46
Chain of Custody	47
Receipt Checklists	55
Field Data Sheets	56

Case Narrative

Client: SCS Engineers
Project: Big Bend Closed LF 25224063

Job ID: 310-291151-1

Job ID: 310-291151-1

Eurofins Cedar Falls

Job Narrative 310-291151-1

Receipt

The samples were received on 9/20/2024 4:02 PM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 0.8° C.

HPLC/IC

Method 9056A: The following samples were diluted due to the nature of the sample matrix: MW-2 (310-291151-1) and MW-5 (310-291151-2). Elevated reporting limits (RLs) are provided.

Method 9056A: The following samples were diluted due to the nature of the sample matrix: MW-6 (310-291151-3), MW-7 (310-291151-4), MW-10 (310-291151-5), MW-11 (310-291151-6), MW-12 (310-291151-7), MW-14 (310-291151-8), MW-16 (310-291151-9), MW-20 (310-291151-10), MW-21 (310-291151-11), MW-23R (310-291151-12) and MW-24R (310-291151-13). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Metals

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

General Chemistry

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Sample Summary

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291151-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
310-291151-1	MW-2	Water	09/17/24 11:55	09/20/24 16:02
310-291151-2	MW-5	Water	09/17/24 17:59	09/20/24 16:02
310-291151-3	MW-6	Water	09/17/24 16:23	09/20/24 16:02
310-291151-4	MW-7	Water	09/18/24 12:09	09/20/24 16:02
310-291151-5	MW-10	Water	09/18/24 18:24	09/20/24 16:02
310-291151-6	MW-11	Water	09/17/24 14:13	09/20/24 16:02
310-291151-7	MW-12	Water	09/18/24 09:10	09/20/24 16:02
310-291151-8	MW-14	Water	09/18/24 10:26	09/20/24 16:02
310-291151-9	MW-16	Water	09/18/24 15:16	09/20/24 16:02
310-291151-10	MW-20	Water	09/16/24 15:39	09/20/24 16:02
310-291151-11	MW-21	Water	09/18/24 15:53	09/20/24 16:02
310-291151-12	MW-23R	Water	09/19/24 09:42	09/20/24 16:02
310-291151-13	MW-24R	Water	09/19/24 10:41	09/20/24 16:02
310-291151-14	MW-25R	Water	09/17/24 09:34	09/20/24 16:02
310-291151-15	Field Blank	Water	09/18/24 10:45	09/20/24 16:02

Detection Summary

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291151-1

Client Sample ID: MW-2

Lab Sample ID: 310-291151-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	9.1		5.0	2.3	mg/L	5		9056A	Total/NA
Sulfate	56		5.0	2.1	mg/L	5		9056A	Total/NA
Arsenic	1.8 J		2.0	0.53	ug/L	1		6020B	Total/NA
Barium	79		2.0	0.66	ug/L	1		6020B	Total/NA
Boron	950		100	76	ug/L	1		6020B	Total/NA
Calcium	110		0.50	0.19	mg/L	1		6020B	Total/NA
Cobalt	2.1		0.50	0.17	ug/L	1		6020B	Total/NA
Iron	12000		100	36	ug/L	1		6020B	Total/NA
Lithium	9.4 J		10	2.5	ug/L	1		6020B	Total/NA
Magnesium	25000		500	150	ug/L	1		6020B	Total/NA
Manganese	1300		10	3.6	ug/L	1		6020B	Total/NA
Cobalt, Dissolved	1.7		0.50	0.17	ug/L	1		6020B	Dissolved
Manganese, Dissolved	1100		10	3.6	ug/L	1		6020B	Dissolved
Total Suspended Solids	82		7.5	5.6	mg/L	1		I-3765-85	Total/NA
Bicarbonate Alkalinity as CaCO ₃	300		5.0	2.5	mg/L	1		SM 2320B	Total/NA
Total Alkalinity as CaCO ₃	300		5.0	2.5	mg/L	1		SM 2320B	Total/NA
Total Dissolved Solids	440		50	42	mg/L	1		SM 2540C	Total/NA
pH	6.9 HF		1.0	1.0	SU	1		SM 4500 H+ B	Total/NA
Groundwater Elevation	730.86				ft	1		Field Sampling	Total/NA
Oxidation Reduction Potential	-3.5				mV	1		Field Sampling	Total/NA
Oxygen, Dissolved	3.97				mg/L	1		Field Sampling	Total/NA
Field pH	6.55				SU	1		Field Sampling	Total/NA
Field Conductivity	835				umhos/cm	1		Field Sampling	Total/NA
Field Temperature	23.9				Degrees C	1		Field Sampling	Total/NA

Client Sample ID: MW-5

Lab Sample ID: 310-291151-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	9.0		5.0	2.3	mg/L	5		9056A	Total/NA
Sulfate	81		5.0	2.1	mg/L	5		9056A	Total/NA
Arsenic	0.55 J		2.0	0.53	ug/L	1		6020B	Total/NA
Barium	140		2.0	0.66	ug/L	1		6020B	Total/NA
Boron	750		100	76	ug/L	1		6020B	Total/NA
Calcium	140		0.50	0.19	mg/L	1		6020B	Total/NA
Cobalt	0.21 J		0.50	0.17	ug/L	1		6020B	Total/NA
Iron	130		100	36	ug/L	1		6020B	Total/NA
Lead	0.42 J		0.50	0.26	ug/L	1		6020B	Total/NA
Lithium	12		10	2.5	ug/L	1		6020B	Total/NA
Magnesium	38000		500	150	ug/L	1		6020B	Total/NA
Manganese	23		10	3.6	ug/L	1		6020B	Total/NA
Molybdenum	2.3		2.0	1.3	ug/L	1		6020B	Total/NA
Selenium	5.1		5.0	1.4	ug/L	1		6020B	Total/NA
Total Suspended Solids	19		1.9	1.4	mg/L	1		I-3765-85	Total/NA
Bicarbonate Alkalinity as CaCO ₃	400		5.0	2.5	mg/L	1		SM 2320B	Total/NA
Total Alkalinity as CaCO ₃	400		5.0	2.5	mg/L	1		SM 2320B	Total/NA
Total Dissolved Solids	580		50	42	mg/L	1		SM 2540C	Total/NA
pH	7.4 HF		1.0	1.0	SU	1		SM 4500 H+ B	Total/NA
Groundwater Elevation	721.65				ft	1		Field Sampling	Total/NA
Oxidation Reduction Potential	156.6				mV	1		Field Sampling	Total/NA
Oxygen, Dissolved	7.42				mg/L	1		Field Sampling	Total/NA
Field pH	7.00				SU	1		Field Sampling	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cedar Falls

Detection Summary

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291151-1

Client Sample ID: MW-5 (Continued)

Lab Sample ID: 310-291151-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Field Conductivity	1053				umhos/cm	1		Field Sampling	Total/NA
Field Temperature	18.5				Degrees C	1		Field Sampling	Total/NA

Client Sample ID: MW-6

Lab Sample ID: 310-291151-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	13		5.0	2.3	mg/L	5		9056A	Total/NA
Sulfate	130		5.0	2.1	mg/L	5		9056A	Total/NA
Barium	110		2.0	0.66	ug/L	1		6020B	Total/NA
Boron	1100		100	76	ug/L	1		6020B	Total/NA
Calcium	140		0.50	0.19	mg/L	1		6020B	Total/NA
Cobalt	0.39 J		0.50	0.17	ug/L	1		6020B	Total/NA
Iron	650		100	36	ug/L	1		6020B	Total/NA
Lithium	24		10	2.5	ug/L	1		6020B	Total/NA
Magnesium	40000		500	150	ug/L	1		6020B	Total/NA
Manganese	250		10	3.6	ug/L	1		6020B	Total/NA
Molybdenum	2.6		2.0	1.3	ug/L	1		6020B	Total/NA
Selenium	1.7 J		5.0	1.4	ug/L	1		6020B	Total/NA
Lithium, Dissolved	27 B		10	2.5	ug/L	1		6020B	Dissolved
Total Suspended Solids	5.7		1.9	1.4	mg/L	1		I-3765-85	Total/NA
Bicarbonate Alkalinity as CaCO ₃	370		5.0	2.5	mg/L	1		SM 2320B	Total/NA
Total Alkalinity as CaCO ₃	370		5.0	2.5	mg/L	1		SM 2320B	Total/NA
Total Dissolved Solids	600		50	42	mg/L	1		SM 2540C	Total/NA
pH	7.3 HF		1.0	1.0	SU	1		SM 4500 H+ B	Total/NA
Groundwater Elevation	719.93				ft	1		Field Sampling	Total/NA
Oxidation Reduction Potential	41.0				mV	1		Field Sampling	Total/NA
Oxygen, Dissolved	5.58				mg/L	1		Field Sampling	Total/NA
Field pH	7.00				SU	1		Field Sampling	Total/NA
Field Conductivity	1079				umhos/cm	1		Field Sampling	Total/NA
Field Temperature	16.3				Degrees C	1		Field Sampling	Total/NA

Client Sample ID: MW-7

Lab Sample ID: 310-291151-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	5.5		5.0	2.3	mg/L	5		9056A	Total/NA
Sulfate	13		5.0	2.1	mg/L	5		9056A	Total/NA
Barium	120		2.0	0.66	ug/L	1		6020B	Total/NA
Boron	200		100	76	ug/L	1		6020B	Total/NA
Calcium	110		0.50	0.19	mg/L	1		6020B	Total/NA
Iron	92 J		100	36	ug/L	1		6020B	Total/NA
Lead	0.27 J		0.50	0.26	ug/L	1		6020B	Total/NA
Lithium	9.1 J		10	2.5	ug/L	1		6020B	Total/NA
Magnesium	33000		500	150	ug/L	1		6020B	Total/NA
Manganese	12		10	3.6	ug/L	1		6020B	Total/NA
Zinc	12 J		20	9.7	ug/L	1		6020B	Total/NA
Total Suspended Solids	10		1.9	1.4	mg/L	1		I-3765-85	Total/NA
Bicarbonate Alkalinity as CaCO ₃	350		5.0	2.5	mg/L	1		SM 2320B	Total/NA
Total Alkalinity as CaCO ₃	350		5.0	2.5	mg/L	1		SM 2320B	Total/NA
Total Dissolved Solids	430		50	42	mg/L	1		SM 2540C	Total/NA
pH	7.2 HF		1.0	1.0	SU	1		SM 4500 H+ B	Total/NA
Groundwater Elevation	708.78				ft	1		Field Sampling	Total/NA
Oxidation Reduction Potential	-123.0				mV	1		Field Sampling	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cedar Falls

Detection Summary

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291151-1

Client Sample ID: MW-7 (Continued)

Lab Sample ID: 310-291151-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Oxygen, Dissolved	0.87				mg/L	1		Field Sampling	Total/NA
Field pH	7.04				SU	1		Field Sampling	Total/NA
Field Conductivity	834				umhos/cm	1		Field Sampling	Total/NA
Field Temperature	16.4				Degrees C	1		Field Sampling	Total/NA

Client Sample ID: MW-10

Lab Sample ID: 310-291151-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	11		5.0	2.3	mg/L	5		9056A	Total/NA
Sulfate	120		5.0	2.1	mg/L	5		9056A	Total/NA
Arsenic	1.7 J		2.0	0.53	ug/L	1		6020B	Total/NA
Barium	99		2.0	0.66	ug/L	1		6020B	Total/NA
Boron	1300		100	76	ug/L	1		6020B	Total/NA
Calcium	130		0.50	0.19	mg/L	1		6020B	Total/NA
Copper	2.5 J		5.0	1.8	ug/L	1		6020B	Total/NA
Iron	730		100	36	ug/L	1		6020B	Total/NA
Lead	0.54		0.50	0.26	ug/L	1		6020B	Total/NA
Lithium	10		10	2.5	ug/L	1		6020B	Total/NA
Magnesium	39000		500	150	ug/L	1		6020B	Total/NA
Manganese	63		10	3.6	ug/L	1		6020B	Total/NA
Molybdenum	2.3		2.0	1.3	ug/L	1		6020B	Total/NA
Total Suspended Solids	13		1.9	1.4	mg/L	1		I-3765-85	Total/NA
Bicarbonate Alkalinity as CaCO ₃	360		5.0	2.5	mg/L	1		SM 2320B	Total/NA
Total Alkalinity as CaCO ₃	360		5.0	2.5	mg/L	1		SM 2320B	Total/NA
Total Dissolved Solids	590		50	42	mg/L	1		SM 2540C	Total/NA
pH	7.4 HF		1.0	1.0	SU	1		SM 4500 H+ B	Total/NA
Groundwater Elevation	712.37				ft	1		Field Sampling	Total/NA
Oxidation Reduction Potential	92.5				mV	1		Field Sampling	Total/NA
Oxygen, Dissolved	9.07				mg/L	1		Field Sampling	Total/NA
Field pH	7.39				SU	1		Field Sampling	Total/NA
Field Conductivity	1070				umhos/cm	1		Field Sampling	Total/NA
Field Temperature	14.2				Degrees C	1		Field Sampling	Total/NA

Client Sample ID: MW-11

Lab Sample ID: 310-291151-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	21		5.0	2.3	mg/L	5		9056A	Total/NA
Sulfate	83		5.0	2.1	mg/L	5		9056A	Total/NA
Arsenic	1.1 J		2.0	0.53	ug/L	1		6020B	Total/NA
Barium	93		2.0	0.66	ug/L	1		6020B	Total/NA
Boron	400		100	76	ug/L	1		6020B	Total/NA
Calcium	120		0.50	0.19	mg/L	1		6020B	Total/NA
Cobalt	4.6		0.50	0.17	ug/L	1		6020B	Total/NA
Iron	160		100	36	ug/L	1		6020B	Total/NA
Lead	0.37 J		0.50	0.26	ug/L	1		6020B	Total/NA
Lithium	11		10	2.5	ug/L	1		6020B	Total/NA
Magnesium	37000		500	150	ug/L	1		6020B	Total/NA
Manganese	220		10	3.6	ug/L	1		6020B	Total/NA
Molybdenum	14		2.0	1.3	ug/L	1		6020B	Total/NA
Cobalt, Dissolved	3.9		0.50	0.17	ug/L	1		6020B	Dissolved
Total Suspended Solids	4.8		1.9	1.4	mg/L	1		I-3765-85	Total/NA
Bicarbonate Alkalinity as CaCO ₃	320		5.0	2.5	mg/L	1		SM 2320B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cedar Falls

Detection Summary

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291151-1

Client Sample ID: MW-11 (Continued)

Lab Sample ID: 310-291151-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Total Alkalinity as CaCO ₃	320		5.0	2.5	mg/L	1		SM 2320B	Total/NA
Total Dissolved Solids	520		50	42	mg/L	1		SM 2540C	Total/NA
pH	7.2 HF		1.0	1.0	SU	1		SM 4500 H+ B	Total/NA
Groundwater Elevation	721.02				ft	1		Field Sampling	Total/NA
Oxidation Reduction Potential	25.6				mV	1		Field Sampling	Total/NA
Oxygen, Dissolved	0.90				mg/L	1		Field Sampling	Total/NA
Field pH	6.80				SU	1		Field Sampling	Total/NA
Field Conductivity	978				umhos/cm	1		Field Sampling	Total/NA
Field Temperature	28.8				Degrees C	1		Field Sampling	Total/NA

Client Sample ID: MW-12

Lab Sample ID: 310-291151-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	7.0		5.0	2.3	mg/L	5		9056A	Total/NA
Sulfate	37		5.0	2.1	mg/L	5		9056A	Total/NA
Arsenic	0.60 J		2.0	0.53	ug/L	1		6020B	Total/NA
Barium	110		2.0	0.66	ug/L	1		6020B	Total/NA
Calcium	110		0.50	0.19	mg/L	1		6020B	Total/NA
Cobalt	0.21 J		0.50	0.17	ug/L	1		6020B	Total/NA
Iron	220		100	36	ug/L	1		6020B	Total/NA
Lead	0.31 J		0.50	0.26	ug/L	1		6020B	Total/NA
Lithium	10		10	2.5	ug/L	1		6020B	Total/NA
Magnesium	38000		500	150	ug/L	1		6020B	Total/NA
Manganese	230		10	3.6	ug/L	1		6020B	Total/NA
Total Suspended Solids	12		1.9	1.4	mg/L	1		I-3765-85	Total/NA
Bicarbonate Alkalinity as CaCO ₃	380		5.0	2.5	mg/L	1		SM 2320B	Total/NA
Total Alkalinity as CaCO ₃	380		5.0	2.5	mg/L	1		SM 2320B	Total/NA
Total Dissolved Solids	470		50	42	mg/L	1		SM 2540C	Total/NA
pH	7.5 HF		1.0	1.0	SU	1		SM 4500 H+ B	Total/NA
Groundwater Elevation	721.02				ft	1		Field Sampling	Total/NA
Oxidation Reduction Potential	-134.9				mV	1		Field Sampling	Total/NA
Oxygen, Dissolved	1.37				mg/L	1		Field Sampling	Total/NA
Field pH	7.19				SU	1		Field Sampling	Total/NA
Field Conductivity	923				umhos/cm	1		Field Sampling	Total/NA
Field Temperature	14.9				Degrees C	1		Field Sampling	Total/NA

Client Sample ID: MW-14

Lab Sample ID: 310-291151-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	13		5.0	2.3	mg/L	5		9056A	Total/NA
Sulfate	38		5.0	2.1	mg/L	5		9056A	Total/NA
Arsenic	0.62 J		2.0	0.53	ug/L	1		6020B	Total/NA
Barium	59		2.0	0.66	ug/L	1		6020B	Total/NA
Boron	1500		100	76	ug/L	1		6020B	Total/NA
Calcium	57		0.50	0.19	mg/L	1		6020B	Total/NA
Lithium	6.4 J		10	2.5	ug/L	1		6020B	Total/NA
Magnesium	18000		500	150	ug/L	1		6020B	Total/NA
Manganese	66		10	3.6	ug/L	1		6020B	Total/NA
Selenium	26		5.0	1.4	ug/L	1		6020B	Total/NA
Bicarbonate Alkalinity as CaCO ₃	170		5.0	2.5	mg/L	1		SM 2320B	Total/NA
Total Alkalinity as CaCO ₃	170		5.0	2.5	mg/L	1		SM 2320B	Total/NA
Total Dissolved Solids	270		50	42	mg/L	1		SM 2540C	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cedar Falls

Detection Summary

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291151-1

Client Sample ID: MW-14 (Continued)

Lab Sample ID: 310-291151-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
pH	6.4	HF	1.0	1.0	SU	1		SM 4500 H+ B	Total/NA
Groundwater Elevation	758.53				ft	1		Field Sampling	Total/NA
Oxidation Reduction Potential	91.1				mV	1		Field Sampling	Total/NA
Oxygen, Dissolved	2.64				mg/L	1		Field Sampling	Total/NA
Field pH	6.01				SU	1		Field Sampling	Total/NA
Field Conductivity	515				umhos/cm	1		Field Sampling	Total/NA
Field Temperature	12.4				Degrees C	1		Field Sampling	Total/NA

Client Sample ID: MW-16

Lab Sample ID: 310-291151-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	9.1		5.0	2.3	mg/L	5		9056A	Total/NA
Sulfate	83		5.0	2.1	mg/L	5		9056A	Total/NA
Barium	110		2.0	0.66	ug/L	1		6020B	Total/NA
Boron	1900		100	76	ug/L	1		6020B	Total/NA
Calcium	110		0.50	0.19	mg/L	1		6020B	Total/NA
Iron	41 J		100	36	ug/L	1		6020B	Total/NA
Lithium	15		10	2.5	ug/L	1		6020B	Total/NA
Magnesium	35000		500	150	ug/L	1		6020B	Total/NA
Molybdenum	1.7 J		2.0	1.3	ug/L	1		6020B	Total/NA
Selenium	2.9 J		5.0	1.4	ug/L	1		6020B	Total/NA
Total Suspended Solids	2.5		1.9	1.4	mg/L	1		I-3765-85	Total/NA
Bicarbonate Alkalinity as CaCO ₃	340		5.0	2.5	mg/L	1		SM 2320B	Total/NA
Total Alkalinity as CaCO ₃	340		5.0	2.5	mg/L	1		SM 2320B	Total/NA
Total Dissolved Solids	480		50	42	mg/L	1		SM 2540C	Total/NA
pH	7.4 HF		1.0	1.0	SU	1		SM 4500 H+ B	Total/NA
Groundwater Elevation	701.45				ft	1		Field Sampling	Total/NA
Oxidation Reduction Potential	-61.4				mV	1		Field Sampling	Total/NA
Oxygen, Dissolved	1.34				mg/L	1		Field Sampling	Total/NA
Field pH	7.01				SU	1		Field Sampling	Total/NA
Field Conductivity	915				umhos/cm	1		Field Sampling	Total/NA
Field Temperature	15.5				Degrees C	1		Field Sampling	Total/NA

Client Sample ID: MW-20

Lab Sample ID: 310-291151-10

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	39		5.0	2.3	mg/L	5		9056A	Total/NA
Sulfate	72		5.0	2.1	mg/L	5		9056A	Total/NA
Arsenic	0.65 J		2.0	0.53	ug/L	1		6020B	Total/NA
Barium	100		2.0	0.66	ug/L	1		6020B	Total/NA
Boron	2300		100	76	ug/L	1		6020B	Total/NA
Calcium	93		0.50	0.19	mg/L	1		6020B	Total/NA
Iron	80 J		100	36	ug/L	1		6020B	Total/NA
Lithium	3.7 J		10	2.5	ug/L	1		6020B	Total/NA
Magnesium	26000		500	150	ug/L	1		6020B	Total/NA
Selenium	28		5.0	1.4	ug/L	1		6020B	Total/NA
Total Suspended Solids	5.5		1.9	1.4	mg/L	1		I-3765-85	Total/NA
Bicarbonate Alkalinity as CaCO ₃	210		5.0	2.5	mg/L	1		SM 2320B	Total/NA
Total Alkalinity as CaCO ₃	210		5.0	2.5	mg/L	1		SM 2320B	Total/NA
Total Dissolved Solids	400		50	42	mg/L	1		SM 2540C	Total/NA
pH	6.5 HF		1.0	1.0	SU	1		SM 4500 H+ B	Total/NA
Groundwater Elevation	756.86				ft	1		Field Sampling	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cedar Falls

Detection Summary

Client: SCS Engineers

Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291151-1

Client Sample ID: MW-20 (Continued)

Lab Sample ID: 310-291151-10

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Oxidation Reduction Potential	259.0				mV	1		Field Sampling	Total/NA
Oxygen, Dissolved	5.43				mg/L	1		Field Sampling	Total/NA
Field pH	6.12				SU	1		Field Sampling	Total/NA
Field Conductivity	753				umhos/cm	1		Field Sampling	Total/NA
Field Temperature	15.3				Degrees C	1		Field Sampling	Total/NA

Client Sample ID: MW-21

Lab Sample ID: 310-291151-11

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	210		5.0	2.3	mg/L	5		9056A	Total/NA
Sulfate	45		5.0	2.1	mg/L	5		9056A	Total/NA
Arsenic	0.64 J		2.0	0.53	ug/L	1		6020B	Total/NA
Barium	230		2.0	0.66	ug/L	1		6020B	Total/NA
Boron	90 J		100	76	ug/L	1		6020B	Total/NA
Calcium	170		0.50	0.19	mg/L	1		6020B	Total/NA
Iron	280		100	36	ug/L	1		6020B	Total/NA
Lead	0.29 J		0.50	0.26	ug/L	1		6020B	Total/NA
Lithium	7.2 J		10	2.5	ug/L	1		6020B	Total/NA
Magnesium	47000		500	150	ug/L	1		6020B	Total/NA
Manganese	14		10	3.6	ug/L	1		6020B	Total/NA
Total Suspended Solids	24		1.9	1.4	mg/L	1		I-3765-85	Total/NA
Bicarbonate Alkalinity as CaCO3	290		5.0	2.5	mg/L	1		SM 2320B	Total/NA
Total Alkalinity as CaCO3	290		5.0	2.5	mg/L	1		SM 2320B	Total/NA
Total Dissolved Solids	740		50	42	mg/L	1		SM 2540C	Total/NA
pH	7.0 HF		1.0	1.0	SU	1		SM 4500 H+ B	Total/NA
Groundwater Elevation	762.46				ft	1		Field Sampling	Total/NA
Oxidation Reduction Potential	173.5				mV	1		Field Sampling	Total/NA
Oxygen, Dissolved	4.59				mg/L	1		Field Sampling	Total/NA
Field pH	6.54				SU	1		Field Sampling	Total/NA
Field Conductivity	1457				umhos/cm	1		Field Sampling	Total/NA
Field Temperature	17.1				Degrees C	1		Field Sampling	Total/NA

Client Sample ID: MW-23R

Lab Sample ID: 310-291151-12

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	13		5.0	2.3	mg/L	5		9056A	Total/NA
Sulfate	59		5.0	2.1	mg/L	5		9056A	Total/NA
Barium	120		2.0	0.66	ug/L	1		6020B	Total/NA
Boron	490		100	76	ug/L	1		6020B	Total/NA
Calcium	120		0.50	0.19	mg/L	1		6020B	Total/NA
Lithium	8.9 J		10	2.5	ug/L	1		6020B	Total/NA
Magnesium	32000		500	150	ug/L	1		6020B	Total/NA
Selenium	2.8 J		5.0	1.4	ug/L	1		6020B	Total/NA
Total Suspended Solids	4.0		1.9	1.4	mg/L	1		I-3765-85	Total/NA
Bicarbonate Alkalinity as CaCO3	300		5.0	2.5	mg/L	1		SM 2320B	Total/NA
Total Alkalinity as CaCO3	300		5.0	2.5	mg/L	1		SM 2320B	Total/NA
Total Dissolved Solids	500		50	42	mg/L	1		SM 2540C	Total/NA
pH	7.3 HF		1.0	1.0	SU	1		SM 4500 H+ B	Total/NA
Groundwater Elevation	702.09				ft	1		Field Sampling	Total/NA
Oxidation Reduction Potential	195.8				mV	1		Field Sampling	Total/NA
Oxygen, Dissolved	6.48				mg/L	1		Field Sampling	Total/NA
Field pH	6.83				SU	1		Field Sampling	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cedar Falls

Detection Summary

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291151-1

Client Sample ID: MW-23R (Continued)

Lab Sample ID: 310-291151-12

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Field Conductivity	919				umhos/cm	1		Field Sampling	Total/NA
Field Temperature	13.1				Degrees C	1		Field Sampling	Total/NA

Client Sample ID: MW-24R

Lab Sample ID: 310-291151-13

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	13		5.0	2.3	mg/L	5		9056A	Total/NA
Sulfate	72		5.0	2.1	mg/L	5		9056A	Total/NA
Arsenic	0.79 J		2.0	0.53	ug/L	1		6020B	Total/NA
Barium	110		2.0	0.66	ug/L	1		6020B	Total/NA
Boron	700		100	76	ug/L	1		6020B	Total/NA
Calcium	110		0.50	0.19	mg/L	1		6020B	Total/NA
Cobalt	8.2		0.50	0.17	ug/L	1		6020B	Total/NA
Iron	190		100	36	ug/L	1		6020B	Total/NA
Lithium	10		10	2.5	ug/L	1		6020B	Total/NA
Magnesium	32000		500	150	ug/L	1		6020B	Total/NA
Manganese	9.1 J		10	3.6	ug/L	1		6020B	Total/NA
Selenium	3.9 J		5.0	1.4	ug/L	1		6020B	Total/NA
Cobalt, Dissolved	7.7		0.50	0.17	ug/L	1		6020B	Dissolved
Total Suspended Solids	2.4		1.9	1.4	mg/L	1		I-3765-85	Total/NA
Bicarbonate Alkalinity as CaCO ₃	340		5.0	2.5	mg/L	1		SM 2320B	Total/NA
Total Alkalinity as CaCO ₃	340		5.0	2.5	mg/L	1		SM 2320B	Total/NA
Total Dissolved Solids	520		50	42	mg/L	1		SM 2540C	Total/NA
pH	7.3 HF		1.0	1.0	SU	1		SM 4500 H+ B	Total/NA
Groundwater Elevation	701.93				ft	1		Field Sampling	Total/NA
Oxidation Reduction Potential	183.0				mV	1		Field Sampling	Total/NA
Oxygen, Dissolved	7.16				mg/L	1		Field Sampling	Total/NA
Field pH	6.89				SU	1		Field Sampling	Total/NA
Field Conductivity	936				umhos/cm	1		Field Sampling	Total/NA
Field Temperature	19.3				Degrees C	1		Field Sampling	Total/NA

Client Sample ID: MW-25R

Lab Sample ID: 310-291151-14

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	32		5.0	2.3	mg/L	5		9056A	Total/NA
Fluoride	0.49 J		1.0	0.38	mg/L	5		9056A	Total/NA
Sulfate	59		5.0	2.1	mg/L	5		9056A	Total/NA
Barium	160		2.0	0.66	ug/L	1		6020B	Total/NA
Boron	310		100	76	ug/L	1		6020B	Total/NA
Calcium	130		0.50	0.19	mg/L	1		6020B	Total/NA
Iron	120		100	36	ug/L	1		6020B	Total/NA
Lithium	11		10	2.5	ug/L	1		6020B	Total/NA
Magnesium	40000		500	150	ug/L	1		6020B	Total/NA
Manganese	9.0 J		10	3.6	ug/L	1		6020B	Total/NA
Selenium	3.5 J		5.0	1.4	ug/L	1		6020B	Total/NA
Total Suspended Solids	17		1.9	1.4	mg/L	1		I-3765-85	Total/NA
Bicarbonate Alkalinity as CaCO ₃	350		5.0	2.5	mg/L	1		SM 2320B	Total/NA
Total Alkalinity as CaCO ₃	350		5.0	2.5	mg/L	1		SM 2320B	Total/NA
Total Dissolved Solids	550		50	42	mg/L	1		SM 2540C	Total/NA
pH	7.4 HF		1.0	1.0	SU	1		SM 4500 H+ B	Total/NA
Groundwater Elevation	750.25				ft	1		Field Sampling	Total/NA
Oxidation Reduction Potential	174.0				mV	1		Field Sampling	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cedar Falls

Detection Summary

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291151-1

Client Sample ID: MW-25R (Continued)

Lab Sample ID: 310-291151-14

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Oxygen, Dissolved	7.70				mg/L	1		Field Sampling	Total/NA
Field pH	6.95				SU	1		Field Sampling	Total/NA
Field Conductivity	1027				umhos/cm	1		Field Sampling	Total/NA
Field Temperature	18.4				Degrees C	1		Field Sampling	Total/NA

Client Sample ID: Field Blank

Lab Sample ID: 310-291151-15

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Bicarbonate Alkalinity as CaCO ₃	4.8	J	5.0	2.5	mg/L	1		SM 2320B	Total/NA
Total Alkalinity as CaCO ₃	4.8	J	5.0	2.5	mg/L	1		SM 2320B	Total/NA
pH	5.8	HF	1.0	1.0	SU	1		SM 4500 H+ B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cedar Falls

Client Sample Results

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291151-1

Client Sample ID: MW-2

Lab Sample ID: 310-291151-1

Matrix: Water

Date Collected: 09/17/24 11:55
Date Received: 09/20/24 16:02

Method: SW846 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	9.1		5.0	2.3	mg/L			09/26/24 16:19	5
Fluoride	<0.38		1.0	0.38	mg/L			09/26/24 16:19	5
Sulfate	56		5.0	2.1	mg/L			09/26/24 16:19	5

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	1.8	J	2.0	0.53	ug/L		09/24/24 15:31	10/03/24 18:59	1
Barium	79		2.0	0.66	ug/L		09/24/24 15:31	10/03/24 18:59	1
Beryllium	<0.33		1.0	0.33	ug/L		09/24/24 15:31	10/03/24 18:59	1
Boron	950		100	76	ug/L		09/24/24 15:31	10/03/24 18:59	1
Calcium	110		0.50	0.19	mg/L		09/24/24 15:31	10/03/24 18:59	1
Cobalt	2.1		0.50	0.17	ug/L		09/24/24 15:31	10/03/24 18:59	1
Copper	<1.8		5.0	1.8	ug/L		09/24/24 15:31	10/03/24 18:59	1
Iron	12000		100	36	ug/L		09/24/24 15:31	10/03/24 18:59	1
Lead	<0.26		0.50	0.26	ug/L		09/24/24 15:31	10/03/24 18:59	1
Lithium	9.4	J	10	2.5	ug/L		09/24/24 15:31	10/03/24 18:59	1
Magnesium	25000		500	150	ug/L		09/24/24 15:31	10/03/24 18:59	1
Manganese	1300		10	3.6	ug/L		09/24/24 15:31	10/03/24 18:59	1
Molybdenum	<1.3		2.0	1.3	ug/L		09/24/24 15:31	10/03/24 18:59	1
Selenium	<1.4		5.0	1.4	ug/L		09/24/24 15:31	10/03/24 18:59	1
Zinc	<9.7		20	9.7	ug/L		09/24/24 15:31	10/03/24 18:59	1

Method: SW846 6020B - Metals (ICP/MS) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cobalt, Dissolved	1.7		0.50	0.17	ug/L		10/17/24 09:30	10/23/24 17:29	1
Manganese, Dissolved	1100		10	3.6	ug/L		10/17/24 09:30	10/23/24 17:29	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Solids (USGS I-3765-85)	82		7.5	5.6	mg/L			09/23/24 10:43	1
Bicarbonate Alkalinity as CaCO3 (SM 2320B)	300		5.0	2.5	mg/L			09/25/24 19:45	1
Carbonate Alkalinity as CaCO3 (SM 2320B)	<2.5		5.0	2.5	mg/L			09/25/24 19:45	1
Total Alkalinity as CaCO3 (SM 2320B)	300		5.0	2.5	mg/L			09/25/24 19:45	1
Total Dissolved Solids (SM 2540C)	440		50	42	mg/L			09/23/24 17:41	1
pH (SM 4500 H+ B)	6.9	HF	1.0	1.0	SU			09/23/24 12:15	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Groundwater Elevation	730.86				ft			09/17/24 11:55	1
Oxidation Reduction Potential	-3.5				mV			09/17/24 11:55	1
Oxygen, Dissolved	3.97				mg/L			09/17/24 11:55	1
Field pH	6.55				SU			09/17/24 11:55	1
Field Conductivity	835				umhos/cm			09/17/24 11:55	1
Field Temperature	23.9				Degrees C			09/17/24 11:55	1

Client Sample Results

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291151-1

Client Sample ID: MW-5

Lab Sample ID: 310-291151-2

Date Collected: 09/17/24 17:59

Matrix: Water

Date Received: 09/20/24 16:02

Method: SW846 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	9.0		5.0	2.3	mg/L			09/26/24 16:30	5
Fluoride	<0.38		1.0	0.38	mg/L			09/26/24 16:30	5
Sulfate	81		5.0	2.1	mg/L			09/26/24 16:30	5

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.55 J		2.0	0.53	ug/L		09/24/24 15:31	10/03/24 19:13	1
Barium	140		2.0	0.66	ug/L		09/24/24 15:31	10/03/24 19:13	1
Beryllium	<0.33		1.0	0.33	ug/L		09/24/24 15:31	10/03/24 19:13	1
Boron	750		100	76	ug/L		09/24/24 15:31	10/03/24 19:13	1
Calcium	140		0.50	0.19	mg/L		09/24/24 15:31	10/03/24 19:13	1
Cobalt	0.21 J		0.50	0.17	ug/L		09/24/24 15:31	10/03/24 19:13	1
Copper	<1.8		5.0	1.8	ug/L		09/24/24 15:31	10/03/24 19:13	1
Iron	130		100	36	ug/L		09/24/24 15:31	10/03/24 19:13	1
Lead	0.42 J		0.50	0.26	ug/L		09/24/24 15:31	10/03/24 19:13	1
Lithium	12		10	2.5	ug/L		09/24/24 15:31	10/03/24 19:13	1
Magnesium	38000		500	150	ug/L		09/24/24 15:31	10/03/24 19:13	1
Manganese	23		10	3.6	ug/L		09/24/24 15:31	10/03/24 19:13	1
Molybdenum	2.3		2.0	1.3	ug/L		09/24/24 15:31	10/03/24 19:13	1
Selenium	5.1		5.0	1.4	ug/L		09/24/24 15:31	10/03/24 19:13	1
Zinc	<9.7		20	9.7	ug/L		09/24/24 15:31	10/03/24 19:13	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Solids (USGS I-3765-85)	19		1.9	1.4	mg/L			09/23/24 10:43	1
Bicarbonate Alkalinity as CaCO ₃ (SM 2320B)	400		5.0	2.5	mg/L			09/25/24 19:54	1
Carbonate Alkalinity as CaCO ₃ (SM 2320B)	<2.5		5.0	2.5	mg/L			09/25/24 19:54	1
Total Alkalinity as CaCO ₃ (SM 2320B)	400		5.0	2.5	mg/L			09/25/24 19:54	1
Total Dissolved Solids (SM 2540C)	580		50	42	mg/L			09/23/24 17:41	1
pH (SM 4500 H+ B)	7.4 HF		1.0	1.0	SU			09/23/24 12:16	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Groundwater Elevation	721.65				ft			09/17/24 17:59	1
Oxidation Reduction Potential	156.6				mV			09/17/24 17:59	1
Oxygen, Dissolved	7.42				mg/L			09/17/24 17:59	1
Field pH	7.00				SU			09/17/24 17:59	1
Field Conductivity	1053				umhos/cm			09/17/24 17:59	1
Field Temperature	18.5				Degrees C			09/17/24 17:59	1

Client Sample Results

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291151-1

Client Sample ID: MW-6

Date Collected: 09/17/24 16:23
Date Received: 09/20/24 16:02

Lab Sample ID: 310-291151-3

Matrix: Water

Method: SW846 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	13		5.0	2.3	mg/L			09/27/24 10:43	5
Fluoride	<0.38		1.0	0.38	mg/L			09/27/24 10:43	5
Sulfate	130		5.0	2.1	mg/L			09/27/24 10:43	5

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	<0.53		2.0	0.53	ug/L			09/24/24 15:31	10/03/24 19:17
Barium	110		2.0	0.66	ug/L			09/24/24 15:31	10/03/24 19:17
Beryllium	<0.33		1.0	0.33	ug/L			09/24/24 15:31	10/03/24 19:17
Boron	1100		100	76	ug/L			09/24/24 15:31	10/03/24 19:17
Calcium	140		0.50	0.19	mg/L			09/24/24 15:31	10/03/24 19:17
Cobalt	0.39 J		0.50	0.17	ug/L			09/24/24 15:31	10/03/24 19:17
Copper	<1.8		5.0	1.8	ug/L			09/24/24 15:31	10/03/24 19:17
Iron	650		100	36	ug/L			09/24/24 15:31	10/03/24 19:17
Lead	<0.26		0.50	0.26	ug/L			09/24/24 15:31	10/03/24 19:17
Lithium	24		10	2.5	ug/L			09/24/24 15:31	10/03/24 19:17
Magnesium	40000		500	150	ug/L			09/24/24 15:31	10/03/24 19:17
Manganese	250		10	3.6	ug/L			09/24/24 15:31	10/03/24 19:17
Molybdenum	2.6		2.0	1.3	ug/L			09/24/24 15:31	10/03/24 19:17
Selenium	1.7 J		5.0	1.4	ug/L			09/24/24 15:31	10/03/24 19:17
Zinc	<9.7		20	9.7	ug/L			09/24/24 15:31	10/03/24 19:17

Method: SW846 6020B - Metals (ICP/MS) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lithium, Dissolved	27 B		10	2.5	ug/L			10/17/24 09:30	10/23/24 17:33

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Solids (USGS I-3765-85)	5.7		1.9	1.4	mg/L			09/23/24 10:43	1
Bicarbonate Alkalinity as CaCO ₃ (SM 2320B)	370		5.0	2.5	mg/L			09/25/24 20:04	1
Carbonate Alkalinity as CaCO ₃ (SM 2320B)	<2.5		5.0	2.5	mg/L			09/25/24 20:04	1
Total Alkalinity as CaCO ₃ (SM 2320B)	370		5.0	2.5	mg/L			09/25/24 20:04	1
Total Dissolved Solids (SM 2540C)	600		50	42	mg/L			09/23/24 17:41	1
pH (SM 4500 H+ B)	7.3 HF		1.0	1.0	SU			09/23/24 12:27	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Groundwater Elevation	719.93				ft			09/17/24 16:23	1
Oxidation Reduction Potential	41.0				mV			09/17/24 16:23	1
Oxygen, Dissolved	5.58				mg/L			09/17/24 16:23	1
Field pH	7.00				SU			09/17/24 16:23	1
Field Conductivity	1079				umhos/cm			09/17/24 16:23	1
Field Temperature	16.3				Degrees C			09/17/24 16:23	1

Eurofins Cedar Falls

Client Sample Results

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291151-1

Client Sample ID: MW-7

Date Collected: 09/18/24 12:09

Date Received: 09/20/24 16:02

Lab Sample ID: 310-291151-4

Matrix: Water

Method: SW846 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	5.5		5.0	2.3	mg/L			09/27/24 11:19	5
Fluoride	<0.38		1.0	0.38	mg/L			09/27/24 11:19	5
Sulfate	13		5.0	2.1	mg/L			09/27/24 11:19	5

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	<0.53		2.0	0.53	ug/L		09/24/24 15:31	10/03/24 19:20	1
Barium	120		2.0	0.66	ug/L		09/24/24 15:31	10/03/24 19:20	1
Beryllium	<0.33		1.0	0.33	ug/L		09/24/24 15:31	10/03/24 19:20	1
Boron	200		100	76	ug/L		09/24/24 15:31	10/03/24 19:20	1
Calcium	110		0.50	0.19	mg/L		09/24/24 15:31	10/03/24 19:20	1
Cobalt	<0.17		0.50	0.17	ug/L		09/24/24 15:31	10/03/24 19:20	1
Copper	<1.8		5.0	1.8	ug/L		09/24/24 15:31	10/03/24 19:20	1
Iron	92 J		100	36	ug/L		09/24/24 15:31	10/03/24 19:20	1
Lead	0.27 J		0.50	0.26	ug/L		09/24/24 15:31	10/03/24 19:20	1
Lithium	9.1 J		10	2.5	ug/L		09/24/24 15:31	10/03/24 19:20	1
Magnesium	33000		500	150	ug/L		09/24/24 15:31	10/03/24 19:20	1
Manganese	12		10	3.6	ug/L		09/24/24 15:31	10/03/24 19:20	1
Molybdenum	<1.3		2.0	1.3	ug/L		09/24/24 15:31	10/03/24 19:20	1
Selenium	<1.4		5.0	1.4	ug/L		09/24/24 15:31	10/03/24 19:20	1
Zinc	12 J		20	9.7	ug/L		09/24/24 15:31	10/03/24 19:20	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Solids (USGS I-3765-85)	10		1.9	1.4	mg/L			09/23/24 11:26	1
Bicarbonate Alkalinity as CaCO ₃ (SM 2320B)	350		5.0	2.5	mg/L			09/25/24 20:15	1
Carbonate Alkalinity as CaCO ₃ (SM 2320B)	<2.5		5.0	2.5	mg/L			09/25/24 20:15	1
Total Alkalinity as CaCO ₃ (SM 2320B)	350		5.0	2.5	mg/L			09/25/24 20:15	1
Total Dissolved Solids (SM 2540C)	430		50	42	mg/L			09/23/24 17:41	1
pH (SM 4500 H+ B)	7.2 HF		1.0	1.0	SU			09/23/24 12:24	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Groundwater Elevation	708.78				ft			09/18/24 12:09	1
Oxidation Reduction Potential	-123.0				mV			09/18/24 12:09	1
Oxygen, Dissolved	0.87				mg/L			09/18/24 12:09	1
Field pH	7.04				SU			09/18/24 12:09	1
Field Conductivity	834				umhos/cm			09/18/24 12:09	1
Field Temperature	16.4				Degrees C			09/18/24 12:09	1

Eurofins Cedar Falls

Client Sample Results

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291151-1

Client Sample ID: MW-10

Lab Sample ID: 310-291151-5

Matrix: Water

Date Collected: 09/18/24 18:24
Date Received: 09/20/24 16:02

Method: SW846 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	11		5.0	2.3	mg/L			09/27/24 11:32	5
Fluoride	<0.38		1.0	0.38	mg/L			09/27/24 11:32	5
Sulfate	120		5.0	2.1	mg/L			09/27/24 11:32	5

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	1.7	J	2.0	0.53	ug/L		09/24/24 15:31	10/03/24 19:24	1
Barium	99		2.0	0.66	ug/L		09/24/24 15:31	10/03/24 19:24	1
Beryllium	<0.33		1.0	0.33	ug/L		09/24/24 15:31	10/03/24 19:24	1
Boron	1300		100	76	ug/L		09/24/24 15:31	10/03/24 19:24	1
Calcium	130		0.50	0.19	mg/L		09/24/24 15:31	10/03/24 19:24	1
Cobalt	<0.17		0.50	0.17	ug/L		09/24/24 15:31	10/03/24 19:24	1
Copper	2.5	J	5.0	1.8	ug/L		09/24/24 15:31	10/03/24 19:24	1
Iron	730		100	36	ug/L		09/24/24 15:31	10/03/24 19:24	1
Lead	0.54		0.50	0.26	ug/L		09/24/24 15:31	10/03/24 19:24	1
Lithium	10		10	2.5	ug/L		09/24/24 15:31	10/03/24 19:24	1
Magnesium	39000		500	150	ug/L		09/24/24 15:31	10/03/24 19:24	1
Manganese	63		10	3.6	ug/L		09/24/24 15:31	10/03/24 19:24	1
Molybdenum	2.3		2.0	1.3	ug/L		09/24/24 15:31	10/03/24 19:24	1
Selenium	<1.4		5.0	1.4	ug/L		09/24/24 15:31	10/03/24 19:24	1
Zinc	<9.7		20	9.7	ug/L		09/24/24 15:31	10/03/24 19:24	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Solids (USGS I-3765-85)	13		1.9	1.4	mg/L			09/23/24 11:26	1
Bicarbonate Alkalinity as CaCO ₃ (SM 2320B)	360		5.0	2.5	mg/L			09/25/24 20:32	1
Carbonate Alkalinity as CaCO ₃ (SM 2320B)	<2.5		5.0	2.5	mg/L			09/25/24 20:32	1
Total Alkalinity as CaCO ₃ (SM 2320B)	360		5.0	2.5	mg/L			09/25/24 20:32	1
Total Dissolved Solids (SM 2540C)	590		50	42	mg/L			09/23/24 17:41	1
pH (SM 4500 H+ B)	7.4	HF	1.0	1.0	SU			09/23/24 12:26	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Groundwater Elevation	712.37				ft			09/18/24 18:24	1
Oxidation Reduction Potential	92.5				mV			09/18/24 18:24	1
Oxygen, Dissolved	9.07				mg/L			09/18/24 18:24	1
Field pH	7.39				SU			09/18/24 18:24	1
Field Conductivity	1070				umhos/cm			09/18/24 18:24	1
Field Temperature	14.2				Degrees C			09/18/24 18:24	1

Eurofins Cedar Falls

Client Sample Results

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291151-1

Client Sample ID: MW-11

Lab Sample ID: 310-291151-6

Matrix: Water

Date Collected: 09/17/24 14:13
Date Received: 09/20/24 16:02

Method: SW846 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	21		5.0	2.3	mg/L			09/27/24 12:08	5
Fluoride	<0.38		1.0	0.38	mg/L			09/27/24 12:08	5
Sulfate	83		5.0	2.1	mg/L			09/27/24 12:08	5

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	1.1	J	2.0	0.53	ug/L		09/24/24 15:31	10/03/24 19:28	1
Barium	93		2.0	0.66	ug/L		09/24/24 15:31	10/03/24 19:28	1
Beryllium	<0.33		1.0	0.33	ug/L		09/24/24 15:31	10/03/24 19:28	1
Boron	400		100	76	ug/L		09/24/24 15:31	10/03/24 19:28	1
Calcium	120		0.50	0.19	mg/L		09/24/24 15:31	10/03/24 19:28	1
Cobalt	4.6		0.50	0.17	ug/L		09/24/24 15:31	10/03/24 19:28	1
Copper	<1.8		5.0	1.8	ug/L		09/24/24 15:31	10/03/24 19:28	1
Iron	160		100	36	ug/L		09/24/24 15:31	10/03/24 19:28	1
Lead	0.37	J	0.50	0.26	ug/L		09/24/24 15:31	10/03/24 19:28	1
Lithium	11		10	2.5	ug/L		09/24/24 15:31	10/03/24 19:28	1
Magnesium	37000		500	150	ug/L		09/24/24 15:31	10/03/24 19:28	1
Manganese	220		10	3.6	ug/L		09/24/24 15:31	10/03/24 19:28	1
Molybdenum	14		2.0	1.3	ug/L		09/24/24 15:31	10/03/24 19:28	1
Selenium	<1.4		5.0	1.4	ug/L		09/24/24 15:31	10/03/24 19:28	1
Zinc	<9.7		20	9.7	ug/L		09/24/24 15:31	10/03/24 19:28	1

Method: SW846 6020B - Metals (ICP/MS) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cobalt, Dissolved	3.9		0.50	0.17	ug/L		10/17/24 09:30	10/23/24 17:37	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Solids (USGS I-3765-85)	4.8		1.9	1.4	mg/L			09/23/24 10:43	1
Bicarbonate Alkalinity as CaCO ₃ (SM 2320B)	320		5.0	2.5	mg/L			09/25/24 20:42	1
Carbonate Alkalinity as CaCO ₃ (SM 2320B)	<2.5		5.0	2.5	mg/L			09/25/24 20:42	1
Total Alkalinity as CaCO ₃ (SM 2320B)	320		5.0	2.5	mg/L			09/25/24 20:42	1
Total Dissolved Solids (SM 2540C)	520		50	42	mg/L			09/23/24 17:41	1
pH (SM 4500 H+ B)	7.2	HF	1.0	1.0	SU			09/23/24 12:20	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Groundwater Elevation	721.02				ft			09/17/24 14:13	1
Oxidation Reduction Potential	25.6				mV			09/17/24 14:13	1
Oxygen, Dissolved	0.90				mg/L			09/17/24 14:13	1
Field pH	6.80				SU			09/17/24 14:13	1
Field Conductivity	978				umhos/cm			09/17/24 14:13	1
Field Temperature	28.8				Degrees C			09/17/24 14:13	1

Eurofins Cedar Falls

Client Sample Results

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291151-1

Client Sample ID: MW-12

Date Collected: 09/18/24 09:10
Date Received: 09/20/24 16:02

Lab Sample ID: 310-291151-7

Matrix: Water

Method: SW846 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	7.0		5.0	2.3	mg/L			09/27/24 12:20	5
Fluoride	<0.38		1.0	0.38	mg/L			09/27/24 12:20	5
Sulfate	37		5.0	2.1	mg/L			09/27/24 12:20	5

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.60 J		2.0	0.53	ug/L		09/24/24 15:31	10/03/24 19:31	1
Barium	110		2.0	0.66	ug/L		09/24/24 15:31	10/03/24 19:31	1
Beryllium	<0.33		1.0	0.33	ug/L		09/24/24 15:31	10/03/24 19:31	1
Boron	<76		100	76	ug/L		09/24/24 15:31	10/03/24 19:31	1
Calcium	110		0.50	0.19	mg/L		09/24/24 15:31	10/03/24 19:31	1
Cobalt	0.21 J		0.50	0.17	ug/L		09/24/24 15:31	10/03/24 19:31	1
Copper	<1.8		5.0	1.8	ug/L		09/24/24 15:31	10/03/24 19:31	1
Iron	220		100	36	ug/L		09/24/24 15:31	10/03/24 19:31	1
Lead	0.31 J		0.50	0.26	ug/L		09/24/24 15:31	10/03/24 19:31	1
Lithium	10		10	2.5	ug/L		09/24/24 15:31	10/03/24 19:31	1
Magnesium	38000		500	150	ug/L		09/24/24 15:31	10/03/24 19:31	1
Manganese	230		10	3.6	ug/L		09/24/24 15:31	10/03/24 19:31	1
Molybdenum	<1.3		2.0	1.3	ug/L		09/24/24 15:31	10/03/24 19:31	1
Selenium	<1.4		5.0	1.4	ug/L		09/24/24 15:31	10/03/24 19:31	1
Zinc	<9.7		20	9.7	ug/L		09/24/24 15:31	10/03/24 19:31	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Solids (USGS I-3765-85)	12		1.9	1.4	mg/L			09/23/24 11:26	1
Bicarbonate Alkalinity as CaCO ₃ (SM 2320B)	380		5.0	2.5	mg/L			09/25/24 20:52	1
Carbonate Alkalinity as CaCO ₃ (SM 2320B)	<2.5		5.0	2.5	mg/L			09/25/24 20:52	1
Total Alkalinity as CaCO ₃ (SM 2320B)	380		5.0	2.5	mg/L			09/25/24 20:52	1
Total Dissolved Solids (SM 2540C)	470		50	42	mg/L			09/23/24 17:41	1
pH (SM 4500 H+ B)	7.5 HF		1.0	1.0	SU			09/23/24 12:19	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Groundwater Elevation	721.02				ft			09/18/24 09:10	1
Oxidation Reduction Potential	-134.9				mV			09/18/24 09:10	1
Oxygen, Dissolved	1.37				mg/L			09/18/24 09:10	1
Field pH	7.19				SU			09/18/24 09:10	1
Field Conductivity	923				umhos/cm			09/18/24 09:10	1
Field Temperature	14.9				Degrees C			09/18/24 09:10	1

Client Sample Results

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291151-1

Client Sample ID: MW-14

Lab Sample ID: 310-291151-8

Date Collected: 09/18/24 10:26

Matrix: Water

Date Received: 09/20/24 16:02

Method: SW846 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	13		5.0	2.3	mg/L			09/27/24 12:32	5
Fluoride	<0.38		1.0	0.38	mg/L			09/27/24 12:32	5
Sulfate	38		5.0	2.1	mg/L			09/27/24 12:32	5

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.62	J	2.0	0.53	ug/L		09/24/24 15:31	10/03/24 19:50	1
Barium	59		2.0	0.66	ug/L		09/24/24 15:31	10/03/24 19:50	1
Beryllium	<0.33		1.0	0.33	ug/L		09/24/24 15:31	10/03/24 19:50	1
Boron	1500		100	76	ug/L		09/24/24 15:31	10/03/24 19:50	1
Calcium	57		0.50	0.19	mg/L		09/24/24 15:31	10/03/24 19:50	1
Cobalt	<0.17		0.50	0.17	ug/L		09/24/24 15:31	10/03/24 19:50	1
Copper	<1.8		5.0	1.8	ug/L		09/24/24 15:31	10/03/24 19:50	1
Iron	<36		100	36	ug/L		09/24/24 15:31	10/03/24 19:50	1
Lead	<0.26		0.50	0.26	ug/L		09/24/24 15:31	10/03/24 19:50	1
Lithium	6.4	J	10	2.5	ug/L		09/24/24 15:31	10/03/24 19:50	1
Magnesium	18000		500	150	ug/L		09/24/24 15:31	10/03/24 19:50	1
Manganese	66		10	3.6	ug/L		09/24/24 15:31	10/03/24 19:50	1
Molybdenum	<1.3		2.0	1.3	ug/L		09/24/24 15:31	10/03/24 19:50	1
Selenium	26		5.0	1.4	ug/L		09/24/24 15:31	10/03/24 19:50	1
Zinc	<9.7		20	9.7	ug/L		09/24/24 15:31	10/03/24 19:50	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Solids (USGS I-3765-85)	<1.4		1.9	1.4	mg/L			09/23/24 11:26	1
Bicarbonate Alkalinity as CaCO₃ (SM 2320B)	170		5.0	2.5	mg/L			09/28/24 12:45	1
Carbonate Alkalinity as CaCO ₃ (SM 2320B)	<2.5		5.0	2.5	mg/L			09/28/24 12:45	1
Total Alkalinity as CaCO₃ (SM 2320B)	170		5.0	2.5	mg/L			09/28/24 12:45	1
Total Dissolved Solids (SM 2540C)	270		50	42	mg/L			09/23/24 17:41	1
pH (SM 4500 H+ B)	6.4	HF	1.0	1.0	SU			09/23/24 12:21	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Groundwater Elevation	758.53				ft			09/18/24 10:26	1
Oxidation Reduction Potential	91.1				mV			09/18/24 10:26	1
Oxygen, Dissolved	2.64				mg/L			09/18/24 10:26	1
Field pH	6.01				SU			09/18/24 10:26	1
Field Conductivity	515				umhos/cm			09/18/24 10:26	1
Field Temperature	12.4				Degrees C			09/18/24 10:26	1

Eurofins Cedar Falls

Client Sample Results

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291151-1

Client Sample ID: MW-16

Date Collected: 09/18/24 15:16
Date Received: 09/20/24 16:02

Lab Sample ID: 310-291151-9

Matrix: Water

Method: SW846 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	9.1		5.0	2.3	mg/L			09/27/24 12:44	5
Fluoride	<0.38		1.0	0.38	mg/L			09/27/24 12:44	5
Sulfate	83		5.0	2.1	mg/L			09/27/24 12:44	5

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	<0.53		2.0	0.53	ug/L		09/24/24 15:31	10/03/24 19:54	1
Barium	110		2.0	0.66	ug/L		09/24/24 15:31	10/03/24 19:54	1
Beryllium	<0.33		1.0	0.33	ug/L		09/24/24 15:31	10/03/24 19:54	1
Boron	1900		100	76	ug/L		09/24/24 15:31	10/03/24 19:54	1
Calcium	110		0.50	0.19	mg/L		09/24/24 15:31	10/03/24 19:54	1
Cobalt	<0.17		0.50	0.17	ug/L		09/24/24 15:31	10/03/24 19:54	1
Copper	<1.8		5.0	1.8	ug/L		09/24/24 15:31	10/03/24 19:54	1
Iron	41 J		100	36	ug/L		09/24/24 15:31	10/03/24 19:54	1
Lead	<0.26		0.50	0.26	ug/L		09/24/24 15:31	10/03/24 19:54	1
Lithium	15		10	2.5	ug/L		09/24/24 15:31	10/03/24 19:54	1
Magnesium	35000		500	150	ug/L		09/24/24 15:31	10/03/24 19:54	1
Manganese	<3.6		10	3.6	ug/L		09/24/24 15:31	10/03/24 19:54	1
Molybdenum	1.7 J		2.0	1.3	ug/L		09/24/24 15:31	10/03/24 19:54	1
Selenium	2.9 J		5.0	1.4	ug/L		09/24/24 15:31	10/03/24 19:54	1
Zinc	<9.7		20	9.7	ug/L		09/24/24 15:31	10/03/24 19:54	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Solids (USGS I-3765-85)	2.5		1.9	1.4	mg/L			09/23/24 11:26	1
Bicarbonate Alkalinity as CaCO ₃ (SM 2320B)	340		5.0	2.5	mg/L			09/28/24 12:53	1
Carbonate Alkalinity as CaCO ₃ (SM 2320B)	<2.5		5.0	2.5	mg/L			09/28/24 12:53	1
Total Alkalinity as CaCO ₃ (SM 2320B)	340		5.0	2.5	mg/L			09/28/24 12:53	1
Total Dissolved Solids (SM 2540C)	480		50	42	mg/L			09/23/24 17:41	1
pH (SM 4500 H+ B)	7.4 HF		1.0	1.0	SU			09/23/24 12:32	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Groundwater Elevation	701.45				ft			09/18/24 15:16	1
Oxidation Reduction Potential	-61.4				mV			09/18/24 15:16	1
Oxygen, Dissolved	1.34				mg/L			09/18/24 15:16	1
Field pH	7.01				SU			09/18/24 15:16	1
Field Conductivity	915				umhos/cm			09/18/24 15:16	1
Field Temperature	15.5				Degrees C			09/18/24 15:16	1

Client Sample Results

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291151-1

Client Sample ID: MW-20

Lab Sample ID: 310-291151-10

Matrix: Water

Date Collected: 09/16/24 15:39
Date Received: 09/20/24 16:02

Method: SW846 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	39		5.0	2.3	mg/L			09/27/24 12:56	5
Fluoride	<0.38		1.0	0.38	mg/L			09/27/24 12:56	5
Sulfate	72		5.0	2.1	mg/L			09/27/24 12:56	5

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.65 J		2.0	0.53	ug/L		09/24/24 15:31	10/03/24 19:57	1
Barium	100		2.0	0.66	ug/L		09/24/24 15:31	10/03/24 19:57	1
Beryllium	<0.33		1.0	0.33	ug/L		09/24/24 15:31	10/03/24 19:57	1
Boron	2300		100	76	ug/L		09/24/24 15:31	10/03/24 19:57	1
Calcium	93		0.50	0.19	mg/L		09/24/24 15:31	10/03/24 19:57	1
Cobalt	<0.17		0.50	0.17	ug/L		09/24/24 15:31	10/03/24 19:57	1
Copper	<1.8		5.0	1.8	ug/L		09/24/24 15:31	10/03/24 19:57	1
Iron	80 J		100	36	ug/L		09/24/24 15:31	10/03/24 19:57	1
Lead	<0.26		0.50	0.26	ug/L		09/24/24 15:31	10/03/24 19:57	1
Lithium	3.7 J		10	2.5	ug/L		09/24/24 15:31	10/03/24 19:57	1
Magnesium	26000		500	150	ug/L		09/24/24 15:31	10/03/24 19:57	1
Manganese	<3.6		10	3.6	ug/L		09/24/24 15:31	10/03/24 19:57	1
Molybdenum	<1.3		2.0	1.3	ug/L		09/24/24 15:31	10/03/24 19:57	1
Selenium	28		5.0	1.4	ug/L		09/24/24 15:31	10/03/24 19:57	1
Zinc	<9.7		20	9.7	ug/L		09/24/24 15:31	10/03/24 19:57	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Solids (USGS I-3765-85)	5.5		1.9	1.4	mg/L			09/23/24 10:43	1
Bicarbonate Alkalinity as CaCO ₃ (SM 2320B)	210		5.0	2.5	mg/L			09/28/24 13:05	1
Carbonate Alkalinity as CaCO ₃ (SM 2320B)	<2.5		5.0	2.5	mg/L			09/28/24 13:05	1
Total Alkalinity as CaCO ₃ (SM 2320B)	210		5.0	2.5	mg/L			09/28/24 13:05	1
Total Dissolved Solids (SM 2540C)	400		50	42	mg/L			09/23/24 17:41	1
pH (SM 4500 H+ B)	6.5 HF		1.0	1.0	SU			09/23/24 12:30	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Groundwater Elevation	756.86				ft			09/16/24 15:39	1
Oxidation Reduction Potential	259.0				mV			09/16/24 15:39	1
Oxygen, Dissolved	5.43				mg/L			09/16/24 15:39	1
Field pH	6.12				SU			09/16/24 15:39	1
Field Conductivity	753				umhos/cm			09/16/24 15:39	1
Field Temperature	15.3				Degrees C			09/16/24 15:39	1

Eurofins Cedar Falls

Client Sample Results

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291151-1

Client Sample ID: MW-21

Lab Sample ID: 310-291151-11

Date Collected: 09/18/24 15:53

Matrix: Water

Date Received: 09/20/24 16:02

Method: SW846 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	210		5.0	2.3	mg/L			09/27/24 13:08	5
Fluoride	<0.38		1.0	0.38	mg/L			09/27/24 13:08	5
Sulfate	45		5.0	2.1	mg/L			09/27/24 13:08	5

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.64	J	2.0	0.53	ug/L		09/24/24 15:31	10/03/24 20:01	1
Barium	230		2.0	0.66	ug/L		09/24/24 15:31	10/03/24 20:01	1
Beryllium	<0.33		1.0	0.33	ug/L		09/24/24 15:31	10/03/24 20:01	1
Boron	90	J	100	76	ug/L		09/24/24 15:31	10/03/24 20:01	1
Calcium	170		0.50	0.19	mg/L		09/24/24 15:31	10/03/24 20:01	1
Cobalt	<0.17		0.50	0.17	ug/L		09/24/24 15:31	10/03/24 20:01	1
Copper	<1.8		5.0	1.8	ug/L		09/24/24 15:31	10/03/24 20:01	1
Iron	280		100	36	ug/L		09/24/24 15:31	10/03/24 20:01	1
Lead	0.29	J	0.50	0.26	ug/L		09/24/24 15:31	10/03/24 20:01	1
Lithium	7.2	J	10	2.5	ug/L		09/24/24 15:31	10/03/24 20:01	1
Magnesium	47000		500	150	ug/L		09/24/24 15:31	10/03/24 20:01	1
Manganese	14		10	3.6	ug/L		09/24/24 15:31	10/03/24 20:01	1
Molybdenum	<1.3		2.0	1.3	ug/L		09/24/24 15:31	10/03/24 20:01	1
Selenium	<1.4		5.0	1.4	ug/L		09/24/24 15:31	10/03/24 20:01	1
Zinc	<9.7		20	9.7	ug/L		09/24/24 15:31	10/03/24 20:01	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Solids (USGS I-3765-85)	24		1.9	1.4	mg/L			09/23/24 11:26	1
Bicarbonate Alkalinity as CaCO ₃ (SM 2320B)	290		5.0	2.5	mg/L			09/28/24 13:14	1
Carbonate Alkalinity as CaCO ₃ (SM 2320B)	<2.5		5.0	2.5	mg/L			09/28/24 13:14	1
Total Alkalinity as CaCO ₃ (SM 2320B)	290		5.0	2.5	mg/L			09/28/24 13:14	1
Total Dissolved Solids (SM 2540C)	740		50	42	mg/L			09/23/24 17:41	1
pH (SM 4500 H+ B)	7.0	HF	1.0	1.0	SU			09/23/24 12:31	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Groundwater Elevation	762.46				ft			09/18/24 15:53	1
Oxidation Reduction Potential	173.5				mV			09/18/24 15:53	1
Oxygen, Dissolved	4.59				mg/L			09/18/24 15:53	1
Field pH	6.54				SU			09/18/24 15:53	1
Field Conductivity	1457				umhos/cm			09/18/24 15:53	1
Field Temperature	17.1				Degrees C			09/18/24 15:53	1

Client Sample Results

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291151-1

Client Sample ID: MW-23R

Lab Sample ID: 310-291151-12

Matrix: Water

Date Collected: 09/19/24 09:42
Date Received: 09/20/24 16:02

Method: SW846 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	13		5.0	2.3	mg/L			09/27/24 13:20	5
Fluoride	<0.38		1.0	0.38	mg/L			09/27/24 13:20	5
Sulfate	59		5.0	2.1	mg/L			09/27/24 13:20	5

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	<0.53		2.0	0.53	ug/L		09/24/24 15:31	10/03/24 20:08	1
Barium	120		2.0	0.66	ug/L		09/24/24 15:31	10/03/24 20:08	1
Beryllium	<0.33		1.0	0.33	ug/L		09/24/24 15:31	10/03/24 20:08	1
Boron	490		100	76	ug/L		09/24/24 15:31	10/03/24 20:08	1
Calcium	120		0.50	0.19	mg/L		09/24/24 15:31	10/03/24 20:08	1
Cobalt	<0.17		0.50	0.17	ug/L		09/24/24 15:31	10/03/24 20:08	1
Copper	<1.8		5.0	1.8	ug/L		09/24/24 15:31	10/03/24 20:08	1
Iron	<36		100	36	ug/L		09/24/24 15:31	10/03/24 20:08	1
Lead	<0.26		0.50	0.26	ug/L		09/24/24 15:31	10/03/24 20:08	1
Lithium	8.9 J		10	2.5	ug/L		09/24/24 15:31	10/03/24 20:08	1
Magnesium	32000		500	150	ug/L		09/24/24 15:31	10/03/24 20:08	1
Manganese	<3.6		10	3.6	ug/L		09/24/24 15:31	10/03/24 20:08	1
Molybdenum	<1.3		2.0	1.3	ug/L		09/24/24 15:31	10/03/24 20:08	1
Selenium	2.8 J		5.0	1.4	ug/L		09/24/24 15:31	10/03/24 20:08	1
Zinc	<9.7		20	9.7	ug/L		09/24/24 15:31	10/03/24 20:08	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Solids (USGS I-3765-85)	4.0		1.9	1.4	mg/L			09/23/24 11:26	1
Bicarbonate Alkalinity as CaCO ₃ (SM 2320B)	300		5.0	2.5	mg/L			09/28/24 13:30	1
Carbonate Alkalinity as CaCO ₃ (SM 2320B)	<2.5		5.0	2.5	mg/L			09/28/24 13:30	1
Total Alkalinity as CaCO ₃ (SM 2320B)	300		5.0	2.5	mg/L			09/28/24 13:30	1
Total Dissolved Solids (SM 2540C)	500		50	42	mg/L			09/24/24 16:03	1
pH (SM 4500 H+ B)	7.3 HF		1.0	1.0	SU			09/23/24 12:28	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Groundwater Elevation	702.09				ft			09/19/24 09:42	1
Oxidation Reduction Potential	195.8				mV			09/19/24 09:42	1
Oxygen, Dissolved	6.48				mg/L			09/19/24 09:42	1
Field pH	6.83				SU			09/19/24 09:42	1
Field Conductivity	919				umhos/cm			09/19/24 09:42	1
Field Temperature	13.1				Degrees C			09/19/24 09:42	1

Client Sample Results

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291151-1

Client Sample ID: MW-24R

Lab Sample ID: 310-291151-13

Date Collected: 09/19/24 10:41

Matrix: Water

Date Received: 09/20/24 16:02

Method: SW846 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	13		5.0	2.3	mg/L			09/27/24 13:32	5
Fluoride	<0.38		1.0	0.38	mg/L			09/27/24 13:32	5
Sulfate	72		5.0	2.1	mg/L			09/27/24 13:32	5

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.79 J		2.0	0.53	ug/L		09/24/24 15:31	10/03/24 20:12	1
Barium	110		2.0	0.66	ug/L		09/24/24 15:31	10/03/24 20:12	1
Beryllium	<0.33		1.0	0.33	ug/L		09/24/24 15:31	10/03/24 20:12	1
Boron	700		100	76	ug/L		09/24/24 15:31	10/03/24 20:12	1
Calcium	110		0.50	0.19	mg/L		09/24/24 15:31	10/03/24 20:12	1
Cobalt	8.2		0.50	0.17	ug/L		09/24/24 15:31	10/03/24 20:12	1
Copper	<1.8		5.0	1.8	ug/L		09/24/24 15:31	10/03/24 20:12	1
Iron	190		100	36	ug/L		09/24/24 15:31	10/03/24 20:12	1
Lead	<0.26		0.50	0.26	ug/L		09/24/24 15:31	10/03/24 20:12	1
Lithium	10		10	2.5	ug/L		09/24/24 15:31	10/03/24 20:12	1
Magnesium	32000		500	150	ug/L		09/24/24 15:31	10/03/24 20:12	1
Manganese	9.1 J		10	3.6	ug/L		09/24/24 15:31	10/03/24 20:12	1
Molybdenum	<1.3		2.0	1.3	ug/L		09/24/24 15:31	10/03/24 20:12	1
Selenium	3.9 J		5.0	1.4	ug/L		09/24/24 15:31	10/03/24 20:12	1
Zinc	<9.7		20	9.7	ug/L		09/24/24 15:31	10/03/24 20:12	1

Method: SW846 6020B - Metals (ICP/MS) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cobalt, Dissolved	7.7		0.50	0.17	ug/L		10/17/24 09:30	10/23/24 17:40	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Solids (USGS I-3765-85)	2.4		1.9	1.4	mg/L			09/23/24 11:26	1
Bicarbonate Alkalinity as CaCO ₃ (SM 2320B)	340		5.0	2.5	mg/L			09/28/24 13:39	1
Carbonate Alkalinity as CaCO ₃ (SM 2320B)	<2.5		5.0	2.5	mg/L			09/28/24 13:39	1
Total Alkalinity as CaCO ₃ (SM 2320B)	340		5.0	2.5	mg/L			09/28/24 13:39	1
Total Dissolved Solids (SM 2540C)	520		50	42	mg/L			09/24/24 16:03	1
pH (SM 4500 H+ B)	7.3 HF		1.0	1.0	SU			09/23/24 12:29	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Groundwater Elevation	701.93				ft			09/19/24 10:41	1
Oxidation Reduction Potential	183.0				mV			09/19/24 10:41	1
Oxygen, Dissolved	7.16				mg/L			09/19/24 10:41	1
Field pH	6.89				SU			09/19/24 10:41	1
Field Conductivity	936				umhos/cm			09/19/24 10:41	1
Field Temperature	19.3				Degrees C			09/19/24 10:41	1

Eurofins Cedar Falls

Client Sample Results

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291151-1

Client Sample ID: MW-25R

Lab Sample ID: 310-291151-14

Date Collected: 09/17/24 09:34

Matrix: Water

Date Received: 09/20/24 16:02

Method: SW846 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	32		5.0	2.3	mg/L			09/27/24 13:44	5
Fluoride	0.49 J		1.0	0.38	mg/L			09/27/24 13:44	5
Sulfate	59		5.0	2.1	mg/L			09/27/24 13:44	5

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	<0.53		2.0	0.53	ug/L		09/24/24 15:31	10/03/24 20:16	1
Barium	160		2.0	0.66	ug/L		09/24/24 15:31	10/03/24 20:16	1
Beryllium	<0.33		1.0	0.33	ug/L		09/24/24 15:31	10/03/24 20:16	1
Boron	310		100	76	ug/L		09/24/24 15:31	10/03/24 20:16	1
Calcium	130		0.50	0.19	mg/L		09/24/24 15:31	10/03/24 20:16	1
Cobalt	<0.17		0.50	0.17	ug/L		09/24/24 15:31	10/03/24 20:16	1
Copper	<1.8		5.0	1.8	ug/L		09/24/24 15:31	10/03/24 20:16	1
Iron	120		100	36	ug/L		09/24/24 15:31	10/03/24 20:16	1
Lead	<0.26		0.50	0.26	ug/L		09/24/24 15:31	10/03/24 20:16	1
Lithium	11		10	2.5	ug/L		09/24/24 15:31	10/03/24 20:16	1
Magnesium	40000		500	150	ug/L		09/24/24 15:31	10/03/24 20:16	1
Manganese	9.0 J		10	3.6	ug/L		09/24/24 15:31	10/03/24 20:16	1
Molybdenum	<1.3		2.0	1.3	ug/L		09/24/24 15:31	10/03/24 20:16	1
Selenium	3.5 J		5.0	1.4	ug/L		09/24/24 15:31	10/03/24 20:16	1
Zinc	<9.7		20	9.7	ug/L		09/24/24 15:31	10/03/24 20:16	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Solids (USGS I-3765-85)	17		1.9	1.4	mg/L			09/23/24 10:43	1
Bicarbonate Alkalinity as CaCO ₃ (SM 2320B)	350		5.0	2.5	mg/L			10/01/24 11:24	1
Carbonate Alkalinity as CaCO ₃ (SM 2320B)	<2.5		5.0	2.5	mg/L			10/01/24 11:24	1
Total Alkalinity as CaCO ₃ (SM 2320B)	350		5.0	2.5	mg/L			10/01/24 11:24	1
Total Dissolved Solids (SM 2540C)	550		50	42	mg/L			09/23/24 17:41	1
pH (SM 4500 H+ B)	7.4 HF		1.0	1.0	SU			09/23/24 12:18	1

Method: EPA Field Sampling - Field Sampling

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Groundwater Elevation	750.25				ft			09/17/24 09:34	1
Oxidation Reduction Potential	174.0				mV			09/17/24 09:34	1
Oxygen, Dissolved	7.70				mg/L			09/17/24 09:34	1
Field pH	6.95				SU			09/17/24 09:34	1
Field Conductivity	1027				umhos/cm			09/17/24 09:34	1
Field Temperature	18.4				Degrees C			09/17/24 09:34	1

Client Sample Results

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291151-1

Client Sample ID: Field Blank

Date Collected: 09/18/24 10:45
Date Received: 09/20/24 16:02

Lab Sample ID: 310-291151-15

Matrix: Water

Method: SW846 9056A - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.45		1.0	0.45	mg/L			09/27/24 13:57	1
Fluoride	<0.075		0.20	0.075	mg/L			09/27/24 13:57	1
Sulfate	<0.42		1.0	0.42	mg/L			09/27/24 13:57	1

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	<0.53		2.0	0.53	ug/L			09/24/24 15:31	10/03/24 20:20
Barium	<0.66		2.0	0.66	ug/L			09/24/24 15:31	10/03/24 20:20
Beryllium	<0.33		1.0	0.33	ug/L			09/24/24 15:31	10/03/24 20:20
Boron	<76		100	76	ug/L			09/24/24 15:31	10/03/24 20:20
Calcium	<0.19		0.50	0.19	mg/L			09/24/24 15:31	10/03/24 20:20
Cobalt	<0.17		0.50	0.17	ug/L			09/24/24 15:31	10/03/24 20:20
Copper	<1.8		5.0	1.8	ug/L			09/24/24 15:31	10/03/24 20:20
Iron	<36		100	36	ug/L			09/24/24 15:31	10/03/24 20:20
Lead	<0.26		0.50	0.26	ug/L			09/24/24 15:31	10/03/24 20:20
Lithium	<2.5		10	2.5	ug/L			09/24/24 15:31	10/03/24 20:20
Magnesium	<150		500	150	ug/L			09/24/24 15:31	10/03/24 20:20
Manganese	<3.6		10	3.6	ug/L			09/24/24 15:31	10/03/24 20:20
Molybdenum	<1.3		2.0	1.3	ug/L			09/24/24 15:31	10/03/24 20:20
Selenium	<1.4		5.0	1.4	ug/L			09/24/24 15:31	10/03/24 20:20
Zinc	<9.7		20	9.7	ug/L			09/24/24 15:31	10/03/24 20:20

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Solids (USGS I-3765-85)	<1.4		1.9	1.4	mg/L			09/23/24 11:26	1
Bicarbonate Alkalinity as CaCO₃ (SM 2320B)	4.8 J		5.0	2.5	mg/L			09/28/24 14:10	1
Carbonate Alkalinity as CaCO ₃ (SM 2320B)	<2.5		5.0	2.5	mg/L			09/28/24 14:10	1
Total Alkalinity as CaCO₃ (SM 2320B)	4.8 J		5.0	2.5	mg/L			09/28/24 14:10	1
Total Dissolved Solids (SM 2540C)	<42		50	42	mg/L			09/23/24 17:41	1
pH (SM 4500 H+ B)	5.8 HF		1.0	1.0	SU			09/23/24 12:17	1

Definitions/Glossary

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291151-1

Qualifiers

HPLC/IC

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Metals

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

General Chemistry

Qualifier	Qualifier Description
HF	Parameter with a holding time of 15 minutes. Test performed by laboratory at client's request. Sample was analyzed outside of hold time.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
%	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

QC Sample Results

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291151-1

Method: 9056A - Anions, Ion Chromatography

Lab Sample ID: MB 310-434581/3

Matrix: Water

Analysis Batch: 434581

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.45		1.0	0.45	mg/L			09/26/24 09:36	1
Fluoride	<0.075		0.20	0.075	mg/L			09/26/24 09:36	1
Sulfate	<0.42		1.0	0.42	mg/L			09/26/24 09:36	1

Lab Sample ID: LCS 310-434581/4

Matrix: Water

Analysis Batch: 434581

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte		Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride		10.0	9.93		mg/L		99	90 - 110
Fluoride		2.00	1.97		mg/L		98	90 - 110
Sulfate		10.0	10.2		mg/L		102	90 - 110

Lab Sample ID: MB 310-434616/3

Matrix: Water

Analysis Batch: 434616

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.45		1.0	0.45	mg/L			09/27/24 09:43	1
Fluoride	<0.075		0.20	0.075	mg/L			09/27/24 09:43	1
Sulfate	<0.42		1.0	0.42	mg/L			09/27/24 09:43	1

Lab Sample ID: LCS 310-434616/4

Matrix: Water

Analysis Batch: 434616

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte		Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride		10.0	9.91		mg/L		99	90 - 110
Fluoride		2.00	1.99		mg/L		100	90 - 110
Sulfate		10.0	10.2		mg/L		102	90 - 110

Lab Sample ID: 310-291151-3 MS

Matrix: Water

Analysis Batch: 434616

Client Sample ID: MW-6
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	13		25.0	36.2		mg/L		93	80 - 120
Fluoride	<0.38		5.00	5.17		mg/L		103	80 - 120
Sulfate	130		25.0	150	4	mg/L		99	80 - 120

Lab Sample ID: 310-291151-3 MSD

Matrix: Water

Analysis Batch: 434616

Client Sample ID: MW-6
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Chloride	13		25.0	36.3		mg/L		94	80 - 120	0	15
Fluoride	<0.38		5.00	5.20		mg/L		104	80 - 120	1	15
Sulfate	130		25.0	153	4	mg/L		110	80 - 120	2	15

Eurofins Cedar Falls

QC Sample Results

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291151-1

Method: 6020B - Metals (ICP/MS)

Lab Sample ID: MB 310-434157/1-A

Matrix: Water

Analysis Batch: 435215

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 434157

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	<0.53		2.0	0.53	ug/L		09/24/24 15:31	10/03/24 18:37	1
Barium	<0.66		2.0	0.66	ug/L		09/24/24 15:31	10/03/24 18:37	1
Beryllium	<0.33		1.0	0.33	ug/L		09/24/24 15:31	10/03/24 18:37	1
Boron	<76		100	76	ug/L		09/24/24 15:31	10/03/24 18:37	1
Calcium	<0.19		0.50	0.19	mg/L		09/24/24 15:31	10/03/24 18:37	1
Cobalt	<0.17		0.50	0.17	ug/L		09/24/24 15:31	10/03/24 18:37	1
Copper	<1.8		5.0	1.8	ug/L		09/24/24 15:31	10/03/24 18:37	1
Iron	<36		100	36	ug/L		09/24/24 15:31	10/03/24 18:37	1
Lead	<0.26		0.50	0.26	ug/L		09/24/24 15:31	10/03/24 18:37	1
Lithium	<2.5		10	2.5	ug/L		09/24/24 15:31	10/03/24 18:37	1
Magnesium	<150		500	150	ug/L		09/24/24 15:31	10/03/24 18:37	1
Manganese	<3.6		10	3.6	ug/L		09/24/24 15:31	10/03/24 18:37	1
Molybdenum	<1.3		2.0	1.3	ug/L		09/24/24 15:31	10/03/24 18:37	1
Selenium	<1.4		5.0	1.4	ug/L		09/24/24 15:31	10/03/24 18:37	1
Zinc	<9.7		20	9.7	ug/L		09/24/24 15:31	10/03/24 18:37	1

Lab Sample ID: LCS 310-434157/2-A

Matrix: Water

Analysis Batch: 435215

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 434157

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Arsenic	200	214		ug/L		107	80 - 120
Barium	100	100		ug/L		100	80 - 120
Beryllium	100	97.1		ug/L		97	80 - 120
Boron	200	172		ug/L		86	80 - 120
Calcium	2.00	1.77		mg/L		88	80 - 120
Cobalt	100	98.8		ug/L		99	80 - 120
Copper	200	206		ug/L		103	80 - 120
Iron	200	200		ug/L		100	80 - 120
Lead	200	205		ug/L		102	80 - 120
Lithium	200	198		ug/L		99	80 - 120
Magnesium	2000	1930		ug/L		97	80 - 120
Manganese	100	100		ug/L		100	80 - 120
Molybdenum	200	191		ug/L		96	80 - 120
Selenium	400	371		ug/L		93	80 - 120
Zinc	200	189		ug/L		94	80 - 120

Lab Sample ID: 310-291151-1 MS

Matrix: Water

Analysis Batch: 435215

Client Sample ID: MW-2

Prep Type: Total/NA

Prep Batch: 434157

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Arsenic	1.8	J	200	222		ug/L		110	75 - 125
Barium	79		100	182		ug/L		103	75 - 125
Beryllium	<0.33		100	99.2		ug/L		99	75 - 125
Boron	950		200	1150	4	ug/L		98	75 - 125
Calcium	110		2.00	111	4	mg/L		17	75 - 125
Cobalt	2.1		100	99.6		ug/L		97	75 - 125
Copper	<1.8		200	202		ug/L		101	75 - 125

Eurofins Cedar Falls

QC Sample Results

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291151-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: 310-291151-1 MS

Matrix: Water

Analysis Batch: 435215

Client Sample ID: MW-2
Prep Type: Total/NA
Prep Batch: 434157

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec	Limits	
	Result	Qualifier	Added	Result	Qualifier				Limits		
Iron	12000		200	12200	4	ug/L	-36	75 - 125			
Lead	<0.26		200	204		ug/L	102	75 - 125			
Lithium	9.4	J	200	206		ug/L	98	75 - 125			
Magnesium	25000		2000	26500	4	ug/L	72	75 - 125			
Manganese	1300		100	1410	4	ug/L	87	75 - 125			
Molybdenum	<1.3		200	202		ug/L	101	75 - 125			
Selenium	<1.4		400	395		ug/L	99	75 - 125			
Zinc	<9.7		200	189		ug/L	95	75 - 125			

Lab Sample ID: 310-291151-1 MSD

Matrix: Water

Analysis Batch: 435215

Client Sample ID: MW-2
Prep Type: Total/NA
Prep Batch: 434157

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier				Limits		
Arsenic	1.8	J	200	222		ug/L	110	75 - 125		0	20
Barium	79		100	179		ug/L	100	75 - 125		2	20
Beryllium	<0.33		100	99.5		ug/L	100	75 - 125		0	20
Boron	950		200	1150	4	ug/L	98	75 - 125		0	20
Calcium	110		2.00	108	4	mg/L	-150	75 - 125		3	20
Cobalt	2.1		100	98.4		ug/L	96	75 - 125		1	20
Copper	<1.8		200	197		ug/L	99	75 - 125		2	20
Iron	12000		200	11900	4	ug/L	-193	75 - 125		3	20
Lead	<0.26		200	200		ug/L	100	75 - 125		2	20
Lithium	9.4	J	200	206		ug/L	98	75 - 125		0	20
Magnesium	25000		2000	25800	4	ug/L	36	75 - 125		3	20
Manganese	1300		100	1370	4	ug/L	40	75 - 125		3	20
Molybdenum	<1.3		200	199		ug/L	99	75 - 125		2	20
Selenium	<1.4		400	397		ug/L	99	75 - 125		0	20
Zinc	<9.7		200	189		ug/L	94	75 - 125		0	20

Lab Sample ID: 310-291151-11 DU

Matrix: Water

Analysis Batch: 435215

Client Sample ID: MW-21
Prep Type: Total/NA
Prep Batch: 434157

Analyte	Sample	Sample		DU	DU	Unit	D			RPD	Limit
	Result	Qualifier		Result	Qualifier						
Arsenic	0.64	J		0.674	J	ug/L				5	20
Barium	230			233		ug/L				0.2	20
Beryllium	<0.33			<0.33		ug/L				NC	20
Boron	90	J		<76		ug/L				NC	20
Calcium	170			172		mg/L				0.6	20
Cobalt	<0.17			<0.17		ug/L				NC	20
Copper	<1.8			<1.8		ug/L				NC	20
Iron	280			328		ug/L				16	20
Lead	0.29	J		0.316	J	ug/L				10	20
Lithium	7.2	J		7.09	J	ug/L				1	20
Magnesium	47000			46900		ug/L				0.7	20
Manganese	14			14.3		ug/L				2	20
Molybdenum	<1.3			<1.3		ug/L				NC	20
Selenium	<1.4			<1.4		ug/L				NC	20

Eurofins Cedar Falls

QC Sample Results

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291151-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: 310-291151-11 DU

Matrix: Water

Analysis Batch: 435215

Client Sample ID: MW-21

Prep Type: Total/NA

Prep Batch: 434157

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Zinc	<9.7		<9.7		ug/L		NC	20

Lab Sample ID: MB 310-436499/1-A

Matrix: Water

Analysis Batch: 437341

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 436499

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cobalt, Dissolved	<0.17		0.50	0.17	ug/L		10/17/24 09:30	10/23/24 15:51	1
Lithium, Dissolved	2.92	J	10	2.5	ug/L		10/17/24 09:30	10/23/24 15:51	1
Manganese, Dissolved	<3.6		10	3.6	ug/L		10/17/24 09:30	10/23/24 15:51	1

Lab Sample ID: LCS 310-436499/2-A

Matrix: Water

Analysis Batch: 437341

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 436499

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Cobalt, Dissolved	100	90.9		ug/L		91	80 - 120
Lithium, Dissolved	200	197		ug/L		99	80 - 120
Manganese, Dissolved	100	92.8		ug/L		93	80 - 120

Method: I-3765-85 - Residue, Non-filterable (TSS)

Lab Sample ID: MB 310-433938/1

Matrix: Water

Analysis Batch: 433938

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Solids	<3.7		5.0	3.7	mg/L			09/23/24 10:43	1

Lab Sample ID: LCS 310-433938/2

Matrix: Water

Analysis Batch: 433938

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Suspended Solids	100	89.0		mg/L		89	81 - 116

Lab Sample ID: MB 310-433958/1

Matrix: Water

Analysis Batch: 433958

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Solids	<3.7		5.0	3.7	mg/L			09/23/24 11:26	1

Lab Sample ID: LCS 310-433958/2

Matrix: Water

Analysis Batch: 433958

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Suspended Solids	100	93.0		mg/L		93	81 - 116

Eurofins Cedar Falls

QC Sample Results

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291151-1

Method: SM 2320B - Alkalinity

Lab Sample ID: LCS 310-434354/2

Matrix: Water

Analysis Batch: 434354

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Total Alkalinity as CaCO ₃	1000	916		mg/L	92	86 - 111			

Lab Sample ID: LCS 310-434675/2

Matrix: Water

Analysis Batch: 434675

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Total Alkalinity as CaCO ₃	1000	906		mg/L	91	86 - 111			

Lab Sample ID: 310-291151-B-14 DU

Matrix: Water

Analysis Batch: 434675

Client Sample ID: 310-291151-B-14 DU
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Bicarbonate Alkalinity as CaCO ₃	300		372		mg/L		22	
Carbonate Alkalinity as CaCO ₃	<2.5		<2.5		mg/L		NC	

Lab Sample ID: LCS 310-434849/2

Matrix: Water

Analysis Batch: 434849

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Total Alkalinity as CaCO ₃	1000	909		mg/L	91	86 - 111			

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 310-434029/1

Matrix: Water

Analysis Batch: 434029

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<42		50	42	mg/L			09/23/24 17:41	1

Lab Sample ID: LCS 310-434029/2

Matrix: Water

Analysis Batch: 434029

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Total Dissolved Solids	1000	1050		mg/L	105	88 - 110			

Lab Sample ID: 310-291151-4 DU

Matrix: Water

Analysis Batch: 434029

Client Sample ID: MW-7
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Total Dissolved Solids	430		410		mg/L		4	16

Eurofins Cedar Falls

QC Sample Results

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291151-1

Method: SM 2540C - Solids, Total Dissolved (TDS) (Continued)

Lab Sample ID: MB 310-434170/1

Matrix: Water

Analysis Batch: 434170

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<42		50	42	mg/L			09/24/24 16:03	1

Lab Sample ID: LCS 310-434170/2

Matrix: Water

Analysis Batch: 434170

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	1000	1040		mg/L		104	88 - 110

Method: SM 4500 H+ B - pH

Lab Sample ID: LCS 310-433960/1

Matrix: Water

Analysis Batch: 433960

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
pH	7.00	7.0		SU		100	98 - 102

Lab Sample ID: 310-291151-4 DU

Matrix: Water

Analysis Batch: 433960

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
pH	7.2	HF	7.2		SU		0.1	20

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Client Sample ID: MW-7

Prep Type: Total/NA

QC Association Summary

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291151-1

HPLC/IC

Analysis Batch: 434581

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-291151-1	MW-2	Total/NA	Water	9056A	
310-291151-2	MW-5	Total/NA	Water	9056A	
MB 310-434581/3	Method Blank	Total/NA	Water	9056A	
LCS 310-434581/4	Lab Control Sample	Total/NA	Water	9056A	

Analysis Batch: 434616

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-291151-3	MW-6	Total/NA	Water	9056A	
310-291151-4	MW-7	Total/NA	Water	9056A	
310-291151-5	MW-10	Total/NA	Water	9056A	
310-291151-6	MW-11	Total/NA	Water	9056A	
310-291151-7	MW-12	Total/NA	Water	9056A	
310-291151-8	MW-14	Total/NA	Water	9056A	
310-291151-9	MW-16	Total/NA	Water	9056A	
310-291151-10	MW-20	Total/NA	Water	9056A	
310-291151-11	MW-21	Total/NA	Water	9056A	
310-291151-12	MW-23R	Total/NA	Water	9056A	
310-291151-13	MW-24R	Total/NA	Water	9056A	
310-291151-14	MW-25R	Total/NA	Water	9056A	
310-291151-15	Field Blank	Total/NA	Water	9056A	
MB 310-434616/3	Method Blank	Total/NA	Water	9056A	
LCS 310-434616/4	Lab Control Sample	Total/NA	Water	9056A	
310-291151-3 MS	MW-6	Total/NA	Water	9056A	
310-291151-3 MSD	MW-6	Total/NA	Water	9056A	

Metals

Prep Batch: 434157

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-291151-1	MW-2	Total/NA	Water	3005A	
310-291151-2	MW-5	Total/NA	Water	3005A	
310-291151-3	MW-6	Total/NA	Water	3005A	
310-291151-4	MW-7	Total/NA	Water	3005A	
310-291151-5	MW-10	Total/NA	Water	3005A	
310-291151-6	MW-11	Total/NA	Water	3005A	
310-291151-7	MW-12	Total/NA	Water	3005A	
310-291151-8	MW-14	Total/NA	Water	3005A	
310-291151-9	MW-16	Total/NA	Water	3005A	
310-291151-10	MW-20	Total/NA	Water	3005A	
310-291151-11	MW-21	Total/NA	Water	3005A	
310-291151-12	MW-23R	Total/NA	Water	3005A	
310-291151-13	MW-24R	Total/NA	Water	3005A	
310-291151-14	MW-25R	Total/NA	Water	3005A	
310-291151-15	Field Blank	Total/NA	Water	3005A	
MB 310-434157/1-A	Method Blank	Total/NA	Water	3005A	
LCS 310-434157/2-A	Lab Control Sample	Total/NA	Water	3005A	
310-291151-1 MS	MW-2	Total/NA	Water	3005A	
310-291151-1 MSD	MW-2	Total/NA	Water	3005A	
310-291151-11 DU	MW-21	Total/NA	Water	3005A	

QC Association Summary

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291151-1

Metals

Analysis Batch: 435215

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-291151-1	MW-2	Total/NA	Water	6020B	434157
310-291151-2	MW-5	Total/NA	Water	6020B	434157
310-291151-3	MW-6	Total/NA	Water	6020B	434157
310-291151-4	MW-7	Total/NA	Water	6020B	434157
310-291151-5	MW-10	Total/NA	Water	6020B	434157
310-291151-6	MW-11	Total/NA	Water	6020B	434157
310-291151-7	MW-12	Total/NA	Water	6020B	434157
310-291151-8	MW-14	Total/NA	Water	6020B	434157
310-291151-9	MW-16	Total/NA	Water	6020B	434157
310-291151-10	MW-20	Total/NA	Water	6020B	434157
310-291151-11	MW-21	Total/NA	Water	6020B	434157
310-291151-12	MW-23R	Total/NA	Water	6020B	434157
310-291151-13	MW-24R	Total/NA	Water	6020B	434157
310-291151-14	MW-25R	Total/NA	Water	6020B	434157
310-291151-15	Field Blank	Total/NA	Water	6020B	434157
MB 310-434157/1-A	Method Blank	Total/NA	Water	6020B	434157
LCS 310-434157/2-A	Lab Control Sample	Total/NA	Water	6020B	434157
310-291151-1 MS	MW-2	Total/NA	Water	6020B	434157
310-291151-1 MSD	MW-2	Total/NA	Water	6020B	434157
310-291151-11 DU	MW-21	Total/NA	Water	6020B	434157

Prep Batch: 436499

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-291151-1	MW-2	Dissolved	Water	3005A	
310-291151-3	MW-6	Dissolved	Water	3005A	
310-291151-6	MW-11	Dissolved	Water	3005A	
310-291151-13	MW-24R	Dissolved	Water	3005A	
MB 310-436499/1-A	Method Blank	Total/NA	Water	3005A	
LCS 310-436499/2-A	Lab Control Sample	Total/NA	Water	3005A	

Analysis Batch: 437341

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-291151-1	MW-2	Dissolved	Water	6020B	436499
310-291151-3	MW-6	Dissolved	Water	6020B	436499
310-291151-6	MW-11	Dissolved	Water	6020B	436499
310-291151-13	MW-24R	Dissolved	Water	6020B	436499
MB 310-436499/1-A	Method Blank	Total/NA	Water	6020B	436499
LCS 310-436499/2-A	Lab Control Sample	Total/NA	Water	6020B	436499

General Chemistry

Analysis Batch: 433938

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-291151-1	MW-2	Total/NA	Water	I-3765-85	
310-291151-2	MW-5	Total/NA	Water	I-3765-85	
310-291151-3	MW-6	Total/NA	Water	I-3765-85	
310-291151-6	MW-11	Total/NA	Water	I-3765-85	
310-291151-10	MW-20	Total/NA	Water	I-3765-85	
310-291151-14	MW-25R	Total/NA	Water	I-3765-85	
MB 310-433938/1	Method Blank	Total/NA	Water	I-3765-85	
LCS 310-433938/2	Lab Control Sample	Total/NA	Water	I-3765-85	

Eurofins Cedar Falls

QC Association Summary

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291151-1

General Chemistry

Analysis Batch: 433958

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-291151-4	MW-7	Total/NA	Water	I-3765-85	
310-291151-5	MW-10	Total/NA	Water	I-3765-85	
310-291151-7	MW-12	Total/NA	Water	I-3765-85	
310-291151-8	MW-14	Total/NA	Water	I-3765-85	
310-291151-9	MW-16	Total/NA	Water	I-3765-85	
310-291151-11	MW-21	Total/NA	Water	I-3765-85	
310-291151-12	MW-23R	Total/NA	Water	I-3765-85	
310-291151-13	MW-24R	Total/NA	Water	I-3765-85	
310-291151-15	Field Blank	Total/NA	Water	I-3765-85	
MB 310-433958/1	Method Blank	Total/NA	Water	I-3765-85	
LCS 310-433958/2	Lab Control Sample	Total/NA	Water	I-3765-85	

Analysis Batch: 433960

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-291151-1	MW-2	Total/NA	Water	SM 4500 H+ B	
310-291151-2	MW-5	Total/NA	Water	SM 4500 H+ B	
310-291151-3	MW-6	Total/NA	Water	SM 4500 H+ B	
310-291151-4	MW-7	Total/NA	Water	SM 4500 H+ B	
310-291151-5	MW-10	Total/NA	Water	SM 4500 H+ B	
310-291151-6	MW-11	Total/NA	Water	SM 4500 H+ B	
310-291151-7	MW-12	Total/NA	Water	SM 4500 H+ B	
310-291151-8	MW-14	Total/NA	Water	SM 4500 H+ B	
310-291151-9	MW-16	Total/NA	Water	SM 4500 H+ B	
310-291151-10	MW-20	Total/NA	Water	SM 4500 H+ B	
310-291151-11	MW-21	Total/NA	Water	SM 4500 H+ B	
310-291151-12	MW-23R	Total/NA	Water	SM 4500 H+ B	
310-291151-13	MW-24R	Total/NA	Water	SM 4500 H+ B	
310-291151-14	MW-25R	Total/NA	Water	SM 4500 H+ B	
310-291151-15	Field Blank	Total/NA	Water	SM 4500 H+ B	
LCS 310-433960/1	Lab Control Sample	Total/NA	Water	SM 4500 H+ B	
310-291151-4 DU	MW-7	Total/NA	Water	SM 4500 H+ B	

Analysis Batch: 434029

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-291151-1	MW-2	Total/NA	Water	SM 2540C	
310-291151-2	MW-5	Total/NA	Water	SM 2540C	
310-291151-3	MW-6	Total/NA	Water	SM 2540C	
310-291151-4	MW-7	Total/NA	Water	SM 2540C	
310-291151-5	MW-10	Total/NA	Water	SM 2540C	
310-291151-6	MW-11	Total/NA	Water	SM 2540C	
310-291151-7	MW-12	Total/NA	Water	SM 2540C	
310-291151-8	MW-14	Total/NA	Water	SM 2540C	
310-291151-9	MW-16	Total/NA	Water	SM 2540C	
310-291151-10	MW-20	Total/NA	Water	SM 2540C	
310-291151-11	MW-21	Total/NA	Water	SM 2540C	
310-291151-14	MW-25R	Total/NA	Water	SM 2540C	
310-291151-15	Field Blank	Total/NA	Water	SM 2540C	
MB 310-434029/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 310-434029/2	Lab Control Sample	Total/NA	Water	SM 2540C	
310-291151-4 DU	MW-7	Total/NA	Water	SM 2540C	

Eurofins Cedar Falls

QC Association Summary

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291151-1

General Chemistry

Analysis Batch: 434170

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-291151-12	MW-23R	Total/NA	Water	SM 2540C	
310-291151-13	MW-24R	Total/NA	Water	SM 2540C	
MB 310-434170/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 310-434170/2	Lab Control Sample	Total/NA	Water	SM 2540C	

Analysis Batch: 434354

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-291151-1	MW-2	Total/NA	Water	SM 2320B	
310-291151-2	MW-5	Total/NA	Water	SM 2320B	
310-291151-3	MW-6	Total/NA	Water	SM 2320B	
310-291151-4	MW-7	Total/NA	Water	SM 2320B	
310-291151-5	MW-10	Total/NA	Water	SM 2320B	
310-291151-6	MW-11	Total/NA	Water	SM 2320B	
310-291151-7	MW-12	Total/NA	Water	SM 2320B	
LCS 310-434354/2	Lab Control Sample	Total/NA	Water	SM 2320B	

Analysis Batch: 434675

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-291151-8	MW-14	Total/NA	Water	SM 2320B	
310-291151-9	MW-16	Total/NA	Water	SM 2320B	
310-291151-10	MW-20	Total/NA	Water	SM 2320B	
310-291151-11	MW-21	Total/NA	Water	SM 2320B	
310-291151-12	MW-23R	Total/NA	Water	SM 2320B	
310-291151-13	MW-24R	Total/NA	Water	SM 2320B	
310-291151-15	Field Blank	Total/NA	Water	SM 2320B	
LCS 310-434675/2	Lab Control Sample	Total/NA	Water	SM 2320B	
310-291151-B-14 DU	310-291151-B-14 DU	Total/NA	Water	SM 2320B	

Analysis Batch: 434849

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-291151-14	MW-25R	Total/NA	Water	SM 2320B	
LCS 310-434849/2	Lab Control Sample	Total/NA	Water	SM 2320B	

Field Service / Mobile Lab

Analysis Batch: 434104

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-291151-1	MW-2	Total/NA	Water	Field Sampling	
310-291151-2	MW-5	Total/NA	Water	Field Sampling	
310-291151-3	MW-6	Total/NA	Water	Field Sampling	
310-291151-4	MW-7	Total/NA	Water	Field Sampling	
310-291151-5	MW-10	Total/NA	Water	Field Sampling	
310-291151-6	MW-11	Total/NA	Water	Field Sampling	
310-291151-7	MW-12	Total/NA	Water	Field Sampling	
310-291151-8	MW-14	Total/NA	Water	Field Sampling	
310-291151-9	MW-16	Total/NA	Water	Field Sampling	
310-291151-10	MW-20	Total/NA	Water	Field Sampling	
310-291151-11	MW-21	Total/NA	Water	Field Sampling	
310-291151-12	MW-23R	Total/NA	Water	Field Sampling	
310-291151-13	MW-24R	Total/NA	Water	Field Sampling	
310-291151-14	MW-25R	Total/NA	Water	Field Sampling	

Eurofins Cedar Falls

Lab Chronicle

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291151-1

Client Sample ID: MW-2

Date Collected: 09/17/24 11:55

Date Received: 09/20/24 16:02

Lab Sample ID: 310-291151-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	9056A		5	434581	HE7K	EET CF	09/26/24 16:19
Dissolved	Prep	3005A			436499	F5MW	EET CF	10/17/24 09:30
Dissolved	Analysis	6020B		1	437341	NFT2	EET CF	10/23/24 17:29
Total/NA	Prep	3005A			434157	F5MW	EET CF	09/24/24 15:31
Total/NA	Analysis	6020B		1	435215	NFT2	EET CF	10/03/24 18:59
Total/NA	Analysis	I-3765-85		1	433938	HE7K	EET CF	09/23/24 10:43
Total/NA	Analysis	SM 2320B		1	434354	HE7K	EET CF	09/25/24 19:45
Total/NA	Analysis	SM 2540C		1	434029	ENB7	EET CF	09/23/24 17:41
Total/NA	Analysis	SM 4500 H+ B		1	433960	W9YR	EET CF	09/23/24 12:15
Total/NA	Analysis	Field Sampling		1	434104	BJ0R	EET CF	09/17/24 11:55

Client Sample ID: MW-5

Date Collected: 09/17/24 17:59

Date Received: 09/20/24 16:02

Lab Sample ID: 310-291151-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	9056A		5	434581	HE7K	EET CF	09/26/24 16:30
Total/NA	Prep	3005A			434157	F5MW	EET CF	09/24/24 15:31
Total/NA	Analysis	6020B		1	435215	NFT2	EET CF	10/03/24 19:13
Total/NA	Analysis	I-3765-85		1	433938	HE7K	EET CF	09/23/24 10:43
Total/NA	Analysis	SM 2320B		1	434354	HE7K	EET CF	09/25/24 19:54
Total/NA	Analysis	SM 2540C		1	434029	ENB7	EET CF	09/23/24 17:41
Total/NA	Analysis	SM 4500 H+ B		1	433960	W9YR	EET CF	09/23/24 12:16
Total/NA	Analysis	Field Sampling		1	434104	BJ0R	EET CF	09/17/24 17:59

Client Sample ID: MW-6

Date Collected: 09/17/24 16:23

Date Received: 09/20/24 16:02

Lab Sample ID: 310-291151-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	9056A		5	434616	HE7K	EET CF	09/27/24 10:43
Dissolved	Prep	3005A			436499	F5MW	EET CF	10/17/24 09:30
Dissolved	Analysis	6020B		1	437341	NFT2	EET CF	10/23/24 17:33
Total/NA	Prep	3005A			434157	F5MW	EET CF	09/24/24 15:31
Total/NA	Analysis	6020B		1	435215	NFT2	EET CF	10/03/24 19:17
Total/NA	Analysis	I-3765-85		1	433938	HE7K	EET CF	09/23/24 10:43
Total/NA	Analysis	SM 2320B		1	434354	HE7K	EET CF	09/25/24 20:04
Total/NA	Analysis	SM 2540C		1	434029	ENB7	EET CF	09/23/24 17:41
Total/NA	Analysis	SM 4500 H+ B		1	433960	W9YR	EET CF	09/23/24 12:27
Total/NA	Analysis	Field Sampling		1	434104	BJ0R	EET CF	09/17/24 16:23

Eurofins Cedar Falls

Lab Chronicle

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291151-1

Client Sample ID: MW-7

Date Collected: 09/18/24 12:09

Date Received: 09/20/24 16:02

Lab Sample ID: 310-291151-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	9056A		5	434616	HE7K	EET CF	09/27/24 11:19
Total/NA	Prep	3005A			434157	F5MW	EET CF	09/24/24 15:31
Total/NA	Analysis	6020B		1	435215	NFT2	EET CF	10/03/24 19:20
Total/NA	Analysis	I-3765-85		1	433958	HE7K	EET CF	09/23/24 11:26
Total/NA	Analysis	SM 2320B		1	434354	HE7K	EET CF	09/25/24 20:15
Total/NA	Analysis	SM 2540C		1	434029	ENB7	EET CF	09/23/24 17:41
Total/NA	Analysis	SM 4500 H+ B		1	433960	W9YR	EET CF	09/23/24 12:24
Total/NA	Analysis	Field Sampling		1	434104	BJ0R	EET CF	09/18/24 12:09

Client Sample ID: MW-10

Date Collected: 09/18/24 18:24

Date Received: 09/20/24 16:02

Lab Sample ID: 310-291151-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	9056A		5	434616	HE7K	EET CF	09/27/24 11:32
Total/NA	Prep	3005A			434157	F5MW	EET CF	09/24/24 15:31
Total/NA	Analysis	6020B		1	435215	NFT2	EET CF	10/03/24 19:24
Total/NA	Analysis	I-3765-85		1	433958	HE7K	EET CF	09/23/24 11:26
Total/NA	Analysis	SM 2320B		1	434354	HE7K	EET CF	09/25/24 20:32
Total/NA	Analysis	SM 2540C		1	434029	ENB7	EET CF	09/23/24 17:41
Total/NA	Analysis	SM 4500 H+ B		1	433960	W9YR	EET CF	09/23/24 12:26
Total/NA	Analysis	Field Sampling		1	434104	BJ0R	EET CF	09/18/24 18:24

Client Sample ID: MW-11

Date Collected: 09/17/24 14:13

Date Received: 09/20/24 16:02

Lab Sample ID: 310-291151-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	9056A		5	434616	HE7K	EET CF	09/27/24 12:08
Dissolved	Prep	3005A			436499	F5MW	EET CF	10/17/24 09:30
Dissolved	Analysis	6020B		1	437341	NFT2	EET CF	10/23/24 17:37
Total/NA	Prep	3005A			434157	F5MW	EET CF	09/24/24 15:31
Total/NA	Analysis	6020B		1	435215	NFT2	EET CF	10/03/24 19:28
Total/NA	Analysis	I-3765-85		1	433938	HE7K	EET CF	09/23/24 10:43
Total/NA	Analysis	SM 2320B		1	434354	HE7K	EET CF	09/25/24 20:42
Total/NA	Analysis	SM 2540C		1	434029	ENB7	EET CF	09/23/24 17:41
Total/NA	Analysis	SM 4500 H+ B		1	433960	W9YR	EET CF	09/23/24 12:20
Total/NA	Analysis	Field Sampling		1	434104	BJ0R	EET CF	09/17/24 14:13

Eurofins Cedar Falls

Lab Chronicle

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291151-1

Client Sample ID: MW-12

Date Collected: 09/18/24 09:10

Date Received: 09/20/24 16:02

Lab Sample ID: 310-291151-7

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	9056A		5	434616	HE7K	EET CF	09/27/24 12:20
Total/NA	Prep	3005A			434157	F5MW	EET CF	09/24/24 15:31
Total/NA	Analysis	6020B		1	435215	NFT2	EET CF	10/03/24 19:31
Total/NA	Analysis	I-3765-85		1	433958	HE7K	EET CF	09/23/24 11:26
Total/NA	Analysis	SM 2320B		1	434354	HE7K	EET CF	09/25/24 20:52
Total/NA	Analysis	SM 2540C		1	434029	ENB7	EET CF	09/23/24 17:41
Total/NA	Analysis	SM 4500 H+ B		1	433960	W9YR	EET CF	09/23/24 12:19
Total/NA	Analysis	Field Sampling		1	434104	BJ0R	EET CF	09/18/24 09:10

Client Sample ID: MW-14

Date Collected: 09/18/24 10:26

Date Received: 09/20/24 16:02

Lab Sample ID: 310-291151-8

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	9056A		5	434616	HE7K	EET CF	09/27/24 12:32
Total/NA	Prep	3005A			434157	F5MW	EET CF	09/24/24 15:31
Total/NA	Analysis	6020B		1	435215	NFT2	EET CF	10/03/24 19:50
Total/NA	Analysis	I-3765-85		1	433958	HE7K	EET CF	09/23/24 11:26
Total/NA	Analysis	SM 2320B		1	434675	T5AC	EET CF	09/28/24 12:45
Total/NA	Analysis	SM 2540C		1	434029	ENB7	EET CF	09/23/24 17:41
Total/NA	Analysis	SM 4500 H+ B		1	433960	W9YR	EET CF	09/23/24 12:21
Total/NA	Analysis	Field Sampling		1	434104	BJ0R	EET CF	09/18/24 10:26

Client Sample ID: MW-16

Date Collected: 09/18/24 15:16

Date Received: 09/20/24 16:02

Lab Sample ID: 310-291151-9

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	9056A		5	434616	HE7K	EET CF	09/27/24 12:44
Total/NA	Prep	3005A			434157	F5MW	EET CF	09/24/24 15:31
Total/NA	Analysis	6020B		1	435215	NFT2	EET CF	10/03/24 19:54
Total/NA	Analysis	I-3765-85		1	433958	HE7K	EET CF	09/23/24 11:26
Total/NA	Analysis	SM 2320B		1	434675	T5AC	EET CF	09/28/24 12:53
Total/NA	Analysis	SM 2540C		1	434029	ENB7	EET CF	09/23/24 17:41
Total/NA	Analysis	SM 4500 H+ B		1	433960	W9YR	EET CF	09/23/24 12:32
Total/NA	Analysis	Field Sampling		1	434104	BJ0R	EET CF	09/18/24 15:16

Client Sample ID: MW-20

Date Collected: 09/16/24 15:39

Date Received: 09/20/24 16:02

Lab Sample ID: 310-291151-10

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	9056A		5	434616	HE7K	EET CF	09/27/24 12:56

Eurofins Cedar Falls

Lab Chronicle

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291151-1

Client Sample ID: MW-20

Date Collected: 09/16/24 15:39

Date Received: 09/20/24 16:02

Lab Sample ID: 310-291151-10

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	3005A			434157	F5MW	EET CF	09/24/24 15:31
Total/NA	Analysis	6020B		1	435215	NFT2	EET CF	10/03/24 19:57
Total/NA	Analysis	I-3765-85		1	433938	HE7K	EET CF	09/23/24 10:43
Total/NA	Analysis	SM 2320B		1	434675	T5AC	EET CF	09/28/24 13:05
Total/NA	Analysis	SM 2540C		1	434029	ENB7	EET CF	09/23/24 17:41
Total/NA	Analysis	SM 4500 H+ B		1	433960	W9YR	EET CF	09/23/24 12:30
Total/NA	Analysis	Field Sampling		1	434104	BJ0R	EET CF	09/16/24 15:39

Client Sample ID: MW-21

Date Collected: 09/18/24 15:53

Date Received: 09/20/24 16:02

Lab Sample ID: 310-291151-11

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	9056A		5	434616	HE7K	EET CF	09/27/24 13:08
Total/NA	Prep	3005A			434157	F5MW	EET CF	09/24/24 15:31
Total/NA	Analysis	6020B		1	435215	NFT2	EET CF	10/03/24 20:01
Total/NA	Analysis	I-3765-85		1	433958	HE7K	EET CF	09/23/24 11:26
Total/NA	Analysis	SM 2320B		1	434675	T5AC	EET CF	09/28/24 13:14
Total/NA	Analysis	SM 2540C		1	434029	ENB7	EET CF	09/23/24 17:41
Total/NA	Analysis	SM 4500 H+ B		1	433960	W9YR	EET CF	09/23/24 12:31
Total/NA	Analysis	Field Sampling		1	434104	BJ0R	EET CF	09/18/24 15:53

Client Sample ID: MW-23R

Date Collected: 09/19/24 09:42

Date Received: 09/20/24 16:02

Lab Sample ID: 310-291151-12

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	9056A		5	434616	HE7K	EET CF	09/27/24 13:20
Total/NA	Prep	3005A			434157	F5MW	EET CF	09/24/24 15:31
Total/NA	Analysis	6020B		1	435215	NFT2	EET CF	10/03/24 20:08
Total/NA	Analysis	I-3765-85		1	433958	HE7K	EET CF	09/23/24 11:26
Total/NA	Analysis	SM 2320B		1	434675	T5AC	EET CF	09/28/24 13:30
Total/NA	Analysis	SM 2540C		1	434170	MDU9	EET CF	09/24/24 16:03
Total/NA	Analysis	SM 4500 H+ B		1	433960	W9YR	EET CF	09/23/24 12:28
Total/NA	Analysis	Field Sampling		1	434104	BJ0R	EET CF	09/19/24 09:42

Client Sample ID: MW-24R

Date Collected: 09/19/24 10:41

Date Received: 09/20/24 16:02

Lab Sample ID: 310-291151-13

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	9056A		5	434616	HE7K	EET CF	09/27/24 13:32

Eurofins Cedar Falls

Lab Chronicle

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291151-1

Client Sample ID: MW-24R
Date Collected: 09/19/24 10:41
Date Received: 09/20/24 16:02

Lab Sample ID: 310-291151-13
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Dissolved	Prep	3005A			436499	F5MW	EET CF	10/17/24 09:30
Dissolved	Analysis	6020B		1	437341	NFT2	EET CF	10/23/24 17:40
Total/NA	Prep	3005A			434157	F5MW	EET CF	09/24/24 15:31
Total/NA	Analysis	6020B		1	435215	NFT2	EET CF	10/03/24 20:12
Total/NA	Analysis	I-3765-85		1	433958	HE7K	EET CF	09/23/24 11:26
Total/NA	Analysis	SM 2320B		1	434675	T5AC	EET CF	09/28/24 13:39
Total/NA	Analysis	SM 2540C		1	434170	MDU9	EET CF	09/24/24 16:03
Total/NA	Analysis	SM 4500 H+ B		1	433960	W9YR	EET CF	09/23/24 12:29
Total/NA	Analysis	Field Sampling		1	434104	BJ0R	EET CF	09/19/24 10:41

Client Sample ID: MW-25R
Date Collected: 09/17/24 09:34
Date Received: 09/20/24 16:02

Lab Sample ID: 310-291151-14
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	9056A		5	434616	HE7K	EET CF	09/27/24 13:44
Total/NA	Prep	3005A			434157	F5MW	EET CF	09/24/24 15:31
Total/NA	Analysis	6020B		1	435215	NFT2	EET CF	10/03/24 20:16
Total/NA	Analysis	I-3765-85		1	433938	HE7K	EET CF	09/23/24 10:43
Total/NA	Analysis	SM 2320B		1	434849	T5AC	EET CF	10/01/24 11:24
Total/NA	Analysis	SM 2540C		1	434029	ENB7	EET CF	09/23/24 17:41
Total/NA	Analysis	SM 4500 H+ B		1	433960	W9YR	EET CF	09/23/24 12:18
Total/NA	Analysis	Field Sampling		1	434104	BJ0R	EET CF	09/17/24 09:34

Client Sample ID: Field Blank
Date Collected: 09/18/24 10:45
Date Received: 09/20/24 16:02

Lab Sample ID: 310-291151-15
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	9056A		1	434616	HE7K	EET CF	09/27/24 13:57
Total/NA	Prep	3005A			434157	F5MW	EET CF	09/24/24 15:31
Total/NA	Analysis	6020B		1	435215	NFT2	EET CF	10/03/24 20:20
Total/NA	Analysis	I-3765-85		1	433958	HE7K	EET CF	09/23/24 11:26
Total/NA	Analysis	SM 2320B		1	434675	T5AC	EET CF	09/28/24 14:10
Total/NA	Analysis	SM 2540C		1	434029	ENB7	EET CF	09/23/24 17:41
Total/NA	Analysis	SM 4500 H+ B		1	433960	W9YR	EET CF	09/23/24 12:17

Laboratory References:

EET CF = Eurofins Cedar Falls, 3019 Venture Way, Cedar Falls, IA 50613, TEL (319)277-2401

Eurofins Cedar Falls

Accreditation/Certification Summary

Client: SCS Engineers

Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291151-1

Laboratory: Eurofins Cedar Falls

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Iowa	State	007	12-01-25

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Eurofins Cedar Falls

Method Summary

Client: SCS Engineers
Project/Site: Big Bend Closed LF 25224063

Job ID: 310-291151-1

Method	Method Description	Protocol	Laboratory
9056A	Anions, Ion Chromatography	SW846	EET CF
6020B	Metals (ICP/MS)	SW846	EET CF
I-3765-85	Residue, Non-filterable (TSS)	USGS	EET CF
SM 2320B	Alkalinity	SM	EET CF
SM 2540C	Solids, Total Dissolved (TDS)	SM	EET CF
SM 4500 H+ B	pH	SM	EET CF
Field Sampling	Field Sampling	EPA	EET CF
3005A	Preparation, Total Metals	SW846	EET CF

Protocol References:

EPA = US Environmental Protection Agency

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

USGS = "Methods For Analysis Of Water And Fluvial Sediments", USGS, 1989

Laboratory References:

EET CF = Eurofins Cedar Falls, 3019 Venture Way, Cedar Falls, IA 50613, TEL (319)277-2401

1

2

3

4

5

6

7

8

9

10

11

12

13


14

15

Client Information		Cooler/Sample Receipt and Temperature Log Form	
<p>Client: <i>SCS Environetics</i></p> <p>City/State: <i>Atlanta</i></p> <p>Project: <i>TIME</i></p> <p>Date/Time Received: <i>9-30-2016</i></p> <p>Received By: <i>CGC</i></p> <p>Delivery Type: <input checked="" type="checkbox"/> UPS <input type="checkbox"/> FedEx <input type="checkbox"/> FedEx Ground <input type="checkbox"/> US Mail <input type="checkbox"/> Speed-Del</p> <p><input checked="" type="checkbox"/> Lab Courier <input type="checkbox"/> Lab Field Services <input type="checkbox"/> Client Drop-off <input type="checkbox"/> Other:</p>			
<p>Condition of Cooler/Containers</p> <p>Sample(s) received in Cooler? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If yes: Cooler ID: <i>1 of 2</i></p> <p>Multiple Coolers? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If yes: Cooler # <i>1 of 2</i></p> <p>Cooler Custody Seals Present? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If yes: Cooler custody seals intact? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>Sample Custody Seals Present? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If yes: Sample custody seals intact? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>Tripp Blank Present? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes: Which VOA samples are in cooler? ↑</p>			
<p>Temperature Record</p> <p>Thermometer ID: <i>A</i></p> <p>Corrected Temp (°C): <i>0.8</i></p> <p>Uncorrected Temp (°C): <i>0.8</i></p> <p>• Temp Blank Temperature - If no temp blank, or temp blank temperature above criteria, proceed to Sample Container Temperature</p>			
<p>Sample Container Temperature</p> <p>• Sample Container Temp (°C): <i>0.8</i></p> <p>Corrected Temp (°C): <i>0.8</i></p> <p>Uncorrected Temp (°C): <i>0.8</i></p> <p>CONTAINER 1 CONTAINER 2</p> <p>Container(s) Used:</p> <p>Uncorrected Temp (°C).</p> <p>Corrected Temp (°C).</p> <p>Exceptions Noted</p>			
<p>1) If temperature exceeds criteria, was sample(s) received same day of sampling? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>a) If yes: Is there evidence that the chilling process began? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>2) If temperature is <0°C, are there obvious signs that the integrity of sample containers is compromised? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>NOTE: If Yes, contact PM before proceeding. If no, proceed with login</p> <p>Additioinal Comments</p>			
<p>General temperature criteria is 0 to 6°C Bacterial temperature criteria is 0 to 10°C Revision 26 Date 27 Jan 2022</p>			



Client Information		Cooler/Sample Receipt and Temperature Log Form	
Recipient Information		Date/Time Received:	
Client	City/State:	TIME	Received By:
SCS Eng. Areas		4.20.24	C.G.C.
Delivery Type:		Lab Courier <input checked="" type="checkbox"/> Lab Field Services <input type="checkbox"/> Client Drop-off <input type="checkbox"/> Other.	
Condition of Cooler/Containers		Sample(s) received in Cooler? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If yes: Cooler ID: G	
Multiple Coolers?		Cooler Custody Seals Present? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes: Cooler custody seals intact? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Cooler Custody Seals Present?		Sample Custody Seals Present? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes: Sample custody seals intact? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Trip Blank Present?		If yes: Which VOA samples are in cooler? ↑	
Temperature Record		Sample Received in Container	
Coolant:		Wet ice <input checked="" type="checkbox"/> Blue ice <input type="checkbox"/> Dry ice <input type="checkbox"/> Other: _____ <input type="checkbox"/> NONE	
Thermometer ID:		R Correction Factor (°C): 0	
Temp Blank Temperature - If no temp blank, or temp blank temperature above criteria, proceed to Sample Container Temperature		Uncorrected Temp (°C). 3.5 Corrected Temp (°C). 3.5 Uncorrected Temp (°C).	
Sample Container Temperature		CONTAINER 1 CONTAINER 2 Container(s) used.	
Uncorrected Temp (°C)		Corrected Temp (°C)	
Unadjusted Temp (°C)		Corrected Temp (°C)	
Temperature Exceeded Criteria		a) If yes. Is there evidence that the chilling process began? <input type="checkbox"/> Yes <input type="checkbox"/> No b) If temperature is <0°C, are there obvious signs that the integrity of sample containers is compromised? (e.g., bulging seepage, broken/cracked bottles, frozen solid?) <input type="checkbox"/> Yes <input type="checkbox"/> No	
Additional Comments		NOTE If yes, contact PM before proceeding. If no, proceed with login	



1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

Eurofins Cedar Falls
 3019 Venture Way
 Cedar Falls, IA 50613
 Phone 319-277-2401 Fax 319-277-2425

Chain of Custody Record

TestAmerica Des Moines SC
214

eurofins

Client Contact:
 Meghan Blodgett

Phone: 319-277-2401

Address: 2830 Dairy Drive

City: Madison

State, ZIP: WI, 53718

Phone:

Email: mbloodgett@ssseengineers.com

Project Name: Big Bend Closed LF 25224063

Site:

Client Information

SCS Engineers

Address:

Phone:

FWSID:

Date Requested:

TAT Requested (days):

Compliance Project: Yes No

PO#:

WO#:

Project #:

SSCW#:

Sample ID: MW-2

Sample Date: 9/17/24

Sample Time: 11:55

Matrix Type: C

Preservation Code: G=grab

BT=Resin, AW=

Specified, O=soil, O-water,

Other

Special Instructions/Note:

Hold Filtered Samples

N=None

D-HNO3

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15

Eurofins Cedar Falls

3019 Venture Way
Cedar Falls, IA 50613
Phone: 319-277-2401 Fax: 319-277-2425

Chain of Custody Record

TestAmerica Des Moines SC : eurofins
214

Client Information																																																																																																																																			
Company SCS Engineers	Sampler Jill Morgan	Lab PM: Frederick, Sandie	Carrier Tracking No(s): 310-95579-23683 2																																																																																																																																
Address: 2830 Dairy Drive	Phone: 515 - 631 - 0778	E-Mail: Sandra.Fredrick@et.eurofinsus.com	State of Origin: Iowa																																																																																																																																
City Madison	PO#: 25224063	Project #: 31011020	Page: Page 2 of 3																																																																																																																																
State / Zip: WI, 53718	WO#:	SSOW#:	Job #:																																																																																																																																
Email: mblodgett@scesengineers.com		Site: Big Bend Closed LF 25224063																																																																																																																																	
<table border="1"> <thead> <tr> <th colspan="2">Sample Identification</th> <th colspan="2">Analysis Requested</th> </tr> <tr> <th>Sample Date</th> <th>Sample Time</th> <th>Sample Type (C=comp, G=grab)</th> <th>Matrix (W=water S=solid O=oceanic)</th> </tr> </thead> <tbody> <tr> <td>9/18/24</td> <td>15:53</td> <td>C</td> <td>Water</td> </tr> <tr> <td>MW-23R</td> <td>9/19/24</td> <td>O:42</td> <td>Water</td> </tr> <tr> <td>MW-24R</td> <td>9/19/24</td> <td>10:41</td> <td>C</td> </tr> <tr> <td>MW-25R</td> <td>9/17/24</td> <td>09:34</td> <td>C</td> </tr> <tr> <td>Field Blank</td> <td>9/18/24</td> <td>10:45</td> <td>C</td> </tr> <tr> <td>LMM-01</td> <td></td> <td></td> <td>Liquid</td> </tr> <tr> <td>LMM-02</td> <td></td> <td></td> <td>Liquid</td> </tr> <tr> <td>LMM-03</td> <td></td> <td></td> <td>Water</td> </tr> <tr> <td>LMM-04</td> <td></td> <td></td> <td>Water</td> </tr> <tr> <td>LMM-05</td> <td></td> <td></td> <td>Water</td> </tr> <tr> <td colspan="2">Possible Hazard Identification</td> <td colspan="2">Field Filtered Sample (Yes or No)</td> </tr> <tr> <td><input type="checkbox"/> Non-Hazard</td> <td><input type="checkbox"/> Flammable</td> <td><input type="checkbox"/> Skin Irritant</td> <td><input type="checkbox"/> Poison B</td> </tr> <tr> <td><input type="checkbox"/> Unknown</td> <td><input type="checkbox"/> Radiological</td> <td colspan="2">perform MS/MSD (Yes or No)</td> </tr> <tr> <td colspan="2">Deliverable Requested I, II, III, IV. Other (specify)</td> <td colspan="2">2320B, 8056A_ORGFM_28D</td> </tr> <tr> <td colspan="2">Empty Kit Relinquished by</td> <td colspan="2">6020B - Metals (15)</td> </tr> <tr> <td colspan="2">Date:</td> <td colspan="2">6020C_Calcd, I_3766_86</td> </tr> <tr> <td colspan="2">Time:</td> <td colspan="2">6020B - D. Metals</td> </tr> <tr> <td colspan="2">Return To Client</td> <td colspan="2">Total Number of containers</td> </tr> <tr> <td colspan="2">Disposal By Lab</td> <td colspan="2">Special Instructions>Note:</td> </tr> <tr> <td colspan="2">Archive For _____ Months</td> <td colspan="2">Preservation Codes.</td> </tr> <tr> <td colspan="2">Special Instructions/QC Requirements.</td> <td colspan="2">N: None D: HNO3</td> </tr> <tr> <td colspan="2">Method of Shipment:</td> <td colspan="2">COC No. 310-95579-23683 2</td> </tr> <tr> <td>Date/Time: 9/20/24 10:00</td> <td>Company SCS</td> <td>Date/Time: 9/20/24 16:02</td> <td>Company Eurofins</td> </tr> <tr> <td>Date/Time:</td> <td>Received by CSC</td> <td>Date/Time:</td> <td>Received by CSC</td> </tr> <tr> <td>Date/Time:</td> <td>Receiving Company</td> <td>Date/Time:</td> <td>Receiving Company</td> </tr> <tr> <td colspan="4">Cooler Temperature(s) °C and Other Remarks: Other:Other:</td> </tr> <tr> <td>Custody Seals Intact: Δ Yes</td> <td>Custody Seal No</td> <td colspan="2">Other:</td> </tr> <tr> <td colspan="2">Relinquished by Meghan Blodgett</td> <td colspan="2">Other:</td> </tr> <tr> <td colspan="2">Relinquished by</td> <td colspan="2">Other:</td> </tr> <tr> <td colspan="2">Relinquished by</td> <td colspan="2">Other:</td> </tr> </tbody> </table>				Sample Identification		Analysis Requested		Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (W=water S=solid O=oceanic)	9/18/24	15:53	C	Water	MW-23R	9/19/24	O:42	Water	MW-24R	9/19/24	10:41	C	MW-25R	9/17/24	09:34	C	Field Blank	9/18/24	10:45	C	LMM-01			Liquid	LMM-02			Liquid	LMM-03			Water	LMM-04			Water	LMM-05			Water	Possible Hazard Identification		Field Filtered Sample (Yes or No)		<input type="checkbox"/> Non-Hazard	<input type="checkbox"/> Flammable	<input type="checkbox"/> Skin Irritant	<input type="checkbox"/> Poison B	<input type="checkbox"/> Unknown	<input type="checkbox"/> Radiological	perform MS/MSD (Yes or No)		Deliverable Requested I, II, III, IV. Other (specify)		2320B, 8056A_ORGFM_28D		Empty Kit Relinquished by		6020B - Metals (15)		Date:		6020C_Calcd, I_3766_86		Time:		6020B - D. Metals		Return To Client		Total Number of containers		Disposal By Lab		Special Instructions>Note:		Archive For _____ Months		Preservation Codes.		Special Instructions/QC Requirements.		N: None D: HNO3		Method of Shipment:		COC No. 310-95579-23683 2		Date/Time: 9/20/24 10:00	Company SCS	Date/Time: 9/20/24 16:02	Company Eurofins	Date/Time:	Received by CSC	Date/Time:	Received by CSC	Date/Time:	Receiving Company	Date/Time:	Receiving Company	Cooler Temperature(s) °C and Other Remarks: Other:Other:				Custody Seals Intact: Δ Yes	Custody Seal No	Other:		Relinquished by Meghan Blodgett		Other:		Relinquished by		Other:		Relinquished by		Other:	
Sample Identification		Analysis Requested																																																																																																																																	
Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (W=water S=solid O=oceanic)																																																																																																																																
9/18/24	15:53	C	Water																																																																																																																																
MW-23R	9/19/24	O:42	Water																																																																																																																																
MW-24R	9/19/24	10:41	C																																																																																																																																
MW-25R	9/17/24	09:34	C																																																																																																																																
Field Blank	9/18/24	10:45	C																																																																																																																																
LMM-01			Liquid																																																																																																																																
LMM-02			Liquid																																																																																																																																
LMM-03			Water																																																																																																																																
LMM-04			Water																																																																																																																																
LMM-05			Water																																																																																																																																
Possible Hazard Identification		Field Filtered Sample (Yes or No)																																																																																																																																	
<input type="checkbox"/> Non-Hazard	<input type="checkbox"/> Flammable	<input type="checkbox"/> Skin Irritant	<input type="checkbox"/> Poison B																																																																																																																																
<input type="checkbox"/> Unknown	<input type="checkbox"/> Radiological	perform MS/MSD (Yes or No)																																																																																																																																	
Deliverable Requested I, II, III, IV. Other (specify)		2320B, 8056A_ORGFM_28D																																																																																																																																	
Empty Kit Relinquished by		6020B - Metals (15)																																																																																																																																	
Date:		6020C_Calcd, I_3766_86																																																																																																																																	
Time:		6020B - D. Metals																																																																																																																																	
Return To Client		Total Number of containers																																																																																																																																	
Disposal By Lab		Special Instructions>Note:																																																																																																																																	
Archive For _____ Months		Preservation Codes.																																																																																																																																	
Special Instructions/QC Requirements.		N: None D: HNO3																																																																																																																																	
Method of Shipment:		COC No. 310-95579-23683 2																																																																																																																																	
Date/Time: 9/20/24 10:00	Company SCS	Date/Time: 9/20/24 16:02	Company Eurofins																																																																																																																																
Date/Time:	Received by CSC	Date/Time:	Received by CSC																																																																																																																																
Date/Time:	Receiving Company	Date/Time:	Receiving Company																																																																																																																																
Cooler Temperature(s) °C and Other Remarks: Other:Other:																																																																																																																																			
Custody Seals Intact: Δ Yes	Custody Seal No	Other:																																																																																																																																	
Relinquished by Meghan Blodgett		Other:																																																																																																																																	
Relinquished by		Other:																																																																																																																																	
Relinquished by		Other:																																																																																																																																	

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

Table 1. Sampling Points and Parameters - State Sampling Program
 Groundwater Monitoring - Big Bend Closed Landfill / SCS Engineers Project #25224063
 September 2024 Sampling Program

Parameter	GROUNDWATER												LEACHATE				SUPPLY							
	MW-2	MW-5	MW-6	MW-7	MW-8R	MW-10	MW-11	MW-12	MW-13	MW-14	MW-15AR	MW-16	MW-17R	MW-18	MW-19	MW-20	MW-21	MW-23R	MW-24R	MW-25R	LW-01	LW-02	LW-03	2606 Big Bend Rd
Alkalinity (total)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x
Arsenic (total)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	19
Barium (total)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	17
Beryllium (total)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	17
Boron (total)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	19
Calcium (total)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	19
Cobalt (total)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	19
Copper (total)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	17
Iron (total)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	17
Lead (total)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	17
Lithium (total)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	19
Magnesium (total)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	17
Manganese (total)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	17
Molybdenum (total)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	19
Selenium (total)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	19
Zinc (total)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	17
Chloride (total)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	19
Fluoride (total)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	19
Sulfate (total)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	19
Total Dissolved Solids	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	19
Filtered Samples																								
Total Suspended Solids	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	19
Anions (Chloride, Fluoride, Sulfate)																								
Field Parameters																								
pH	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	18
Conductance	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	18
Dissolved Oxygen	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	18
Temperature	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	18
Depth to Groundwater or Leachate	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	22
Total Well Depth	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	18
Turbidity (NTU)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	18
Color (visual)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	18
Odor (qualitative)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	18
ORP	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	18

Notes: X = Monitoring point is sampled for this parameter
 Groundwater & leachate elevations & total depths only in April. Samples collected in September.

Table 1, page 1 of 4

Sandra Fredrick

From: Matzuk, Ryan <RMatzuk@scsengineers.com>
Sent: Monday, September 23, 2024 9:46 AM
To: Sandra Fredrick
Cc: Blodgett, Meghan; Burris, Natalie
Subject: Re: 310-291151 Big Bend Closed LF 25224063 Sample Confirmation files from Eurofins North Central
Attachments: Big Bend Sampling Detail_September 2024.pdf

Unverified Sender: The sender of this email has not been verified. Review the content of the message carefully and verify the identity of the sender before acting on this email: replying, opening attachments or clicking links.

Hi Sandie - Thanks for the SAFs. We are working on field parameters. Slight change to the Total Metals list for all sampling points on both reports 310-291150-1 and 310-2951151-1.

Remove: Antimony, Cadmium, Chromium, Thallium
Add: Copper, Magnesium, Manganese, Zinc

We will finalize the 6020B Dissolve Metals list when we see the Total results.

Thank you,

Ryan Matzuk
SCS Engineers
Madison, WI
608-216-7326 (W)
608-400-9597 (C)
rmatzuk@scsengineers.com

www.scse.com

From: Sandie Fredrick <TALS@reports.et.eurofinsus.com>
Sent: Sunday, September 22, 2024 4:15 PM
To: Hawksworth, Lindsey <LHawksworth@scsengineers.com>; Blodgett, Meghan <mblodgett@scsengineers.com>; Burris, Natalie <NBurris@scsengineers.com>; Matzuk, Ryan <RMatzuk@scsengineers.com>; Clark, Sherren <SClark@scsengineers.com>; Karwoski, Thomas <TKarwoski@scsengineers.com>
Subject: 310-291151 Big Bend Closed LF 25224063 Sample Confirmation files from Eurofins North Central

This email originated from outside of SCS Engineers. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Hello All,

Please confirm metals lists - dissolved fractions on hold. What metals to log for those as well?

Attached, please find the Sample Confirmation files for job 310-291151; Big Bend Closed LF 25224063

Please review the attachments for accuracy and notify your Project Manager of any discrepancies as quickly as

possible.

Any discrepancies not communicated in a timely fashion could result in missed holding times, TAT delays and may potentially incur additional charges.

Please feel free to contact me if you have any questions.

Thank you.

Sandie Fredrick
Project Manager

Eurofins Environment Testing
Phone: 920-261-1660

E-mail: Sandra.Fredrick@et.eurofinsus.com
www.eurofinsus.com/env



Reference: [310-741521]
Attachments: 2

Sandra Fredrick

From: Matzuk, Ryan <RMatzuk@scsengineers.com>
Sent: Monday, October 14, 2024 1:55 PM
To: Sandra Fredrick
Cc: Blodgett, Meghan; Burris, Natalie
Subject: Re: Preliminary Eurofins Environment Testing North Central, LLC report files from 310-291151-1 Big Bend Closed LF 25224063

Unverified Sender: The sender of this email has not been verified. Review the content of the message carefully and verify the identity of the sender before acting on this email: replying, opening attachments or clicking links.

Hi Sandie - Thanks for your patience on this. Please see the list of Dissolved Metals results we need below. Let me know if you have any questions.

Cobalt: MW-2, MW-11, MW-24R

Lithium: MW-6

Manganese: MW-2

Thank you,

Ryan Matzuk
SCS Engineers
Madison, WI
608-216-7326 (W)
608-400-9597 (C)
rmatzuk@scsengineers.com

www.scseengineers.com

From: Sandie Fredrick <TALS@reports.et.eurofinsus.com>
Sent: Friday, October 4, 2024 12:15 PM
To: Radunzel, Ashley <ARadunzel@scsengineers.com>; Jeffrey Maxted <jeffreymaxted@alliantenergy.com>; Coughlin, Jenny <jennycoughlin@alliantenergy.com>; Hawksworth, Lindsey <LHawksworth@scsengineers.com>; Matthew Bizjack <MatthewBizjack@alliantenergy.com>; Blodgett, Meghan <mblodgett@scsengineers.com>; Burris, Natalie <NBurris@scsengineers.com>; Matzuk, Ryan <RMatzuk@scsengineers.com>; Clark, Sherren <SClark@scsengineers.com>; Karwoski, Thomas <TKarwoski@scsengineers.com>
Subject: Preliminary Eurofins Environment Testing North Central, LLC report files from 310-291151-1 Big Bend Closed LF 25224063

This email originated from outside of SCS Engineers. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Hello All,

PRELIM attached. Please confirm if dissolved metals are required. If you prefer - I can finalize this and add diss metals after.

Please let me know.

Login Sample Receipt Checklist

Client: SCS Engineers

Job Number: 310-291151-1

Login Number: 291151

List Source: Eurofins Cedar Falls

List Number: 1

Creator: Hirsch, Preston

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Table 1. Groundwater Monitoring Results - Field Parameters
Big Bend Closed Landfill / SCS Engineers Project No. 25224063.00
September 2024

Sample	Sample Date	Temperature (Deg. C)	pH (Std. Units)	Dissolved Oxygen (mg/L)	Specific Conductivity ($\mu\text{mhos}/\text{cm}$)	ORP (mV)	Groundwater Elevation (amsl)	Leachate Elevation (amsl)
MW-2	9/17/2024	23.9	6.55	3.97	835	-3.5	730.86	--
MW-5	9/17/2024	18.5	7.00	7.42	1,053	156.6	721.65	--
MW-6	9/17/2024	16.3	7.00	5.58	1079	41.0	719.93	--
MW-7	9/18/2024	16.4	7.04	0.87	834	-123.0	708.78	--
MW-8R	9/16/2024	--	--	--	--	--	711.88	--
MW-10	9/18/2024	14.2	7.39	9.07	1070	92.5	712.37	--
MW-11	9/17/2024	28.8	6.80	0.90	978	25.6	721.02	--
MW-12	9/18/2024	14.9	7.19	1.37	923	-134.9	721.02	--
MW-13	9/16/2024	--	--	--	--	--	757.94	--
MW-14	9/18/2024	12.4	6.01	2.64	515	91.1	758.53	--
MW-15AR	9/18/2024	--	--	--	--	--	712.52	--
MW-16	9/18/2024	15.5	7.01	1.34	915	-61.4	701.45	--
MW-17R	9/16/2024	--	--	--	--	--	708.53	--
MW-18	9/16/2024	--	--	--	--	--	742.49	--
MW-20	9/16/2024	15.3	6.12	5.43	753	259.0	756.86	--
MW-21	9/19/2024	17.1	6.54	4.59	1,457	173.5	762.46	--
MW-23R	9/19/2024	13.1	6.83	6.48	919	195.8	702.09	--
MW-24R	9/19/2024	19.3	6.89	7.16	936	183.0	701.93	--
MW-25R	9/17/2024	18.4	6.95	7.70	1027	174.0	750.25	--
LW-01	9/19/2024	20.6	8.02	3.55	2073	143.8	--	750.46
LW-02	9/16/2024	--	--	--	--	--	--	778.86
LW-03	9/18/2024	21.6	7.31	4.28	57.5	-22.3	--	760.62
2606 Big Bend Road	9/18/2024	20.4	7.04	4.96	962	69.7	--	--

Abbreviations:

mg/L = milligrams per liter

amsl = above mean sea level

mV = millivolts

$\mu\text{mhos}/\text{cm}$ = micromhos per cm

Notes:

None

Created by:

MDB

Date: 5/15/2019

Last revision by:

BLR

Date: 9/23/2024

Checked by:

RM

Date: 9/24/2024

C:\Users\hld0\AppData\Local\Microsoft\Windows\INetCache\Content.Outlook\QXEGUGFO\[Big Bend_Field_2409.xlsx]GW Field Parameters

Appendix D

Summary of Groundwater Chemistry

IPL Big Bend Closed Landfill
Historic Monitoring Results

Arsenic

UNITS: ug/l

CHEMICAL PARAMETER	EVENT	MW-02	MW-05	MW-06	MW-07	MW-10	MW-11	MW-12	MW-14	MW-15A	MW-15AR
Arsenic, Dissolved	1994-Oct		<5	<5	<5	<5		<5	<5		
Arsenic, Dissolved	1995-Apr		<5	<5	<5	<5		<5	<5		
Arsenic, Dissolved	1995-Jan		<5	<5	<5	<5		<50	<50		
Arsenic, Dissolved	1995-Jul		<5	<5	<5	<5		<5	<5		
Arsenic, Dissolved	2001-Sep										
Arsenic, Dissolved	2002-Sep		<1	<1	<1	<1		1.1	<1	<1	
Arsenic, Dissolved	2003-Sep		<1	<1	<1	<1		<1	<1	<1	
Arsenic, Dissolved	2004-Sep		<1	<1	<1	<1		1.4	<1		
Arsenic, Dissolved	2005-Jun										
Arsenic, Dissolved	2005-Sep	<1	<1	<1	<1	<1	<1	<1	<1		
Arsenic, Dissolved	2006-Sep	<1	<1	<1	<1	<1	<1	<1	<1		
Arsenic, Dissolved	2007-Nov					<1					
Arsenic, Dissolved	2007-Sep	1.64	<1	<1	<1		<1	1.41	<1		<1
Arsenic, Dissolved	2008-Sep	2.11	<1	<1	1.75	2	<1	1.75	<1		<1
Arsenic, Dissolved	2009-Dec										
Arsenic, Dissolved	2009-Sep	<1	<1	<1	<1	<1	<1	1.13	<1		<1
Arsenic, Dissolved	2010-Aug	<1	<2	<1	<1	<1	<1	<1	<1		<2
Arsenic, Dissolved	2010-Nov										
Arsenic, Dissolved	2011-Feb										
Arsenic, Dissolved	2011-Sep	<1	<2	<2	<1	<1	<2	<1	<2		<2
Arsenic, Dissolved	2012-Sep	<1	<2	<2	<2	<2	<2	<1	<2		<3
Arsenic, Dissolved	2013-Sep	2	<1	<1	<1	1.1	<1	<1	1.8		<1
Arsenic, Dissolved	2014-Sep	<1	<1	<1	<1	<1	<1	<1	<1		<1
Arsenic, Dissolved	2015-Sep	2.9	<1	1.1	<1	2.7	1.4	1.3	2.9		2.3
Arsenic, Dissolved	2016-Sep	0.5				1		0.76			
Arsenic	2016-Sep	1.3	0.18	1.2	0.39	19.9	1.7	0.81	0.78		0.18
ARSENIC, DISSOLVED	2017-Sep										
ARSENIC	2017-Sep	1.1	0.26	0.32	0.49	9.3	2.2	1.1	0.83		0.87
ARSENIC	2018-Apr										
ARSENIC	2018-Sep	1.4	0.33	0.42	0.5	3.5	14.2	1.3	0.73		0.7

GW Standard:

MCL = 10

IPL Big Bend Closed Landfill
Historic Monitoring Results

Arsenic

UNITS: ug/l

CHEMICAL PARAMETER	EVENT	MW-16	MW-20	MW-21	MW-23	MW-23R	MW-24	MW-24R	MW-25	MW-25R
Arsenic, Dissolved	1994-Oct	<5								
Arsenic, Dissolved	1995-Apr	<5								
Arsenic, Dissolved	1995-Jan	<5								
Arsenic, Dissolved	1995-Jul	<5								
Arsenic, Dissolved	2001-Sep		1.4							
Arsenic, Dissolved	2002-Sep	<1	<1							
Arsenic, Dissolved	2003-Sep	<1	<1							
Arsenic, Dissolved	2004-Sep	<1	<1							
Arsenic, Dissolved	2005-Jun								<1	
Arsenic, Dissolved	2005-Sep	<1	<1						<1	
Arsenic, Dissolved	2006-Sep	<1	<1						<1	
Arsenic, Dissolved	2007-Nov									
Arsenic, Dissolved	2007-Sep	<1	<1						<1	
Arsenic, Dissolved	2008-Sep	<1	2.72						1.05	
Arsenic, Dissolved	2009-Dec				<1		<1			
Arsenic, Dissolved	2009-Sep	<1	<1						<1	
Arsenic, Dissolved	2010-Aug	<1	<1		<2		<1		<2	
Arsenic, Dissolved	2010-Nov			<1						
Arsenic, Dissolved	2011-Feb			<1						
Arsenic, Dissolved	2011-Sep	<2	<1	<1			<1		<2	
Arsenic, Dissolved	2012-Sep	<2	<2	<2			<2		<3	
Arsenic, Dissolved	2013-Sep	<1	1.3	<1			<1		<1	
Arsenic, Dissolved	2014-Sep	<1	<1	2.9			<1		<1	
Arsenic, Dissolved	2015-Sep	<1	3.5	<1			<1		<1	
Arsenic, Dissolved	2016-Sep			0.55			0.48			
Arsenic	2016-Sep	0.49	0.8	0.57	0.59		3.4		0.44	
ARSENIC, DISSOLVED	2017-Sep						0.7			
ARSENIC	2017-Sep	0.46	0.65	0.73			3.1		0.49	
ARSENIC	2018-Apr					0.5		4.9		
ARSENIC	2018-Sep	0.6	3	1.2		5.9		3.3		0.8

GW Standard:

MCL = 10

IPL Big Bend Closed Landfill
Historic Monitoring Results

Barium

UNITS: ug/l

CHEMICAL PARAMETER	EVENT	MW-02	MW-05	MW-06	MW-07	MW-10	MW-11	MW-12	MW-14	MW-15A	MW-15AR
Barium, Dissolved	1994-Oct		107	146	140	87		232	149		
Barium, Dissolved	1995-Apr		126	154	141	83		232	125		
Barium, Dissolved	1995-Jan		129	157	138	86		227	143		
Barium, Dissolved	1995-Jul		129	149	135	83		223	114		
Barium, Dissolved	1999-Sep		143	130	119	88		194	70		
Barium, Dissolved	2000-Sep		138	139	119	109		198	99		
Barium, Dissolved	2001-Sep		142	136	119	33		188	72		
Barium, Dissolved	2002-Sep		144	153	123	101		199	82	109	
Barium, Dissolved	2003-Sep		146	146	126	98		198	84	104	
Barium, Dissolved	2004-Sep		144	134	114	104		200	83		
Barium, Dissolved	2005-Jun										
Barium, Dissolved	2005-Sep		141 WT	136 WT	121 WT	96 WT		186 WT	77 WT		
Barium, Dissolved	2006-Sep		139	149	125	93.4		194	74.3		
Barium, Dissolved	2007-Nov					92.5					
Barium, Dissolved	2007-Sep		146	148	122 PH>2			191	96.3		110
Barium, Dissolved	2008-Sep		144	131	133	106		208	74.4		146
Barium, Dissolved	2009-Dec										
Barium, Dissolved	2009-Sep		123	122	128	102		188	71.5		110
Barium, Dissolved	2010-Aug	89.6	127 RL1	121	127	105	118	190	55.6		125 RL1
Barium, Dissolved	2010-Nov										
Barium, Dissolved	2011-Feb										
Barium, Dissolved	2011-Sep	108	123 RL1	111 RL1	126	110	110 RL1	164	52.4 RL1		115 RL1
Barium, Dissolved	2012-Sep	104	129 RL1	126 RL1	144 RL1	128 RL1	135 RL1	205	57.3 RL1		112 RL1
Barium, Dissolved	2013-Sep	96.4	122	129	137	128	125	193	58.6		99.9
Barium, Dissolved	2014-Sep	92	138	130	133	115	128	191	58		94
Barium, Dissolved	2015-Sep	108	138	134	127	112	133	192	50.1		106
Barium, Dissolved	2016-Sep	83				120		190			
Barium	2016-Sep	116	128	145	121	190	103	191	58.5		97.2
BARIUM, DISSOLVED	2017-Sep										
BARIUM	2017-Sep	94.8	131	127	118	154	109	190	54		128
BARIUM	2018-Apr										
BARIUM	2018-Sep	98.3	129	134	124	137	132	197	61.7		102

GW Standard:

MCL = 2000

IPL Big Bend Closed Landfill
Historic Monitoring Results

Barium

UNITS: ug/l

CHEMICAL PARAMETER	EVENT	MW-16	MW-20	MW-21	MW-23	MW-23R	MW-24	MW-24R	MW-25	MW-25R
Barium, Dissolved	1994-Oct	149								
Barium, Dissolved	1995-Apr	132								
Barium, Dissolved	1995-Jan	147								
Barium, Dissolved	1995-Jul	138								
Barium, Dissolved	1999-Sep	133								
Barium, Dissolved	2000-Sep	127								
Barium, Dissolved	2001-Sep	135	151							
Barium, Dissolved	2002-Sep	126	55							
Barium, Dissolved	2003-Sep	134	58							
Barium, Dissolved	2004-Sep	132	37							
Barium, Dissolved	2005-Jun								222	
Barium, Dissolved	2005-Sep	126 WT	44 WT						230 WT	
Barium, Dissolved	2006-Sep	140	42.3						199	
Barium, Dissolved	2007-Nov									
Barium, Dissolved	2007-Sep	132	39.3						188	
Barium, Dissolved	2008-Sep	128	69						180	
Barium, Dissolved	2009-Dec				134		111			
Barium, Dissolved	2009-Sep	117	57.9						149	
Barium, Dissolved	2010-Aug	124	74.6		159 RL1		174		159 RL1	
Barium, Dissolved	2010-Nov			89.9						
Barium, Dissolved	2011-Feb			114						
Barium, Dissolved	2011-Sep	116 RL1	38.6	163			127		137 RL1	
Barium, Dissolved	2012-Sep	130 RL1	63.3 RL1	162 RL1			147 RL1		163 RL1	
Barium, Dissolved	2013-Sep	134	52.8	168			96.6		146	
Barium, Dissolved	2014-Sep	115	49.4	222			102			115
Barium, Dissolved	2015-Sep	127	46.9	180			113			144
Barium, Dissolved	2016-Sep			180			120			
Barium	2016-Sep	107	63.1	178	120		150			96.5
BARIUM, DISSOLVED	2017-Sep						150			
BARIUM	2017-Sep	141	52.1	173			164			93.8
BARIUM	2018-Apr					159		118		
BARIUM	2018-Sep	111	78.8	203		217		91.1		200

GW Standard:

MCL = 2000

IPL Big Bend Closed Landfill

Historic Monitoring Results

Beryllium

UNITS: ug/l

CHEMICAL PARAMETER	EVENT	MW-02	MW-05	MW-06	MW-07	MW-10	MW-11	MW-12	MW-14	MW-15A	MW-15AR
Beryllium, Dissolved	1999-Sep		<10	<10	<10	<10		<10	<10		
Beryllium, Dissolved	2000-Sep		<10	<10	<10	<10		<10	<10		
Beryllium, Dissolved	2001-Sep		<10	<10	<10	<10		<10	<10		
Beryllium, Dissolved	2002-Sep		<10	<10	<10	<10		<10	<10	<10	
Beryllium, Dissolved	2003-Sep		<10	<10	<10	<10		<10	<10	<10	
Beryllium, Dissolved	2004-Sep		<10	<10	<10	<10		<10	<10		
Beryllium, Dissolved	2005-Jun										
Beryllium, Dissolved	2005-Sep		<10	<10	<10	<10		<10	<10		
Beryllium, Dissolved	2006-Sep		<10	<10	<10	<10		<10	<10		
Beryllium, Dissolved	2007-Nov					<10					
Beryllium, Dissolved	2007-Sep		<10	<10	<10 PH>2			<10	<10		<10
Beryllium, Dissolved	2008-Sep		<10	<10	<10	<10		<10	<10		<10
Beryllium, Dissolved	2009-Dec										
Beryllium, Dissolved	2009-Sep		<10	<10	<10	<10		<10	<10		<10
Beryllium, Dissolved	2010-Aug	<10	<10	<10	<10	<10	<10	<10	<10		<10
Beryllium, Dissolved	2010-Nov										
Beryllium, Dissolved	2011-Feb										
Beryllium, Dissolved	2011-Sep	<10	<10	<10	<10	<10	<10	<10	<10		<10
Beryllium, Dissolved	2012-Sep	1.39	<1	<1	<1	<1	<1	<1	<1		<1
Beryllium, Dissolved	2013-Sep	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4		<0.4
Beryllium, Dissolved	2014-Sep	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4		<0.4
Beryllium, Dissolved	2015-Sep	<0.4	0.79	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4		<0.4
Beryllium, Dissolved	2016-Sep	<0.08				<0.08		<0.08			
Beryllium	2016-Sep	<0.08	<0.08	<0.08	<0.08	0.096	<0.08	<0.08	<0.08		<0.08
BERYLLIUM, DISSOLVED	2017-Sep										
BERYLLIUM	2017-Sep	<0.012	<0.012	<0.012	<0.012	0.026	<0.012	<0.012	<0.012		0.047
BERYLLIUM	2018-Apr										
BERYLLIUM	2018-Sep	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12		<0.12

GW Standard:

MCL = 4

IPL Big Bend Closed Landfill

Historic Monitoring Results

Beryllium

UNITS: ug/l

CHEMICAL PARAMETER	EVENT	MW-16	MW-20	MW-21	MW-23	MW-23R	MW-24	MW-24R	MW-25	MW-25R
Beryllium, Dissolved	1999-Sep	<10								
Beryllium, Dissolved	2000-Sep	<10								
Beryllium, Dissolved	2001-Sep	<10	<10							
Beryllium, Dissolved	2002-Sep	<10	<10							
Beryllium, Dissolved	2003-Sep	<10	<10							
Beryllium, Dissolved	2004-Sep	<10	<10							
Beryllium, Dissolved	2005-Jun								<10	
Beryllium, Dissolved	2005-Sep	<10	<10						<10	
Beryllium, Dissolved	2006-Sep	<10	<10						<10	
Beryllium, Dissolved	2007-Nov									
Beryllium, Dissolved	2007-Sep	<10	<10						<10	
Beryllium, Dissolved	2008-Sep	<10	<10						<10	
Beryllium, Dissolved	2009-Dec				<10		<10			
Beryllium, Dissolved	2009-Sep	<10	<10						<10	
Beryllium, Dissolved	2010-Aug	<10 S3	<10		<10		<10		<10	
Beryllium, Dissolved	2010-Nov			<10						
Beryllium, Dissolved	2011-Feb			<10						
Beryllium, Dissolved	2011-Sep	<10	<10	<10			<10		<10	
Beryllium, Dissolved	2012-Sep	1.46	<1	<1			<1		<1	
Beryllium, Dissolved	2013-Sep	<0.4	<0.4	<0.4			<0.4		<0.4	
Beryllium, Dissolved	2014-Sep	<0.4	<0.4	<0.4			<0.4			<0.4
Beryllium, Dissolved	2015-Sep	<0.4	<0.4	<0.4			<0.4			<0.4
Beryllium, Dissolved	2016-Sep			<0.08			<0.08			
Beryllium	2016-Sep	<0.08	<0.08	<0.08	<0.08		0.092			<0.08
BERYLLIUM, DISSOLVED	2017-Sep						<0.012			
BERYLLIUM	2017-Sep	<0.012	<0.012	0.03			0.05			0.018
BERYLLIUM	2018-Apr					0.015		0.021		
BERYLLIUM	2018-Sep	<0.12	0.13	<0.12		0.41		<0.12		<0.12

GW Standard:

MCL = 4

IPL Big Bend Closed Landfill

Historic Monitoring Results

Boron

UNITS: ug/l

CHEMICAL PARAMETER	EVENT	MW-02	MW-05	MW-06	MW-07	MW-10	MW-11	MW-12	MW-14	MW-15AR
Boron, Dissolved	2006-Sep	614	908	897	136	263	448	<100	5280	
Boron, Dissolved	2007-Nov					363				
Boron, Dissolved	2007-Sep	708	482	945	136 PH>2		497	<100	7810	2200
Boron, Dissolved	2008-Sep	2840	786	1160	233 M1	480	790	<100	8560	3300
Boron, Dissolved	2009-Dec									
Boron, Dissolved	2009-Sep	2750	449	1090	137	464	559	<100	7330	2530
Boron, Dissolved	2010-Aug	1100	639	1080	166	612	467	<100	6810	4080
Boron, Dissolved	2010-Nov									
Boron, Dissolved	2011-Feb									
Boron, Dissolved	2011-Sep	2500	844	1030	214	648	711	<100	4550	3850
Boron, Dissolved	2012-Sep	1570	507	1150	607	911	842	<100	4400	3630
Boron, Dissolved	2013-Sep	1150	847	1080	785	1100	737	<100	5080	3190
Boron, Dissolved	2014-Sep	975	537	1000	509	1640	695	<100	3930	2410
Boron, Dissolved	2015-Sep	1160	790	1080	368	2710	736	<100	2790	3180
Boron, Dissolved	2016-Sep	1400				1500		<50		
Boron	2016-Sep	1370	890	1020	371	1450	645	<50	3240	2930
BORON, DISSOLVED	2017-Sep									
BORON	2017-Sep	1930	1310	1190	325	4010	733	83.4	2290	5670
BORON	2018-Apr									
BORON	2018-Sep	1490	809	1120	232	1560	556	30.4	2070	3940

GW Standard:

None

IPL Big Bend Closed Landfill

Historic Monitoring Results

Boron

UNITS: ug/l

CHEMICAL PARAMETER	EVENT	MW-16	MW-20	MW-21	MW-23	MW-23R	MW-24	MW-24R	MW-25	MW-25R
Boron, Dissolved	2006-Sep	719	9520						1670	
Boron, Dissolved	2007-Nov									
Boron, Dissolved	2007-Sep	880	8460 M1						1270	
Boron, Dissolved	2008-Sep	192	2290						1190	
Boron, Dissolved	2009-Dec				2430		2350			
Boron, Dissolved	2009-Sep	<100	2060						558	
Boron, Dissolved	2010-Aug	111 S3	3340		3580		2760		844	
Boron, Dissolved	2010-Nov			<100						
Boron, Dissolved	2011-Feb			<100						
Boron, Dissolved	2011-Sep	174	6310	<100			760		811	
Boron, Dissolved	2012-Sep	544	5610	<100			1060		970	
Boron, Dissolved	2013-Sep	828	4430	<100			<100		440	
Boron, Dissolved	2014-Sep	492	1640	<100			233			299
Boron, Dissolved	2015-Sep	1200	2950	<100			<100			249
Boron, Dissolved	2016-Sep			83			800			
Boron	2016-Sep	87.1	939	81	2740		879			269
BORON, DISSOLVED	2017-Sep						2380			
BORON	2017-Sep	823	3660	110			2480			178
BORON	2018-Apr					2910		44.3		
BORON	2018-Sep	300	1260	97.6		2800		18.3		290

GW Standard:

None

IPL Big Bend Closed Landfill

Historic Monitoring Results

Cobalt

UNITS: ug/l

CHEMICAL PARAMETER	EVENT	MW-02	MW-05	MW-06	MW-07	MW-10	MW-11	MW-12	MW-14	MW-15A	MW-15AR
Cobalt, Dissolved	1999-Sep		<20	<20	<20	<20		<20	<20		
Cobalt, Dissolved	2000-Sep		<20	<20	<20	<20		<20	<20		
Cobalt, Dissolved	2001-Sep		<20	<20	<20	<20		<20	<20		
Cobalt, Dissolved	2002-Sep		<20	<20	<20	<20		<20	<20	<20	
Cobalt, Dissolved	2003-Sep		<20	<20	<20	<20		<20	<20	<20	
Cobalt, Dissolved	2004-Sep		<20	<20	<20	<20		<20 MSO	<20		
Cobalt, Dissolved	2005-Jun										
Cobalt, Dissolved	2005-Sep		<20	<20	<20	<20		<20	<20		
Cobalt, Dissolved	2006-Sep		<20	<20	<20	<20		<20	<20		
Cobalt, Dissolved	2007-Nov					<20					
Cobalt, Dissolved	2007-Sep		<20	<20	<20			<20	<20		<20
Cobalt, Dissolved	2008-Sep		<20	<20	<20	<20		<20	<20		<20
Cobalt, Dissolved	2009-Dec										
Cobalt, Dissolved	2009-Sep		<20 M1	<20	<20	<20		<20	<20		<20
Cobalt, Dissolved	2010-Aug	6.89	3.55	5.88	4.51	<1.55	6.62	5.17 RL1	6.68 RL1		4.51
Cobalt, Dissolved	2010-Nov										
Cobalt, Dissolved	2011-Feb										
Cobalt, Dissolved	2011-Sep	<1.55	<1.55	<1.55	<1.55	<1.55	<1.55	<1.55 RL1	<1.55		<1.55
Cobalt, Dissolved	2012-Sep	3.64	<1.55	3.68	<1.55	<1.55	1.8	<1.55 RL1	<1.55 RL1		<1.55
Cobalt, Dissolved	2013-Sep	<5	<5	<5	<5	<5	<5	<5	<5		<5
Cobalt, Dissolved	2014-Sep	<5	<5	<5	<5	<5	<5	<5	<5		<5
Cobalt, Dissolved	2015-Sep	<5	<5	<5	<5	<5	<5	<5	<5		<5
Cobalt, Dissolved	2016-Sep	0.93				<0.5		<0.5			
Cobalt	2016-Sep	2.1	<0.5	<0.5	<0.5	0.68	<0.5	0.57	1.7		<0.5
COBALT, DISSOLVED	2017-Sep										
COBALT	2017-Sep	2.2	0.043	0.8	0.024	0.31	0.61	0.46	0.4		0.66
COBALT	2018-Apr										
COBALT	2018-Sep	2.4	<0.15	0.2	<0.15	0.22	2.3	0.44	1.1		0.34

GW Standard:

None

IPL Big Bend Closed Landfill

Historic Monitoring Results

Cobalt

UNITS: ug/l

CHEMICAL PARAMETER	EVENT	MW-16	MW-20	MW-21	MW-23	MW-23R	MW-24	MW-24R	MW-25	MW-25R
Cobalt, Dissolved	1999-Sep	<20								
Cobalt, Dissolved	2000-Sep	<20								
Cobalt, Dissolved	2001-Sep	<20	<20							
Cobalt, Dissolved	2002-Sep	<20	<20							
Cobalt, Dissolved	2003-Sep	<20	<20							
Cobalt, Dissolved	2004-Sep	<20	<20							
Cobalt, Dissolved	2005-Jun								<20	
Cobalt, Dissolved	2005-Sep	<20	<20						<20	
Cobalt, Dissolved	2006-Sep	<20	<20						<20	
Cobalt, Dissolved	2007-Nov									
Cobalt, Dissolved	2007-Sep	<20	<20						<20	
Cobalt, Dissolved	2008-Sep	<20	<20						<20	
Cobalt, Dissolved	2009-Dec				<20		<20			
Cobalt, Dissolved	2009-Sep	<20	<20						<20	
Cobalt, Dissolved	2010-Aug	3.92	5.06 RL1		2.67		4.24		<1.55	
Cobalt, Dissolved	2010-Nov			<1.55						
Cobalt, Dissolved	2011-Feb			<1.55						
Cobalt, Dissolved	2011-Sep	<1.55	<1.55 RL1	<1.55			<1.55		<1.55	
Cobalt, Dissolved	2012-Sep	2.79	<1.55 RL1	<1.55			<1.55		<1.55	
Cobalt, Dissolved	2013-Sep	<5	<5	<5			<5		<5	
Cobalt, Dissolved	2014-Sep	<5	<5	<5			<5			<5
Cobalt, Dissolved	2015-Sep	<5	<5	<5			<5			<5
Cobalt, Dissolved	2016-Sep			<0.5			<0.5			
Cobalt	2016-Sep	<0.5	<0.5	<0.5	<0.5		1.3			<0.5
COBALT, DISSOLVED	2017-Sep						0.2			
COBALT	2017-Sep	0.12	0.078	0.52			0.67			0.2
COBALT	2018-Apr					0.3		0.72		
COBALT	2018-Sep	0.22	1.1	0.75		3.7		0.37		0.82

GW Standard:

None

IPL Big Bend Closed Landfill
Historic Monitoring Results

Copper

UNITS: ug/l

CHEMICAL PARAMETER	EVENT	MW-02	MW-05	MW-06	MW-07	MW-10	MW-11	MW-12	MW-14	MW-15A	MW-15AR
Copper, Dissolved	1994-Oct		<20	<20	<20	<20		<20	<20		
Copper, Dissolved	1995-Apr		<20	<20	<20	<20		<20	<20		
Copper, Dissolved	1995-Jan		<20	<20	<20	<20		<20	<20		
Copper, Dissolved	1995-Jul		<20	<20	<20	<20		<20	<20		
Copper, Dissolved	2001-Sep										
Copper, Dissolved	2002-Sep								<20		
Copper, Dissolved	2003-Sep									<20	
Copper, Dissolved	2004-Sep		<20	<20	<20	<20		<20	<20		
Copper, Dissolved	2005-Jun										
Copper, Dissolved	2005-Sep		<20	<20	<20	<20		<20	<20		
Copper, Dissolved	2006-Sep		<20	<20	<20	<20		<20	<20		
Copper, Dissolved	2007-Nov					<20					
Copper, Dissolved	2007-Sep		<20	<20	<20			<20	<20		<20
Copper, Dissolved	2008-Sep		<20	<20	<20	<20		<20	<20		<20
Copper, Dissolved	2009-Dec										
Copper, Dissolved	2009-Sep		<20	<20	<20	<20		<20	<20		<20
Copper, Dissolved	2010-Aug	<20	<20	<20	<20	<20	<20	<20	<20		<20
Copper, Dissolved	2010-Nov										
Copper, Dissolved	2011-Feb										
Copper, Dissolved	2011-Sep	<20	<20	<20	<20	<20	<20	<20	<20		<20
Copper, Dissolved	2012-Sep	<20	<20	<20	<20	<20	<20	<20	<20		<20
Copper, Dissolved	2013-Sep	<10	<10	<10	<10	<10	<10	<10	<10		<10
Copper, Dissolved	2014-Sep	<10	<10	<10	<10	<10	<10	<10	<10		<10
Copper, Dissolved	2015-Sep	<10	<10	11.6	<10	<10	<10	<10	<10		<10
Copper, Dissolved	2016-Sep	0.36				0.57		<0.11			
Copper	2016-Sep	2.1	0.6	1.3	0.95	2.5	1.6	0.57	1.9		0.18
COPPER, DISSOLVED	2017-Sep										
COPPER	2017-Sep	0.8	0.43	0.2	0.36	1	0.35	0.24	1		1.6
COPPER	2018-Apr										
COPPER	2018-Sep	1.6	1.8	2.4	1.7	5.7	9	<0.48	1.4		1.1

GW Standard:

None

IPL Big Bend Closed Landfill
Historic Monitoring Results

Copper

UNITS: ug/l

CHEMICAL PARAMETER	EVENT	MW-16	MW-20	MW-21	MW-23	MW-23R	MW-24	MW-24R	MW-25	MW-25R
Copper, Dissolved	1994-Oct	<20								
Copper, Dissolved	1995-Apr	<20								
Copper, Dissolved	1995-Jan	<20								
Copper, Dissolved	1995-Jul	<20								
Copper, Dissolved	2001-Sep		<20							
Copper, Dissolved	2002-Sep		<20							
Copper, Dissolved	2003-Sep		<20							
Copper, Dissolved	2004-Sep	<20	<20							
Copper, Dissolved	2005-Jun							<20		
Copper, Dissolved	2005-Sep	<20	<20						<20	
Copper, Dissolved	2006-Sep	<20	<20						<20	
Copper, Dissolved	2007-Nov									
Copper, Dissolved	2007-Sep	<20	<20						<20	
Copper, Dissolved	2008-Sep	<20	<20						<20	
Copper, Dissolved	2009-Dec				<20		<20			
Copper, Dissolved	2009-Sep	<20	<20						<20	
Copper, Dissolved	2010-Aug	<20	<20		<20		<20		<20	
Copper, Dissolved	2010-Nov			<20						
Copper, Dissolved	2011-Feb			<20						
Copper, Dissolved	2011-Sep	<20	<20	<20			<20		<20	
Copper, Dissolved	2012-Sep	<20	<20	<20			<20		<20	
Copper, Dissolved	2013-Sep	<10	<10	<10			<10		<10	
Copper, Dissolved	2014-Sep	<10	<10	<10			<10			<10
Copper, Dissolved	2015-Sep	<10	<10	<10			<10			<10
Copper, Dissolved	2016-Sep			1.6			0.62			
Copper	2016-Sep	0.21	1.6	1.7	0.26		7.7			1.6
COPPER, DISSOLVED	2017-Sep						2.2			
COPPER	2017-Sep	0.31	0.67	1.9			6.8			1.8
COPPER	2018-Apr					1.6 B		4.6		
COPPER	2018-Sep	2.5	3.2	2.8		16.7		1.2		2.6

GW Standard:

None

IPL Big Bend Closed Landfill
Historic Monitoring Results

Iron

UNITS: ug/l

CHEMICAL PARAMETER	EVENT	MW-02	MW-05	MW-06	MW-07	MW-10	MW-11	MW-12	MW-14	MW-15A	MW-15AR
Iron, Dissolved	1994-Oct		<100	210	<100	130		760	<100		
Iron, Dissolved	1995-Apr		<100	310	<100	110		1000	<100		
Iron, Dissolved	1995-Jan		600	250	<100	160		340	<100		
Iron, Dissolved	1995-Jul		<100	460	<100	<100		900	<100		
Iron, Dissolved	1995-Oct		<100	330	<100	<100		1600	<100		
Iron, Dissolved	1996-Apr		<30	203	<30	86		1070	<30		
Iron, Dissolved	1996-Oct		<30	347	<30	<30		1270	<30		
Iron, Dissolved	1997-Apr		<100	290	<100	110		1400	<100		
Iron, Dissolved	1997-Oct		<100	260	<100	<100		1200	<100		
Iron, Dissolved	1998-Apr		<100	270	<100	<100		1600	<100	<100	
Iron, Dissolved	1998-Oct		100	430	<100	580		1800	<100		
Iron, Dissolved	1999-Sep		<100	200	<100	120		1600	<100		
Iron, Dissolved	2000-Sep		<100	280	<100	160		1600	<100		
Iron, Dissolved	2001-Sep		<100	260	<100	130		1650	<100		
Iron, Dissolved	2002-Sep		170	540	<100	260		1600	<100	<100	
Iron, Dissolved	2003-Sep		160	470	<100	<100		1530	<100	<100	
Iron, Dissolved	2004-Sep		<100	150	<100	<100		1500	<100		
Iron, Dissolved	2005-Jun										
Iron, Dissolved	2005-Sep		<100	510	<100	<100		1600	<100		
Iron, Dissolved	2006-Sep		<100	763	<100	<100		1610	<100		
Iron, Dissolved	2007-Nov					224					
Iron, Dissolved	2007-Sep		<100	787	<100			1660	<100		<100
Iron, Dissolved	2008-Sep		<100	422	<100	149		2020	165		<100
Iron, Dissolved	2009-Dec										
Iron, Dissolved	2009-Sep		<100	368	<100	103		1860	<100		<100
Iron, Dissolved	2010-Aug	2790	<100	192	<100	496	<100	1820	<100		<100
Iron, Dissolved	2010-Nov										
Iron, Dissolved	2011-Feb										
Iron, Dissolved	2011-Sep	3850	<100	221	<100	126	<100	1500	<100		<100
Iron, Dissolved	2012-Sep	5320	<100	192	<100	250	<100	1710	<100		<100
Iron, Dissolved	2013-Sep	7690	<50	340	<50	218	<50	1730	<50		<50
Iron, Dissolved	2014-Sep	7760	<50	388	<50	182	<50	1760	<50		750
Iron, Dissolved	2015-Sep	14700	<50	430	<50	52.6	<50	1820	<50		<50
Iron, Dissolved	2016-Sep	4600				360		1500			
Iron	2016-Sep	12600	363	3010	77.8	10900	193	1590	838		145
IRON, DISSOLVED	2017-Sep										
IRON	2017-Sep	6860	48.8	240	11.4	4750	154	1710	34.3		1280
IRON	2018-Apr										
IRON, DISSOLVED	2018-Sep	<14.9	<14.9	<14.9	<14.9	<14.9	39.4	<14.9	<14.9		<14.9
IRON	2018-Sep	9690	139	403	35.6	1730	2930	1710	213		951

GW Standard:

None

IPL Big Bend Closed Landfill
Historic Monitoring Results

Iron

UNITS: ug/l

CHEMICAL PARAMETER	EVENT	MW-16	MW-20	MW-21	MW-23	MW-23R	MW-24	MW-24R	MW-25	MW-25R
Iron, Dissolved	1994-Oct	140								
Iron, Dissolved	1995-Apr	<100								
Iron, Dissolved	1995-Jan	<100								
Iron, Dissolved	1995-Jul	<100								
Iron, Dissolved	1995-Oct	<100								
Iron, Dissolved	1996-Apr	31								
Iron, Dissolved	1996-Oct	<30								
Iron, Dissolved	1997-Apr	<100								
Iron, Dissolved	1997-Oct	<100								
Iron, Dissolved	1998-Apr	<100								
Iron, Dissolved	1998-Oct	<100								
Iron, Dissolved	1999-Sep	<100								
Iron, Dissolved	2000-Sep	<100								
Iron, Dissolved	2001-Sep	<100	<100							
Iron, Dissolved	2002-Sep	160	<100							
Iron, Dissolved	2003-Sep	<100	120							
Iron, Dissolved	2004-Sep	<100	<100							
Iron, Dissolved	2005-Jun						<100			
Iron, Dissolved	2005-Sep	<100	<100					<100		
Iron, Dissolved	2006-Sep	<100	<100						129	
Iron, Dissolved	2007-Nov									
Iron, Dissolved	2007-Sep	<100	<100					<100		
Iron, Dissolved	2008-Sep	<100	1450					<100		
Iron, Dissolved	2009-Dec				<100		<100			
Iron, Dissolved	2009-Sep	<100	<100					<100		
Iron, Dissolved	2010-Aug	<100	<100		<100		<100		<100	
Iron, Dissolved	2010-Nov			<100						
Iron, Dissolved	2011-Feb			<100						
Iron, Dissolved	2011-Sep	<100	<100	<100			<100		<100	
Iron, Dissolved	2012-Sep	<100	<100	<100			<100		<100	
Iron, Dissolved	2013-Sep	<50	<50	<50			<50		<50	
Iron, Dissolved	2014-Sep	<50	1290	10700			<50			532
Iron, Dissolved	2015-Sep	<50	<50	<50			<50			<50
Iron, Dissolved	2016-Sep			<13			220			
Iron	2016-Sep	187	648	110	317		3660			835
IRON, DISSOLVED	2017-Sep							196		
IRON	2017-Sep	<9.6	60.7	644			2780			479
IRON	2018-Apr					493		793		
IRON, DISSOLVED	2018-Sep	<14.9	<14.9	<14.9		30.6		<14.9		92.6
IRON	2018-Sep	157	4680	1170		15400		755		1870

GW Standard:

None

IPL Big Bend Closed Landfill
Historic Monitoring Results

Lead

UNITS: ug/l

CHEMICAL PARAMETER	EVENT	MW-02	MW-05	MW-06	MW-07	MW-10	MW-11	MW-12	MW-14	MW-15A	MW-15AR
Lead, Dissolved	1994-Oct		<5	<5	<5	<5		<5	<5		
Lead, Dissolved	1995-Apr		<5	<5	<5	<5		<5	<5		
Lead, Dissolved	1995-Jan		<5	<5	<5	<5		<5	<5		
Lead, Dissolved	1995-Jul		<5	<5	<5	<5		<5	<5		
Lead, Dissolved	2001-Sep										
Lead, Dissolved	2002-Sep								<4		
Lead, Dissolved	2003-Sep								<4		
Lead, Dissolved	2004-Sep		<4	<4	<4	<4		<4	<4		
Lead, Dissolved	2005-Jun										
Lead, Dissolved	2005-Sep		<4	<4	<4	<4		<4	<4		
Lead, Dissolved	2006-Sep		<4	<4	<4	<4		<4	<4		
Lead, Dissolved	2007-Nov					<4					
Lead, Dissolved	2007-Sep		<4	<4	<4 PH>2			<4	<4		<4
Lead, Dissolved	2008-Sep		<4	<4	<4	<4		<4	<4 R		<4
Lead, Dissolved	2009-Dec										
Lead, Dissolved	2009-Sep		<4	<4	<4	<4		<4	31.4		<4
Lead, Dissolved	2010-Aug	<4	<4	<4	<4	<4	<4	<4	<4		<4
Lead, Dissolved	2010-Nov										
Lead, Dissolved	2011-Feb										
Lead, Dissolved	2011-Sep	<4	<4	<4	<4	<4	<4	<4	<4		<4
Lead, Dissolved	2012-Sep	<4	<4	<4	<4	<4	<4	<4	<4		<4
Lead, Dissolved	2013-Sep	<1	<1	<1	<1	<1	<1	<1	<1		<1
Lead, Dissolved	2014-Sep	<1	<1	<1	<1	<1	<1	<1	<1		2.2
Lead, Dissolved	2015-Sep	<1	<1	<1	<1	<1	<1	<1	<1		<1
Lead, Dissolved	2016-Sep	<0.19				<0.19		<0.19			
Lead	2016-Sep	0.52	0.44	0.96	0.41	3.2	0.43	<0.19	0.48		0.37
LEAD, DISSOLVED	2017-Sep										
LEAD	2017-Sep	0.075 B	0.12 B	0.13 B	0.1 B	2.5 B	0.089 B	0.038 B	0.11 B		2.9 B
LEAD	2018-Apr										
LEAD	2018-Sep	0.2	0.14	0.3	0.15	1.5	4.2	<0.12	0.21		1.8

GW Standard:

None

IPL Big Bend Closed Landfill

Historic Monitoring Results

Lead

UNITS: ug/l

CHEMICAL PARAMETER	EVENT	MW-16	MW-20	MW-21	MW-23	MW-23R	MW-24	MW-24R	MW-25	MW-25R
Lead, Dissolved	1994-Oct	<5								
Lead, Dissolved	1995-Apr	<5								
Lead, Dissolved	1995-Jan	<5								
Lead, Dissolved	1995-Jul	<5								
Lead, Dissolved	2001-Sep		<4							
Lead, Dissolved	2002-Sep		<4							
Lead, Dissolved	2003-Sep		<4							
Lead, Dissolved	2004-Sep	<4	<4							
Lead, Dissolved	2005-Jun							<4		
Lead, Dissolved	2005-Sep	<4	<4						<4	
Lead, Dissolved	2006-Sep	<4	<4						<4	
Lead, Dissolved	2007-Nov									
Lead, Dissolved	2007-Sep	<4	<4						<4	
Lead, Dissolved	2008-Sep	<4	<4						<4	
Lead, Dissolved	2009-Dec				<4		<4			
Lead, Dissolved	2009-Sep	<4	<4						<4	
Lead, Dissolved	2010-Aug	<4 S3	<4		<4		<4		<4	
Lead, Dissolved	2010-Nov			<4						
Lead, Dissolved	2011-Feb			<4						
Lead, Dissolved	2011-Sep	<4	<4	<4			<4		<4	
Lead, Dissolved	2012-Sep	<4	<4	<4			<4		<4	
Lead, Dissolved	2013-Sep	<1	<1	<1			<1		<1	
Lead, Dissolved	2014-Sep	<1	1	5.6			<1		<1	
Lead, Dissolved	2015-Sep	<1	<1	<1			<1		<1	
Lead, Dissolved	2016-Sep			<0.19			<0.19			
Lead	2016-Sep	0.26	0.57	<0.19	0.41		6.2		0.55	
LEAD, DISSOLVED	2017-Sep						0.041			
LEAD	2017-Sep	0.1 B	0.099 B	1.1 B			3.6 B		0.32 B	
LEAD	2018-Apr					0.66 B		1.4		
LEAD	2018-Sep	0.3	2.2	1.7		15.5		0.27		1.1

GW Standard:

None

IPL Big Bend Closed Landfill
Historic Monitoring Results

Magnesium

UNITS: ug/l

CHEMICAL PARAMETER	EVENT	MW-02	MW-05	MW-06	MW-07	MW-10	MW-11	MW-12	MW-14	MW-15A	MW-15AR
Magnesium, Dissolved	1994-Oct		42000	44000	39000	36000		49000	39000		
Magnesium, Dissolved	1995-Apr		40000	43000	38000	33000		45000	35000		
Magnesium, Dissolved	1995-Jan		40000	45000	38000	35000		43000	36000		
Magnesium, Dissolved	1995-Jul		42000	45000	38000	36000		46000	35000		
Magnesium, Dissolved	1999-Sep		45000	40000	32000	36000		40000	29000		
Magnesium, Dissolved	2000-Sep		44000	42000	34000	37000		43000	37000		
Magnesium, Dissolved	2001-Sep		44100	42000	33600	14500		40600	29500		
Magnesium, Dissolved	2002-Sep		46000	44000	34000	44000		42000	31000	40000	
Magnesium, Dissolved	2003-Sep		43900	42100	33200	39200		40300	29800	40000	
Magnesium, Dissolved	2004-Sep		45000	44000	32000	42000		43000	32000		
Magnesium, Dissolved	2005-Jun										
Magnesium, Dissolved	2005-Sep		48000 WT	47000 WT	36000 WT	43000 WT		45000 WT	31000 WT		
Magnesium, Dissolved	2006-Sep		45300	45800	35100	40400		42500	29900		
Magnesium, Dissolved	2007-Nov				40400						
Magnesium, Dissolved	2007-Sep		44500	44700	32600 PH>2			40200	33100		43800
Magnesium, Dissolved	2008-Sep		49800	48600	37700	43300		45900	36400		47300
Magnesium, Dissolved	2009-Dec										
Magnesium, Dissolved	2009-Sep		45200	46300	36600	42900		42900	31600		39200
Magnesium, Dissolved	2010-Aug	34300	44600	45100	34800	44200	39400	42900	29500		45900
Magnesium, Dissolved	2010-Nov										
Magnesium, Dissolved	2011-Feb										
Magnesium, Dissolved	2011-Sep	38200	44100	40100	34500	43600	36900	38100	25800		43700
Magnesium, Dissolved	2012-Sep	30500	40600	43700	37100	47800	41300	42100 S S3	25100		45300
Magnesium, Dissolved	2013-Sep	26400	40000	41900	35000	46800	38400	40300	21700		40300
Magnesium, Dissolved	2014-Sep	24300	42800	40800	32500	40700	37900	38500	21700		34200
Magnesium, Dissolved	2015-Sep	25300	42400	41900	32000	43100	39000	41000	20100		42200
Magnesium, Dissolved	2016-Sep	29200				47200		42900			
Magnesium	2016-Sep	29100	41300	42400	32200	46600	37000	41000	18100		35800
MAGNESIUM, DISSOLVED	2017-Sep										
MAGNESIUM	2017-Sep	34700	47800	46300	33200	50200	40100	42800	20200		50500
MAGNESIUM	2018-Apr										
MAGNESIUM	2018-Sep	25600	37000	40000	29300	40500	34400	38100	18400		41000

GW Standard:

None

IPL Big Bend Closed Landfill
Historic Monitoring Results

Magnesium

UNITS: ug/l

CHEMICAL PARAMETER	EVENT	MW-16	MW-20	MW-21	MW-23	MW-23R	MW-24	MW-24R	MW-25	MW-25R
Magnesium, Dissolved	1994-Oct	39000								
Magnesium, Dissolved	1995-Apr	37000								
Magnesium, Dissolved	1995-Jan	38000								
Magnesium, Dissolved	1995-Jul	37000								
Magnesium, Dissolved	1999-Sep	34000								
Magnesium, Dissolved	2000-Sep	36000								
Magnesium, Dissolved	2001-Sep	37000	32800							
Magnesium, Dissolved	2002-Sep	35000	29000							
Magnesium, Dissolved	2003-Sep	35800	34100							
Magnesium, Dissolved	2004-Sep	37000	38000							
Magnesium, Dissolved	2005-Jun							52000		
Magnesium, Dissolved	2005-Sep	38000 WT	47000 WT					60000 WT		
Magnesium, Dissolved	2006-Sep	39400	41000					51600		
Magnesium, Dissolved	2007-Nov									
Magnesium, Dissolved	2007-Sep	35300	39700					47700		
Magnesium, Dissolved	2008-Sep	37900	37300					51900		
Magnesium, Dissolved	2009-Dec			42400		47800				
Magnesium, Dissolved	2009-Sep	35400	28800					47100		
Magnesium, Dissolved	2010-Aug	35100	31000	45500		44900		46800		
Magnesium, Dissolved	2010-Nov		31500							
Magnesium, Dissolved	2011-Feb		26800							
Magnesium, Dissolved	2011-Sep	32600	31900	28800		34000		42400		
Magnesium, Dissolved	2012-Sep	35000	28200	34800		39300		45900		
Magnesium, Dissolved	2013-Sep	35100	29700	27200		27900		41600		
Magnesium, Dissolved	2014-Sep	31300	21400	25400		27500			39100	
Magnesium, Dissolved	2015-Sep	35200	25000	24300		30200			42800	
Magnesium, Dissolved	2016-Sep		23100			35000				
Magnesium	2016-Sep	32300	30000	22400	37900	37800			43200	
MAGNESIUM, DISSOLVED	2017-Sep					41200				
MAGNESIUM	2017-Sep	36600	28600	29000		47100			44100	
MAGNESIUM	2018-Apr				45000		39000			
MAGNESIUM	2018-Sep	30600	16200	26300		70400		28000		41600

GW Standard:

None

IPL Big Bend Closed Landfill

Historic Monitoring Results

Manganese

UNITS: ug/l

CHEMICAL PARAMETER	EVENT	MW-02	MW-05	MW-06	MW-07	MW-10	MW-11	MW-12	MW-14	MW-15A	MW-15AR
Manganese, Dissolved	1999-Sep		<10	62	<10	54		310	217		
Manganese, Dissolved	2000-Sep		<10	82	<10	221		331	476		
Manganese, Dissolved	2001-Sep		<10	93 *MSO	<10	38		290	87		
Manganese, Dissolved	2002-Sep		13	109 N*	<10	50		330	74	12	
Manganese, Dissolved	2003-Sep		18	94 *,MSO	<10	67		328	119	<10	
Manganese, Dissolved	2004-Sep		<10	97	<10	73 N*		308	104		
Manganese, Dissolved	2005-Jun										
Manganese, Dissolved	2005-Sep		32	114	<10	56		283	241		
Manganese, Dissolved	2006-Sep		<10	125	12.1	33.8		296	162		
Manganese, Dissolved	2007-Nov					26.4 MHA					
Manganese, Dissolved	2007-Sep		<10	117	<10 PH>2			266	309		<10
Manganese, Dissolved	2008-Sep		14.2	103	12.6	31.5		288	254		17.3
Manganese, Dissolved	2009-Dec										
Manganese, Dissolved	2009-Sep		11.3	77.1	10.8	74.5 S3		252	213		<10
Manganese, Dissolved	2010-Aug	760	<10	56.9	14.2	24.1	13.4	284	158		<10
Manganese, Dissolved	2010-Nov										
Manganese, Dissolved	2011-Feb										
Manganese, Dissolved	2011-Sep	945	<10	56	<10	19.7	<10	242	103		<10
Manganese, Dissolved	2012-Sep	1260	<10	61.8	<10	43.8	<10	257	112		17.2
Manganese, Dissolved	2013-Sep	1230	<5	80.4	<5	87.8	8.9	256	177		16
Manganese, Dissolved	2014-Sep	1700	<5	95.1	<5	66.6	9.8	239	124		27.5
Manganese, Dissolved	2015-Sep	1620	<5	93.7	<5	34.2	6.5	235	75.6		5.1
Manganese, Dissolved	2016-Sep	730				170		270			
Manganese	2016-Sep	1360	17.4	180	5	266	38.6	276	360		6.7
MANGANESE, DISSOLVED	2017-Sep										
MANGANESE	2017-Sep	1480 M1	4 B	54.6	1.7 B	77.4	44.8	266	138		29.8
MANGANESE	2018-Apr										
MANGANESE, DISSOLVED	2018-Sep	1280	1.6 B	74.7	0.42 B	56	115	224	42.3		13.7
MANGANESE	2018-Sep	1480	8.2	78.7	0.81 B	88.2	188	257	186		23.5

GW Standard:

SMCL = 50

IPL Big Bend Closed Landfill

Historic Monitoring Results

Manganese

UNITS: ug/l

CHEMICAL PARAMETER	EVENT	MW-16	MW-20	MW-21	MW-23	MW-23R	MW-24	MW-24R	MW-25	MW-25R
Manganese, Dissolved	1999-Sep	<10								
Manganese, Dissolved	2000-Sep	<10								
Manganese, Dissolved	2001-Sep	<10	471							
Manganese, Dissolved	2002-Sep	<10	181							
Manganese, Dissolved	2003-Sep	<10	26							
Manganese, Dissolved	2004-Sep	<10	<10							
Manganese, Dissolved	2005-Jun							36		
Manganese, Dissolved	2005-Sep	14 N*	19						46	
Manganese, Dissolved	2006-Sep	19.5	<10						73.5	
Manganese, Dissolved	2007-Nov									
Manganese, Dissolved	2007-Sep	<10	<10 MHA						<10	
Manganese, Dissolved	2008-Sep	15.2	22.6						17.1	
Manganese, Dissolved	2009-Dec				11.2		44.7			
Manganese, Dissolved	2009-Sep	27.8	<10						14.6	
Manganese, Dissolved	2010-Aug	21 S3	<10		<10		361		<10	
Manganese, Dissolved	2010-Nov			50.2						
Manganese, Dissolved	2011-Feb			257						
Manganese, Dissolved	2011-Sep	<10	<10	113			233		<10	
Manganese, Dissolved	2012-Sep	<10	<10	235			<10		27.4	
Manganese, Dissolved	2013-Sep	<5	<5	5.8			93.3		17.2	
Manganese, Dissolved	2014-Sep	<5	18	159			89.4			140
Manganese, Dissolved	2015-Sep	<5	<5	<5			228			13.6
Manganese, Dissolved	2016-Sep			2.6			140			
Manganese	2016-Sep	18.4	9.2	5.2	7		460			35.2
MANGANESE, DISSOLVED	2017-Sep						110			
MANGANESE	2017-Sep	2.5 B	1.6 B	59.3			208			19.7
MANGANESE	2018-Apr					203		623		
MANGANESE, DISSOLVED	2018-Sep	13.4 D9	2.6 B	1.1 B		26.6		522		3.8 B
MANGANESE	2018-Sep	10.3	40.8	59.2		708		575		89.1

GW Standard:

SMCL = 50

IPL Big Bend Closed Landfill
Historic Monitoring Results

Selenium

UNITS: ug/l

CHEMICAL PARAMETER	EVENT	MW-02	MW-05	MW-06	MW-07	MW-10	MW-11	MW-12	MW-14	MW-15A	MW-15AR
Selenium, Dissolved	1994-Oct		<5	<5	<5	<5		<5	8.4		
Selenium, Dissolved	1995-Apr		<5	<5	<5	<5		<5	24.4		
Selenium, Dissolved	1995-Jan		<5	<5	<5	<5		<5	7.5		
Selenium, Dissolved	1995-Jul		<5	<5	<5	<5		<5	9		
Selenium, Dissolved	1995-Oct								7.1		
Selenium, Dissolved	1996-Apr								24		
Selenium, Dissolved	1996-Oct								24		
Selenium, Dissolved	1997-Apr								12.5		
Selenium, Dissolved	1997-Oct								15.9		
Selenium, Dissolved	1998-Apr								28.3		
Selenium, Dissolved	1998-Oct								21.1		
Selenium, Dissolved	1999-Sep		<5	<5	<5	<5		<5	36.2		
Selenium, Dissolved	2000-Sep		<5	<5	<5	<5		<5	70.2		
Selenium, Dissolved	2001-Sep		<5	<5	<5	<5		<5	45.5		
Selenium, Dissolved	2002-Sep		<5	<5	<5	<5		<5	31.7	6.9	
Selenium, Dissolved	2003-Sep		<5	<5	<5	<5		<5	61.4	7.6	
Selenium, Dissolved	2004-Sep	<5	<5	<10	<5	<5	<5	<5	21		
Selenium, Dissolved	2005-Jun										
Selenium, Dissolved	2005-Sep	<5	<5	<5	<5	<5	<5	<5	14.3		
Selenium, Dissolved	2006-Sep	<5	<5	<5	<5	<5	<5	<5	9.57		
Selenium, Dissolved	2007-Nov					<5					
Selenium, Dissolved	2007-Sep	<5	<5	<5	<5		<5	<5	6.74		<5
Selenium, Dissolved	2008-Sep	6.05	5.38	<5	<5	<5	7.07	<5	13.8		10.1
Selenium, Dissolved	2009-Dec										
Selenium, Dissolved	2009-Sep	5.63	5.15	<5	<5	<5	<5	<5	37.1		6.15
Selenium, Dissolved	2010-Aug	<5	7.85	<5	<5	<5	<5	<5	34		12.8
Selenium, Dissolved	2010-Nov										
Selenium, Dissolved	2011-Feb										
Selenium, Dissolved	2011-Sep	<5	9.82	6.65	<5	<5	6.58	<5	29.5		12.8
Selenium, Dissolved	2012-Sep	<5	<5	6.03	<5	<5	<5	<5	27.9		9.91
Selenium, Dissolved	2013-Sep	1	6.5	4.6	4.7	<1	5.1	<1	33.3		11.6
Selenium, Dissolved	2014-Sep	<1	3.7	3.2	3.1	4.5	4.2	<1	34.6		8.5
Selenium, Dissolved	2015-Sep	<1	4.4	2.9	2.6	9.9	4.8	<1	20.8		12.6
Selenium, Dissolved	2016-Sep	4.5				1.6		<0.18			
Selenium	2016-Sep	6.2	9.1	4.9	2.7	1.2	1	<0.18	19.6		10.4
SELENIUM, DISSOLVED	2017-Sep										
SELENIUM	2017-Sep	1.3	13.5	7.1	2.3	13	3.8	<0.086	25.1		22.1
SELENIUM	2018-Apr										
SELENIUM	2018-Sep	1.1	7	5.3	2.1	1.3	1.9	<0.16	22.3		13.3

GW Standard:

MCL = 50

IPL Big Bend Closed Landfill
Historic Monitoring Results

Selenium

UNITS: ug/l

CHEMICAL PARAMETER	EVENT	MW-16	MW-20	MW-21	MW-23	MW-23R	MW-24	MW-24R	MW-25	MW-25R
Selenium, Dissolved	1994-Oct	<5								
Selenium, Dissolved	1995-Apr	<5								
Selenium, Dissolved	1995-Jan	<5								
Selenium, Dissolved	1995-Jul	<5								
Selenium, Dissolved	1995-Oct									
Selenium, Dissolved	1996-Apr									
Selenium, Dissolved	1996-Oct									
Selenium, Dissolved	1997-Apr									
Selenium, Dissolved	1997-Oct									
Selenium, Dissolved	1998-Apr									
Selenium, Dissolved	1998-Oct									
Selenium, Dissolved	1999-Sep	<5								
Selenium, Dissolved	2000-Sep	<5								
Selenium, Dissolved	2001-Sep	<5	14.9							
Selenium, Dissolved	2002-Sep	<5	14.6							
Selenium, Dissolved	2003-Sep	<5	95.4							
Selenium, Dissolved	2004-Sep	<5	41.4							
Selenium, Dissolved	2005-Jun						19.5			
Selenium, Dissolved	2005-Sep	<5	81.2				<5			
Selenium, Dissolved	2006-Sep	<5	80.9				13.9			
Selenium, Dissolved	2007-Nov									
Selenium, Dissolved	2007-Sep	<5	35.1				7.77			
Selenium, Dissolved	2008-Sep	<5	30.9				8.83			
Selenium, Dissolved	2009-Dec				5.93		<5			
Selenium, Dissolved	2009-Sep	<5	11.3					<5		
Selenium, Dissolved	2010-Aug	<5	14.9		11.3		8.02		<5	
Selenium, Dissolved	2010-Nov			<5						
Selenium, Dissolved	2011-Feb			<5						
Selenium, Dissolved	2011-Sep	<5	44.4	<5			<5		<5	
Selenium, Dissolved	2012-Sep	<5	39.1	<5			<5		<5	
Selenium, Dissolved	2013-Sep	1.2	28.7	<1			<1		2.8	
Selenium, Dissolved	2014-Sep	<1	9.3	1.4			<1		1.8	
Selenium, Dissolved	2015-Sep	1.2	31	1.5			<1		1.4	
Selenium, Dissolved	2016-Sep			1.1			3.3			
Selenium	2016-Sep	<0.18	6.9	1	9.6		3.8		2.4	
SELENIUM, DISSOLVED	2017-Sep					11.6				
SELENIUM	2017-Sep	2.1	31.9	0.9			11.9		0.97	
SELENIUM	2018-Apr					10.4		0.19		
SELENIUM	2018-Sep	<0.16	6.3	2.1		11.1		<0.16		5.2

GW Standard:

MCL = 50

IPL Big Bend Closed Landfill
Historic Monitoring Results

Zinc

UNITS: ug/l

CHEMICAL PARAMETER	EVENT	MW-02	MW-05	MW-06	MW-07	MW-10	MW-11	MW-12	MW-14	MW-15A	MW-15AR
Zinc, Dissolved	1994-Oct		<20	<20	<20	<20		<20	<20		
Zinc, Dissolved	1995-Apr		<20	<20	<20	<20		<20	<20		
Zinc, Dissolved	1995-Jan		<20	<20	<20	<20		<20	<20		
Zinc, Dissolved	1995-Jul		<20	<20	<20	<20		<20	<20		
Zinc, Dissolved	2001-Sep										
Zinc, Dissolved	2002-Sep								<20		
Zinc, Dissolved	2003-Sep									<20	
Zinc, Dissolved	2004-Sep		<20	<20	<20	<20		<20	<20		
Zinc, Dissolved	2005-Jun										
Zinc, Dissolved	2005-Sep		44	23	<20	27		21	27		
Zinc, Dissolved	2006-Sep	25	31.8	34.8	24.7	23.9	21.2	42.8	41.1		
Zinc, Dissolved	2007-Nov					49.8					
Zinc, Dissolved	2007-Sep	30.3	44.6	39.5	33.6		33.7	31.5	36.8		48
Zinc, Dissolved	2008-Sep	26.3	29.3	27.2	27.2	30.2	26.6	26.1	31.9		30.7
Zinc, Dissolved	2009-Dec										
Zinc, Dissolved	2009-Sep	49.5	48.1	45.3	41.7	54.4	41.5	38	43.4		44.3
Zinc, Dissolved	2010-Aug	<20	<20	<20	<20	<20	<20	<20	<20		<20
Zinc, Dissolved	2010-Nov										
Zinc, Dissolved	2011-Feb										
Zinc, Dissolved	2011-Sep	<20	<20	<20	<20	<20	<20	<20	<20		<20
Zinc, Dissolved	2012-Sep	32.4	<20	28.4	<20	<20	<20	<20	<20		<20
Zinc, Dissolved	2013-Sep	<50	<50	<50	<50	<50	<50	<50	<50		<50
Zinc, Dissolved	2014-Sep	<50	<50	<50	<50	<50	<50	<50	<50		<50
Zinc, Dissolved	2015-Sep	<50	<50	<50	<50	<50	<50	<50	<50		<50
Zinc, Dissolved	2016-Sep	2 B				2.9 B		3.5 B			
Zinc	2016-Sep	8.3 B	4 B	8.1 B	8.1 B	12.7 B	28.3	3.2 B	7.3 B		2.4 B
ZINC, DISSOLVED	2017-Sep										
ZINC	2017-Sep	2 B	2 B	1.5 B	5.5 B	3.6 B	2.4 B	1.4 B	3.4 B		7 B
ZINC	2018-Apr										
ZINC	2018-Sep	6.6	4.9	6	8.4	12.7	20.3	<3.7	6		7.8

GW Standard:

SMCL = 5000

IPL Big Bend Closed Landfill
Historic Monitoring Results

Zinc

UNITS: ug/l

CHEMICAL PARAMETER	EVENT	MW-16	MW-20	MW-21	MW-23	MW-23R	MW-24	MW-24R	MW-25	MW-25R
Zinc, Dissolved	1994-Oct	<20								
Zinc, Dissolved	1995-Apr	<20								
Zinc, Dissolved	1995-Jan	<20								
Zinc, Dissolved	1995-Jul	<20								
Zinc, Dissolved	2001-Sep		<20							
Zinc, Dissolved	2002-Sep		<20							
Zinc, Dissolved	2003-Sep		<20							
Zinc, Dissolved	2004-Sep	<20	<20							
Zinc, Dissolved	2005-Jun								<20	
Zinc, Dissolved	2005-Sep	22	36						28	
Zinc, Dissolved	2006-Sep	24.6	30						25.9	
Zinc, Dissolved	2007-Nov									
Zinc, Dissolved	2007-Sep	31.5	63.6						41.8	
Zinc, Dissolved	2008-Sep	21.7	34.2						33.6	
Zinc, Dissolved	2009-Dec				39.1		40			
Zinc, Dissolved	2009-Sep	34.9	29.5						50.9	
Zinc, Dissolved	2010-Aug	<20	<20		<20		<20		<20	
Zinc, Dissolved	2010-Nov			23						
Zinc, Dissolved	2011-Feb			29.6						
Zinc, Dissolved	2011-Sep	<20	<20	<20			<20		<20	
Zinc, Dissolved	2012-Sep	<20	21.4	<20			<20		<20	
Zinc, Dissolved	2013-Sep	<50	<50	<50			<50		<50	
Zinc, Dissolved	2014-Sep	<50	<50	<50			<50		<50	
Zinc, Dissolved	2015-Sep	<50	<50	<50			<50		<50	
Zinc, Dissolved	2016-Sep			3.4 B			4.1 B			
Zinc	2016-Sep	2.5 B	3.8 B	14.2 B	3.7 B		22		7.2 B	
ZINC, DISSOLVED	2017-Sep						26.4			
ZINC	2017-Sep	2.2 B	1.8 B	4.7 B			36.4		4.7 B	
ZINC	2018-Apr					6.3 B		7.7 B		
ZINC	2018-Sep	6.4	11.5	8		44.8		<3.7		8.2

GW Standard:

SMCL = 5000

IPL Big Bend Closed Landfill
Historic Monitoring Results

Chloride

UNITS: mg/l

CHEMICAL PARAMETER	EVENT	MW-02	MW-05	MW-06	MW-07	MW-10	MW-11	MW-12	MW-14	MW-15A	MW-15AR
Chloride	1994-Oct		9.9	12	24	<5		<5	7.5		
Chloride	1995-Apr		11	14	22	5		<5	9		
Chloride	1995-Jan		10	13	23	<5		<5	8.8		
Chloride	1995-Jul		11	12	22	5.9		<5	6.8		
Chloride	1995-Oct		11	12	21	6.7		<5	8.7		
Chloride	1996-Apr		11	12	17	7.7		4.3	11		
Chloride	1996-Oct		11.2	12.2	20.9	4.5		2.6	10.4		
Chloride	1997-Apr		14	14	21	8.1		<5	10		
Chloride	1997-Oct		13	13	19	8.9		<5	8.2		
Chloride	1998-Apr		22.3	13.9	19.2	19.4		<5	<5	23.1	
Chloride	1998-Oct		15	13	19	16		<5	5.3		
Chloride	1999-Sep		14	14	20	13		<5	9.6		
Chloride	2000-Sep		14.2	14.6	16.6	7.7		<5	9.6		
Chloride	2001-Sep		13.4	13.9	14.7	10.6		5.6	10.1		
Chloride	2002-Sep		11.8	14.4	15.5	18.3		<5	8.3	21.6	
Chloride	2003-Sep		11.1	14.5	12.8	10.4		<5	11.5		
Chloride	2004-Sep		11.8	13.9	11.5	10.4		<5	10		
Chloride	2005-Jun										
Chloride	2005-Sep		9.6	14.7	10.5	10.6		<5	10.1		
Chloride	2006-Sep		12.7	15.7	10.2	11.1		<5	12.4		
Chloride	2007-Nov					13					
Chloride	2007-Sep		9.83	16	10.1 PH>2			<5	9.42		20.3
Chloride	2008-Sep		14.6	17.2	9.74	13.3		<5	8.22		15.7
Chloride	2009-Dec										
Chloride	2009-Sep		14.6	16.9	11.2	13.4		<5	5.47		14.3
Chloride	2010-Aug	34.8	16.3	17.8	10.8	15.5	21.3	<5	<5		16.9
Chloride	2010-Nov										
Chloride	2011-Feb										
Chloride	2011-Sep	25.5	18.1	18.3	10.7	18.3	20	<5	3.36		19.3
Chloride	2012-Sep	15	15.4	18.7	10.2	22.5	19.5	<5	<5		17.5
Chloride	2013-Sep	12.5	14.9	16.5	9.4	21.5	16.4	2.7	2.7		13.7
Chloride	2014-Sep	11.8	9.7	18.6	8.5	19.9	17.2	2.4	2.5		12.8
Chloride	2015-Sep	10.1	10	17.5	7	18.5	14.3	2.6	2.6		18
Chloride	2016-Sep	9.5	14.5	17.7	6.4	19	10.8	2.7	2.1		14.7
CHLORIDE	2017-Sep	13	17.4	15.4	6	20.4	10.2	2.8	1.8		19
CHLORIDE	2018-Apr										
CHLORIDE	2018-Sep	8.9	14.6	17	6.1	21.3	10.1	2.4	1.7		23.7

GW Standard:

SMCL = 250

IPL Big Bend Closed Landfill
Historic Monitoring Results

Chloride

UNITS: mg/l

CHEMICAL PARAMETER	MW-16	MW-20	MW-21	MW-23	MW-23R	MW-24	MW-24R	MW-25	MW-25R
Chloride	11								
Chloride	8.3								
Chloride	15								
Chloride	8.8								
Chloride	22								
Chloride	12								
Chloride	17								
Chloride	16								
Chloride	30								
Chloride	15.5								
Chloride	20								
Chloride	22								
Chloride	25.7								
Chloride	23.8	28.6							
Chloride	17.2	19							
Chloride	19.4	13							
Chloride	18.5	<5							
Chloride						44.9			
Chloride	18.7	5.4				43.4			
Chloride	18.5	5.94				47.2			
Chloride									
Chloride	16.4	6.3 MHA				52.2			
Chloride	12.3	7.63				40.9			
Chloride			18		14.7				
Chloride	11.4	<5				46.2			
Chloride	13.4	<5		17.8		26.6		38.7	
Chloride			13.9						
Chloride			11.7						
Chloride	11.4	<2	28.8		49.2		32.3		
Chloride	14.3	<5	12.6		12.9		33.6		
Chloride	11	2.1	10.8		3		31.3		
Chloride	10.4	1.4	4.7		4.2			28.3	
Chloride	10.5	2.4	4		4.1			24.5	
Chloride	7	8	30.3	19.6	8			19.7	
CHLORIDE	9.8	2.4	44.1		13.4			17.6	
CHLORIDE				15.4		4.5			
CHLORIDE	9.2	9.2	85.2		21.1		1.6		12.9

GW Standard:

SMCL = 250

IPL Big Bend Closed Landfill

Historic Monitoring Results

Sulfate

UNITS: mg/l

CHEMICAL PARAMETER	EVENT	MW-02	MW-05	MW-06	MW-07	MW-10	MW-11	MW-12	MW-14	MW-15A	MW-15AR
Sulfate	1999-Sep		81	130	41	130		40	150		
Sulfate	2000-Sep		140	160	39	130		56	290		
Sulfate	2001-Sep		120	140	36	140		48	210		
Sulfate	2002-Sep		120	150 NS	36	150		49	210	130	
Sulfate	2003-Sep		100	150	35	160		51	220		
Sulfate	2004-Sep	100	320	150 R	33	170	76	51	230		
Sulfate	2005-Jun										
Sulfate	2005-Sep	110	130	250	36	270	100	55	350		
Sulfate	2006-Sep	131	142	174	154	30.4	83.8	248	17.6		
Sulfate	2007-Sep	73.4	89	179	34.1 PH>2		83.3	61.8	324		160
Sulfate	2007-Nov					170					
Sulfate	2008-Sep	123	126	174	36	153	91.6 S	47.5	264		179
Sulfate	2009-Sep	162	115	176 S3,S	37.6	159	71.9	48.9	232		144
Sulfate	2009-Dec										
Sulfate	2010-Aug	80.4	135	152	38.9	166	67.6	47.9	152		230
Sulfate	2010-Nov										
Sulfate	2011-Feb										
Sulfate	2011-Sep	153	290	154	43.9	209	93.6	46.9	113		232
Sulfate	2012-Sep	91.6	91.5	157	69.5	228	89	52.3	103		193
Sulfate	2013-Sep	75.1	108	141	66	223	76.9	49	122		178
Sulfate	2014-Sep	76.9	86.2	140	51.2	194	75.2	49	109		134
Sulfate	2015-Sep	84.2	97.3	132	40.1	188	76	48.1	69.3		183
Sulfate	2016-Sep	73.2	115	133	32.6	204	72.2	50.2	76.3		147
SULFATE	2017-Sep	113	168	138	31.1	265	70.3	49.6	55.6		293
SULFATE	2018-Apr										
SULFATE	2018-Sep	85.3	115	141	28.6	207	72.7 M1	52.8	51.7		227

GW Standard:

SMCL = 250

IPL Big Bend Closed Landfill
Historic Monitoring Results

Sulfate

UNITS: mg/l

CHEMICAL PARAMETER	EVENT	MW-16	MW-20	MW-21	MW-23	MW-23R	MW-24	MW-24R	MW-25	MW-25R
Sulfate	1999-Sep	65								
Sulfate	2000-Sep	75								
Sulfate	2001-Sep	76	140							
Sulfate	2002-Sep	59	170							
Sulfate	2003-Sep	70	300							
Sulfate	2004-Sep	74	360							
Sulfate	2005-Jun							170		
Sulfate	2005-Sep	90	360					260		
Sulfate	2006-Sep	280	74						127	
Sulfate	2007-Sep	97.7	302						107	
Sulfate	2007-Nov									
Sulfate	2008-Sep	40	173						92.6	
Sulfate	2009-Sep	38.5	127						70.5	
Sulfate	2009-Dec				160 S, S3		160			
Sulfate	2010-Aug	42.2	161		219		178		85.5	
Sulfate	2010-Nov			52.9						
Sulfate	2011-Feb			61.2						
Sulfate	2011-Sep	42.1	161	123			69.4		74.3	
Sulfate	2012-Sep	75.3	94.8	58.7			120		87	
Sulfate	2013-Sep	71.5	172	57.1			44.2		72.3	
Sulfate	2014-Sep	56.5	98.9	64.1			61.5			72.1
Sulfate	2015-Sep	76.6	101	75.5			63.4			68.6
Sulfate	2016-Sep	31.6	71.2	37.5	150		94.5			61.6
SULFATE	2017-Sep	62.7	90.2	53.6			176			63.5
SULFATE	2018-Apr					183		23.4		
SULFATE	2018-Sep	36.1	38.4	56		186		13.7		64

GW Standard:

SMCL = 250

IPL Big Bend Closed Landfill
Historic Monitoring Results

pH, Field

UNITS: su

CHEMICAL PARAMETER	EVENT	MW-02	MW-05	MW-06	MW-07	MW-10	MW-11	MW-12	MW-14	MW-15A	MW-15AR
pH, Field	1994-Oct		7.38	7.2	7.33	7.2		7.17	6.24		
pH, Field	1995-Jan		6.55	6.59	6.56	7.01		6.38	6.32		
pH, Field	1995-Apr		7.33	7.31	7.29	7.26		6.71	7.17		
pH, Field	1995-Jul		6.85	7.17	7.36	7.18		7.22	6.21		
pH, Field	1995-Oct		7.08	6.98	6.84	6.95		6.86	7.97		
pH, Field	1996-Apr		7.6	7.5	7.6	7.7		7.5	6.3		
pH, Field	1996-Oct		7.3	7	7.4	7.4		7.4	6.4		
pH, Field	1997-Apr		7.4	7.4	7.5	7.6		7.9	6.3		
pH, Field	1997-Oct		7.7	7.7	7.9	7.9		7.7	6.5		
pH, Field	1998-Apr		6.95	6.98	6.9	7.11		6.85	6	7.09	
pH, Field	1998-Oct		6.7	6.8	7	6.9		7	6		
pH, Field	1999-Sep		6.7	6.7	6.9	6.9		6.4	5.5		
pH, Field	2000-Sep		7.1	7.14	7.38	7.31		6.99	6.16		
pH, Field	2001-Sep		6.98	7.21	7.34	7.12		6.97	5.9		
pH, Field	2002-Sep		7.2	7.29	7.06	6.74		7.12	6.64	6.9	
pH, Field	2003-Sep		6.97	7.06	7.18	6.45		7	6.39		
pH, Field	2004-Sep	6.67	7.26	7.18	7.22	7.01	7.14	7.14	6.07		
pH, Field	2005-Jun										
pH, Field	2005-Sep	6.72	7.07	7.52	7.35	7.27	7.24	6.5	6.7		
pH, Field	2006-Sep	6.73	7.31	7.04	7.15	7.26	7.16	6.83	6.21		
pH, Field	2007-Sep	6.58	6.93	6.93	6.64		7	6.78	5.58	7.16	
pH, Field	2007-Nov					7.14					
pH, Field	2008-Sep	6.38	7.19	7.06	7.2	7.24	6.76	6.8	5.78	7.14	
pH, Field	2009-Sep	6.88	6.61	6.87	7.02	7.5	6.87	5.68	5.77	7.03	
pH, Field	2010-Aug	6.82	7.11	7.1	7.19	7.09	7.14	7.02	6.38	7.02	
pH, Field	2010-Nov										
pH, Field	2011-Feb										
pH, Field	2011-Sep	6.79	7.22	7.32	7.35	7.04	7.28	7.05	6.44	7.17	
pH, Field	2012-Sep	7.16	7.14	7.14	7.49	7.72	7.09	6.61	6.16	7.37	
pH, Field	2013-Sep	6.87	7.04	7.22	7.17	7.27	7.11	7.04	6.04	7.12	
pH, Field	2014-Sep	6.42	7.08	7.11	7.49	7.26	6.57	6.94	6.14	7.13	
pH, Field	2015-Sep	6.43	6.58	6.65	7.26	6.75	6.85	6.77	6.15	6.55	
pH, Field	2016-Sep	7.17	8.71	9.41	11.08	7.11	8.09	6.9	7.5	12.55	
pH, field	2017-Sep	6.86	6.9	7.54	7	6.88	6.35	6.6	6.12	7.09	
PH, FIELD	2018-Apr										
pH, field	2018-Sep	6.9	7.03	7.13	6.75	7.39	7.23	7.23	6.34	7.17	

GW Standard:

SMCL = 8.5

IPL Big Bend Closed Landfill
Historic Monitoring Results

pH, Field

UNITS: su

CHEMICAL PARAMETER	EVENT	MW-16	MW-20	MW-21	MW-23	MW-23R	MW-24	MW-24R	MW-25	MW-25R
pH, Field	1994-Oct	7.11								
pH, Field	1995-Jan	6.59								
pH, Field	1995-Apr	7.26								
pH, Field	1995-Jul	7.31								
pH, Field	1995-Oct	6.89								
pH, Field	1996-Apr	7.6								
pH, Field	1996-Oct	7.5								
pH, Field	1997-Apr	7.5								
pH, Field	1997-Oct	7.8								
pH, Field	1998-Apr	6.9								
pH, Field	1998-Oct	6.8								
pH, Field	1999-Sep	6.8								
pH, Field	2000-Sep	7.36								
pH, Field	2001-Sep	7.27	6.85							
pH, Field	2002-Sep	6.96	6.6							
pH, Field	2003-Sep	7.12	6.94							
pH, Field	2004-Sep	7.22	6.23							
pH, Field	2005-Jun							6.9		
pH, Field	2005-Sep	7.27	6.37					7.01		
pH, Field	2006-Sep	7.22	6.34					6.98		
pH, Field	2007-Sep	7.32	6.21					6.9		
pH, Field	2007-Nov									
pH, Field	2008-Sep	7.52	6.91					7.01		
pH, Field	2009-Sep	7.1	6.37					6.9		
pH, Field	2010-Aug	7.2	6.17		7.05		7.24		7.09	
pH, Field	2010-Nov			7.41						
pH, Field	2011-Feb			7.21						
pH, Field	2011-Sep	7.24	6.8	7.13			7.42		6.92	
pH, Field	2012-Sep	7.76	6.27	7.35			7.36		7.04	
pH, Field	2013-Sep	7.28	6.3	7.12			7.31		6.98	
pH, Field	2014-Sep	7.4	6.03	6.79			7.42		7.29	
pH, Field	2015-Sep	6.43	5.76	6.43			6.5		6.58	
pH, Field	2016-Sep	8.69	7.18	7.26	7.58		8.58		7.4	
pH, field	2017-Sep	7.29	6.01	6.47			7.97		7.93	
PH, FIELD	2018-Apr				<0.05		<0.05			
pH, field	2018-Sep	7.04	6.47	7.5		7.16		7.31		7.07

GW Standard:

SMCL = 8.5

IPL Big Bend Closed Landfill
Historic Monitoring Results

Temperature

UNITS: deg c

CHEMICAL PARAMETER	EVENT	MW-02	MW-05	MW-06	MW-07	MW-10	MW-11	MW-12	MW-14	MW-15A	MW-15AR
Temperature	1994-Oct		14.6	13.4	12.1	12		15.6	15.2		
Temperature	1995-Jan		9.2	10.8	10.2	11.2		11.4	11.8		
Temperature	1995-Apr		21.7	21.2	21.1	22.8		21.3	21.7		
Temperature	1995-Jul		27.9	26	26.1	26.5		27.3	27		
Temperature	1995-Oct		10.7	9	9	11.8		9.6	9.1		
Temperature	1996-Apr		10	10.5	9.5	8.5		10	10		
Temperature	1996-Oct		11	11	13	12		12	12.5		
Temperature	1997-Apr		11	11	11	11		11	12		
Temperature	1997-Oct		11	11	11	11		11	10		
Temperature	1998-Apr		12	10.5	12	11.5		10	10.5	12	
Temperature	1998-Oct		14.3	15.5	13.8	15		12.5	12.6		
Temperature	1999-Sep		12.9	11.7	14	12		12.5	12.1		
Temperature	2000-Sep		20.6	18.1	16.7	15.9		18.3	18		
Temperature	2001-Sep		13.6 SA	13.7 SA	13.5 SA	13.4 SA		14 SA	14.9 SA		
Temperature	2002-Sep		14.7 SA	15.8 SA	16.2 SA	17.7 SA		15.5 SA	14.5 SA	18.8 SA	
Temperature	2003-Sep		15.6 SA	15.1 SA	13.9 SA	21.7 SA		14.2 SA	17.6 SA		
Temperature	2004-Sep	16.2 SA	17.6 SA	16.4 SA	14.9 SA	22 SA	15.5 SA	17.4 SA	17.1 SA		
Temperature	2005-Jun										
Temperature	2005-Sep	16.4 SA	17.8 SA	13.5 SA	13.2 SA	17.5 SA	14.6 SA	14.9 SA	15.8 SA		
Temperature	2006-Sep	15.4	14.4	14	13.6	14.9	13.4	14.4	13.2		
Temperature	2007-Sep	13.1	12.6	12.2	12.4		12.2	12	13.3	12.7	
Temperature	2007-Nov					12					
Temperature	2008-Sep	14.7	12.1	12.1	11.2	15.6	12.8	13.1	12.8		14.8
Temperature	2009-Sep	16.2	14.3	14.1	13.5	14.8	13.3	16.8	15		14.2
Temperature	2010-Aug	13.7	16	13.1	12.5	16.5	14.6	14.5	12.6		14
Temperature	2010-Nov										
Temperature	2011-Feb										
Temperature	2011-Sep	16.9	18.8	17	16.6	17.5	14.8	17.1	17.3		17.7
Temperature	2012-Sep	13.38	13.51	13.95	13.03	14.12	12.87	12.8	15.79		12.65
Temperature	2013-Sep	12.7	14.7	14.2	13	15.7	12.7	12.2	15.6		16.4
Temperature	2014-Sep	17.08	13.04	13.94	12.02	16.45	24.87	13.38	18.64		14.44
Temperature	2015-Sep	12.27	15.43	14.34	13.96	17.1	13.4	11.51	12.36		13.46
Temperature	2016-Sep	16	14	14.2	14.2	15.6	15	14.5	16.5		16.5
Temperature	2017-Sep	11.6	12.7	11.9	12.8	11.9	11.9	11.5	13		12.8
TEMPERATURE	2018-Apr										
Temperature	2018-Sep	15.2	13.5	14.6	12.6	13.1	16.1	12.3	12.3		12.7

GW Standard:

None

IPL Big Bend Closed Landfill
Historic Monitoring Results

Temperature

UNITS: deg c

CHEMICAL PARAMETER	EVENT	MW-16	MW-20	MW-21	MW-23	MW-23R	MW-24	MW-24R	MW-25	MW-25R
Temperature	1994-Oct	11.7								
Temperature	1995-Jan	10								
Temperature	1995-Apr	21.1								
Temperature	1995-Jul	26.9								
Temperature	1995-Oct	9.4								
Temperature	1996-Apr	10								
Temperature	1996-Oct	14								
Temperature	1997-Apr	10								
Temperature	1997-Oct	11								
Temperature	1998-Apr	12.5								
Temperature	1998-Oct	15.5								
Temperature	1999-Sep	11								
Temperature	2000-Sep	16.5								
Temperature	2001-Sep	14.1 SA	14.1 SA							
Temperature	2002-Sep	18.1 SA	14.8 SA							
Temperature	2003-Sep	15.3 SA	14 SA							
Temperature	2004-Sep	13.7 SA	11.9 SA							
Temperature	2005-Jun							14.1		
Temperature	2005-Sep	16 SA	12.3 SA					16 SA		
Temperature	2006-Sep	15.4	13					12.9		
Temperature	2007-Sep	13	11.2					11.9		
Temperature	2007-Nov									
Temperature	2008-Sep	12.3	12.4					12.2		
Temperature	2009-Sep	13.4	13.9					13.3		
Temperature	2010-Aug	15	13.5		15.8		16.2		14.5	
Temperature	2010-Nov			11.7						
Temperature	2011-Feb			10.4						
Temperature	2011-Sep	15.8	16.4	15.9			16.5		14.3	
Temperature	2012-Sep	13.06	13.35	11.49			12.3		12.26	
Temperature	2013-Sep	13.7	13.3	13.9			19.5		13.2	
Temperature	2014-Sep	11.6	16.22	13.2			16.12		18.69	
Temperature	2015-Sep	14.87	16.91	15.25			14.44		13.24	
Temperature	2016-Sep	15.2	14.8	17	12		13		12.7	
Temperature	2017-Sep	17.2	12.1	14			14.3		11.9	
TEMPERATURE	2018-Apr				<0.25		<0.25			
Temperature	2018-Sep	12.9	12.3	13.4		14.1		14.9		13.7

GW Standard:

None

IPL Big Bend Closed Landfill
Historic Monitoring Results

Conductance, Specific

UNITS: umhos/cm

CHEMICAL PARAMETER	EVENT	MW-02	MW-05	MW-06	MW-07	MW-10	MW-11	MW-12	MW-14	MW-15A	MW-15AR
Conductance, Specific	1994-Oct		902	1005	885	754		877	992		
Conductance, Specific	1995-Jan		938	971	897	766		886	930		
Conductance, Specific	1995-Apr		885	942	833	715		862	878		
Conductance, Specific	1995-Jul		798	823	777	733		775	620		
Conductance, Specific	1995-Oct		1249	1309	1171	1109		1175	1230		
Conductance, Specific	1996-Apr		970	980	890	850		910	940		
Conductance, Specific	1996-Oct		840	960	870	820		900	880		
Conductance, Specific	1997-Apr		1020	980	930	890		940	890		
Conductance, Specific	1997-Oct		1120	1090	960	900		1020	980		
Conductance, Specific	1998-Apr		1000	830	730	880		840	970	930	
Conductance, Specific	1998-Oct		880	760	700	740		640	720		
Conductance, Specific	1999-Sep		980	800	630	800		720	660		
Conductance, Specific	2000-Sep		983	953	763	826		832	904		
Conductance, Specific	2001-Sep		983	917	747	843		806	772		
Conductance, Specific	2002-Sep		971	927	710	974		806	768	915	
Conductance, Specific	2003-Sep		990	983	740	890		815	783		
Conductance, Specific	2004-Sep	822	958	921	696	1007	815	786	779		
Conductance, Specific	2005-Jun										
Conductance, Specific	2005-Sep	767	969	974	716	884	875	805	717		
Conductance, Specific	2006-Sep	766	1005	988	737	881	873	808	718		
Conductance, Specific	2007-Sep	791	990	1005	716		890	812	827	1026	
Conductance, Specific	2007-Nov					876					
Conductance, Specific	2008-Sep	864	970	1019	751	910	923	801	787	1000	
Conductance, Specific	2009-Sep	931	912	951	725	870	849	808	725	878	
Conductance, Specific	2010-Aug	888	977	979	751	934	816	798	689	1076	
Conductance, Specific	2010-Nov										
Conductance, Specific	2011-Feb										
Conductance, Specific	2011-Sep	1056	1011	980	758	981	859	927	635	1095	
Conductance, Specific	2012-Sep	875	937	999	832	1070	896	827	638	1090	
Conductance, Specific	2013-Sep	818	962	975	810	1060	880	825	598	987	
Conductance, Specific	2014-Sep	790	571	950	748	1010	871	798	594	857	
Conductance, Specific	2015-Sep	726	887	881	659	941	804	714	477	966	
Conductance, Specific	2016-Sep	1296	1571	1587	1153	1664	1349	1358	772	1494	
Conductance, Specific	2017-Sep	841	966	493.2	641	1079	766	760	419.5	1110	
CONDUCTANCE, SPECIFIC	2018-Apr										
Conductance, Specific	2018-Sep	795	944	959	696	1012	778	807	455	1073	

GW Standard:

None

IPL Big Bend Closed Landfill
Historic Monitoring Results

Conductance, Specific

UNITS: umhos/cm

CHEMICAL PARAMETER	MW-16	MW-20	MW-21	MW-23	MW-23R	MW-24	MW-24R	MW-25	MW-25R
Conductance, Specific	821								
Conductance, Specific	813								
Conductance, Specific	710								
Conductance, Specific	688								
Conductance, Specific	1087								
Conductance, Specific	790								
Conductance, Specific	840								
Conductance, Specific	840								
Conductance, Specific	1010								
Conductance, Specific	660								
Conductance, Specific	670								
Conductance, Specific	680								
Conductance, Specific	836								
Conductance, Specific	845	920							
Conductance, Specific	772	795							
Conductance, Specific	818	932							
Conductance, Specific	789	1005							
Conductance, Specific						1190			
Conductance, Specific	790	1109				1189			
Conductance, Specific	811	977				1097			
Conductance, Specific	820	952				1072			
Conductance, Specific									
Conductance, Specific	708	860				1017			
Conductance, Specific	674	683				975			
Conductance, Specific	711	709		1062		1017		964	
Conductance, Specific			680						
Conductance, Specific			664						
Conductance, Specific	726	822	719		858		946		
Conductance, Specific	833	715	769		916		982		
Conductance, Specific	814	785	700		646		947		
Conductance, Specific	749	596	634		669		911		
Conductance, Specific	746	664	624		671		867		
Conductance, Specific	1123	1171	988	1506	1142		1483		
Conductance, Specific	716	641.8	702		883		476.5		
CONDUCTANCE, SPECIFIC				<1		<1			
Conductance, Specific	682	437	798		981		589		915

GW Standard:

None

IPL Big Bend Closed Landfill
Historic Monitoring Results

LW-01, LW-02, and LW-03

WELL ID	SAMPLE MONTH	Depth to Leachate	Leachate Elevation	Depth To Bottom	Well Dry	Arsenic	Boron	Selenium	Sulfate	pH, Field	Temperature	Conductance, Specific
LW-01	Apr-12	39.44	761.88									
LW-01	Sep-12	39.15	762.17			<5	10800	<5	461	7.3	12.79	1302
LW-01	Apr-13	40.32	761									
LW-01	Sep-13	38.69	762.63			3.7	20100	<1	829	7.32	13.4	1748
LW-01	Apr-14	40.08	761.24	41.35								
LW-01	Sep-14	38.81	762.51	41.14		7.8	20700	3.6	747	7.38	13.06	1668
LW-01	Apr-15	39.89	761.43									
LW-01	Sep-15	38.21	763.11	41.36		11.4	18600	4.8	711	6.16	13.76	1606
LW-01	Apr-16	37.95	763.37									
LW-01	Sep-16	37.55	763.77			5.1	34700	1	1060	8.45	14.8	37.6
LW-01	Apr-17		763.52									
LW-01	Sep-17		763.77			5.2	59600	0.39	1280	7.62	12.7	1996
LW-01	Apr-18		751.84									
LW-01	Sep-18		751.81			24	39000	17	1400	8.08	14.1	2264
LW-02	Apr-12	19.34	789.83									
LW-02	Sep-12	DRY	789.42		YES							
LW-02	Apr-13	19.33	789.84									
LW-02	Sep-13	19.36	789.81									
LW-02	Apr-14	19.37	789.8	19.67								
LW-02	Sep-14		789.8	19.53	YES							
LW-02	Apr-15	19.7	789.47		YES							
LW-02	Sep-15	19.17	790	19.82								
LW-02	Apr-16	19.51	789.66									
LW-02	Sep-16	19.5	789.67									
LW-02	Apr-17		789.55									
LW-02	Sep-17		789.55									
LW-02	Apr-18		778.85									
LW-02	Sep-18		778.85									
LW-03	Apr-12	37.59	771.11									
LW-03	Sep-12	37.85	770.85									
LW-03	Apr-13	37.52	771.18									
LW-03	Sep-13	37.48	771.12			10.2	494	2.3				
LW-03	Apr-14	37.67	771.03	38.33								
LW-03	Sep-14	37.57	771.13	38.21	YES							
LW-03	Apr-15	38.3	770.4		YES							
LW-03	Sep-15			38.3	YES							
LW-03	Apr-16	37.46	771.24									
LW-03	Sep-16	36	772.7									
LW-03	Apr-17		771.1									
LW-03	Sep-17		771.2			17.6	356	4	4.1			
LW-03	Apr-18		760.66									
LW-03	Sep-18		760.59									


Units for arsenic, boron, and selenium are ug/l.

Units for sulfate are mg/l.

Note: All site wells were re-surveyed on November 1, 2018. apparent changes from historical leachate elevations reflect a difference in surveyed top of casing elevations, not an acutal change in leachate levels.

Sanitas™ v.10.0.16 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Arsenic



Time Series Analysis Run 11/25/2024 4:48 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series


Constituent: Arsenic (ug/L) Analysis Run 11/25/2024 4:56 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-14	MW-15AR	MW-16
9/23/2016	19.9	1.7	0.81 (J)	0.78 (J)	0.18 (J)	0.49 (J)
9/5/2017	9.3	2.2	1.1	0.83 (J)	0.87 (J)	0.46 (J)
9/17/2018	3.5	14.2	1.3	0.73 (J)	0.7 (J)	0.6 (J)
9/23/2019	4	2.4	0.98 (J)	<0.75	<0.75	<0.75
9/21/2020			1.1 (J)			
9/22/2020		0.97 (J)		<0.88		
9/23/2020						<0.88
9/24/2020	3.2				<0.88	
9/8/2021		1.3 (J)	1.1 (J)	<0.75		
9/9/2021	1.9 (J)					<0.75
9/6/2022		2.1	1.4 (J)	0.75 (J)		
9/8/2022						<0.75
9/9/2022	3.2			<0.75		
9/11/2023			1.2 (J)	0.79 (J)		
9/12/2023		1 (J)				
9/13/2023	1.4 (J)					0.55 (J)
9/14/2023						
9/17/2024		1.1 (J)				
9/18/2024	1.7 (J)		0.6 (J)	0.62 (J)		<0.53

Sanitas™ v.10.0.16 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Arsenic



Time Series Analysis Run 11/25/2024 4:48 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series


Constituent: Arsenic (ug/L) Analysis Run 11/25/2024 4:56 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-2	MW-20	MW-25R	MW-5	MW-6	MW-7
9/23/2016	1.3	0.8 (J)	0.44 (J)	0.18 (J)	1.2	0.39 (J)
9/5/2017	1.1	0.65 (J)	0.49 (J)	0.26 (J)	0.32 (J)	0.49 (J)
9/17/2018	1.4	3	0.8 (J)	0.33 (J)	0.42 (J)	0.5 (J)
9/23/2019	0.89 (J)	<0.75	<0.75	<0.75	2.7	<0.75
9/21/2020		<0.88	<0.88			
9/22/2020	<0.88			<0.88	<0.88	
9/23/2020						<0.88
9/7/2021			<0.75			
9/8/2021	1.8 (J)	0.75 (J)				
9/9/2021				<0.75	<0.75	<0.75
9/6/2022		<0.75	<0.75			
9/7/2022	2			<0.75	1.1 (J)	
9/8/2022						<0.75
9/12/2023	2.3	0.92 (J)	<0.53 (U)			
9/13/2023				<0.53 (U)	0.79 (J)	0.55 (J)
9/16/2024		0.65 (J)				
9/17/2024	1.8 (J)		<0.53	0.55 (J)	<0.53	
9/18/2024						<0.53

Sanitas™ v.10.0.16 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Arsenic



Time Series Analysis Run 11/25/2024 4:48 PM


Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Arsenic (ug/L) Analysis Run 11/25/2024 4:56 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-21 (bg)	MW-23/23R	MW-24/24R
9/23/2016	0.57 (J)	0.59 (J)	3.4
9/5/2017	0.73 (J)		3.1
4/25/2018		0.5 (J)	4.9
9/17/2018	1.2	5.9	3.3
4/23/2019		1 (J)	2.9
9/23/2019	<0.75	0.76 (J)	2.4
9/23/2020	<0.88		
9/24/2020		<0.88	2
9/9/2021		<0.75	
9/10/2021	<0.75		1.9 (J)
9/7/2022	<0.75		
9/8/2022		<0.75	2.6
9/14/2023	0.9 (J)	<0.53 (U)	
4/25/2024			1.4 (J)
9/18/2024	0.64 (J)		
9/19/2024		<0.53	0.79 (J)

Barium



Time Series Analysis Run 11/25/2024 4:48 PM

Big Bend Closed Landfill

Client: SCS Engineers

Data: Input_File_BB


Time Series

Constituent: Barium (ug/L) Analysis Run 11/25/2024 4:56 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-14	MW-15AR	MW-16
9/23/2016	190	103	191	58.5	97.2	107
9/5/2017	154	109	190	54	128	141
9/17/2018	137	132	197	61.7	102	111
9/23/2019	140	110	200	59	130	110
9/21/2020			190			
9/22/2020		110		54		
9/23/2020					130	
9/24/2020	120				120	
9/8/2021		98 (B)	180 (B)	61 (B)		
9/9/2021	120 (B)					120 (B)
9/6/2022		130	200	55		
9/8/2022					130	
9/9/2022	130				96	
9/11/2023			170	52		
9/12/2023		90				
9/13/2023	100					110
9/14/2023						
9/17/2024		93				
9/18/2024	99		110	59		110

Barium



Time Series Analysis Run 11/25/2024 4:48 PM

Big Bend Closed Landfill

Client: SCS Engineers

Data: Input_File_BB


Time Series

Constituent: Barium (ug/L) Analysis Run 11/25/2024 4:56 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-2	MW-20	MW-25R	MW-5	MW-6	MW-7
9/23/2016	116	63.1	96.5	128	145	121
9/5/2017	94.8	52.1	93.8	131	127	118
9/17/2018	98.3	78.8	200	129	134	124
9/23/2019	100	87	110	150	160	140
9/21/2020		56	99			
9/22/2020	96			130	120	
9/23/2020						130
9/7/2021			120 (B)			
9/8/2021	500 (B)	71 (B)				
9/9/2021				130 (B)	120 (B)	120 (B)
9/6/2022		82	140			
9/7/2022	120			240	140	
9/8/2022						130
9/12/2023	82	82	160			
9/13/2023				130	120	120
9/16/2024		100				
9/17/2024	79		160	140	110	
9/18/2024						120

Barium



Time Series Analysis Run 11/25/2024 4:48 PM

Big Bend Closed Landfill

Client: SCS Engineers

Data: Input_File_BB


Time Series

Constituent: Barium (ug/L) Analysis Run 11/25/2024 4:56 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-21 (bg)	MW-23/23R	MW-24/24R
9/23/2016	178	120	150
9/5/2017	173		164
4/25/2018		159	118
9/17/2018	203	217	91.1
4/23/2019		200	91
9/23/2019	160	170	81
9/23/2020	200		
9/24/2020		120	73
9/9/2021		120 (B)	
9/10/2021	230 (B)		76 (B)
9/7/2022	230		
9/8/2022		120	98
9/14/2023	190	120	
4/25/2024			120
9/18/2024	230		
9/19/2024		120	110

Sanitas™ v.10.0.16 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Beryllium



Time Series Analysis Run 11/25/2024 4:48 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series


Constituent: Beryllium (ug/L) Analysis Run 11/25/2024 4:56 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-14	MW-15AR	MW-16
9/23/2016	0.096 (J)	<0.08	<0.08	<0.08	<0.08	<0.08
9/5/2017	0.026 (J)	<0.012	<0.012	<0.012	0.047 (J)	<0.012
9/17/2018	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12
9/23/2019	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27
9/21/2020			<0.27			
9/22/2020		<0.27		<0.27		
9/23/2020					<0.27	
9/24/2020	<0.27				<0.27	
9/8/2021		<0.27	<0.27	<0.27		
9/9/2021	<0.27					<0.27
9/6/2022		<0.27	<0.27	<0.27		
9/8/2022						<0.27
9/9/2022	<0.27				<0.27	
9/11/2023			<0.33 (U)	<0.33 (U)		
9/12/2023			<0.33 (U)			
9/13/2023	<0.33 (U)					
9/14/2023						<0.33 (U)
9/17/2024		<0.33				
9/18/2024	<0.33		<0.33	<0.33		<0.33

Sanitas™ v.10.0.16 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Beryllium



Time Series Analysis Run 11/25/2024 4:48 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Beryllium (ug/L) Analysis Run 11/25/2024 4:56 PM
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-2	MW-20	MW-25R	MW-5	MW-6	MW-7
9/23/2016	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08
9/5/2017	<0.012	<0.012	0.018 (J)	<0.012	<0.012	<0.012
9/17/2018	<0.12	0.13 (J)	<0.12	<0.12	<0.12	<0.12
9/23/2019	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27
9/21/2020		<0.27	<0.27			
9/22/2020	<0.27			<0.27	<0.27	
9/23/2020						<0.27
9/7/2021			<0.27			
9/8/2021	0.29 (J)	<0.27				
9/9/2021				<0.27	<0.27	<0.27
9/6/2022		<0.27	<0.27			
9/7/2022	<0.27			<0.27	<0.27	
9/8/2022						<0.27
9/12/2023	<0.33 (U)	<0.33 (U)	<0.33 (U)		<0.33 (U)	<0.33 (U)
9/13/2023				<0.33 (U)	<0.33 (U)	<0.33 (U)
9/16/2024		<0.33				
9/17/2024	<0.33		<0.33	<0.33	<0.33	
9/18/2024						<0.33

Sanitas™ v.10.0.16 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Beryllium



Time Series Analysis Run 11/25/2024 4:48 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Beryllium (ug/L) Analysis Run 11/25/2024 4:56 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-21 (bg)	MW-23/23R	MW-24/24R
9/23/2016	<0.08	<0.08	0.092 (J)
9/5/2017	0.03 (J)		0.05 (J)
4/25/2018		0.015 (J)	0.021 (J)
9/17/2018	<0.12	0.41 (J)	<0.12
4/23/2019		<0.27	<0.27
9/23/2019	<0.27	<0.27	<0.27
9/23/2020	<0.27		
9/24/2020		<0.27	<0.27
9/9/2021		<0.27	
9/10/2021	<0.27		<0.27
9/7/2022	<0.27		
9/8/2022		<0.27	<0.27
9/14/2023	<0.33 (U)	<0.33 (U)	
4/25/2024			<0.33
9/18/2024	<0.33		
9/19/2024		<0.33	<0.33

Sanitas™ v.10.0.16 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Boron



Time Series Analysis Run 11/25/2024 4:48 PM

Big Bend Closed Landfill

Client: SCS Engineers

Data: Input_File_BB


Time Series

Constituent: Boron (ug/L) Analysis Run 11/25/2024 4:56 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-14	MW-15AR	MW-16
9/23/2016	1450	645	<50	3240	2930	87.1 (J)
9/5/2017	4010	733	83.4 (J)	2290	5670	823
9/17/2018	1560	556	30.4 (J)	2070	3940	300
9/23/2019	2400	620	<110	2600	5000	110 (J)
9/21/2020			<80			
9/22/2020		530		1900		
9/23/2020						810
9/24/2020	1700				6800	
9/8/2021		430	<58	1800		
9/9/2021	1800					1300
9/6/2022		490	<58	1600		
9/8/2022						1800
9/9/2022	2000				3300	
9/11/2023			<76 (U)	1700		
9/12/2023		420				
9/13/2023	1400					520
9/14/2023						
9/17/2024		400				
9/18/2024	1300		<76	1500		1900

Boron



Time Series Analysis Run 11/25/2024 4:48 PM

Big Bend Closed Landfill

Client: SCS Engineers

Data: Input_File_BB

Time Series


Constituent: Boron (ug/L) Analysis Run 11/25/2024 4:56 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-2	MW-20	MW-25R	MW-5	MW-6	MW-7
9/23/2016	1370	939	269	890	1020	371
9/5/2017	1930	3660	178	1310	1190	325
9/17/2018	1490	1260	290	809	1120	232
9/23/2019	1700	2700	190 (J)	1400	1300	300
9/21/2020		3200	170			
9/22/2020	1800			1300	1100	
9/23/2020						300
9/7/2021			110			
9/8/2021	1300	2900				
9/9/2021				950	1000	210
9/6/2022		1600	320			
9/7/2022	1100			1000	1100	
9/8/2022						230
9/12/2023	1100	1800	310			
9/13/2023				880	940	210
9/16/2024		2300				
9/17/2024	950		310	750	1100	
9/18/2024						200

Sanitas™ v.10.0.16 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Boron



Time Series Analysis Run 11/25/2024 4:48 PM


Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Boron (ug/L) Analysis Run 11/25/2024 4:56 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-21 (bg)	MW-23/23R	MW-24/24R
9/23/2016	81 (J)	2740	879
9/5/2017	110		2480
4/25/2018		2910	44.3 (J)
9/17/2018	97.6 (J)	2800	18.3 (J)
4/23/2019		2800	<110
9/23/2019	160 (J,B)	22000 (B)	<110
9/23/2020	120		
9/24/2020		1600	<80
9/9/2021		520	
9/10/2021	63 (J)		<58
9/7/2022	63 (J)		
9/8/2022		540	<58
9/14/2023	94 (J)	400	
4/25/2024			300
9/18/2024	90 (J)		
9/19/2024		490	700

Calcium



Time Series Analysis Run 11/25/2024 4:48 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Calcium (mg/L) Analysis Run 11/25/2024 4:56 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-14	MW-16	MW-2
9/11/2023			110	49		
9/12/2023		120				110
9/13/2023	130					
9/14/2023				93		
9/17/2024		120				110
9/18/2024	130		110	57	110	

Calcium



Time Series Analysis Run 11/25/2024 4:48 PM


Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Calcium (mg/L) Analysis Run 11/25/2024 4:56 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-20	MW-25R	MW-5	MW-6	MW-7	MW-21 (bg)
9/12/2023	74		120			
9/13/2023				140	130	96
9/14/2023						140
9/16/2024	93					
9/17/2024		130		140	140	
9/18/2024					110	170

Calcium



Time Series Analysis Run 11/25/2024 4:48 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Calcium (mg/L) Analysis Run 11/25/2024 4:56 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-23/23R	MW-24/24R
9/14/2023	110	
4/25/2024		100
9/19/2024	120	110

Sanitas™ v.10.0.16 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Chloride




Time Series

Constituent: Chloride (mg/L) Analysis Run 11/25/2024 4:56 PM
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-14	MW-15AR	MW-16
10/1/1994			<5 (X)			
1/1/1995			<5 (X)			
4/1/1995			<5 (X)			
7/1/1995			<5 (X)			
10/1/1995			<5 (X)			
4/1/1996			4.3 (X)			
10/1/1996			2.6 (X)			
4/1/1997			<5 (X)			
10/1/1997			<5 (X)			
4/1/1998			<5 (X)			
10/1/1998			<5 (X)			
9/1/1999			<5 (X)			
9/1/2000			<5 (X)			
9/1/2001			5.6 (X)			
9/1/2002			<5 (X)			
9/1/2003			<5 (X)			
9/1/2004			<5 (X)			
9/1/2005			<5 (X)			
9/1/2006			<5 (X)			
9/1/2007			<5 (X)			
9/1/2008			<5 (X)			
9/1/2009			<5 (X)			
8/1/2010			<5 (X)			
9/1/2011			<5 (X)			
9/1/2012			<5 (X)			
9/1/2013			2.7			
9/1/2014			2.4			
9/1/2015			2.6			
9/23/2016	19	10.8	2.7	2.1	14.7	7
9/5/2017	20.4	10.2	2.8	1.8	19	9.8
9/17/2018	21.3	10.1	2.4	1.7	23.7	9.2
9/23/2019	16	9.8	2.2 (J)	1.9 (J)	16	6
9/21/2020			3.2 (J)			
9/22/2020		18		3.1 (J)		
9/23/2020					10	
9/24/2020	16				20	
9/8/2021		18	3.5 (J)	3.5 (J)		
9/9/2021	16					9.1
9/6/2022		17	3.1 (J)	4.6 (J)		
9/8/2022					8.3	
9/9/2022	12				17	
9/11/2023			3.1 (J)	8.3		
9/12/2023		19				
9/13/2023	11					8.8
9/14/2023						
9/17/2024		21				
9/18/2024	11		7	13		9.1

Chloride



Time Series Analysis Run 11/25/2024 4:48 PM

Big Bend Closed Landfill

Client: SCS Engineers

Data: Input_File_BB


Time Series

Constituent: Chloride (mg/L) Analysis Run 11/25/2024 4:56 PM
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-2	MW-20	MW-25R	MW-5	MW-6	MW-7
9/23/2016	9.5	8	19.7	14.5	17.7	6.4
9/5/2017	13	2.4	17.6	17.4	15.4	6
9/17/2018	8.9	9.2	12.9	14.6	17	6.1
9/23/2019	8.8	2.7 (J)	13	16	12	5.8
9/21/2020		4.1 (J)	14			
9/22/2020	8.8			13	12	
9/23/2020						7.3
9/7/2021			17			
9/8/2021	8.4	3.5 (J)				
9/9/2021				11	11	7.4
9/6/2022		29	18			
9/7/2022	6.9			10	11	
9/8/2022						6.6
9/12/2023	5.6	12	25			
9/13/2023				9.9	11	6.8
9/16/2024		39				
9/17/2024	9.1		32	9	13	
9/18/2024						5.5

Sanitas™ v.10.0.16 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Chloride



Time Series Analysis Run 11/25/2024 4:48 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Chloride (mg/L) Analysis Run 11/25/2024 4:56 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-21 (bg)	MW-23/23R	MW-24/24R
11/1/2010	13.9		
2/1/2011	11.7		
9/1/2011	28.8		
9/1/2012	12.6		
9/1/2013	10.8		
9/1/2014	4.7		
9/1/2015	4		
9/23/2016	30.3	19.6	8
9/5/2017	44.1 (X)		13.4
4/25/2018		15.4	4.5
9/17/2018	85.2 (X)	21.1	1.6
4/23/2019		14	3.4 (J)
9/23/2019	58 (X)	13	<1.5
9/23/2020	110 (X)		
9/24/2020		12	<2
9/9/2021		9.5	
9/10/2021	150 (X)		0.59 (J)
9/7/2022	140 (X)		
9/8/2022		9.4	<2.3
9/14/2023	150 (X)	12	
4/25/2024			8.2
9/18/2024	210		
9/19/2024		13	13

Sanitas™ v.10.0.16 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Cobalt



Time Series Analysis Run 11/25/2024 4:48 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series


Constituent: Cobalt (ug/L) Analysis Run 11/25/2024 4:56 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-14	MW-15AR	MW-16
9/23/2016	0.68 (J)	<0.5	0.57 (J)	1.7	<0.5	<0.5
9/5/2017	0.31 (J)	0.61 (J)	0.46 (J)	0.4 (J)	0.66 (J)	0.12 (J)
9/17/2018	0.22 (J)	2.3	0.44 (J)	1.1	0.34 (J)	0.22 (J)
9/23/2019	0.2 (J)	0.89	0.4 (J)	0.49 (J)	0.13 (J)	0.16 (J)
9/21/2020			0.4 (J)			
9/22/2020		0.37 (J)		0.5		
9/23/2020					<0.091	
9/24/2020	0.14 (J)				<0.091	
9/8/2021		0.69	0.49 (J)	1.2		
9/9/2021	<0.19					<0.19
9/6/2022		1.2	0.43 (J)	1.7		
9/8/2022					<0.19	
9/9/2022	0.19 (J)				<0.19	
9/11/2023			0.35 (J)	0.2 (J)		
9/12/2023		0.4 (J)				
9/13/2023	<0.17 (U)					
9/14/2023					0.29 (J)	
9/17/2024		4.6				
9/18/2024	<0.17		0.21 (J)	<0.17		<0.17

Sanitas™ v.10.0.16 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Cobalt



Time Series Analysis Run 11/25/2024 4:48 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Cobalt (ug/L) Analysis Run 11/25/2024 4:56 PM
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-2	MW-20	MW-25R	MW-5	MW-6	MW-7
9/23/2016	2.1	<0.5	<0.5	<0.5	<0.5	<0.5
9/5/2017	2.2	0.078 (J)	0.2 (J)	0.043 (J)	0.8 (J)	0.024 (J)
9/17/2018	2.4	1.1	0.82 (J)	<0.15	0.2 (J)	<0.15
9/23/2019	2	0.12 (J)	0.26 (J)	<0.091	0.71	0.25 (J)
9/21/2020		<0.091	<0.091			
9/22/2020	4			<0.091	0.13 (J)	
9/23/2020						<0.091
9/7/2021			0.89			
9/8/2021	5	0.35 (J)				
9/9/2021				<0.19	0.23 (J)	<0.19
9/6/2022		<0.19	<0.19			
9/7/2022	4.5 (D)			0.2 (J)	0.44 (J)	
9/8/2022						<0.19
9/12/2023	2.3	<0.17 (U)	<0.17 (U)			
9/13/2023				<0.17 (U)	0.34 (J)	<0.17 (U)
9/16/2024		<0.17				
9/17/2024	2.1		<0.17	0.21 (J)	0.39 (J)	
9/18/2024						<0.17

Sanitas™ v.10.0.16 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Cobalt



Time Series Analysis Run 11/25/2024 4:48 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Cobalt (ug/L) Analysis Run 11/25/2024 4:56 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-21 (bg)	MW-23/23R	MW-24/24R
9/23/2016	<0.5	<0.5	1.3
9/5/2017	0.52 (J)	0.3 (J)	0.67 (J)
4/25/2018		0.3 (J)	0.72 (J)
9/17/2018	0.75 (J)	3.7	0.37 (J)
4/23/2019		2.7	0.9
9/23/2019	0.23 (J)	3.1	4.7
9/23/2020	0.18 (J)		
9/24/2020		<0.091	24
9/9/2021		0.31 (J)	
9/10/2021	<0.19		61
9/7/2022	<0.19		
9/8/2022		<0.19	94.5 (D)
9/14/2023	<0.17 (U)	<0.17 (U)	
4/25/2024			94
9/18/2024	<0.17		
9/19/2024		<0.17	8.2

Sanitas™ v.10.0.16 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Copper



Time Series Analysis Run 11/25/2024 4:48 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series


Constituent: Copper (ug/L) Analysis Run 11/25/2024 4:56 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-14	MW-15AR	MW-16
9/23/2016	2.5	1.6	0.57 (J)	1.9	0.18 (J)	0.21 (J)
9/5/2017	1	0.35 (J)	0.24 (J)	1	1.6	0.31 (J)
9/17/2018	5.7	9	<0.48	1.4	1.1	2.5
9/23/2019	<2	<2	<2	9.9	<2	<2
9/21/2020			<1.5			
9/22/2020		<1.5		<1.5		
9/23/2020					1.5 (J)	
9/24/2020	<1.5				<1.5	
9/8/2021		<1.4	<1.4	1.5 (J)		
9/9/2021	<1.4					<1.4
9/6/2022		<1.8	<1.8	3.5 (J)		
9/8/2022					<1.8	
9/9/2022	<1.8				<1.8	
9/11/2023			<1.8 (U)	<1.8 (U)		
9/12/2023			<1.8 (U)			
9/13/2023	<1.8 (U)					
9/14/2023					<1.8 (U)	
9/17/2024		<1.8				
9/18/2024	2.5 (J)		<1.8	<1.8		<1.8

Sanitas™ v.10.0.16 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Copper



Time Series Analysis Run 11/25/2024 4:49 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series


Constituent: Copper (ug/L) Analysis Run 11/25/2024 4:56 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-2	MW-20	MW-25R	MW-5	MW-6	MW-7
9/23/2016	2.1	1.6	1.6	0.6 (J)	1.3	0.95 (J)
9/5/2017	0.8 (J)	0.67 (J)	1.8	0.43 (J)	0.2 (J)	0.36 (J)
9/17/2018	1.6	3.2	2.6	1.8	2.4	1.7
9/23/2019	<2	<2	<2	<2	2.4 (J)	<2
9/21/2020		<1.5	<1.5			
9/22/2020	<1.5			<1.5	1.6 (J)	
9/23/2020						<1.5
9/7/2021			1.5 (J)			
9/8/2021	7.5	1.5 (J)				
9/9/2021				<1.4	<1.4	<1.4
9/6/2022		<1.8	<1.8			
9/7/2022	<1.8			<1.8	<1.8	
9/8/2022						<1.8
9/12/2023	<1.8 (U)	<1.8 (U)	<1.8 (U)			
9/13/2023				<1.8 (U)	<1.8 (U)	<1.8 (U)
9/16/2024		<1.8				
9/17/2024	<1.8		<1.8	<1.8	<1.8	
9/18/2024						<1.8

Sanitas™ v.10.0.16 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Copper



Time Series Analysis Run 11/25/2024 4:49 PM


Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Copper (ug/L) Analysis Run 11/25/2024 4:56 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-21 (bg)	MW-23/23R	MW-24/24R
9/23/2016	1.7	0.26 (J)	7.7
9/5/2017	1.9		6.8
4/25/2018		1.6	4.6
9/17/2018	2.8	16.7	1.2
4/23/2019		13	<2
9/23/2019	<2	10	<2
9/23/2020	<1.5		
9/24/2020		<1.5	<1.5
9/9/2021		<1.4	
9/10/2021	<1.4		<1.4
9/7/2022	<1.8		
9/8/2022		<1.8	<1.8
9/14/2023	<1.8 (U)	<1.8 (U)	
4/25/2024			<1.8
9/18/2024	<1.8		
9/19/2024		<1.8	<1.8

Dissolved Oxygen



Time Series Analysis Run 11/25/2024 4:49 PM

Big Bend Closed Landfill

Client: SCS Engineers


Data: Input_File_BB

Time Series

Constituent: Dissolved Oxygen (mg/L) Analysis Run 11/25/2024 4:56 PM
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-14	MW-15AR	MW-16
9/23/2016	1.15	1.65	1.02	1.45	3.92	1.65
9/5/2017	1.55	3.24	0.14	4.04	5.4	1.75
9/17/2018	3.02	5.42	0.34	0.58	5.08	2.87
9/23/2019	0.79	2.06	0.34	0.21	8.95	0.43
9/21/2020			0.24			
9/22/2020		4.21		1.45		
9/23/2020					0.7	
9/24/2020	0.36				4.36	
9/8/2021		5.68	1.04	2.52		
9/9/2021	0.5					0.89
9/6/2022		1.44	0.35	7.44		
9/8/2022						0.81
9/9/2022	0.54				6.2	
9/11/2023			0.59	0.91		
9/12/2023		1.67				
9/13/2023	2.85					
9/14/2023					0.7	
9/17/2024		0.9				
9/18/2024	9.07		1.37	2.64		1.34

Dissolved Oxygen



Time Series Analysis Run 11/25/2024 4:49 PM


Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Dissolved Oxygen (mg/L) Analysis Run 11/25/2024 4:56 PM
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-2	MW-20	MW-25R	MW-5	MW-6	MW-7
9/23/2016	1.93	2.44	4.31	3.47	1.4	2.22
9/5/2017	0.56	1.42	10.84	2.53	6.13	0.73
9/17/2018	0.53	2.7	5.04	4.62	0.43	0.95
9/23/2019	1.48	4.84	6.72	3.98	0.49	0.68
9/21/2020		2.11	4.06			
9/22/2020	0.33			3.94	0.45	
9/23/2020						1.04
9/7/2021			7.61			
9/8/2021	6	2.62			0.94	
9/9/2021				4.86		1.15
9/6/2022		2.51	6.87			
9/7/2022	0.35			3.18	1.68	
9/8/2022						1.19
9/12/2023	0.21	2.39	6.51			
9/13/2023				6.24	0.41	1.71
9/16/2024		5.43				
9/17/2024	3.97		7.7	7.42	5.58	
9/18/2024						0.87

Dissolved Oxygen



Time Series Analysis Run 11/25/2024 4:49 PM


Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Dissolved Oxygen (mg/L) Analysis Run 11/25/2024 4:56 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-21 (bg)	MW-23/23R	MW-24/24R
9/23/2016	3	8.64	16.86
9/5/2017	0.18		6.26
4/25/2018		2.88	1.73
9/17/2018	9.89	4.81	0.41
4/23/2019		7.42	2.3
9/23/2019	1.39	4.64	0.38
9/23/2020	1.97		
9/24/2020		5.82	0.36
9/9/2021		6.16	
9/10/2021	3.02		0.35
9/7/2022	4.64		
9/8/2022		5.96	3.51
9/14/2023	6	6.26	
4/25/2024			1.68
9/18/2024	4.59		
9/19/2024		6.48	7.16

Field pH



Time Series Analysis Run 11/25/2024 4:49 PM

Big Bend Closed Landfill

Client: SCS Engineers

Data: Input_File_BB


Time Series

Constituent: Field pH (SU) Analysis Run 11/25/2024 4:56 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-14	MW-15AR	MW-16
9/23/2016	7.11	8.09	6.9	7.5	12.55	8.69
9/5/2017	6.88	6.35	6.6	6.12	7.09	7.29
9/17/2018	7.39	7.23	7.23	6.34	7.17	7.04
9/23/2019	6.46	7.06	6.84	5.88	6.92	6.98
9/21/2020			8.7			
9/22/2020		7.77		6.37		
9/23/2020						7.43
9/24/2020	7.11				6.96	
9/8/2021		7.03	6.97	6.02		
9/9/2021	7.05					7.2
9/6/2022		6	6.87	6.56		
9/8/2022						6.74
9/9/2022	7.04				6.95	
9/11/2023			6.88	5.9		
9/12/2023		6.73				
9/13/2023	6.88					
9/14/2023						7.06
9/17/2024		6.8				
9/18/2024	7.39		7.19	6.01		7.01

Field pH



Time Series Analysis Run 11/25/2024 4:49 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Field pH (SU) Analysis Run 11/25/2024 4:56 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-2	MW-20	MW-25R	MW-5	MW-6	MW-7
9/23/2016	7.17	7.18	7.4	8.71	9.41	11.08
9/5/2017	6.86	6.01	7.93	6.9	7.54	7
9/17/2018	6.9	6.47	7.07	7.03	7.13	6.75
9/23/2019	7.03	4.61	6.75	6.69	6.92	6.94
9/21/2020		8.41	8.05			
9/22/2020	7.36			7.43	8.44	
9/23/2020						7.19
9/7/2021			6.95			
9/8/2021	6.77	6.25				
9/9/2021				6.99	7.05	7.15
9/6/2022		6.08	7.02			
9/7/2022	6.75			5.95	6.93	
9/8/2022						6.66
9/12/2023	6.37	6.14	6.75			
9/13/2023				6.86	6.81	6.93
9/16/2024		6.12				
9/17/2024	6.55		6.95	7	7	
9/18/2024						7.04

Field pH



Time Series Analysis Run 11/25/2024 4:49 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Field pH (SU) Analysis Run 11/25/2024 4:56 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-21 (bg)	MW-23/23R	MW-24/24R
9/23/2016	7.26	7.58	8.58
9/5/2017	6.47		7.97
4/25/2018		7.15	7.18
9/17/2018	7.5	7.16	7.31
4/23/2019		7.23	7.8
9/23/2019	6.68	6.92	7.13
9/23/2020	7.08		
9/24/2020		7.28	7.42
9/9/2021		7.12	
9/10/2021	6.68		7.11
9/7/2022	6.81		
9/8/2022		6.54	7.19
9/14/2023	6.73	6.91	
4/25/2024			6.96
9/18/2024	6.54		
9/19/2024		6.83	6.89

Field Specific Conductance



Time Series Analysis Run 11/25/2024 4:49 PM

Big Bend Closed Landfill

Client: SCS Engineers


Data: Input_File_BB

Time Series

Constituent: Field Specific Conductance (umhos/cm) Analysis Run 11/25/2024 4:56 PM
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-14	MW-15AR	MW-16
9/23/2016	1664	1349	1358	772	1494	1123
9/5/2017	1079	766	760	419.5	1110	716
9/17/2018	1012	778	807	455	1073	682
9/23/2019	990	779	583	308	1113	475
9/21/2020			767			
9/22/2020		780		424.1		
9/23/2020					742	
9/24/2020	960				1225	
9/8/2021		783	776	435		
9/9/2021	960					759
9/6/2022		775	715	468.1		
9/8/2022					666	
9/9/2022	882				1099	
9/11/2023			839	429.5		
9/12/2023		868				
9/13/2023	974					744
9/14/2023						
9/17/2024		978				
9/18/2024	1070		923	515		915

Field Specific Conductance



Time Series Analysis Run 11/25/2024 4:49 PM

Big Bend Closed Landfill

Client: SCS Engineers

Data: Input_File_BB


Time Series

Constituent: Field Specific Conductance (umhos/cm) Analysis Run 11/25/2024 4:56 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-2	MW-20	MW-25R	MW-5	MW-6	MW-7
9/23/2016	1296	1171	1483	1571	1587	1153
9/5/2017	841	641.8	476.5	966	493.2	641
9/17/2018	795	437	915	944	959	696
9/23/2019	786	634	822	734	654	488
9/21/2020		690	817			
9/22/2020	822			1003	884	
9/23/2020						688
9/7/2021			838			
9/8/2021	756	662				
9/9/2021				945	852	669
9/6/2022		478.4	889			
9/7/2022	744			1282	912	
9/8/2022						588.9
9/12/2023	792	611	950			
9/13/2023				989	992	749
9/16/2024		753				
9/17/2024	835		1027	1053	1079	
9/18/2024						834

Field Specific Conductance



Time Series Analysis Run 11/25/2024 4:49 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Field Specific Conductance (umhos/cm) Analysis Run 11/25/2024 4:56 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-21 (bg)	MW-23/23R	MW-24/24R
9/23/2016	988	1506	1142
9/5/2017	702		883
4/25/2018		1610	1008
9/17/2018	798	981	589
4/23/2019		967	613
9/23/2019	685	699	428
9/23/2020	893		
9/24/2020		859	579
9/9/2021		752	
9/10/2021	1036		590.8
9/7/2022	1083		
9/8/2022		666	496.1
9/14/2023	1149	819	
4/25/2024			732
9/18/2024	1457		
9/19/2024		919	936

Sanitas™ v.10.0.16 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Fluoride



Time Series Analysis Run 11/25/2024 4:49 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series


Constituent: Fluoride (mg/L) Analysis Run 11/25/2024 4:56 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-14	MW-16	MW-2
9/11/2023			<0.38 (U)	<0.38 (U)		
9/12/2023		<0.38 (U)				<0.38 (U)
9/13/2023		<0.38 (U)				
9/14/2023					<0.38 (U)	
9/17/2024			<0.38			<0.38
9/18/2024		<0.38		<0.38		<0.38

Sanitas™ v.10.0.16 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Fluoride



Time Series Analysis Run 11/25/2024 4:49 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series


Constituent: Fluoride (mg/L) Analysis Run 11/25/2024 4:56 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-20	MW-25R	MW-5	MW-6	MW-7	MW-21 (bg)
9/12/2023	<0.38 (U)		<0.38 (U)			
9/13/2023				<0.38 (U)	<0.38 (U)	
9/14/2023						<0.38 (U)
9/16/2024	<0.38					
9/17/2024		0.49 (J)		<0.38		<0.38
9/18/2024					<0.38	<0.38

Sanitas™ v.10.0.16 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Fluoride




Time Series Analysis Run 11/25/2024 4:49 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Fluoride (mg/L) Analysis Run 11/25/2024 4:56 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-23/23R	MW-24/24R
9/14/2023	<0.38 (U)	
4/25/2024		<0.38
9/19/2024	<0.38	<0.38

Groundwater Elevation



Time Series Analysis Run 11/25/2024 4:49 PM


Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Groundwater Elevation (feet) Analysis Run 11/25/2024 4:57 PM
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-13	MW-14	MW-15AR
4/1/2016	730.04	737.41	737.23	773.87	774.17	730.09
9/23/2016	732.17	739.21	739.05	775.51	776.97	731.95
4/1/2017	731.27	739.14	739.04	775.01	775.17	731.2
9/5/2017	728.95	738.2	737.7	772.53	772.82	728.88
4/25/2018	716.1465	723.9643	723.5664	759.1341	759.5356	716.03
9/17/2018	714.7965	722.3643	722.3064	758.6141	758.8656	714.89
4/23/2019	719.4365	726.3043	726.3964	763.0741	763.3256	719.44
9/23/2019	718.7665	727.6043	727.1164	762.1441	762.4456	718.74
4/21/2020				762.61		
9/21/2020			725.66	761.76		
9/22/2020		726.21			761.94	
9/24/2020	717.3					717.59
9/8/2021		724.48	724.06		759.94	
9/9/2021	714.74			760.28		715.69
9/6/2022		722.7	722.52		759.86	
9/9/2022	714.05					713.99
9/11/2023			721.9		759.33	
9/12/2023		722.14		758.64		
9/13/2023	713.82					
9/17/2024		721.02				
9/18/2024	712.37		721.02		758.53	

Groundwater Elevation



Time Series Analysis Run 11/25/2024 4:49 PM

Big Bend Closed Landfill

Client: SCS Engineers


Data: Input_File_BB

Time Series

Constituent: Groundwater Elevation (feet) Analysis Run 11/25/2024 4:57 PM
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-16	MW-17R	MW-18	MW-2	MW-20	MW-25R
4/1/2016	720.76	720.86	758.37	743.15	772.22	766.02
9/23/2016	722.77	722.61	758.22	744.19	773.31	767.17
4/1/2017	722.96	722.86	757.87	743.99	773.16	766.82
9/5/2017	717.24	719.31	758.42	743.99	771.19	766.34
4/25/2018	705.3648	708.5728	744.1449	731.1388	757.8623	753.6187
9/17/2018	706.5848	708.4828	743.4149	730.5288	757.2523	751.2687
4/23/2019	711.0948	711.0528	747.9749	731.3988	761.3123	754.9487
9/23/2019	706.8948	708.5928	748.2749	733.6188	759.8223	756.3787
4/21/2020		709.27	746.57			
9/21/2020		708.61	747.14		760.11	755.38
9/22/2020				732.42		
9/23/2020	705.71					
9/7/2021						754.01
9/8/2021				731.84	759.01	
9/9/2021	704	708.58	746.92			
9/6/2022					758.2	752.35
9/7/2022				731.25		
9/8/2022	702.2					
9/12/2023		708.55	743.66	731.05	757.61	751.77
9/14/2023	700.25					
9/16/2024					756.86	
9/17/2024				730.86		750.25
9/18/2024	701.45					

Groundwater Elevation



Time Series Analysis Run 11/25/2024 4:49 PM


Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Groundwater Elevation (feet) Analysis Run 11/25/2024 4:57 PM
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-5	MW-6	MW-7	MW-8R	MW-21 (bg)	MW-8
4/1/2016	733.75	734.9	727.93	727.43		
9/23/2016	736.37	737.25	729.45		785.54	728.94
4/1/2017	735.09	736.38	729.16		779.67	728.78
9/5/2017	733.47	735.01	724.49		777.34	723.65
4/25/2018	721.5403	722.5274	712.5044	712.385	763.5023	
9/17/2018	720.0603	721.3174	710.1244	711.885	763.8023	
4/23/2019	722.9203	724.1674	717.5244	717.425	768.1923	
9/23/2019	722.8403	724.4274	713.8844	712.995	765.2623	
4/21/2020				713.79		
9/21/2020				721.66		
9/22/2020	722.52	723.4				
9/23/2020			712.7		766.48	
9/9/2021	721.63	721.94	710.87	711.89		
9/10/2021					764.83	
9/7/2022	720.5	722.27			764.45	
9/8/2022			709.39			
9/12/2023				711.91		
9/13/2023	720.36	721.09	708.66			
9/14/2023					763.37	
9/17/2024	721.65	719.93				
9/18/2024			708.78		762.46	

Groundwater Elevation



Time Series Analysis Run 11/25/2024 4:49 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Groundwater Elevation (feet) Analysis Run 11/25/2024 4:57 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-23/23R	MW-24/24R
4/1/2016	721.62	721.76
9/23/2016	723.89	723.84
4/1/2017	723.7	723.8
9/5/2017	721.48	718.93
4/25/2018	705.67	705.63
9/17/2018	707.41	707.32
4/23/2019	711.8	710.87
9/23/2019	707.94	707.87
9/24/2020	706.64	705.82
9/9/2021	704.82	
9/10/2021		714.69
9/8/2022	702.85	701.81
9/14/2023	701.13	
4/25/2024		701.25
9/19/2024	702.09	701.93

Sanitas™ v.10.0.16 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Iron



Time Series Analysis Run 11/25/2024 4:49 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series


Constituent: Iron (ug/L) Analysis Run 11/25/2024 4:57 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-14	MW-15AR	MW-16
9/23/2016	10900	193	1590	838	145	187
9/5/2017	4750	154	1710	34.3 (J)	1280	<9.6
9/17/2018	1730	2930	1710	213	951	157
9/23/2019	1700	160	1600	67 (J)	88 (J)	<66
9/21/2020			1800			
9/22/2020		<50		<50		
9/23/2020					<50	
9/24/2020	1600				<50	
9/8/2021		82 (J)	1700	200		
9/9/2021	910					53 (J)
9/6/2022		430	1900	370		
9/8/2022						59 (J)
9/9/2022	1600				<36	
9/11/2023			1700	54 (J)		
9/12/2023		<36 (U)				
9/13/2023	510					
9/14/2023						190
9/17/2024		160				
9/18/2024	730		220	<36		
						41 (J)

Sanitas™ v.10.0.16 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Iron



Time Series Analysis Run 11/25/2024 4:49 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series


Constituent: Iron (ug/L) Analysis Run 11/25/2024 4:57 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-2	MW-20	MW-25R	MW-5	MW-6	MW-7
9/23/2016	12600	648	835	363	3010	77.8
9/5/2017	6860	60.7	479	48.8 (J)	240	11.4 (J)
9/17/2018	9690	4680	1870	139	403	35.6 (J)
9/23/2019	7500	93 (J)	270	<66	12000	180
9/21/2020		<50	<50			
9/22/2020	2800			<50	290	
9/23/2020						<50
9/7/2021			610			
9/8/2021	40000	180				
9/9/2021				71 (J)	270	<36
9/6/2022		40 (J)	56 (J)			
9/7/2022	14000			70 (J)	4300	
9/8/2022						<36
9/12/2023	12000	60 (J)	<36 (U)			
9/13/2023				140	2100	<36 (U)
9/16/2024		80 (J)				
9/17/2024	12000		120	130	650	
9/18/2024						92 (J)

Sanitas™ v.10.0.16 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Iron



Time Series Analysis Run 11/25/2024 4:49 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Iron (ug/L) Analysis Run 11/25/2024 4:57 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-21 (bg)	MW-23/23R	MW-24/24R
9/23/2016	110	317	3660
9/5/2017	644		2780
4/25/2018		493	793
9/17/2018	1170	15400	755
4/23/2019		1400	530
9/23/2019	110	2200	510
9/23/2020	78 (J)		
9/24/2020		90 (J)	380
9/9/2021		240	
9/10/2021	<36		470
9/7/2022	<36		
9/8/2022		40 (J)	310
9/14/2023	100	<36 (U)	
4/25/2024			<36
9/18/2024	280		
9/19/2024		<36	190

Sanitas™ v.10.0.16 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Lead



Time Series Analysis Run 11/25/2024 4:49 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series


Constituent: Lead (ug/L) Analysis Run 11/25/2024 4:57 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-14	MW-15AR	MW-16
9/23/2016	3.2	0.43 (J)	<0.19	0.48 (J)	0.37 (J)	0.26 (J)
9/5/2017	2.5	0.089 (J)	0.038 (J)	0.11 (J)	2.9	0.1 (J)
9/17/2018	1.5	4.2	<0.12	0.21 (J)	1.8	0.3 (J)
9/23/2019	0.69	<0.27	<0.27	0.47 (J)	1.6	<0.27
9/21/2020			0.17 (J)			
9/22/2020		0.26 (J)		<0.11		
9/23/2020					0.42 (J)	
9/24/2020	0.56				<0.11	
9/8/2021		0.29 (J)	<0.21	0.24 (J)		
9/9/2021	0.47 (J)					0.25 (J)
9/6/2022		0.25 (J)	<0.24	0.28 (J)		
9/8/2022						<0.24
9/9/2022	0.88				<0.24	
9/11/2023			<0.24 (U)	<0.24 (U)		
9/12/2023		<0.24 (U)				
9/13/2023	0.37 (J)					<0.24 (U)
9/14/2023						
9/17/2024		0.37 (J)				
9/18/2024	0.54		0.31 (J)	<0.26		<0.26

Sanitas™ v.10.0.16 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Lead



Time Series


Constituent: Lead (ug/L) Analysis Run 11/25/2024 4:57 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-2	MW-20	MW-25R	MW-5	MW-6	MW-7
9/23/2016	0.52 (J)	0.57 (J)	0.55 (J)	0.44 (J)	0.96 (J)	0.41 (J)
9/5/2017	0.075 (J)	0.099 (J)	0.32 (J)	0.12 (J)	0.13 (J)	0.1 (J)
9/17/2018	0.2 (J)	2.2	1.1	0.14 (J)	0.3 (J)	0.15 (J)
9/23/2019	<0.27	<0.27	0.68	<0.27	0.4 (J)	0.69
9/21/2020		<0.11	<0.11			
9/22/2020	0.26 (J)			0.13 (J)	0.22 (J)	
9/23/2020						0.39 (J)
9/7/2021			1.4			
9/8/2021	1.5	0.68				
9/9/2021				0.26 (J)	0.21 (J)	<0.21
9/6/2022		<0.24	<0.24			
9/7/2022	0.56			0.26 (J)	0.3 (J)	
9/8/2022						<0.24
9/12/2023	0.36 (J)	<0.24 (U)	<0.24 (U)			
9/13/2023				0.38 (J)	0.37 (J)	<0.24 (U)
9/16/2024		<0.26				
9/17/2024	<0.26		<0.26	0.42 (J)	<0.26	
9/18/2024						0.27 (J)

Sanitas™ v.10.0.16 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Lead



Time Series Analysis Run 11/25/2024 4:49 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Lead (ug/L) Analysis Run 11/25/2024 4:57 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-21 (bg)	MW-23/23R	MW-24/24R
9/23/2016	<0.19	0.41 (J)	6.2
9/5/2017	1.1		3.6
4/25/2018		0.66 (J)	1.4
9/17/2018	1.7	15.5	0.27 (J)
4/23/2019		8	<0.27
9/23/2019	0.52	8.1	<0.27
9/23/2020	0.46 (J)		
9/24/2020		0.29 (J)	0.12 (J)
9/9/2021		0.8	
9/10/2021	<0.21		<0.21
9/7/2022	<0.24		
9/8/2022		<0.24	0.34 (J)
9/14/2023	0.37 (J)	<0.24 (U)	
4/25/2024			<0.26
9/18/2024	0.29 (J)		
9/19/2024		<0.26	<0.26

Lithium



Time Series Analysis Run 11/25/2024 4:49 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Lithium (ug/L) Analysis Run 11/25/2024 4:57 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-14	MW-16	MW-2
9/11/2023			13	6.7 (J)		
9/12/2023		13				11
9/13/2023	12					
9/14/2023				10		
9/17/2024		11				9.4 (J)
9/18/2024	10		10	6.4 (J)	15	

Lithium



Time Series Analysis Run 11/25/2024 4:49 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Lithium (ug/L) Analysis Run 11/25/2024 4:57 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-20	MW-25R	MW-5	MW-6	MW-7	MW-21 (bg)
9/12/2023	4.6 (J)	14				
9/13/2023			13	17	8.9 (J)	
9/14/2023						7.3 (J)
9/16/2024	3.7 (J)					
9/17/2024		11	12	24		
9/18/2024					9.1 (J)	7.2 (J)

Lithium



Time Series Analysis Run 11/25/2024 4:50 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Lithium (ug/L) Analysis Run 11/25/2024 4:57 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-23/23R	MW-24/24R
9/14/2023	11	
4/25/2024		9.5 (J)
9/19/2024	8.9 (J)	10

Magnesium



Time Series Analysis Run 11/25/2024 4:50 PM

Big Bend Closed Landfill

Client: SCS Engineers


Data: Input_File_BB

Time Series

Constituent: Magnesium (ug/L) Analysis Run 11/25/2024 4:57 PM
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-14	MW-15AR	MW-16
9/23/2016	46600	37000	41000	18100	35800	32300
9/5/2017	50200	40100	42800	20200	50500	36600
9/17/2018	40500	34400	38100	18400	41000	30600
9/23/2019	47000	38000	44000	20000	48000	34000
9/21/2020			39000			
9/22/2020		35000		18000		
9/23/2020					33000	
9/24/2020	42000				48000	
9/8/2021		36000	40000	19000		
9/9/2021	44000					35000
9/6/2022		37000	40000	18000		
9/8/2022					35000	
9/9/2022	42000				49000	
9/11/2023			39000	16000		
9/12/2023		36000				
9/13/2023	39000					31000
9/14/2023						
9/17/2024		37000				
9/18/2024	39000		38000	18000		35000

Magnesium



Time Series Analysis Run 11/25/2024 4:50 PM

Big Bend Closed Landfill

Client: SCS Engineers


Data: Input_File_BB

Time Series

Constituent: Magnesium (ug/L) Analysis Run 11/25/2024 4:57 PM
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-2	MW-20	MW-25R	MW-5	MW-6	MW-7
9/23/2016	29100	30000	43200	41300	42400	32200
9/5/2017	34700	28600	44100	47800	46300	33200
9/17/2018	25600	16200	41600	37000	40000	29300
9/23/2019	32000	28000	42000	50000	43000	36000
9/21/2020		29000	38000			
9/22/2020	30000			44000	39000	
9/23/2020						34000
9/7/2021			43000			
9/8/2021	31000	27000				
9/9/2021				42000	39000	33000
9/6/2022		21000	39000			
9/7/2022	25000			52000	41000	
9/8/2022						33000
9/12/2023	24000	21000	40000			
9/13/2023				38000	37000	32000
9/16/2024		26000				
9/17/2024	25000		40000	38000	40000	
9/18/2024						33000

Magnesium



Time Series Analysis Run 11/25/2024 4:50 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Magnesium (ug/L) Analysis Run 11/25/2024 4:57 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-21 (bg)	MW-23/23R	MW-24/24R
9/23/2016	22400	37900	37800
9/5/2017	29000		47100
4/25/2018		45000	39000
9/17/2018	26300	70400	28000
4/23/2019		17000	29000
9/23/2019	24000	69000	31000
9/23/2020	31000		
9/24/2020		36000	28000
9/9/2021		34000	
9/10/2021	35000		28000
9/7/2022	39000		
9/8/2022		32000	28000
9/14/2023	41000	31000	
4/25/2024			29000
9/18/2024	47000		
9/19/2024		32000	32000

Sanitas™ v.10.0.16 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Manganese



Time Series Analysis Run 11/25/2024 4:50 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Manganese (ug/L) Analysis Run 11/25/2024 4:57 PM
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-14	MW-15AR	MW-16
9/23/2016	266	38.6	276	360	6.7	18.4
9/5/2017	77.4	44.8	266	138	29.8	2.5
9/17/2018	88.2	188	257	186	23.5	10.3
9/23/2019	95	43	280	180	14	7.3 (J)
9/21/2020			280			
9/22/2020		17		190		
9/23/2020					<4	
9/24/2020	96				<4	
9/8/2021		26	260	290		
9/9/2021	62					<4.4
9/6/2022		84	260	255 (D)		
9/8/2022						7.5 (J)
9/9/2022	72				<3.6	
9/11/2023			250	72		
9/12/2023		19				
9/13/2023	56					
9/14/2023						45
9/17/2024		220				
9/18/2024	63		230	66		<3.6

Sanitas™ v.10.0.16 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Manganese



Time Series Analysis Run 11/25/2024 4:50 PM

Big Bend Closed Landfill

Client: SCS Engineers

Data: Input_File_BB


Time Series

Constituent: Manganese (ug/L) Analysis Run 11/25/2024 4:57 PM
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-2	MW-20	MW-25R	MW-5	MW-6	MW-7
9/23/2016	1360	9.2	35.2	17.4	180	5
9/5/2017	1480	1.6	19.7	4	54.6	1.7
9/17/2018	1480	40.8	89.1	8.2	78.7	0.81 (J)
9/23/2019	1200	4.6 (J)	29	6.6 (J)	430	18
9/21/2020		<4	<4			
9/22/2020	2000			<4	63	
9/23/2020						<4
9/7/2021			62			
9/8/2021	1900	12				
9/9/2021				6 (J)	47	<4.4
9/6/2022		<3.6	5.7 (J)			
9/7/2022	1950 (D)			22	200	
9/8/2022						<3.6
9/12/2023	1400	<3.6 (U)	<3.6 (U)			
9/13/2023				29	230	<3.6 (U)
9/16/2024		<3.6				
9/17/2024	1300		9 (J)	23	250	
9/18/2024						12

Sanitas™ v.10.0.16 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Manganese



Time Series Analysis Run 11/25/2024 4:50 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Manganese (ug/L) Analysis Run 11/25/2024 4:57 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-21 (bg)	MW-23/23R	MW-24/24R
9/23/2016	5.2	7	460
9/5/2017	59.3		208
4/25/2018		203	623
9/17/2018	59.2	708	575
4/23/2019		950	370
9/23/2019	34	740	330
9/23/2020	20		
9/24/2020		15	220
9/9/2021		47	
9/10/2021	<4.4		140
9/7/2022	9.1 (J)		
9/8/2022		25	120
9/14/2023	13	<3.6 (U)	
4/25/2024			33
9/18/2024	14		
9/19/2024		<3.6	9.1 (J)

Sanitas™ v.10.0.16 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Molybdenum



Time Series Analysis Run 11/25/2024 4:50 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Molybdenum (ug/L) Analysis Run 11/25/2024 4:57 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-14	MW-16	MW-2
9/11/2023			1.8 (J)	<0.91 (U)		
9/12/2023		13				<0.91 (U)
9/13/2023	2.2					
9/14/2023				<0.91 (U)		
9/17/2024		14				<1.3
9/18/2024	2.3		<1.3	<1.3	1.7 (J)	

Sanitas™ v.10.0.16 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Molybdenum



Time Series Analysis Run 11/25/2024 4:50 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Molybdenum (ug/L) Analysis Run 11/25/2024 4:57 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-20	MW-25R	MW-5	MW-6	MW-7	MW-21 (bg)
9/12/2023	<0.91 (U)		<0.91 (U)			
9/13/2023				<0.91 (U)	1.9 (J)	<0.91 (U)
9/14/2023						<0.91 (U)
9/16/2024	<1.3					
9/17/2024		<1.3	2.3	2.6		
9/18/2024					<1.3	<1.3

Sanitas™ v.10.0.16 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Molybdenum




Time Series Analysis Run 11/25/2024 4:50 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Molybdenum (ug/L) Analysis Run 11/25/2024 4:57 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-23/23R	MW-24/24R
9/14/2023	<0.91 (U)	
4/25/2024		2.4
9/19/2024	<1.3	<1.3

Oxidation Reduction Potential



Time Series Analysis Run 11/25/2024 4:50 PM

Big Bend Closed Landfill

Client: SCS Engineers

Data: Input_File_BB


Time Series

Constituent: Oxidation Reduction Potential (millivolts) Analysis Run 11/25/2024 4:57 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-14	MW-15AR	MW-16
9/23/2016	40.7	112	15	92.1	46.5	25.5
9/5/2017	491.7	531.5	476.1	199.6	522.6	106.7
9/17/2018	3.6	-81.3	-242.3	-185.3	-59.5	-30.2
9/23/2019	-41	-38.7	-194.1	53.2	11.3	-7.3
9/21/2020			-184.5			
9/22/2020		-13.3		115.3		
9/23/2020						-35.3
9/24/2020	-62				142.8	
9/8/2021		59.9	-44	123.2		
9/9/2021	-42.8					45.3
9/6/2022		52.1	-27.6	104.4		
9/8/2022						31.8
9/9/2022	14				97.9	
9/11/2023			-219.1	-13.3		
9/12/2023		91.7				
9/13/2023	-3.3					
9/14/2023						-191.5
9/17/2024		25.6				
9/18/2024	92.5		-134.9	91.1		-61.4

Oxidation Reduction Potential



Time Series Analysis Run 11/25/2024 4:50 PM

Big Bend Closed Landfill

Client: SCS Engineers

Data: Input_File_BB


Time Series

Constituent: Oxidation Reduction Potential (millivolts) Analysis Run 11/25/2024 4:57 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-2	MW-20	MW-25R	MW-5	MW-6	MW-7
9/23/2016	8.6	66.5	73.8	55.1	-11.4	34.3
9/5/2017	18.6	553.8	153.1	36.7	322.6	516.3
9/17/2018	-66.1	-11.7	-3.1	174.6	-86.4	59.3
9/23/2019	-24.3	179.7	70.9	38.2	-34.8	-87.3
9/21/2020		101.5	67.3			
9/22/2020	-36.7			63.7	-73.3	
9/23/2020						-121.7
9/7/2021			138.7			
9/8/2021	-11.5	143			38.9	
9/9/2021				88.5		-25.1
9/6/2022		86.4	92.5			
9/7/2022	12.9			72.4	44.5	
9/8/2022						58.7
9/12/2023	-17.9	118.9	110.2			
9/13/2023				104.5	12.7	85.9
9/16/2024		259				
9/17/2024	-3.5		174	156.6	41	
9/18/2024						-123

Oxidation Reduction Potential



Time Series Analysis Run 11/25/2024 4:50 PM

Big Bend Closed Landfill

Client: SCS Engineers

Data: Input_File_BB


Time Series

Constituent: Oxidation Reduction Potential (millivolts) Analysis Run 11/25/2024 4:57 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-21 (bg)	MW-23/23R	MW-24/24R
9/23/2016	63.8	55	-22.4
9/5/2017	521		138.2
4/25/2018		122.5	58.3
9/17/2018	35.8	-25.4	-167.3
4/23/2019		49.2	-20.6
9/23/2019	144.2	55.9	-92.1
9/23/2020	52.2		
9/24/2020		108.9	-103.1
9/9/2021		109.7	
9/10/2021	109.2		-63.2
9/7/2022	64.4		
9/8/2022		82.1	73.6
9/14/2023	106.2	111.1	
4/25/2024			81.5
9/18/2024	173.5		
9/19/2024		195.8	183

Sanitas™ v.10.0.16 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Selenium



Time Series Analysis Run 11/25/2024 4:50 PM

Big Bend Closed Landfill

Client: SCS Engineers

Data: Input_File_BB


Time Series

Constituent: Selenium (ug/L) Analysis Run 11/25/2024 4:57 PM
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-14	MW-15AR	MW-16
9/23/2016	1.2	1	<0.18	19.6	10.4	<0.18
9/5/2017	13	3.8	<0.086	25.1	22.1	2.1
9/17/2018	1.3	1.9	<0.16	22.3	13.3	<0.16
9/23/2019	5.7	3.3 (J)	<1	20	24	<1
9/21/2020			<1			
9/22/2020		3.3 (J)		18		
9/23/2020					2.2 (J)	
9/24/2020	1.5 (J)				24	
9/8/2021		3.4 (J)	<0.96	17		
9/9/2021	3.2 (J)					4.5 (J)
9/6/2022		3.4 (J,B)	<0.96	15		
9/8/2022						3.2 (J)
9/9/2022	3.5 (J,B)				19	
9/11/2023			<1.4 (U)	11		
9/12/2023		<1.4 (U)				
9/13/2023	<1.4 (U)					
9/14/2023					<1.4 (U)	
9/17/2024		<1.4				
9/18/2024	<1.4		<1.4	26		2.9 (J)

Sanitas™ v.10.0.16 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Selenium



Time Series Analysis Run 11/25/2024 4:50 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Selenium (ug/L) Analysis Run 11/25/2024 4:57 PM
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-2	MW-20	MW-25R	MW-5	MW-6	MW-7
9/23/2016	6.2	6.9	2.4	9.1	4.9	2.7
9/5/2017	1.3	31.9	0.97 (J)	13.5	7.1	2.3
9/17/2018	1.1	6.3	5.2	7	5.3	2.1
9/23/2019	1.9 (J)	26	1.7 (J)	19	7.4	2.3 (J)
9/21/2020		32	1.6 (J)			
9/22/2020	1.7 (J)			14	8.6	
9/23/2020						2.4 (J)
9/7/2021			2.4 (J)			
9/8/2021	3.7 (J)	29				
9/9/2021				11	8.8	2.5 (J)
9/6/2022		9.4	3.3 (J)			
9/7/2022	1.9 (J)			8.4	6.7	
9/8/2022						3.6 (J,B)
9/12/2023	<1.4 (U)	21	2.6 (J)			
9/13/2023				5.9	2.1 (J)	2.3 (J)
9/16/2024		28				
9/17/2024	<1.4		3.5 (J)	5.1	1.7 (J)	
9/18/2024						<1.4

Sanitas™ v.10.0.16 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Selenium



Time Series Analysis Run 11/25/2024 4:50 PM


Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Selenium (ug/L) Analysis Run 11/25/2024 4:57 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-21 (bg)	MW-23/23R	MW-24/24R
9/23/2016	1	9.6	3.8
9/5/2017	0.9 (J)		11.9
4/25/2018		10.4	0.19 (J)
9/17/2018	2.1	11.1	<0.16
4/23/2019		9.4	<1
9/23/2019	1.3 (J)	10	<1
9/23/2020	1.6 (J)		
9/24/2020		6.9	<1
9/9/2021		3.4 (J)	
9/10/2021	1.6 (J)		<0.96
9/7/2022	1.1 (J)		
9/8/2022		3 (J)	<0.96
9/14/2023	<1.4 (U)	2.5 (J)	
4/25/2024			1.5 (J)
9/18/2024	<1.4		
9/19/2024		2.8 (J)	3.9 (J)

Sulfate



Time Series Analysis Run 11/25/2024 4:50 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Sulfate (mg/L) Analysis Run 11/25/2024 4:57 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-14	MW-15AR	MW-16
11/1/2010			52.9			
2/1/2011			61.2			
9/1/2011			123			
9/1/2012			58.7			
9/1/2013			57.1			
9/1/2014			64.1			
9/1/2015			75.5			
9/23/2016	204	72.2	50.2	76.3	147	31.6
9/5/2017	265	70.3	49.6	55.6	293	62.7
9/17/2018	207	72.7	52.8	51.7	227	36.1
9/23/2019	190	65	47	52	260	31
9/21/2020			49			
9/22/2020		58		46		
9/23/2020						60
9/24/2020	170				310	
9/8/2021		59	49	43		
9/9/2021	190					77
9/6/2022		59	45	37		
9/8/2022						73
9/9/2022	150				270	
9/11/2023			47	38		
9/12/2023		84				
9/13/2023	130					41
9/14/2023						
9/17/2024		83				
9/18/2024	120		37	38		83

Sulfate



Time Series Analysis Run 11/25/2024 4:50 PM

Big Bend Closed Landfill

Client: SCS Engineers

Data: Input_File_BB


Time Series

Constituent: Sulfate (mg/L) Analysis Run 11/25/2024 4:57 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-2	MW-20	MW-25R	MW-5	MW-6	MW-7
9/23/2016	73.2	71.2	61.6	115	133	32.6
9/5/2017	113	90.2	63.5	168	138	31.1
9/17/2018	85.3	38.4	64	115	141	28.6
9/23/2019	78	100	52	180	130	30
9/21/2020		80	59			
9/22/2020	82			160	110	
9/23/2020						30
9/7/2021			64			
9/8/2021	63	71				
9/9/2021				130	110	28
9/6/2022		38	52			
9/7/2022	57			99	99	
9/8/2022						24
9/12/2023	61	48	53			
9/13/2023				97	110	23
9/16/2024		72				
9/17/2024	56		59	81	130	
9/18/2024						13

Sulfate



Time Series Analysis Run 11/25/2024 4:50 PM


Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Sulfate (mg/L) Analysis Run 11/25/2024 4:57 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-21 (bg)	MW-23/23R	MW-24/24R
9/1/1999	40		
9/1/2000	56		
9/1/2001	48		
9/1/2002	49		
9/1/2003	51		
9/1/2004	51		
9/1/2005	55		
9/1/2006	248 (X)		
9/1/2007	61.8		
9/1/2008	47.5		
9/1/2009	48.9		
8/1/2010	47.9		
9/1/2011	46.9		
9/1/2012	52.3		
9/1/2013	49		
9/1/2014	49		
9/1/2015	48.1		
9/23/2016	37.5	150	94.5
9/5/2017	53.6		176
4/25/2018		183	23.4
9/17/2018	56	186	13.7
4/23/2019		150	18
9/23/2019	42	150	18
9/23/2020	55		
9/24/2020		110	20
9/9/2021		64	
9/10/2021	52		4
9/7/2022	50		
9/8/2022		54	18
9/14/2023	55	52	
4/25/2024			46
9/18/2024	45		
9/19/2024		59	72

Temperature, Field



Time Series Analysis Run 11/25/2024 4:50 PM

Big Bend Closed Landfill

Client: SCS Engineers

Data: Input_File_BB


Time Series

Constituent: Temperature, Field (Degrees C) Analysis Run 11/25/2024 4:57 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-14	MW-15AR	MW-16
9/23/2016	15.6	15	14.5	16.5	16.5	15.2
9/5/2017	11.9	11.9	11.5	13	12.8	17.2
9/17/2018	13.1	16.1	12.3	12.3	12.7	12.9
9/23/2019	13.37	15.7	14.42	11.25	14.66	12.94
9/21/2020			12.2			
9/22/2020		13.2		11.5		
9/23/2020						13.3
9/24/2020	12.9				13	
9/8/2021		12.2	12.1	12.1		
9/9/2021	13.3					14.3
9/6/2022		20.1	12	15.7		
9/8/2022						17.5
9/9/2022	13.3				13	
9/11/2023			14.6	11.3		
9/12/2023		19.5				
9/13/2023	13.1					15.4
9/14/2023						
9/17/2024		28.8				
9/18/2024	14.2		14.9	12.4		15.5

Temperature, Field



Time Series Analysis Run 11/25/2024 4:50 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Temperature, Field (Degrees C) Analysis Run 11/25/2024 4:57 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-2	MW-20	MW-25R	MW-5	MW-6	MW-7
9/23/2016	16	14.8	12.7	14	14.2	14.2
9/5/2017	11.6	12.1	11.9	12.7	11.9	12.8
9/17/2018	15.2	12.3	13.7	13.5	14.6	12.6
9/23/2019	13.32	13.9	14.7	12.39	12.19	12.35
9/21/2020		12.6	12			
9/22/2020	12.5			11.9	12.5	
9/23/2020						12.5
9/7/2021			11.5			
9/8/2021	15	13.4				
9/9/2021				12	12	11.7
9/6/2022		13.7	12			
9/7/2022	13.3			12.5	13.1	
9/8/2022						12.7
9/12/2023	13.7	15	14.2			
9/13/2023				12.8	16.1	12.3
9/16/2024		15.3				
9/17/2024	23.9		18.4	18.5	16.3	
9/18/2024						16.4

Temperature, Field



Time Series Analysis Run 11/25/2024 4:50 PM

Big Bend Closed Landfill

Client: SCS Engineers

Data: Input_File_BB


Time Series

Constituent: Temperature, Field (Degrees C) Analysis Run 11/25/2024 4:57 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-21 (bg)	MW-23/23R	MW-24/24R
9/23/2016	17	12	13
9/5/2017	14		14.3
4/25/2018		11.1	18.7
9/17/2018	13.4	14.1	14.9
4/23/2019		11.83	11.16
9/23/2019	15.3	14.46	13.2
9/23/2020	14.4		
9/24/2020		12.5	13.9
9/9/2021		12.6	
9/10/2021	13.7		12.5
9/7/2022	12.1		
9/8/2022		16.6	13.8
9/14/2023	13.3	13.3	
4/25/2024			11.1
9/18/2024	17.1		
9/19/2024		13.1	19.3

Total Alkalinity



Time Series Analysis Run 11/25/2024 4:50 PM


Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Total Alkalinity (mg/L) Analysis Run 11/25/2024 4:57 PM
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-14	MW-15AR	MW-16
9/6/2017	362	196			363	
9/7/2017			411	177		355
9/18/2018						339
9/19/2018	374	368	416	189	389	
9/23/2019			390	150		
9/24/2019	350	340			380	300
9/21/2020			420			
9/22/2020		370		180		
9/23/2020						370
9/24/2020	380				390	
9/8/2021		360	410	190		
9/9/2021	370					360
9/6/2022		310	400	280		
9/8/2022						360
9/9/2022	360				380	
9/11/2023			390	150		
9/12/2023		330				
9/13/2023	360					
9/14/2023						330
9/17/2024		320				
9/18/2024	360		380	170		340

Total Alkalinity



Time Series Analysis Run 11/25/2024 4:50 PM

Big Bend Closed Landfill

Client: SCS Engineers


Data: Input_File_BB

Time Series

Constituent: Total Alkalinity (mg/L) Analysis Run 11/25/2024 4:57 PM
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-2	MW-20	MW-25R	MW-5	MW-6	MW-7
9/5/2017	377			383	381	
9/6/2017		269		354		
9/7/2017						320
9/17/2018			460	418	397	350
9/18/2018		179				
9/19/2018	347					
9/23/2019		210	390			
9/24/2019	290			370	370	330
9/21/2020		300	410			
9/22/2020	390			420	400	
9/23/2020						370
9/7/2021			410			
9/8/2021	360	290				
9/9/2021				420	400	370
9/6/2022		190	410			
9/7/2022	330			670	400	
9/8/2022						350
9/12/2023	310	220	390			
9/13/2023				400	370	340
9/16/2024		210				
9/17/2024	300		350	400	370	
9/18/2024						350

Total Alkalinity




Time Series Analysis Run 11/25/2024 4:50 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Total Alkalinity (mg/L) Analysis Run 11/25/2024 4:57 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-21 (bg)	MW-23/23R	MW-24/24R
9/6/2017			334
9/7/2017	268		
4/25/2018		390	336
9/17/2018		378	316
9/20/2018	249		
4/23/2019		350	300
9/24/2019		370	300
9/25/2019	230		
9/23/2020	260		
9/24/2020		380	310
9/9/2021		360	
9/10/2021	260		310
9/7/2022	290		
9/8/2022		350	310
9/14/2023	280	330	
4/25/2024			130
9/18/2024	290		
9/19/2024		300	340




Time Series

Constituent: Total Dissolved Solids (mg/L) Analysis Run 11/25/2024 4:57 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-14	MW-16	MW-2
9/11/2023			420	250		
9/12/2023		470				440
9/13/2023	460					
9/14/2023				370		
9/17/2024		520				440
9/18/2024	590		470	270	480	

Total Dissolved Solids




Time Series Analysis Run 11/25/2024 4:51 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Total Dissolved Solids (mg/L) Analysis Run 11/25/2024 4:57 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-20	MW-25R	MW-5	MW-6	MW-7	MW-21 (bg)
9/12/2023	300	270				
9/13/2023			430	420	400	
9/14/2023						630
9/16/2024	400					
9/17/2024		550	580	600		
9/18/2024					430	740

Total Dissolved Solids



Time Series Analysis Run 11/25/2024 4:51 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Total Dissolved Solids (mg/L) Analysis Run 11/25/2024 4:57 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-23/23R	MW-24/24R
9/14/2023	490	
4/25/2024		420
9/19/2024	500	520

Sanitas™ v.10.0.16 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Total Suspended Solids



Time Series Analysis Run 11/25/2024 4:51 PM


Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Total Suspended Solids (mg/L) Analysis Run 11/25/2024 4:57 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-14	MW-16	MW-2
9/11/2023			8.1	1.9		
9/12/2023		1.4 (J)				30
9/13/2023	8.1					
9/14/2023				6.8		
9/17/2024		4.8				82
9/18/2024	13		12	<1.4	2.5	

Total Suspended Solids



Time Series Analysis Run 11/25/2024 4:51 PM

Big Bend Closed Landfill

Client: SCS Engineers

Data: Input_File_BB


Time Series

Constituent: Total Suspended Solids (mg/L) Analysis Run 11/25/2024 4:57 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-20	MW-25R	MW-5	MW-6	MW-7	MW-21 (bg)
9/12/2023	2	3.9				
9/13/2023			13	10	2.9	
9/14/2023						13
9/16/2024	5.5					
9/17/2024		17	19	5.7		
9/18/2024					10	24

Sanitas™ v.10.0.16 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Total Suspended Solids



Time Series Analysis Run 11/25/2024 4:51 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series


Constituent: Total Suspended Solids (mg/L) Analysis Run 11/25/2024 4:57 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-23/23R	MW-24/24R
9/14/2023	1.6 (J)	
4/25/2024		<1.4
9/19/2024	4	2.4

Sanitas™ v.10.0.16 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Zinc



Time Series Analysis Run 11/25/2024 4:51 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series


Constituent: Zinc (ug/L) Analysis Run 11/25/2024 4:57 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-14	MW-15AR	MW-16
9/23/2016	12.7	28.3	3.2 (J)	7.3 (J)	2.4 (J)	2.5 (J)
9/5/2017	3.6 (J)	2.4 (J)	1.4 (J)	3.4 (J)	7 (J)	2.2 (J)
9/17/2018	12.7	20.3	<3.7	6 (J)	7.8 (J)	6.4 (J)
9/23/2019	<10	<10	<10	15 (J)	<10	<10
9/21/2020			<10			
9/22/2020		<10		<10		
9/23/2020						<10
9/24/2020	<10				<10	
9/8/2021		<10	<10	<10		
9/9/2021	<10					<10
9/6/2022		250	43	330		
9/8/2022						51
9/9/2022	46				<10	
9/11/2023			<6.4 (U)	<6.4 (U)		
9/12/2023			<6.4 (U)			
9/13/2023	8.1 (J)					
9/14/2023					<6.4 (U)	
9/17/2024		<9.7				
9/18/2024	<9.7		<9.7	<9.7		<9.7

Sanitas™ v.10.0.16 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Zinc



Time Series Analysis Run 11/25/2024 4:51 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series


Constituent: Zinc (ug/L) Analysis Run 11/25/2024 4:57 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-2	MW-20	MW-25R	MW-5	MW-6	MW-7
9/23/2016	8.3 (J)	3.8 (J)	7.2 (J)	4 (J)	8.1 (J)	8.1 (J)
9/5/2017	2 (J)	1.8 (J)	4.7 (J)	2 (J)	1.5 (J)	5.5 (J)
9/17/2018	6.6 (J)	11.5	8.2 (J)	4.9 (J)	6 (J)	8.4 (J)
9/23/2019	<10	<10	<10	<10	<10	14 (J)
9/21/2020		<10	<10			
9/22/2020	<10			<10	<10	
9/23/2020						<10
9/7/2021			<10			
9/8/2021	12 (J)	<10				
9/9/2021				<10	<10	<10
9/6/2022		150	100			
9/7/2022	170			260	<10	
9/8/2022						96
9/12/2023	6.6 (J)	<6.4 (U)	<6.4 (U)			
9/13/2023				<6.4 (U)	9.9 (J)	9.3 (J)
9/16/2024		<9.7				
9/17/2024	<9.7		<9.7	<9.7	<9.7	
9/18/2024						12 (J)

Sanitas™ v.10.0.16 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Zinc



Time Series Analysis Run 11/25/2024 4:51 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Zinc (ug/L) Analysis Run 11/25/2024 4:57 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-21 (bg)	MW-23/23R	MW-24/24R
9/23/2016	14.2	3.7 (J)	22
9/5/2017	4.7 (J)		36.4
4/25/2018		6.3 (J)	7.7 (J)
9/17/2018	8 (J)	44.8	<3.7
4/23/2019		11 (J)	<10
9/23/2019	<10	<20	<10
9/23/2020	<10		
9/24/2020		<10	<10
9/9/2021		<10	
9/10/2021	<10		<10
9/7/2022	130 (X)		
9/8/2022		<10	71
9/14/2023	<6.4 (U)	<6.4 (U)	
4/25/2024			<9.7
9/18/2024	<9.7		
9/19/2024		<9.7	<9.7

Appendix E

Statistical Evaluation of Groundwater Monitoring Results

November 30, 2023
File No. 25223063.00

TECHNICAL MEMORANDUM

SUBJECT: Statistical Evaluation of Groundwater Monitoring Results
Big Bend Closed CCR Landfill, September 2023 Sampling Event

PREPARED BY: Ryan Matzuk

CHECKED BY: Charles Hostetler

STATISTICAL METHOD

The statistical analysis uses a prediction interval approach as recommended for detection monitoring in the March 2009 U.S. Environmental Protection Agency (U.S. EPA) Unified Guidance for Statistical Analysis of Groundwater Monitoring Data at Resource Conservation and Recovery Act (RCRA) facilities. For the prediction interval evaluation, interwell testing was selected based on the considerations outlined in Chapter 6 of the Unified Guidance. The statistical program used to calculate the interwell prediction interval is Sanitas™ (Version 9.6.37).

The Big Bend monitoring data are evaluated in two well groups, representing the shallow and deep groundwater systems. For the shallow groundwater system, monitoring well MW-21 is used as the background well. For the deep groundwater system, MW-12 is used as the background well.

TIME SERIES PLOTS

Time series plots are prepared for the required monitoring parameters to show the concentration variations over time. Time series graphs are included in **Attachments E1** (shallow) and **E2** (deep). For metals, the time series plots only show monitoring results since 2016, when the monitoring program transitioned from dissolved metals to total metals analysis. For chloride and sulfate, which are not typically affected by filtering, older historical results for background wells MW-12, for the deep groundwater flow system, and MW-21, for the shallow groundwater flow system, are included in the time series plots and are used in the determination of background for the statistical evaluation.

For the two background wells (MW-12 and MW-21), data points that were previously removed from the dataset as outliers or as otherwise not representative of background are flagged with an "X" in the time series data tables and shown on the time series plots by a lighter color data point that is not included in the times series plot line. Evaluation of these data points and the 2023 data for use in the current event statistical analysis is discussed in the following section.

OUTLIER ANALYSIS

An outlier analysis is performed for background monitoring results at upgradient wells MW-12 and MW-21. A statistical outlier is a value that is extremely different from the other values in the data set.



TECHNICAL MEMORANDUM

November 30, 2023

Page 2

The Sanitas outlier tests identify data points that do not appear to fit the distribution of the rest of the data set and determine if they differ significantly from the rest of the data. The outlier analysis performed in Sanitas includes the following steps:

- 1) Run normality test (Shapiro Wilk/Francia).
- 2) If normally distributed, run U.S. EPA's 1989 Outlier Test to identify suspected outliers.
 - a) If number of background samples is less than or equal to 25, run Dixon's test for suspected outliers.
 - b) If number of background samples is more than 25, run Rosner's test for suspected outliers.
- 3) If not normally distributed, run Tukey's test for outliers.
- 4) Review data flagged as possible outliers to evaluate whether they should be removed from the background data set. Also review time series plots for possible outliers that were not picked up in the statistical evaluation (e.g., outlier test may not identify outliers when two values are similar to each other, but very different from all other data).

Results identified as statistical outliers are checked for possible lab instrument failure, field collection problems, or data entry errors; however, outliers may exist naturally in the data if there is an extremely wide inherent or temporal variability in the data. The Unified Guidance states that unless a likely error can be identified, the outlier should not be removed.

Prior to the statistical outlier analysis, some chloride results for both the shallow and deep background wells were removed from the background dataset based on visual review of the time series plots. These results were also removed from the background data set for the previous data evaluation:

- **Chloride, Shallow (MW-21).** Recent results for upgradient well MW-21 have shown a fairly sharp increasing trend, with levels since 2017 being higher than previous results. To be conservative, the chloride results for 2017 and later were excluded from the upper prediction limit (UPL) calculations. With those results removed, the distribution of data was found to be lognormal and no outliers were identified.
- **Sulfate, Shallow (MW-21).** One high result from the September 2006 event was previously flagged by Sanitas as a statistical outlier and removed from the dataset based on visual inspection of the data. The high result was inconsistent with subsequent results (approximately 5X typical), and may reflect a lab dilution or calculation error. With the September 2021 sulfate result added, the 2006 result still appears to be a clear outlier (see time series plot); therefore, it was not added back into the dataset for statistical outlier screening. With the outlier removed, the remaining 20 values fit a normal distribution.
- **Chloride, Deep (MW-12).** Most of the results for upgradient well MW-12 before 2013 were reported as non-detects with a detection limit of 5 milligrams per liter (mg/L). More recently, a lower detection limit has been used and chloride has been detected at concentrations ranging from 2.2 to 3.5 mg/l. Based on these results, the non-detect results before 2013 were excluded from further analysis. With the current population

TECHNICAL MEMORANDUM

November 30, 2023

Page 3

starting in 2013 included, the sample results were found to be normally distributed and no outliers were identified.

For the September 2023 sampling event, the following background values from MW-12 and MW-21 were identified as potential outliers and handled as described:

- **Copper, Shallow (MW-21).** One high result from the September 2018 event was flagged by Sanitas as a statistical outlier. This result was kept in the dataset because there was no known explanation for the higher result, and it appeared to be within the range of potential natural variation relative to the other observed copper concentrations.
- **Zinc, Shallow (MW-21).** One high result from the September 2022 event was flagged by Sanitas as a statistical outlier. This value is much higher than previous results for MW-21, but other wells at the site showed a similar increase in zinc for the 2022 event. There is no known explanation for the higher results at multiple wells. To be conservative, the September 2022 result for zinc was removed from the dataset as an outlier for this analysis. If future results confirm the increase in zinc, then the September 2022 value may be used in future analysis. The September 2023 zinc concentration was below the limit of detection.
- **Sulfate, Deep (MW-12).** One high result from the September 2011 event was flagged by Sanitas as a statistical outlier. Consistent with the previous statistical analysis, this result was kept in the dataset because there was no known explanation for the higher result, and it appeared to be within the range of potential natural variation relative to the other observed sulfate concentrations (approximately 2X typical values).

Outlier analysis results are included in **Attachments E3** (shallow) and **E4** (deep).

INTERWELL PREDICTION LIMITS

Interwell UPLs are calculated for the shallow and deep groundwater systems using data from the background wells for each monitored constituent, with outliers removed as noted above. The prediction limit analysis performed in Sanitas includes the following steps:

- 1) If 50 percent or more of results are non-detect, apply a non-parametric UPL. For small background sample sizes, the non-parametric UPL is the highest background value. For a parameter with 100 percent non-detects in the background values, the Double Quantification Rule applies, which says that a statistically significant increase (SSI) occurs when two results exceeding the quantification limit are reported for a compliance well.
- 2) If fewer than 50 percent of the results are non-detect, run normality test (Shapiro Wilk/Francia) to assess whether the data fit a normal distribution or can be transformed to fit a normal distribution (e.g., lognormal).
- 3) If normal or transformed normal, calculate parametric UPL.
- 4) If not normal or transformed normal, calculate non-parametric UPL.

TECHNICAL MEMORANDUM

November 30, 2023

Page 4

For evaluation of parameters with less than 100 percent non-detects in the background sampling, the non-detects were replaced with the detection limit, unless the non-detects represented less than 15 percent of the total samples, in which case one-half of the detection limit was used.

Consistent with the Unified Guidance, parametric prediction limits are calculated based on a 1-of-2 retesting protocol and a target 10 percent annual site-wide false positive rate. Sanitas establishes the per-test significance level based on user inputs of the number of events per year, number of constituents being evaluated, and number of compliance wells. For the 2023 event, the following values were used:

Parameter	Value	Comments
Evaluations per year	1	September event
Constituents analyzed	14	Shallow: 20 constituents sampled. Deep: 20 constituents sampled. Beryllium and selenium not counted because all background results are non-detect. For Shallow and Deep units calcium, fluoride, lithium, molybdenum, TDS, and TSS are not counted because they were added to the program in 2023 and have an insufficient amount of data required to produce prediction limits.
Compliance wells	13	7 shallow and 6 deep

Non-parametric prediction limits are also based on a 1-of-2 retesting protocol. The non-parametric limit is the highest value in the background dataset. Due to the small sample size, the false positive rate for the non-parametric tests is higher than for the parametric tests, but will go down as more background data are obtained.

For results with 100 percent non-detects in the background data, evaluation under the Double Quantification Rule means that a SSI has not occurred for a compliance well unless two sample results from the well exceed the laboratory's reporting limit or quantification limit. For evaluation of parameters with less than 100 percent non-detects in the background sampling, the non-detects were replaced with the detection limit, unless the non-detects represent less than 15 percent of the total samples, in which case one-half of the detection limit was used.

Although the limits are based on a 1-of-2 retesting approach, retesting is not required. Because the site is closed and has been monitored for many years, retesting will typically not be performed unless a new potential SSI is identified. If retesting is not performed, a result above the UPL is presumed to represent an SSI above the interwell background level. Only results that exceed the laboratory's limit of quantification or reporting limit are compared to the UPL; therefore, a J-flagged value above the UPL is not an SSI.

Interwell prediction limit analysis results for 2023 are included in **Attachments E5** (shallow) and **E6** (deep).


RM/AJR/CJH

Attachment E1

Times Series Graphs – Shallow

Sanitas™ v.9.6.37 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Arsenic



Time Series Analysis Run 10/23/2023 11:17 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Arsenic (ug/L) Analysis Run 10/23/2023 11:19 AM View: shallow

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-14	MW-15AR	MW-2	MW-20	MW-25R	MW-5	MW-21 (bg)	MW-23/23R
9/23/2016	0.78 (J)	0.18 (J)	1.3	0.8 (J)	0.44 (J)	0.18 (J)	0.57 (J)	0.59 (J)
9/5/2017	0.83 (J)	0.87 (J)	1.1	0.65 (J)	0.49 (J)	0.26 (J)	0.73 (J)	
4/25/2018								0.5 (J)
9/17/2018	0.73 (J)	0.7 (J)	1.4	3	0.8 (J)	0.33 (J)	1.2	5.9
4/23/2019								1 (J)
9/23/2019	<0.75	<0.75	0.89 (J)	<0.75	<0.75	<0.75	<0.75	0.76 (J)
9/21/2020					<0.88	<0.88		
9/22/2020	<0.88		<0.88			<0.88		
9/23/2020							<0.88	
9/24/2020		<0.88						<0.88
9/7/2021					<0.75			
9/8/2021	<0.75		1.8 (J)	0.75 (J)				
9/9/2021						<0.75		<0.75
9/10/2021							<0.75	
9/6/2022	0.75 (J)			<0.75	<0.75			
9/7/2022			2			<0.75	<0.75	
9/8/2022								<0.75
9/9/2022		<0.75						
9/11/2023	0.79 (J)							
9/12/2023			2.3	0.92 (J)	<0.53 (U)			
9/13/2023						<0.53 (U)		
9/14/2023							0.9 (J)	<0.53 (U)

Barium



Time Series Analysis Run 10/23/2023 11:17 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Barium (ug/L) Analysis Run 10/23/2023 11:19 AM View: shallow

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Sanitas™ v.9.6.37 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Beryllium



Time Series Analysis Run 10/23/2023 11:17 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Beryllium (ug/L) Analysis Run 10/23/2023 11:19 AM View: shallow

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-14	MW-15AR	MW-2	MW-20	MW-25R	MW-5	MW-21 (bg)	MW-23/23R
9/23/2016	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08
9/5/2017	<0.012	0.047 (J)	<0.012	<0.012	0.018 (J)	<0.012	0.03 (J)	
4/25/2018								0.015 (J)
9/17/2018	<0.12	<0.12	<0.12	0.13 (J)	<0.12	<0.12	<0.12	0.41 (J)
4/23/2019								<0.27
9/23/2019	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27
9/21/2020					<0.27	<0.27		
9/22/2020	<0.27		<0.27			<0.27		
9/23/2020							<0.27	
9/24/2020		<0.27						<0.27
9/7/2021					<0.27			
9/8/2021	<0.27		0.29 (J)	<0.27				
9/9/2021						<0.27		<0.27
9/10/2021							<0.27	
9/6/2022	<0.27			<0.27	<0.27			
9/7/2022			<0.27			<0.27	<0.27	
9/8/2022								<0.27
9/9/2022		<0.27						
9/11/2023	<0.33 (U)							
9/12/2023			<0.33 (U)	<0.33 (U)	<0.33 (U)			
9/13/2023						<0.33 (U)		
9/14/2023							<0.33 (U)	<0.33 (U)

Boron



Time Series Analysis Run 10/23/2023 11:17 AM View: shallow


Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Boron (ug/L) Analysis Run 10/23/2023 11:19 AM View: shallow
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-14	MW-15AR	MW-2	MW-20	MW-25R	MW-5	MW-21 (bg)	MW-23/23R
9/23/2016	3240	2930	1370	939	269	890	81 (J)	2740
9/5/2017	2290	5670	1930	3660	178	1310	110	
4/25/2018								2910
9/17/2018	2070	3940	1490	1260	290	809	97.6 (J)	2800
4/23/2019								2800
9/23/2019	2600	5000	1700	2700	190 (J)	1400	160 (J,B)	22000 (B)
9/21/2020				3200	170			
9/22/2020	1900		1800			1300		
9/23/2020							120	
9/24/2020		6800						1600
9/7/2021					110			
9/8/2021	1800		1300	2900				
9/9/2021						950		520
9/10/2021							63 (J)	
9/6/2022	1600			1600	320			
9/7/2022			1100			1000	63 (J)	
9/8/2022								540
9/9/2022		3300						
9/11/2023	1700							
9/12/2023			1100	1800	310			
9/13/2023						880		
9/14/2023							94 (J)	400

Calcium



Time Series Analysis Run 10/23/2023 11:17 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Calcium (mg/L) Analysis Run 10/23/2023 11:19 AM View: shallow

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-14	MW-2	MW-20	MW-25R	MW-5	MW-21 (bg)	MW-23/23R
9/11/2023	49						
9/12/2023		110	74	120			
9/13/2023					140		
9/14/2023						140	110

Chloride




Time Series Analysis Run 10/23/2023 11:17 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Chloride (mg/L) Analysis Run 10/23/2023 11:19 AM View: shallow
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-14	MW-15AR	MW-2	MW-20	MW-25R	MW-5	MW-21 (bg)	MW-23/23R
11/1/2010							13.9	
2/1/2011							11.7	
9/1/2011							28.8	
9/1/2012							12.6	
9/1/2013							10.8	
9/1/2014							4.7	
9/1/2015							4	
9/23/2016	2.1	14.7	9.5	8	19.7	14.5	30.3	19.6
9/5/2017	1.8	19	13	2.4	17.6	17.4	44.1 (X)	
4/25/2018								15.4
9/17/2018	1.7	23.7	8.9	9.2	12.9	14.6	85.2 (X)	21.1
4/23/2019								14
9/23/2019	1.9 (J)	16	8.8	2.7 (J)	13	16	58 (X)	13
9/21/2020				4.1 (J)	14			
9/22/2020	3.1 (J)		8.8			13		
9/23/2020							110 (X)	
9/24/2020		20						12
9/7/2021					17			
9/8/2021	3.5 (J)		8.4	3.5 (J)				
9/9/2021						11		9.5
9/10/2021							150 (X)	
9/6/2022	4.6 (J)			29	18			
9/7/2022			6.9			10	140 (X)	
9/8/2022								9.4
9/9/2022		17						
9/11/2023	8.3							
9/12/2023			5.6	12	25			
9/13/2023						9.9		
9/14/2023							150 (X)	12

Cobalt



Time Series Analysis Run 10/23/2023 11:17 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Cobalt (ug/L) Analysis Run 10/23/2023 11:19 AM View: shallow
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-14	MW-15AR	MW-2	MW-20	MW-25R	MW-5	MW-21 (bg)	MW-23/23R
9/23/2016	1.7	<0.5	2.1	<0.5	<0.5	<0.5	<0.5	<0.5
9/5/2017	0.4 (J)	0.66 (J)	2.2	0.078 (J)	0.2 (J)	0.043 (J)	0.52 (J)	
4/25/2018								0.3 (J)
9/17/2018	1.1	0.34 (J)	2.4	1.1	0.82 (J)	<0.15	0.75 (J)	3.7
4/23/2019								2.7
9/23/2019	0.49 (J)	0.13 (J)	2	0.12 (J)	0.26 (J)	<0.091	0.23 (J)	3.1
9/21/2020				<0.091	<0.091			
9/22/2020	0.5		4			<0.091		
9/23/2020							0.18 (J)	
9/24/2020		<0.091						<0.091
9/7/2021					0.89			
9/8/2021	1.2		5	0.35 (J)				
9/9/2021						<0.19		0.31 (J)
9/10/2021							<0.19	
9/6/2022	1.7			<0.19	<0.19			
9/7/2022			4.5 (D)			0.2 (J)	<0.19	
9/8/2022								<0.19
9/9/2022		<0.19						
9/11/2023	0.2 (J)							
9/12/2023			2.3	<0.17 (U)	<0.17 (U)			
9/13/2023						<0.17 (U)		
9/14/2023							<0.17 (U)	<0.17 (U)

Sanitas™ v.9.6.37 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Copper




Time Series Analysis Run 10/23/2023 11:17 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Copper (ug/L) Analysis Run 10/23/2023 11:19 AM View: shallow
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-14	MW-15AR	MW-2	MW-20	MW-25R	MW-5	MW-21 (bg)	MW-23/23R
9/23/2016	1.9	0.18 (J)	2.1	1.6	1.6	0.6 (J)	1.7	0.26 (J)
9/5/2017	1	1.6	0.8 (J)	0.67 (J)	1.8	0.43 (J)	1.9	
4/25/2018								1.6
9/17/2018	1.4	1.1	1.6	3.2	2.6	1.8	2.8	16.7
4/23/2019								13
9/23/2019	9.9	<2	<2	<2	<2	<2	<2	10
9/21/2020				<1.5	<1.5			
9/22/2020	<1.5		<1.5			<1.5		
9/23/2020							<1.5	
9/24/2020		<1.5						<1.5
9/7/2021					1.5 (J)			
9/8/2021	1.5 (J)		7.5	1.5 (J)				
9/9/2021						<1.4		<1.4
9/10/2021							<1.4	
9/6/2022	3.5 (J)			<1.8	<1.8			
9/7/2022			<1.8			<1.8	<1.8	
9/8/2022								<1.8
9/9/2022		<1.8						
9/11/2023	<1.8 (U)							
9/12/2023			<1.8 (U)	<1.8 (U)	<1.8 (U)			
9/13/2023						<1.8 (U)		
9/14/2023							<1.8 (U)	<1.8 (U)

Dissolved Oxygen




Time Series Analysis Run 10/23/2023 11:17 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Dissolved Oxygen (mg/L) Analysis Run 10/23/2023 11:19 AM View: shallow

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Field pH



Time Series Analysis Run 10/23/2023 11:17 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Field pH (SU) Analysis Run 10/23/2023 11:20 AM View: shallow

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-14	MW-15AR	MW-2	MW-20	MW-25R	MW-5	MW-21 (bg)	MW-23/23R
9/23/2016	7.5	12.55	7.17	7.18	7.4	8.71	7.26	7.58
9/5/2017	6.12	7.09	6.86	6.01	7.93	6.9	6.47	
4/25/2018								7.15
9/17/2018	6.34	7.17	6.9	6.47	7.07	7.03	7.5	7.16
4/23/2019								7.23
9/23/2019	5.88	6.92	7.03	4.61	6.75	6.69	6.68	6.92
9/21/2020				8.41	8.05			
9/22/2020	6.37		7.36			7.43		
9/23/2020							7.08	
9/24/2020		6.96						7.28
9/7/2021					6.95			
9/8/2021	6.02		6.77	6.25				
9/9/2021						6.99		7.12
9/10/2021							6.68	
9/6/2022	6.56			6.08	7.02			
9/7/2022			6.75			5.95	6.81	
9/8/2022		6.95						6.54
9/9/2022								
9/11/2023	5.9							
9/12/2023			6.37	6.14	6.75			
9/13/2023						6.86		
9/14/2023							6.73	6.91

Field Specific Conductance



Time Series Analysis Run 10/23/2023 11:17 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Field Specific Conductance (umhos/cm) Analysis Run 10/23/2023 11:20 AM View: shallow
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-14	MW-15AR	MW-2	MW-20	MW-25R	MW-5	MW-21 (bg)	MW-23/23R
9/23/2016	772	1494	1296	1171	1483	1571	988	1506
9/5/2017	419.5	1110	841	641.8	476.5	966	702	
4/25/2018								1610
9/17/2018	455	1073	795	437	915	944	798	981
4/23/2019								967
9/23/2019	308	1113	786	634	822	734	685	699
9/21/2020				690	817			
9/22/2020	424.1		822			1003		
9/23/2020							893	
9/24/2020		1225						859
9/7/2021					838			
9/8/2021	435		756	662				
9/9/2021						945		752
9/10/2021							1036	
9/6/2022	468.1			478.4	889			
9/7/2022			744			1282	1083	
9/8/2022								666
9/9/2022		1099						
9/11/2023	429.5							
9/12/2023			792	611	950			
9/13/2023						989		
9/14/2023							1149	819

Sanitas™ v.9.6.37 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Fluoride




Time Series Analysis Run 10/23/2023 11:17 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Fluoride (mg/L) Analysis Run 10/23/2023 11:20 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-14	MW-2	MW-20	MW-25R	MW-5	MW-21 (bg)	MW-23/23R
9/11/2023	<0.38 (U)						
9/12/2023		<0.38 (U)	<0.38 (U)	<0.38 (U)			
9/13/2023					<0.38 (U)		
9/14/2023						<0.38 (U)	<0.38 (U)

Groundwater Elevation



Time Series Analysis Run 10/23/2023 11:17 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series


Constituent: Groundwater Elevation (feet) Analysis Run 10/23/2023 11:20 AM View: shallow

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-14	MW-15AR	MW-2	MW-20	MW-25R	MW-5	MW-21 (bg)	MW-23/23R
4/1/2016	774.17	730.09	743.15	772.22	766.02	733.75		721.62
9/23/2016	776.97	731.95	744.19	773.31	767.17	736.37	785.54	723.89
4/1/2017	775.17	731.2	743.99	773.16	766.82	735.09	779.67	723.7
9/5/2017	772.82	728.88	743.99	771.19	766.34	733.47	777.34	721.48
4/25/2018	759.5356	716.03	731.1388	757.8623	753.6187	721.5403	763.5023	705.67
9/17/2018	758.8656	714.89	730.5288	757.2523	751.2687	720.0603	763.8023	707.41
4/23/2019	763.3256	719.44	731.3988	761.3123	754.9487	722.9203	768.1923	711.8
9/23/2019	762.4456	718.74	733.6188	759.8223	756.3787	722.8403	765.2623	707.94
9/21/2020				760.11	755.38			
9/22/2020	761.94		732.42			722.52		
9/23/2020							766.48	
9/24/2020		717.59						706.64
9/7/2021					754.01			
9/8/2021	759.94		731.84	759.01				
9/9/2021		715.69				721.63		704.82
9/10/2021							764.83	
9/6/2022	759.86			758.2	752.35			
9/7/2022			731.25			720.5	764.45	
9/8/2022		713.99						702.85
9/9/2022								
9/11/2023	759.33							
9/12/2023			731.05	757.61	751.77			
9/13/2023						720.36		
9/14/2023							763.37	701.13

Sanitas™ v.9.6.37 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Iron



Time Series Analysis Run 10/23/2023 11:17 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Iron (ug/L) Analysis Run 10/23/2023 11:20 AM View: shallow
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-14	MW-15AR	MW-2	MW-20	MW-25R	MW-5	MW-21 (bg)	MW-23/23R
9/23/2016	838	145	12600	648	835	363	110	317
9/5/2017	34.3 (J)	1280	6860	60.7	479	48.8 (J)	644	
4/25/2018								493
9/17/2018	213	951	9690	4680	1870	139	1170	15400
4/23/2019								1400
9/23/2019	67 (J)	88 (J)	7500	93 (J)	270	<66	110	2200
9/21/2020				<50	<50			
9/22/2020	<50		2800			<50		
9/23/2020							78 (J)	
9/24/2020		<50						90 (J)
9/7/2021					610			
9/8/2021	200		40000	180				
9/9/2021						71 (J)		240
9/10/2021								<36
9/6/2022	370			40 (J)	56 (J)			
9/7/2022			14000			70 (J)		<36
9/8/2022								40 (J)
9/9/2022		<36						
9/11/2023	54 (J)							
9/12/2023			12000	60 (J)	<36 (U)			
9/13/2023						140		
9/14/2023							100	<36 (U)

Sanitas™ v.9.6.37 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Lead




Time Series Analysis Run 10/23/2023 11:17 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Lead (ug/L) Analysis Run 10/23/2023 11:20 AM View: shallow
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-14	MW-15AR	MW-2	MW-20	MW-25R	MW-5	MW-21 (bg)	MW-23/23R
9/23/2016	0.48 (J)	0.37 (J)	0.52 (J)	0.57 (J)	0.55 (J)	0.44 (J)	<0.19	0.41 (J)
9/5/2017	0.11 (J)	2.9	0.075 (J)	0.099 (J)	0.32 (J)	0.12 (J)	1.1	
4/25/2018								0.66 (J)
9/17/2018	0.21 (J)	1.8	0.2 (J)	2.2	1.1	0.14 (J)	1.7	15.5
4/23/2019								8
9/23/2019	0.47 (J)	1.6	<0.27	<0.27	0.68	<0.27	0.52	8.1
9/21/2020					<0.11	<0.11		
9/22/2020	<0.11		0.26 (J)			0.13 (J)		
9/23/2020							0.46 (J)	
9/24/2020		<0.11						0.29 (J)
9/7/2021					1.4			
9/8/2021	0.24 (J)		1.5	0.68				
9/9/2021						0.26 (J)		0.8
9/10/2021							<0.21	
9/6/2022	0.28 (J)			<0.24	<0.24			
9/7/2022			0.56			0.26 (J)	<0.24	
9/8/2022		<0.24						<0.24
9/9/2022								
9/11/2023	<0.24 (U)							
9/12/2023			0.36 (J)	<0.24 (U)	<0.24 (U)			
9/13/2023						0.38 (J)		
9/14/2023							0.37 (J)	<0.24 (U)

Lithium




Time Series Analysis Run 10/23/2023 11:17 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Lithium (ug/L) Analysis Run 10/23/2023 11:20 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-14	MW-2	MW-20	MW-25R	MW-5	MW-21 (bg)	MW-23/23R
9/11/2023	6.7 (J)						
9/12/2023		11	4.6 (J)	14			
9/13/2023					13		
9/14/2023						7.3 (J)	11

Magnesium



Time Series Analysis Run 10/23/2023 11:17 AM View: shallow

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series


Constituent: Magnesium (ug/L) Analysis Run 10/23/2023 11:20 AM View: shallow

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-14	MW-15AR	MW-2	MW-20	MW-25R	MW-5	MW-21 (bg)	MW-23/23R
9/23/2016	18100	35800	29100	30000	43200	41300	22400	37900
9/5/2017	20200	50500	34700	28600	44100	47800	29000	
4/25/2018								45000
9/17/2018	18400	41000	25600	16200	41600	37000	26300	70400
4/23/2019								17000
9/23/2019	20000	48000	32000	28000	42000	50000	24000	69000
9/21/2020				29000	38000			
9/22/2020	18000		30000			44000		
9/23/2020							31000	
9/24/2020		48000						36000
9/7/2021					43000			
9/8/2021	19000		31000	27000				
9/9/2021						42000		34000
9/10/2021							35000	
9/6/2022	18000			21000	39000			
9/7/2022			25000			52000	39000	
9/8/2022		49000						32000
9/9/2022								
9/11/2023	16000			24000	21000	40000		
9/12/2023								
9/13/2023						38000		
9/14/2023							41000	31000

Sanitas™ v.9.6.37 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Manganese



Time Series Analysis Run 10/23/2023 11:17 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series


Constituent: Manganese (ug/L) Analysis Run 10/23/2023 11:20 AM View: shallow

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-14	MW-15AR	MW-2	MW-20	MW-25R	MW-5	MW-21 (bg)	MW-23/23R
9/23/2016	360	6.7	1360	9.2	35.2	17.4	5.2	7
9/5/2017	138	29.8	1480	1.6	19.7	4	59.3	
4/25/2018								203
9/17/2018	186	23.5	1480	40.8	89.1	8.2	59.2	708
4/23/2019								950
9/23/2019	180	14	1200	4.6 (J)	29	6.6 (J)	34	740
9/21/2020				<4	<4			
9/22/2020	190		2000			<4		
9/23/2020							20	
9/24/2020		<4						15
9/7/2021					62			
9/8/2021	290		1900	12				
9/9/2021						6 (J)		47
9/10/2021								<4.4
9/6/2022	255 (D)			<3.6	5.7 (J)			
9/7/2022			1950 (D)			22	9.1 (J)	
9/8/2022								25
9/9/2022		<3.6						
9/11/2023	72							
9/12/2023			1400	<3.6 (U)	<3.6 (U)			
9/13/2023						29		
9/14/2023							13	<3.6 (U)

Sanitas™ v.9.6.37 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Molybdenum




Time Series Analysis Run 10/23/2023 11:17 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Molybdenum (ug/L) Analysis Run 10/23/2023 11:20 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-14	MW-2	MW-20	MW-25R	MW-5	MW-21 (bg)	MW-23/23R
9/11/2023	<0.91 (U)						
9/12/2023		<0.91 (U)	<0.91 (U)	<0.91 (U)			
9/13/2023					<0.91 (U)		
9/14/2023						<0.91 (U)	<0.91 (U)

Oxidation Reduction Potential



Time Series Analysis Run 10/23/2023 11:17 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Oxidation Reduction Potential (millivolts) Analysis Run 10/23/2023 11:20 AM View: shallow

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-14	MW-15AR	MW-2	MW-20	MW-25R	MW-5	MW-21 (bg)	MW-23/23R
9/23/2016	92.1	46.5	8.6	66.5	73.8	55.1	63.8	55
9/5/2017	199.6	522.6	18.6	553.8	153.1	36.7	521	
4/25/2018								122.5
9/17/2018	-185.3	-59.5	-66.1	-11.7	-3.1	174.6	35.8	-25.4
4/23/2019								49.2
9/23/2019	53.2	11.3	-24.3	179.7	70.9	38.2	144.2	55.9
9/21/2020				101.5	67.3			
9/22/2020	115.3		-36.7			63.7		
9/23/2020							52.2	
9/24/2020		142.8						108.9
9/7/2021					138.7			
9/8/2021	123.2		-11.5	143				
9/9/2021						88.5		109.7
9/10/2021							109.2	
9/6/2022	104.4			86.4	92.5			
9/7/2022			12.9			72.4	64.4	
9/8/2022		97.9						82.1
9/9/2022								
9/11/2023	-13.3							
9/12/2023			-17.9	118.9	110.2			
9/13/2023						104.5		
9/14/2023							106.2	111.1

Selenium



Time Series Analysis Run 10/23/2023 11:17 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Selenium (ug/L) Analysis Run 10/23/2023 11:20 AM View: shallow

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-14	MW-15AR	MW-2	MW-20	MW-25R	MW-5	MW-21 (bg)	MW-23/23R
9/23/2016	19.6	10.4	6.2	6.9	2.4	9.1	1	9.6
9/5/2017	25.1	22.1	1.3	31.9	0.97 (J)	13.5	0.9 (J)	
4/25/2018								10.4
9/17/2018	22.3	13.3	1.1	6.3	5.2	7	2.1	11.1
4/23/2019								9.4
9/23/2019	20	24	1.9 (J)	26	1.7 (J)	19	1.3 (J)	10
9/21/2020				32	1.6 (J)			
9/22/2020	18		1.7 (J)			14		
9/23/2020							1.6 (J)	
9/24/2020		24						6.9
9/7/2021					2.4 (J)			
9/8/2021	17		3.7 (J)	29				
9/9/2021						11		3.4 (J)
9/10/2021							1.6 (J)	
9/6/2022	15			9.4	3.3 (J)			
9/7/2022			1.9 (J)			8.4	1.1 (J)	
9/8/2022								3 (J)
9/9/2022		19						
9/11/2023	11							
9/12/2023			<1.4 (U)	21	2.6 (J)			
9/13/2023						5.9		
9/14/2023							<1.4 (U)	2.5 (J)

Sulfate




Time Series Analysis Run 10/23/2023 11:17 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Sulfate (mg/L) Analysis Run 10/23/2023 11:20 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input File BB

Temperature, Field



Time Series Analysis Run 10/23/2023 11:17 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Temperature, Field (Degrees C) Analysis Run 10/23/2023 11:20 AM View: shallow

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-14	MW-15AR	MW-2	MW-20	MW-25R	MW-5	MW-21 (bg)	MW-23/23R
9/23/2016	16.5	16.5	16	14.8	12.7	14	17	12
9/5/2017	13	12.8	11.6	12.1	11.9	12.7	14	
4/25/2018								11.1
9/17/2018	12.3	12.7	15.2	12.3	13.7	13.5	13.4	14.1
4/23/2019								11.83
9/23/2019	11.25	14.66	13.32	13.9	14.7	12.39	15.3	14.46
9/21/2020				12.6	12			
9/22/2020	11.5		12.5			11.9		
9/23/2020							14.4	
9/24/2020		13						12.5
9/7/2021					11.5			
9/8/2021	12.1		15	13.4				
9/9/2021						12		12.6
9/10/2021							13.7	
9/6/2022	15.7			13.7	12			
9/7/2022			13.3			12.5	12.1	
9/8/2022								16.6
9/9/2022		13						
9/11/2023	11.3							
9/12/2023			13.7	15	14.2			
9/13/2023						12.8		
9/14/2023							13.3	13.3

Total Alkalinity




Time Series Analysis Run 10/23/2023 11:17 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Total Alkalinity (mg/L) Analysis Run 10/23/2023 11:20 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input File BB

Total Dissolved Solids




Time Series Analysis Run 10/23/2023 11:17 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Total Dissolved Solids (mg/L) Analysis Run 10/23/2023 11:20 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-14	MW-2	MW-20	MW-25R	MW-5	MW-21 (bg)	MW-23/23R
9/11/2023	250						
9/12/2023		440	300	270			
9/13/2023					430		
9/14/2023						630	490

Total Suspended Solids



Time Series Analysis Run 10/23/2023 11:17 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Total Suspended Solids (mg/L) Analysis Run 10/23/2023 11:20 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-14	MW-2	MW-20	MW-25R	MW-5	MW-21 (bg)	MW-23/23R
9/11/2023	1.9						
9/12/2023		30	2	3.9			
9/13/2023					13		
9/14/2023						13	1.6 (J)

Sanitas™ v.9.6.37 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Zinc



Time Series Analysis Run 10/23/2023 11:18 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Zinc (ug/L) Analysis Run 10/23/2023 11:20 AM View: shallow
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


	MW-14	MW-15AR	MW-2	MW-20	MW-25R	MW-5	MW-21 (bg)	MW-23/23R
9/23/2016	7.3 (J)	2.4 (J)	8.3 (J)	3.8 (J)	7.2 (J)	4 (J)	14.2	3.7 (J)
9/5/2017	3.4 (J)	7 (J)	2 (J)	1.8 (J)	4.7 (J)	2 (J)	4.7 (J)	
4/25/2018								6.3 (J)
9/17/2018	6 (J)	7.8 (J)	6.6 (J)	11.5	8.2 (J)	4.9 (J)	8 (J)	44.8
4/23/2019								11 (J)
9/23/2019	15 (J)	<10	<10	<10	<10	<10	<10	<20
9/21/2020					<10	<10		
9/22/2020	<10		<10			<10		
9/23/2020							<10	
9/24/2020		<10						<10
9/7/2021					<10			
9/8/2021	<10		12 (J)	<10				
9/9/2021						<10		<10
9/10/2021							<10	
9/6/2022	330			150	100			
9/7/2022			170			260	130 (X)	
9/8/2022		<10						<10
9/9/2022								
9/11/2023	<6.4 (U)							
9/12/2023			6.6 (J)	<6.4 (U)	<6.4 (U)			
9/13/2023						<6.4 (U)		
9/14/2023							<6.4 (U)	<6.4 (U)

Attachment E2

Times Series Graphs – Deep

Sanitas™ v.9.6.37 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Arsenic




Time Series Analysis Run 10/23/2023 11:37 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Arsenic (ug/L) Analysis Run 10/23/2023 11:39 AM View: Deep
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-16	MW-6	MW-7	MW-24/24R
9/23/2016	19.9	1.7	0.81 (J)	0.49 (J)	1.2	0.39 (J)	3.4
9/5/2017	9.3	2.2	1.1	0.46 (J)	0.32 (J)	0.49 (J)	3.1
4/25/2018							4.9
9/17/2018	3.5	14.2	1.3	0.6 (J)	0.42 (J)	0.5 (J)	3.3
4/23/2019							2.9
9/23/2019	4	2.4	0.98 (J)	<0.75	2.7	<0.75	2.4
9/21/2020			1.1 (J)				
9/22/2020		0.97 (J)			<0.88		
9/23/2020				<0.88		<0.88	
9/24/2020	3.2						2
9/8/2021		1.3 (J)	1.1 (J)				
9/9/2021	1.9 (J)			<0.75	<0.75	<0.75	
9/10/2021							1.9 (J)
9/6/2022		2.1	1.4 (J)				
9/7/2022					1.1 (J)		
9/8/2022				<0.75		<0.75	2.6
9/9/2022	3.2						
9/11/2023			1.2 (J)				
9/12/2023		1 (J)					
9/13/2023	1.4 (J)				0.79 (J)	0.55 (J)	
9/14/2023				0.55 (J)			

Barium



Time Series Analysis Run 10/23/2023 11:37 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Barium (ug/L) Analysis Run 10/23/2023 11:39 AM View: Deep
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-16	MW-6	MW-7	MW-24/24R
9/23/2016	190	103	191	107	145	121	150
9/5/2017	154	109	190	141	127	118	164
4/25/2018							118
9/17/2018	137	132	197	111	134	124	91.1
4/23/2019							91
9/23/2019	140	110	200	110	160	140	81
9/21/2020			190				
9/22/2020		110			120		
9/23/2020				130		130	
9/24/2020	120						73
9/8/2021		98 (B)	180 (B)				
9/9/2021	120 (B)			120 (B)	120 (B)	120 (B)	
9/10/2021							76 (B)
9/6/2022		130	200				
9/7/2022					140		
9/8/2022				130		130	98
9/9/2022	130		170				
9/11/2023							
9/12/2023		90					
9/13/2023	100				120	120	
9/14/2023			110				

Sanitas™ v.9.6.37 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Beryllium




Time Series Analysis Run 10/23/2023 11:37 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Beryllium (ug/L) Analysis Run 10/23/2023 11:39 AM View: Deep
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-16	MW-6	MW-7	MW-24/24R
9/23/2016	0.096 (J)	<0.08	<0.08	<0.08	<0.08	<0.08	0.092 (J)
9/5/2017	0.026 (J)	<0.012	<0.012	<0.012	<0.012	<0.012	0.05 (J)
4/25/2018							0.021 (J)
9/17/2018	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12
4/23/2019							<0.27
9/23/2019	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27
9/21/2020			<0.27				
9/22/2020		<0.27			<0.27		
9/23/2020				<0.27		<0.27	
9/24/2020	<0.27						<0.27
9/8/2021		<0.27	<0.27				
9/9/2021	<0.27			<0.27	<0.27	<0.27	
9/10/2021							<0.27
9/6/2022		<0.27	<0.27				
9/7/2022					<0.27		
9/8/2022				<0.27		<0.27	<0.27
9/9/2022	<0.27						
9/11/2023			<0.33 (U)				
9/12/2023			<0.33 (U)				
9/13/2023	<0.33 (U)				<0.33 (U)	<0.33 (U)	
9/14/2023					<0.33 (U)		

Boron




Time Series Analysis Run 10/23/2023 11:37 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Boron (ug/L) Analysis Run 10/23/2023 11:39 AM View: Deep
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-16	MW-6	MW-7	MW-24/24R
9/23/2016	1450	645	<50	87.1 (J)	1020	371	879
9/5/2017	4010	733	83.4 (J)	823	1190	325	2480
4/25/2018							44.3 (J)
9/17/2018	1560	556	30.4 (J)	300	1120	232	18.3 (J)
4/23/2019							<110
9/23/2019	2400	620	<110	110 (J)	1300	300	<110
9/21/2020			<80				
9/22/2020		530			1100		
9/23/2020				810		300	
9/24/2020	1700						<80
9/8/2021		430	<58				
9/9/2021	1800			1300	1000	210	
9/10/2021							<58
9/6/2022		490	<58		1100		
9/7/2022					1800		
9/8/2022						230	<58
9/9/2022	2000						
9/11/2023			<76 (U)				
9/12/2023		420					
9/13/2023	1400				940	210	
9/14/2023				520			

Calcium



Time Series Analysis Run 10/23/2023 11:37 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Calcium (mg/L) Analysis Run 10/23/2023 11:39 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-16	MW-6	MW-7
9/11/2023			110			
9/12/2023		120				
9/13/2023	130			130	96	
9/14/2023			93			

Sanitas™ v.9.6.37 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Chloride



Time Series Analysis Run 10/23/2023 11:37 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Chloride (mg/L) Analysis Run 10/23/2023 11:39 AM View: Deep
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-16	MW-6	MW-7	MW-24/24R
10/1/1994			<5 (X)				
1/1/1995			<5 (X)				
4/1/1995			<5 (X)				
7/1/1995			<5 (X)				
10/1/1995			<5 (X)				
4/1/1996			4.3 (X)				
10/1/1996			2.6 (X)				
4/1/1997			<5 (X)				
10/1/1997			<5 (X)				
4/1/1998			<5 (X)				
10/1/1998			<5 (X)				
9/1/1999			<5 (X)				
9/1/2000			<5 (X)				
9/1/2001			5.6 (X)				
9/1/2002			<5 (X)				
9/1/2003			<5 (X)				
9/1/2004			<5 (X)				
9/1/2005			<5 (X)				
9/1/2006			<5 (X)				
9/1/2007			<5 (X)				
9/1/2008			<5 (X)				
9/1/2009			<5 (X)				
8/1/2010			<5 (X)				
9/1/2011			<5 (X)				
9/1/2012			<5 (X)				
9/1/2013			2.7				
9/1/2014			2.4				
9/1/2015			2.6				
9/23/2016	19	10.8	2.7	7	17.7	6.4	8
9/5/2017	20.4	10.2	2.8	9.8	15.4	6	13.4
4/25/2018							4.5
9/17/2018	21.3	10.1	2.4	9.2	17	6.1	1.6
4/23/2019							3.4 (J)
9/23/2019	16	9.8	2.2 (J)	6	12	5.8	<1.5
9/21/2020			3.2 (J)				
9/22/2020		18			12		
9/23/2020				10		7.3	
9/24/2020	16						<2
9/8/2021		18	3.5 (J)				
9/9/2021	16			9.1	11	7.4	
9/10/2021							0.59 (J)
9/6/2022		17	3.1 (J)				
9/7/2022					11		
9/8/2022				8.3		6.6	<2.3
9/9/2022	12						
9/11/2023			3.1 (J)				
9/12/2023		19					
9/13/2023	11			11		6.8	
9/14/2023			8.8				

Sanitas™ v.9.6.37 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Cobalt



Time Series Analysis Run 10/23/2023 11:37 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Cobalt (ug/L) Analysis Run 10/23/2023 11:39 AM View: Deep
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-16	MW-6	MW-7	MW-24/24R
9/23/2016	0.68 (J)	<0.5	0.57 (J)	<0.5	<0.5	<0.5	1.3
9/5/2017	0.31 (J)	0.61 (J)	0.46 (J)	0.12 (J)	0.8 (J)	0.024 (J)	0.67 (J)
4/25/2018							0.72 (J)
9/17/2018	0.22 (J)	2.3	0.44 (J)	0.22 (J)	0.2 (J)	<0.15	0.37 (J)
4/23/2019							0.9
9/23/2019	0.2 (J)	0.89	0.4 (J)	0.16 (J)	0.71	0.25 (J)	4.7
9/21/2020			0.4 (J)				
9/22/2020		0.37 (J)			0.13 (J)		
9/23/2020				<0.091		<0.091	
9/24/2020	0.14 (J)						24
9/8/2021		0.69	0.49 (J)				
9/9/2021	<0.19			<0.19	0.23 (J)	<0.19	
9/10/2021							61
9/6/2022		1.2	0.43 (J)				
9/7/2022					0.44 (J)		
9/8/2022				<0.19		<0.19	94.5 (D)
9/9/2022	0.19 (J)						
9/11/2023			0.35 (J)				
9/12/2023		0.4 (J)					
9/13/2023	<0.17 (U)				0.34 (J)	<0.17 (U)	
9/14/2023				0.29 (J)			

Sanitas™ v.9.6.37 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Copper




Time Series Analysis Run 10/23/2023 11:37 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Copper (ug/L) Analysis Run 10/23/2023 11:39 AM View: Deep
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-16	MW-6	MW-7	MW-24/24R
9/23/2016	2.5	1.6	0.57 (J)	0.21 (J)	1.3	0.95 (J)	7.7
9/5/2017	1	0.35 (J)	0.24 (J)	0.31 (J)	0.2 (J)	0.36 (J)	6.8
4/25/2018							4.6
9/17/2018	5.7	9	<0.48	2.5	2.4	1.7	1.2
4/23/2019							<2
9/23/2019	<2	<2	<2	<2	2.4 (J)	<2	<2
9/21/2020					<1.5		
9/22/2020		<1.5				1.6 (J)	
9/23/2020					1.5 (J)		<1.5
9/24/2020	<1.5						<1.5
9/8/2021		<1.4	<1.4				
9/9/2021	<1.4				<1.4	<1.4	
9/10/2021							<1.4
9/6/2022		<1.8	<1.8				
9/7/2022					<1.8		
9/8/2022					<1.8		<1.8
9/9/2022	<1.8						
9/11/2023			<1.8 (U)				
9/12/2023		<1.8 (U)					
9/13/2023	<1.8 (U)				<1.8 (U)	<1.8 (U)	
9/14/2023					<1.8 (U)		

Dissolved Oxygen




Time Series Analysis Run 10/23/2023 11:37 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Dissolved Oxygen (mg/L) Analysis Run 10/23/2023 11:39 AM View: Deep
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-16	MW-6	MW-7	MW-24/24R
9/23/2016	1.15	1.65	1.02	1.65	1.4	2.22	16.86
9/5/2017	1.55	3.24	0.14	1.75	6.13	0.73	6.26
4/25/2018							1.73
9/17/2018	3.02	5.42	0.34	2.87	0.43	0.95	0.41
4/23/2019							2.3
9/23/2019	0.79	2.06	0.34	0.43	0.49	0.68	0.38
9/21/2020			0.24				
9/22/2020		4.21			0.45		
9/23/2020				0.7		1.04	
9/24/2020	0.36						0.36
9/8/2021		5.68	1.04		0.94		
9/9/2021	0.5			0.89		1.15	
9/10/2021							0.35
9/6/2022		1.44	0.35		1.68		
9/7/2022					0.81		
9/8/2022						1.19	3.51
9/9/2022	0.54		0.59				
9/11/2023							
9/12/2023		1.67					
9/13/2023	2.85				0.41	1.71	
9/14/2023			0.7				

Field pH




Time Series Analysis Run 10/23/2023 11:37 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Field pH (SU) Analysis Run 10/23/2023 11:39 AM View: Deep
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-16	MW-6	MW-7	MW-24/24R
9/23/2016	7.11	8.09	6.9	8.69	9.41	11.08	8.58
9/5/2017	6.88	6.35	6.6	7.29	7.54	7	7.97
4/25/2018							7.18
9/17/2018	7.39	7.23	7.23	7.04	7.13	6.75	7.31
4/23/2019							7.8
9/23/2019	6.46	7.06	6.84	6.98	6.92	6.94	7.13
9/21/2020			8.7				
9/22/2020		7.77			8.44		
9/23/2020				7.43		7.19	
9/24/2020	7.11						7.42
9/8/2021		7.03	6.97				
9/9/2021	7.05			7.2	7.05	7.15	
9/10/2021							7.11
9/6/2022		6	6.87				
9/7/2022					6.93		
9/8/2022				6.74		6.66	7.19
9/9/2022	7.04						
9/11/2023			6.88				
9/12/2023		6.73					
9/13/2023	6.88				6.81	6.93	
9/14/2023				7.06			

Field Specific Conductance



Time Series Analysis Run 10/23/2023 11:38 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Field Specific Conductance (umhos/cm) Analysis Run 10/23/2023 11:39 AM View: Deep
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-16	MW-6	MW-7	MW-24/24R
9/23/2016	1664	1349	1358	1123	1587	1153	1142
9/5/2017	1079	766	760	716	493.2	641	883
4/25/2018							1008
9/17/2018	1012	778	807	682	959	696	589
4/23/2019							613
9/23/2019	990	779	583	475	654	488	428
9/21/2020			767				
9/22/2020		780			884		
9/23/2020				742		688	
9/24/2020	960						579
9/8/2021		783	776				
9/9/2021	960			759	852	669	
9/10/2021							590.8
9/6/2022		775	715		912		
9/7/2022				666		588.9	496.1
9/8/2022							
9/9/2022	882						
9/11/2023			839				
9/12/2023		868					
9/13/2023	974				992	749	
9/14/2023			744				

Sanitas™ v.9.6.37 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Fluoride




Time Series Analysis Run 10/23/2023 11:38 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Fluoride (mg/L) Analysis Run 10/23/2023 11:39 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-16	MW-6	MW-7
9/11/2023			<0.38 (U)			
9/12/2023		<0.38 (U)				
9/13/2023	<0.38 (U)				<0.38 (U)	<0.38 (U)
9/14/2023				<0.38 (U)		

Groundwater Elevation



Time Series Analysis Run 10/23/2023 11:38 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Groundwater Elevation (feet) Analysis Run 10/23/2023 11:39 AM View: Deep
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-16	MW-6	MW-7	MW-24/24R
4/1/2016	730.04	737.41	737.23	720.76	734.9	727.93	721.76
9/23/2016	732.17	739.21	739.05	722.77	737.25	729.45	723.84
4/1/2017	731.27	739.14	739.04	722.96	736.38	729.16	723.8
9/5/2017	728.95	738.2	737.7	717.24	735.01	724.49	718.93
4/25/2018	716.1465	723.9643	723.5664	705.3648	722.5274	712.5044	705.63
9/17/2018	714.7965	722.3643	722.3064	706.5848	721.3174	710.1244	707.32
4/23/2019	719.4365	726.3043	726.3964	711.0948	724.1674	717.5244	710.87
9/23/2019	718.7665	727.6043	727.1164	706.8948	724.4274	713.8844	707.87
9/21/2020			725.66				
9/22/2020		726.21			723.4		
9/23/2020				705.71		712.7	
9/24/2020	717.3						705.82
9/8/2021		724.48	724.06				
9/9/2021	714.74			704	721.94	710.87	
9/10/2021							714.69
9/6/2022		722.7	722.52				
9/7/2022					722.27		
9/8/2022				702.2		709.39	701.81
9/9/2022	714.05						
9/11/2023			721.9				
9/12/2023		722.14					
9/13/2023	713.82				721.09	708.66	
9/14/2023				700.25			

Sanitas™ v.9.6.37 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Iron



Time Series Analysis Run 10/23/2023 11:38 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Iron (ug/L) Analysis Run 10/23/2023 11:39 AM View: Deep
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-16	MW-6	MW-7	MW-24/24R
9/23/2016	10900	193	1590	187	3010	77.8	3660
9/5/2017	4750	154	1710	<9.6	240	11.4 (J)	2780
4/25/2018							793
9/17/2018	1730	2930	1710	157	403	35.6 (J)	755
4/23/2019							530
9/23/2019	1700	160	1600	<66	12000	180	510
9/21/2020			1800				
9/22/2020		<50			290		
9/23/2020				<50		<50	
9/24/2020	1600						380
9/8/2021		82 (J)	1700				
9/9/2021	910			53 (J)	270	<36	
9/10/2021							470
9/6/2022		430	1900		4300		
9/7/2022				59 (J)		<36	310
9/8/2022							
9/9/2022	1600						
9/11/2023			1700				
9/12/2023		<36 (U)					
9/13/2023	510				2100	<36 (U)	
9/14/2023			190				

Sanitas™ v.9.6.37 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Lead




Time Series Analysis Run 10/23/2023 11:38 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Lead (ug/L) Analysis Run 10/23/2023 11:39 AM View: Deep
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-16	MW-6	MW-7	MW-24/24R
9/23/2016	3.2	0.43 (J)	<0.19	0.26 (J)	0.96 (J)	0.41 (J)	6.2
9/5/2017	2.5	0.089 (J)	0.038 (J)	0.1 (J)	0.13 (J)	0.1 (J)	3.6
4/25/2018							1.4
9/17/2018	1.5	4.2	<0.12	0.3 (J)	0.3 (J)	0.15 (J)	0.27 (J)
4/23/2019							<0.27
9/23/2019	0.69	<0.27	<0.27	<0.27	0.4 (J)	0.69	<0.27
9/21/2020			0.17 (J)				
9/22/2020		0.26 (J)			0.22 (J)		
9/23/2020				0.42 (J)		0.39 (J)	
9/24/2020	0.56						0.12 (J)
9/8/2021		0.29 (J)	<0.21				
9/9/2021	0.47 (J)			0.25 (J)	0.21 (J)	<0.21	
9/10/2021							<0.21
9/6/2022		0.25 (J)	<0.24		0.3 (J)		
9/7/2022					<0.24		
9/8/2022						<0.24	0.34 (J)
9/9/2022	0.88						
9/11/2023			<0.24 (U)				
9/12/2023			<0.24 (U)				
9/13/2023	0.37 (J)				0.37 (J)	<0.24 (U)	
9/14/2023					<0.24 (U)		

Lithium




Time Series Analysis Run 10/23/2023 11:38 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Lithium (ug/L) Analysis Run 10/23/2023 11:39 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-16	MW-6	MW-7
9/11/2023			13			
9/12/2023		13				
9/13/2023	12			17	8.9 (J)	
9/14/2023			10			

Magnesium



Time Series Analysis Run 10/23/2023 11:38 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Magnesium (ug/L) Analysis Run 10/23/2023 11:39 AM View: Deep

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-16	MW-6	MW-7	MW-24/24R
9/23/2016	46600	37000	41000	32300	42400	32200	37800
9/5/2017	50200	40100	42800	36600	46300	33200	47100
4/25/2018							39000
9/17/2018	40500	34400	38100	30600	40000	29300	28000
4/23/2019							29000
9/23/2019	47000	38000	44000	34000	43000	36000	31000
9/21/2020			39000				
9/22/2020		35000			39000		
9/23/2020				33000		34000	
9/24/2020	42000						28000
9/8/2021		36000	40000				
9/9/2021	44000			35000	39000	33000	
9/10/2021							28000
9/6/2022		37000	40000		41000		
9/7/2022				35000		33000	28000
9/8/2022							
9/9/2022	42000						
9/11/2023			39000				
9/12/2023		36000					
9/13/2023	39000				37000	32000	
9/14/2023				31000			

Manganese



Time Series Analysis Run 10/23/2023 11:38 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series


Constituent: Manganese (ug/L) Analysis Run 10/23/2023 11:39 AM View: Deep

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-16	MW-6	MW-7	MW-24/24R
9/23/2016	266	38.6	276	18.4	180	5	460
9/5/2017	77.4	44.8	266	2.5	54.6	1.7	208
4/25/2018							623
9/17/2018	88.2	188	257	10.3	78.7	0.81 (J)	575
4/23/2019							370
9/23/2019	95	43	280	7.3 (J)	430	18	330
9/21/2020			280				
9/22/2020		17			63		
9/23/2020				<4		<4	
9/24/2020	96						220
9/8/2021		26	260				
9/9/2021	62			<4.4	47	<4.4	
9/10/2021							140
9/6/2022		84	260		200		
9/7/2022							
9/8/2022				7.5 (J)		<3.6	120
9/9/2022	72		250				
9/11/2023							
9/12/2023		19					
9/13/2023	56				230	<3.6 (U)	
9/14/2023				45			

Sanitas™ v.9.6.37 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Molybdenum




Time Series Analysis Run 10/23/2023 11:38 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Molybdenum (ug/L) Analysis Run 10/23/2023 11:39 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-16	MW-6	MW-7
9/11/2023			1.8 (J)			
9/12/2023		13				
9/13/2023		2.2			1.9 (J)	<0.91 (U)
9/14/2023				2.2	<0.91 (U)	

Oxidation Reduction Potential




Time Series Analysis Run 10/23/2023 11:38 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Oxidation Reduction Potential (millivolts) Analysis Run 10/23/2023 11:39 AM View: Deep
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-16	MW-6	MW-7	MW-24/24R
9/23/2016	40.7	112	15	25.5	-11.4	34.3	-22.4
9/5/2017	491.7	531.5	476.1	106.7	322.6	516.3	138.2
4/25/2018							58.3
9/17/2018	3.6	-81.3	-242.3	-30.2	-86.4	59.3	-167.3
4/23/2019							-20.6
9/23/2019	-41	-38.7	-194.1	-7.3	-34.8	-87.3	-92.1
9/21/2020			-184.5				
9/22/2020		-13.3			-73.3		
9/23/2020				-35.3		-121.7	
9/24/2020	-62						-103.1
9/8/2021		59.9	-44		38.9		
9/9/2021	-42.8			45.3		-25.1	
9/10/2021							-63.2
9/6/2022		52.1	-27.6		44.5		
9/7/2022					31.8		
9/8/2022						58.7	73.6
9/9/2022	14						
9/11/2023			-219.1				
9/12/2023		91.7					
9/13/2023	-3.3				12.7		85.9
9/14/2023				-191.5			

Selenium




Time Series Analysis Run 10/23/2023 11:38 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Selenium (ug/L) Analysis Run 10/23/2023 11:39 AM View: Deep
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-16	MW-6	MW-7	MW-24/24R
9/23/2016	1.2	1	<0.18	<0.18	4.9	2.7	3.8
9/5/2017	13	3.8	<0.086	2.1	7.1	2.3	11.9
4/25/2018							0.19 (J)
9/17/2018	1.3	1.9	<0.16	<0.16	5.3	2.1	<0.16
4/23/2019							<1
9/23/2019	5.7	3.3 (J)	<1	<1	7.4	2.3 (J)	<1
9/21/2020			<1				
9/22/2020		3.3 (J)			8.6		
9/23/2020				2.2 (J)		2.4 (J)	
9/24/2020	1.5 (J)						<1
9/8/2021		3.4 (J)	<0.96				
9/9/2021	3.2 (J)			4.5 (J)	8.8	2.5 (J)	
9/10/2021							<0.96
9/6/2022		3.4 (J,B)	<0.96				
9/7/2022					6.7		
9/8/2022				3.2 (J)		3.6 (J,B)	<0.96
9/9/2022	3.5 (J,B)						
9/11/2023			<1.4 (U)				
9/12/2023		<1.4 (U)					
9/13/2023	<1.4 (U)				2.1 (J)	2.3 (J)	
9/14/2023				<1.4 (U)			

Sulfate




Time Series Analysis Run 10/23/2023 11:38 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Sulfate (mg/L) Analysis Run 10/23/2023 11:39 AM View: Deep
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-16	MW-6	MW-7	MW-24/24R
11/1/2010			52.9				
2/1/2011			61.2				
9/1/2011			123				
9/1/2012			58.7				
9/1/2013			57.1				
9/1/2014			64.1				
9/1/2015			75.5				
9/23/2016	204	72.2	50.2	31.6	133	32.6	94.5
9/5/2017	265	70.3	49.6	62.7	138	31.1	176
4/25/2018							23.4
9/17/2018	207	72.7	52.8	36.1	141	28.6	13.7
4/23/2019							18
9/23/2019	190	65	47	31	130	30	18
9/21/2020			49				
9/22/2020		58			110		
9/23/2020				60		30	
9/24/2020	170		49				20
9/8/2021		59					
9/9/2021	190			77	110	28	
9/10/2021							4
9/6/2022		59	45				
9/7/2022					99		
9/8/2022				73		24	18
9/9/2022	150		47				
9/11/2023							
9/12/2023		84					
9/13/2023	130				110	23	
9/14/2023			41				

Temperature, Field



Time Series Analysis Run 10/23/2023 11:38 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Temperature, Field (Degrees C) Analysis Run 10/23/2023 11:39 AM View: Deep

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-16	MW-6	MW-7	MW-24/24R
9/23/2016	15.6	15	14.5	15.2	14.2	14.2	13
9/5/2017	11.9	11.9	11.5	17.2	11.9	12.8	14.3
4/25/2018							18.7
9/17/2018	13.1	16.1	12.3	12.9	14.6	12.6	14.9
4/23/2019							11.16
9/23/2019	13.37	15.7	14.42	12.94	12.19	12.35	13.2
9/21/2020			12.2				
9/22/2020		13.2			12.5		
9/23/2020				13.3		12.5	
9/24/2020	12.9						13.9
9/8/2021		12.2	12.1				
9/9/2021	13.3			14.3	12	11.7	
9/10/2021							12.5
9/6/2022		20.1	12				
9/7/2022					13.1		
9/8/2022				17.5		12.7	13.8
9/9/2022	13.3						
9/11/2023			14.6				
9/12/2023		19.5					
9/13/2023	13.1				16.1	12.3	
9/14/2023			15.4				

Total Alkalinity



Time Series Analysis Run 10/23/2023 11:38 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Total Alkalinity (mg/L) Analysis Run 10/23/2023 11:39 AM View: Deep

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-16	MW-6	MW-7	MW-24/24R
9/5/2017					381		
9/6/2017	362	196					334
9/7/2017			411	355		320	
4/25/2018							336
9/17/2018					397	350	316
9/18/2018				339			
9/19/2018	374	368	416				
4/23/2019							300
9/23/2019			390				
9/24/2019	350	340		300	370	330	300
9/21/2020			420				
9/22/2020		370			400		
9/23/2020				370		370	
9/24/2020	380		410				310
9/8/2021		360					
9/9/2021	370			360	400	370	
9/10/2021							310
9/6/2022		310	400				
9/7/2022					400		
9/8/2022				360		350	310
9/9/2022	360						
9/11/2023			390				
9/12/2023		330					
9/13/2023	360				370	340	
9/14/2023				330			

Total Dissolved Solids




Time Series Analysis Run 10/23/2023 11:38 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Total Dissolved Solids (mg/L) Analysis Run 10/23/2023 11:39 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-16	MW-6	MW-7
9/11/2023			420			
9/12/2023		470				
9/13/2023	460			420	400	
9/14/2023			370			

Total Suspended Solids



Time Series Analysis Run 10/23/2023 11:38 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Time Series

Constituent: Total Suspended Solids (mg/L) Analysis Run 10/23/2023 11:39 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-16	MW-6	MW-7
9/11/2023			8.1			
9/12/2023		1.4 (J)				
9/13/2023	8.1			10	2.9	
9/14/2023			6.8			

Sanitas™ v.9.6.37 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Zinc



Time Series Analysis Run 10/23/2023 11:38 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Time Series

Constituent: Zinc (ug/L) Analysis Run 10/23/2023 11:39 AM View: Deep
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-16	MW-6	MW-7	MW-24/24R
9/23/2016	12.7	28.3	3.2 (J)	2.5 (J)	8.1 (J)	8.1 (J)	22
9/5/2017	3.6 (J)	2.4 (J)	1.4 (J)	2.2 (J)	1.5 (J)	5.5 (J)	36.4
4/25/2018							7.7 (J)
9/17/2018	12.7	20.3	<3.7	6.4 (J)	6 (J)	8.4 (J)	<3.7
4/23/2019							<10
9/23/2019	<10	<10	<10	<10	<10	14 (J)	<10
9/21/2020			<10				
9/22/2020		<10			<10		
9/23/2020				<10		<10	
9/24/2020	<10						<10
9/8/2021		<10	<10				
9/9/2021	<10			<10	<10	<10	
9/10/2021							<10
9/6/2022		250	43				
9/7/2022				<10			
9/8/2022				51		96	71
9/9/2022	46						
9/11/2023			<6.4 (U)				
9/12/2023			<6.4 (U)				
9/13/2023	8.1 (J)				9.9 (J)	9.3 (J)	
9/14/2023				<6.4 (U)			

Attachment E3

Outlier Analysis Results – Shallow


Outlier Analysis

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB Printed 10/23/2023, 11:06 AM

<u>Constituent</u>	<u>Well</u>	<u>Outlier</u>	<u>Value(s)</u>	<u>Date(s)</u>	<u>Method</u>	<u>Alpha</u>	<u>N</u>	<u>Mean</u>	<u>Std. Dev.</u>	<u>Distribution</u>	<u>Normality Test</u>
Arsenic (ug/L)	MW-21 (bg)	No	n/a	n/a	EPA 1989	0.05	8	0.8162	0.185	normal	ShapiroWilk
Barium (ug/L)	MW-21 (bg)	No	n/a	n/a	EPA 1989	0.05	8	195.5	25.52	normal	ShapiroWilk
Beryllium (ug/L)	MW-21 (bg)	No	n/a	n/a	NP (nrm)	NaN	8	0.205	0.1108	unknown	ShapiroWilk
Boron (ug/L)	MW-21 (bg)	No	n/a	n/a	EPA 1989	0.05	8	98.58	32.13	normal	ShapiroWilk
Chloride (mg/L)	MW-21 (bg)	No	n/a	n/a	EPA 1989	0.05	8	14.6	9.898	In(x)	ShapiroWilk
Cobalt (ug/L)	MW-21 (bg)	No	n/a	n/a	NP (nrm)	NaN	8	0.3412	0.2196	unknown	ShapiroWilk
Copper (ug/L)	MW-21 (bg)	Yes	2.8	9/17/2018	Dixon's	0.05	8	1.862	0.4274	normal	ShapiroWilk
Iron (ug/L)	MW-21 (bg)	No	n/a	n/a	EPA 1989	0.05	8	285.5	409.6	In(x)	ShapiroWilk
Lead (ug/L)	MW-21 (bg)	No	n/a	n/a	EPA 1989	0.05	8	0.5987	0.533	In(x)	ShapiroWilk
Magnesium (ug/L)	MW-21 (bg)	No	n/a	n/a	EPA 1989	0.05	8	30963	6856	normal	ShapiroWilk
Manganese (ug/L)	MW-21 (bg)	No	n/a	n/a	EPA 1989	0.05	8	25.25	23.18	In(x)	ShapiroWilk
Selenium (ug/L)	MW-21 (bg)	No	n/a	n/a	EPA 1989	0.05	8	1.287	0.4581	normal	ShapiroWilk
Sulfate (mg/L)	MW-21 (bg)	No	n/a	n/a	EPA 1989	0.05	24	50.1	5.367	normal	ShapiroWilk
Zinc (ug/L)	MW-21 (bg)	Yes	130	9/7/2022	Dixon's	0.05	8	24.16	42.86	normal	ShapiroWilk

EPA Screening (suspected outliers for Dixon's Test)

MW-21 (bg)



n = 8

Dixon's will not be run.
No suspect values identified or unable to establish suspect values.
Mean 0.8162, std. dev. 0.185, critical Tn 2.032

Normality test used:
Shapiro Wilk@alpha = 0.1
Calculated = 0.8745
Critical = 0.851
The distribution was found to be normally distributed.

Constituent: Arsenic Analysis Run 10/23/2023 10:59 AM View: shallow

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


EPA 1989 Outlier Screening

Constituent: Arsenic (ug/L) Analysis Run 10/23/2023 11:06 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-21 (bg)
9/23/2016	0.57 (J)
9/5/2017	0.73 (J)
9/17/2018	1.2
9/23/2019	<0.75
9/23/2020	<0.88
9/10/2021	<0.75
9/7/2022	<0.75
9/14/2023	0.9 (J)

EPA Screening (suspected outliers for Dixon's Test)

MW-21 (bg)



n = 8

Dixon's will not be run.
No suspect values identified or unable to establish suspect values.
Mean 195.5, std. dev. 25.52, critical T_n 2.032

Normality test used:
Shapiro Wilk@alpha = 0.1
Calculated = 0.9356
Critical = 0.851
The distribution was found to be normally distributed.

Constituent: Barium Analysis Run 10/23/2023 10:59 AM View: shallow

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


EPA 1989 Outlier Screening

Constituent: Barium (ug/L) Analysis Run 10/23/2023 11:06 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-21 (bg)
9/23/2016	178
9/5/2017	173
9/17/2018	203
9/23/2019	160
9/23/2020	200
9/10/2021	230 (B)
9/7/2022	230
9/14/2023	190

Tukey's Outlier Screening

MW-21 (bg)



n = 8

No outliers found.
Tukey's method used in
lieu of parametric test
because the Shapiro Wilk
normality test failed
at the 0.1 alpha level.

Data were cube transform-
ed to achieve best W stat-
istic (graph shown in
original units).

High cutoff = 0.4224,
low cutoff = -0.3793,
based on IQR multiplier
of 3.

Constituent: Beryllium Analysis Run 10/23/2023 10:59 AM View: shallow

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Tukey's Outlier Screening

Constituent: Beryllium (ug/L) Analysis Run 10/23/2023 11:06 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-21 (bg)
9/23/2016	<0.08
9/5/2017	0.03 (J)
9/17/2018	<0.12
9/23/2019	<0.27
9/23/2020	<0.27
9/10/2021	<0.27
9/7/2022	<0.27
9/14/2023	<0.33 (U)

EPA Screening (suspected outliers for Dixon's Test)

MW-21 (bg)



n = 8

Dixon's will not be run.
No suspect values identified or unable to establish suspect values.
Mean 98.58, std. dev. 32.13, critical T_n 2.032

Normality test used:
Shapiro Wilk@alpha = 0.1
Calculated = 0.9306
Critical = 0.851
The distribution was found to be normally distributed.

Constituent: Boron Analysis Run 10/23/2023 10:59 AM View: shallow


Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

EPA 1989 Outlier Screening

Constituent: Boron (ug/L) Analysis Run 10/23/2023 11:06 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-21 (bg)
9/23/2016	81 (J)
9/5/2017	110
9/17/2018	97.6 (J)
9/23/2019	160 (J,B)
9/23/2020	120
9/10/2021	63 (J)
9/7/2022	63 (J)
9/14/2023	94 (J)

EPA Screening (suspected outliers for Dixon's Test)



Constituent: Chloride Analysis Run 10/23/2023 10:59 AM View: shallow

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


EPA 1989 Outlier Screening

Constituent: Chloride (mg/L) Analysis Run 10/23/2023 11:06 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-21 (bg)
11/1/2010	13.9
2/1/2011	11.7
9/1/2011	28.8
9/1/2012	12.6
9/1/2013	10.8
9/1/2014	4.7
9/1/2015	4
9/23/2016	30.3
9/5/2017	44.1 (X)
9/17/2018	85.2 (X)
9/23/2019	58 (X)
9/23/2020	110 (X)
9/10/2021	150 (X)
9/7/2022	140 (X)
9/14/2023	150 (X)

Tukey's Outlier Screening

MW-21 (bg)



n = 8

No outliers found.
Tukey's method used in
lieu of parametric test
because the Shapiro Wilk
normality test failed
at the 0.1 alpha level.

Data were natural log
transformed to achieve
best W statistic (graph
shown in original units).

High cutoff = 10.69, low
cutoff = 0.008823, based
on IQR multiplier of 3.

Constituent: Cobalt Analysis Run 10/23/2023 10:59 AM View: shallow

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Tukey's Outlier Screening

Constituent: Cobalt (ug/L) Analysis Run 10/23/2023 11:06 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-21 (bg)
9/23/2016	<0.5
9/5/2017	0.52 (J)
9/17/2018	0.75 (J)
9/23/2019	0.23 (J)
9/23/2020	0.18 (J)
9/10/2021	<0.19
9/7/2022	<0.19
9/14/2023	<0.17 (U)

Dixon's Outlier Test

MW-21 (bg)



n = 8

Statistical outlier is drawn as solid.
Testing for 1 high outlier.
Mean = 1.862.
Std. Dev. = 0.4274.
2.8: c = 0.6154
tabl = 0.554.
Alpha = 0.05.

Normality test used:
Shapiro Wilk@alpha = 0.1
Calculated = 0.9454
Critical = 0.838
The distribution, after removal of suspect value, was found to be normally distributed.

Constituent: Copper Analysis Run 10/23/2023 10:59 AM View: shallow


Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Dixon's Outlier Test

Constituent: Copper (ug/L) Analysis Run 10/23/2023 11:06 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-21 (bg)
9/23/2016	1.7
9/5/2017	1.9
9/17/2018	2.8 (O)
9/23/2019	<2
9/23/2020	<1.5
9/10/2021	<1.4
9/7/2022	<1.8
9/14/2023	<1.8 (U)

EPA Screening (suspected outliers for Dixon's Test)



Constituent: Iron Analysis Run 10/23/2023 11:00 AM View: shallow


Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

EPA 1989 Outlier Screening

Constituent: Iron (ug/L) Analysis Run 10/23/2023 11:06 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-21 (bg)
9/23/2016	110
9/5/2017	644
9/17/2018	1170
9/23/2019	110
9/23/2020	78 (J)
9/10/2021	<36
9/7/2022	<36
9/14/2023	100

EPA Screening (suspected outliers for Dixon's Test)



Constituent: Lead Analysis Run 10/23/2023 11:00 AM View: shallow


Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

EPA 1989 Outlier Screening

Constituent: Lead (ug/L) Analysis Run 10/23/2023 11:06 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-21 (bg)
9/23/2016	<0.19
9/5/2017	1.1
9/17/2018	1.7
9/23/2019	0.52
9/23/2020	0.46 (J)
9/10/2021	<0.21
9/7/2022	<0.24
9/14/2023	0.37 (J)

EPA Screening (suspected outliers for Dixon's Test)



Constituent: Magnesium Analysis Run 10/23/2023 11:00 AM View: shallow


Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

EPA 1989 Outlier Screening

Constituent: Magnesium (ug/L) Analysis Run 10/23/2023 11:06 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-21 (bg)
9/23/2016	22400
9/5/2017	29000
9/17/2018	26300
9/23/2019	24000
9/23/2020	31000
9/10/2021	35000
9/7/2022	39000
9/14/2023	41000

EPA Screening (suspected outliers for Dixon's Test)



Constituent: Manganese Analysis Run 10/23/2023 11:00 AM View: shallow


Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

EPA 1989 Outlier Screening

Constituent: Manganese (ug/L) Analysis Run 10/23/2023 11:06 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-21 (bg)
9/23/2016	5.2
9/5/2017	59.3
9/17/2018	59.2
9/23/2019	34
9/23/2020	20
9/10/2021	<4.4
9/7/2022	9.1 (J)
9/14/2023	13

EPA Screening (suspected outliers for Dixon's Test)



Constituent: Selenium Analysis Run 10/23/2023 11:00 AM View: shallow


Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

EPA 1989 Outlier Screening

Constituent: Selenium (ug/L) Analysis Run 10/23/2023 11:06 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-21 (bg)
9/23/2016	1
9/5/2017	0.9 (J)
9/17/2018	2.1
9/23/2019	1.3 (J)
9/23/2020	1.6 (J)
9/10/2021	1.6 (J)
9/7/2022	1.1 (J)
9/14/2023	<1.4 (U)

EPA Screening (suspected outliers for Dixon's Test)



Constituent: Sulfate Analysis Run 10/23/2023 11:00 AM View: shallow

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


EPA 1989 Outlier Screening

Constituent: Sulfate (mg/L) Analysis Run 10/23/2023 11:06 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-21 (bg)
9/1/1999	40
9/1/2000	56
9/1/2001	48
9/1/2002	49
9/1/2003	51
9/1/2004	51
9/1/2005	55
9/1/2006	248 (X)
9/1/2007	61.8
9/1/2008	47.5
9/1/2009	48.9
8/1/2010	47.9
9/1/2011	46.9
9/1/2012	52.3
9/1/2013	49
9/1/2014	49
9/1/2015	48.1
9/23/2016	37.5
9/5/2017	53.6
9/17/2018	56
9/23/2019	42
9/23/2020	55
9/10/2021	52
9/7/2022	50
9/14/2023	55

Dixon's Outlier Test

MW-21 (bg)



n = 8

Statistical outlier is drawn as solid.
Testing for 1 high outlier.
Mean = 24.16.
Std. Dev. = 42.86.
130: c = 0.9369
tabl = 0.554.
Alpha = 0.05.

Normality test used:
Shapiro Wilk@alpha = 0.1
Calculated = 0.945
Critical = 0.838
The distribution, after removal of suspect value, was found to be normally distributed.

Constituent: Zinc Analysis Run 10/23/2023 11:00 AM View: shallow

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Dixon's Outlier Test

Constituent: Zinc (ug/L) Analysis Run 10/23/2023 11:06 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-21 (bg)
9/23/2016	14.2
9/5/2017	4.7 (J)
9/17/2018	8 (J)
9/23/2019	<10
9/23/2020	<10
9/10/2021	<10
9/7/2022	130 (O)
9/14/2023	<6.4 (U)

Attachment E4

Outlier Analysis Results - Deep


Outlier Analysis

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB Printed 10/23/2023, 11:51 AM

<u>Constituent</u>	<u>Well</u>	<u>Outlier</u>	<u>Value(s)</u>	<u>Date(s)</u>	<u>Method</u>	<u>Alpha</u>	<u>N</u>	<u>Mean</u>	<u>Std. Dev.</u>	<u>Distribution</u>	<u>Normality Test</u>
Arsenic (ug/L)	MW-12 (bg)	No	n/a	n/a	EPA 1989	0.05	8	1.124	0.1828	normal	ShapiroWilk
Barium (ug/L)	MW-12 (bg)	No	n/a	n/a	EPA 1989	0.05	8	189.8	10.35	normal	ShapiroWilk
Beryllium (ug/L)	MW-12 (bg)	No	n/a	n/a	NP (nrm)	NaN	8	0.2028	0.115	unknown	ShapiroWilk
Boron (ug/L)	MW-12 (bg)	No	n/a	n/a	EPA 1989	0.05	8	68.23	24.34	normal	ShapiroWilk
Chloride (mg/L)	MW-12 (bg)	No	n/a	n/a	NP (nrm)	NaN	36	4.256	1.094	unknown	ShapiroWilk
Cobalt (ug/L)	MW-12 (bg)	No	n/a	n/a	EPA 1989	0.05	8	0.4425	0.06671	normal	ShapiroWilk
Copper (ug/L)	MW-12 (bg)	No	n/a	n/a	EPA 1989	0.05	8	1.224	0.6889	normal	ShapiroWilk
Iron (ug/L)	MW-12 (bg)	No	n/a	n/a	EPA 1989	0.05	8	1714	100.6	normal	ShapiroWilk
Lead (ug/L)	MW-12 (bg)	No	n/a	n/a	Dixon's	0.05	8	0.1847	0.07558	normal	ShapiroWilk
Magnesium (ug/L)	MW-12 (bg)	No	n/a	n/a	EPA 1989	0.05	8	40488	2020	normal	ShapiroWilk
Manganese (ug/L)	MW-12 (bg)	No	n/a	n/a	EPA 1989	0.05	8	266.1	11.34	normal	ShapiroWilk
Selenium (ug/L)	MW-12 (bg)	No	n/a	n/a	NP (nrm)	NaN	8	0.7182	0.4988	unknown	ShapiroWilk
Sulfate (mg/L)	MW-12 (bg)	Yes	123	9/1/2011	Dixon's	0.05	15	58.81	19.51	ln(x)	ShapiroWilk
Zinc (ug/L)	MW-12 (bg)	No	n/a	n/a	EPA 1989	0.05	8	10.96	13.39	ln(x)	ShapiroWilk

EPA Screening (suspected outliers for Dixon's Test)

MW-12 (bg)



n = 8

Dixon's will not be run.
No suspect values identified or unable to establish suspect values.
Mean 1.124, std. dev. 0.1828, critical Th 2.032

Normality test used:
Shapiro Wilk@alpha = 0.1
Calculated = 0.9673
Critical = 0.851
The distribution was found to be normally distributed.

Constituent: Arsenic Analysis Run 10/23/2023 11:46 AM View: Deep


Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

EPA 1989 Outlier Screening

Constituent: Arsenic (ug/L) Analysis Run 10/23/2023 11:51 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-12 (bg)
9/23/2016	0.81 (J)
9/5/2017	1.1
9/17/2018	1.3
9/23/2019	0.98 (J)
9/21/2020	1.1 (J)
9/8/2021	1.1 (J)
9/6/2022	1.4 (J)
9/11/2023	1.2 (J)

EPA Screening (suspected outliers for Dixon's Test)



Constituent: Barium Analysis Run 10/23/2023 11:46 AM View: Deep

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


EPA 1989 Outlier Screening

Constituent: Barium (ug/L) Analysis Run 10/23/2023 11:51 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-12 (bg)
9/23/2016	191
9/5/2017	190
9/17/2018	197
9/23/2019	200
9/21/2020	190
9/8/2021	180 (B)
9/6/2022	200
9/11/2023	170

Tukey's Outlier Screening

MW-12 (bg)



n = 8

No outliers found.
Tukey's method used in
lieu of parametric test
because the Shapiro Wilk
normality test failed
at the 0.1 alpha level.

Data were square trans-
formed to achieve best
W statistic (graph shown
in original units).

High cutoff = 0.5103,
low cutoff = -0.4208,
based on IQR multiplier
of 3.

Constituent: Beryllium Analysis Run 10/23/2023 11:46 AM View: Deep


Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Tukey's Outlier Screening

Constituent: Beryllium (ug/L) Analysis Run 10/23/2023 11:51 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-12 (bg)
9/23/2016	<0.08
9/5/2017	<0.012
9/17/2018	<0.12
9/23/2019	<0.27
9/21/2020	<0.27
9/8/2021	<0.27
9/6/2022	<0.27
9/11/2023	<0.33 (U)

EPA Screening (suspected outliers for Dixon's Test)



Constituent: Boron Analysis Run 10/23/2023 11:46 AM View: Deep

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


EPA 1989 Outlier Screening

Constituent: Boron (ug/L) Analysis Run 10/23/2023 11:51 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-12 (bg)
9/23/2016	<50
9/5/2017	83.4 (J)
9/17/2018	30.4 (J)
9/23/2019	<110
9/21/2020	<80
9/8/2021	<58
9/6/2022	<58
9/11/2023	<76 (U)

Tukey's Outlier Screening

MW-12 (bg)




Tukey's Outlier Screening

Constituent: Chloride (mg/L) Analysis Run 10/23/2023 11:51 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-12 (bg)
10/1/1994	<5 (X)
1/1/1995	<5 (X)
4/1/1995	<5 (X)
7/1/1995	<5 (X)
10/1/1995	<5 (X)
4/1/1996	4.3 (X)
10/1/1996	2.6 (X)
4/1/1997	<5 (X)
10/1/1997	<5 (X)
4/1/1998	<5 (X)
10/1/1998	<5 (X)
9/1/1999	<5 (X)
9/1/2000	<5 (X)
9/1/2001	5.6 (X)
9/1/2002	<5 (X)
9/1/2003	<5 (X)
9/1/2004	<5 (X)
9/1/2005	<5 (X)
9/1/2006	<5 (X)
9/1/2007	<5 (X)
9/1/2008	<5 (X)
9/1/2009	<5 (X)
8/1/2010	<5 (X)
9/1/2011	<5 (X)
9/1/2012	<5 (X)
9/1/2013	2.7
9/1/2014	2.4
9/1/2015	2.6
9/23/2016	2.7
9/5/2017	2.8
9/17/2018	2.4
9/23/2019	2.2 (J)
9/21/2020	3.2 (J)
9/8/2021	3.5 (J)
9/6/2022	3.1 (J)
9/11/2023	3.1 (J)

EPA Screening (suspected outliers for Dixon's Test)



Constituent: Cobalt Analysis Run 10/23/2023 11:46 AM View: Deep


Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

EPA 1989 Outlier Screening

Constituent: Cobalt (ug/L) Analysis Run 10/23/2023 11:51 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-12 (bg)
9/23/2016	0.57 (J)
9/5/2017	0.46 (J)
9/17/2018	0.44 (J)
9/23/2019	0.4 (J)
9/21/2020	0.4 (J)
9/8/2021	0.49 (J)
9/6/2022	0.43 (J)
9/11/2023	0.35 (J)

EPA Screening (suspected outliers for Dixon's Test)



n = 8

Dixon's will not be run.
No suspect values identified or unable to establish suspect values.
Mean 1.224, std. dev. 0.6889, critical Th 2.032

Normality test used:
Shapiro Wilk@alpha = 0.1
Calculated = 0.8727
Critical = 0.851
The distribution was found to be normally distributed.


Constituent: Copper Analysis Run 10/23/2023 11:46 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

EPA 1989 Outlier Screening

Constituent: Copper (ug/L) Analysis Run 10/23/2023 11:51 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-12 (bg)
9/23/2016	0.57 (J)
9/5/2017	0.24 (J)
9/17/2018	<0.48
9/23/2019	<2
9/21/2020	<1.5
9/8/2021	<1.4
9/6/2022	<1.8
9/11/2023	<1.8 (U)

EPA Screening (suspected outliers for Dixon's Test)



Constituent: Iron Analysis Run 10/23/2023 11:47 AM View: Deep

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


EPA 1989 Outlier Screening

Constituent: Iron (ug/L) Analysis Run 10/23/2023 11:51 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-12 (bg)
9/23/2016	1590
9/5/2017	1710
9/17/2018	1710
9/23/2019	1600
9/21/2020	1800
9/8/2021	1700
9/6/2022	1900
9/11/2023	1700

Dixon's Outlier Test

MW-12 (bg)



n = 8

No statistical outliers.
Testing for 1 low outlier.
Mean = 0.1847.
Std. Dev. = 0.07558.
0.038 (J): c = 0.4059
tabl = 0.554.
Alpha = 0.05.

Normality test used:
Shapiro Wilk@alpha = 0.1
Calculated = 0.9638
Critical = 0.838
The distribution was found
to be normally distrib-
uted.


Constituent: Lead Analysis Run 10/23/2023 11:47 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Dixon's Outlier Test

Constituent: Lead (ug/L) Analysis Run 10/23/2023 11:51 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-12 (bg)
9/23/2016	<0.19
9/5/2017	0.038 (J)
9/17/2018	<0.12
9/23/2019	<0.27
9/21/2020	0.17 (J)
9/8/2021	<0.21
9/6/2022	<0.24
9/11/2023	<0.24 (U)

EPA Screening (suspected outliers for Dixon's Test)



Constituent: Magnesium Analysis Run 10/23/2023 11:47 AM View: Deep


Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

EPA 1989 Outlier Screening

Constituent: Magnesium (ug/L) Analysis Run 10/23/2023 11:51 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-12 (bg)
9/23/2016	41000
9/5/2017	42800
9/17/2018	38100
9/23/2019	44000
9/21/2020	39000
9/8/2021	40000
9/6/2022	40000
9/11/2023	39000

EPA Screening (suspected outliers for Dixon's Test)



Constituent: Manganese Analysis Run 10/23/2023 11:47 AM View: Deep

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


EPA 1989 Outlier Screening

Constituent: Manganese (ug/L) Analysis Run 10/23/2023 11:51 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-12 (bg)
9/23/2016	276
9/5/2017	266
9/17/2018	257
9/23/2019	280
9/21/2020	280
9/8/2021	260
9/6/2022	260
9/11/2023	250

Tukey's Outlier Screening

MW-12 (bg)



n = 8

No outliers found.
Tukey's method used in
lieu of parametric test
because the Shapiro Wilk
normality test failed
at the 0.1 alpha level.

Data were square trans-
formed to achieve best
W statistic (graph shown
in original units).

High cutoff = 1.978, low
cutoff = -1.698, based
on IQR multiplier of 3.

Constituent: Selenium Analysis Run 10/23/2023 11:47 AM View: Deep

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Tukey's Outlier Screening

Constituent: Selenium (ug/L) Analysis Run 10/23/2023 11:51 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-12 (bg)
9/23/2016	<0.18
9/5/2017	<0.086
9/17/2018	<0.16
9/23/2019	<1
9/21/2020	<1
9/8/2021	<0.96
9/6/2022	<0.96
9/11/2023	<1.4 (U)

Dixon's Outlier Test

MW-12 (bg)



Constituent: Sulfate Analysis Run 10/23/2023 11:47 AM View: Deep


Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Dixon's Outlier Test

Constituent: Sulfate (mg/L) Analysis Run 10/23/2023 11:51 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-12 (bg)
11/1/2010	52.9
2/1/2011	61.2
9/1/2011	123 (O)
9/1/2012	58.7
9/1/2013	57.1
9/1/2014	64.1
9/1/2015	75.5
9/23/2016	50.2
9/5/2017	49.6
9/17/2018	52.8
9/23/2019	47
9/21/2020	49
9/8/2021	49
9/6/2022	45
9/11/2023	47

EPA Screening (suspected outliers for Dixon's Test)



Constituent: Zinc Analysis Run 10/23/2023 11:47 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

EPA 1989 Outlier Screening

Constituent: Zinc (ug/L) Analysis Run 10/23/2023 11:51 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-12 (bg)
9/23/2016	3.2 (J)
9/5/2017	1.4 (J)
9/17/2018	<3.7
9/23/2019	<10
9/21/2020	<10
9/8/2021	<10
9/6/2022	43
9/11/2023	<6.4 (U)

Attachment E5

Interwell Prediction Limit Analysis Results – Shallow

Prediction Limit

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB Printed 10/23/2023, 11:31 AM

<u>Constituent</u>	<u>Well</u>	<u>Upper Lim.</u>	<u>Lower Lim.</u>	<u>Date</u>	<u>Observ.</u>	<u>Sig.</u>	<u>Bg N</u>	<u>Bg Wells</u>	<u>Bg Mean</u>	<u>Std. Dev.</u>	<u>%NDs</u>	<u>ND Adj.</u>	<u>Transform</u>	<u>Alpha</u>	<u>Method</u>
Arsenic (ug/L)	MW-14	1.20	n/a	9/11/2023	0.79J	No	8	MW-21	n/a	n/a	50	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Arsenic (ug/L)	MW-15AR	1.20	n/a	9/9/2022	0.75ND	No	8	MW-21	n/a	n/a	50	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Arsenic (ug/L)	MW-2	1.20	n/a	9/12/2023	2.3	Yes	8	MW-21	n/a	n/a	50	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Arsenic (ug/L)	MW-20	1.20	n/a	9/12/2023	0.92J	No	8	MW-21	n/a	n/a	50	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Arsenic (ug/L)	MW-25R	1.20	n/a	9/12/2023	0.53ND	No	8	MW-21	n/a	n/a	50	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Arsenic (ug/L)	MW-5	1.20	n/a	9/13/2023	0.53ND	No	8	MW-21	n/a	n/a	50	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Arsenic (ug/L)	MW-23/23R	1.20	n/a	9/14/2023	0.53ND	No	8	MW-21	n/a	n/a	50	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Barium (ug/L)	MW-14	277	n/a	9/11/2023	52	No	8	MW-21	195.5	25.52	0	None	No	0.0005787	Param Inter 1 of 2
Barium (ug/L)	MW-15AR	277	n/a	9/9/2022	96	No	8	MW-21	195.5	25.52	0	None	No	0.0005787	Param Inter 1 of 2
Barium (ug/L)	MW-2	277	n/a	9/12/2023	82	No	8	MW-21	195.5	25.52	0	None	No	0.0005787	Param Inter 1 of 2
Barium (ug/L)	MW-20	277	n/a	9/12/2023	82	No	8	MW-21	195.5	25.52	0	None	No	0.0005787	Param Inter 1 of 2
Barium (ug/L)	MW-25R	277	n/a	9/12/2023	160	No	8	MW-21	195.5	25.52	0	None	No	0.0005787	Param Inter 1 of 2
Barium (ug/L)	MW-5	277	n/a	9/13/2023	130	No	8	MW-21	195.5	25.52	0	None	No	0.0005787	Param Inter 1 of 2
Barium (ug/L)	MW-23/23R	277	n/a	9/14/2023	120	No	8	MW-21	195.5	25.52	0	None	No	0.0005787	Param Inter 1 of 2
Beryllium (ug/L)	MW-14	0.330	n/a	9/11/2023	0.33ND	No	8	MW-21	n/a	n/a	87.5	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Beryllium (ug/L)	MW-15AR	0.330	n/a	9/9/2022	0.27ND	No	8	MW-21	n/a	n/a	87.5	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Beryllium (ug/L)	MW-2	0.330	n/a	9/12/2023	0.33ND	No	8	MW-21	n/a	n/a	87.5	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Beryllium (ug/L)	MW-20	0.330	n/a	9/12/2023	0.33ND	No	8	MW-21	n/a	n/a	87.5	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Beryllium (ug/L)	MW-25R	0.330	n/a	9/12/2023	0.33ND	No	8	MW-21	n/a	n/a	87.5	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Beryllium (ug/L)	MW-5	0.330	n/a	9/13/2023	0.33ND	No	8	MW-21	n/a	n/a	87.5	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Beryllium (ug/L)	MW-23/23R	0.330	n/a	9/14/2023	0.33ND	No	8	MW-21	n/a	n/a	87.5	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Boron (ug/L)	MW-14	202	n/a	9/11/2023	1700	Yes	8	MW-21	98.58	32.13	0	None	No	0.0005787	Param Inter 1 of 2
Boron (ug/L)	MW-15AR	202	n/a	9/9/2022	3300	Yes	8	MW-21	98.58	32.13	0	None	No	0.0005787	Param Inter 1 of 2
Boron (ug/L)	MW-2	202	n/a	9/12/2023	1100	Yes	8	MW-21	98.58	32.13	0	None	No	0.0005787	Param Inter 1 of 2
Boron (ug/L)	MW-20	202	n/a	9/12/2023	1800	Yes	8	MW-21	98.58	32.13	0	None	No	0.0005787	Param Inter 1 of 2
Boron (ug/L)	MW-25R	202	n/a	9/12/2023	310	Yes	8	MW-21	98.58	32.13	0	None	No	0.0005787	Param Inter 1 of 2
Boron (ug/L)	MW-5	202	n/a	9/13/2023	880	Yes	8	MW-21	98.58	32.13	0	None	No	0.0005787	Param Inter 1 of 2
Boron (ug/L)	MW-23/23R	202	n/a	9/14/2023	400	Yes	8	MW-21	98.58	32.13	0	None	No	0.0005787	Param Inter 1 of 2
Chloride (mg/L)	MW-14	123	n/a	9/11/2023	8.3	No	8	MW-21	2,464	0.7312	0	None	In(x)	0.0005787	Param Inter 1 of 2
Chloride (mg/L)	MW-15AR	123	n/a	9/9/2022	17	No	8	MW-21	2,464	0.7312	0	None	In(x)	0.0005787	Param Inter 1 of 2
Chloride (mg/L)	MW-2	123	n/a	9/12/2023	5.6	No	8	MW-21	2,464	0.7312	0	None	In(x)	0.0005787	Param Inter 1 of 2
Chloride (mg/L)	MW-20	123	n/a	9/12/2023	12	No	8	MW-21	2,464	0.7312	0	None	In(x)	0.0005787	Param Inter 1 of 2
Chloride (mg/L)	MW-25R	123	n/a	9/12/2023	25	No	8	MW-21	2,464	0.7312	0	None	In(x)	0.0005787	Param Inter 1 of 2
Chloride (mg/L)	MW-5	123	n/a	9/13/2023	9.9	No	8	MW-21	2,464	0.7312	0	None	In(x)	0.0005787	Param Inter 1 of 2
Chloride (mg/L)	MW-23/23R	123	n/a	9/14/2023	12	No	8	MW-21	2,464	0.7312	0	None	In(x)	0.0005787	Param Inter 1 of 2
Cobalt (ug/L)	MW-14	0.750	n/a	9/11/2023	0.2J	No	8	MW-21	n/a	n/a	50	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Cobalt (ug/L)	MW-15AR	0.750	n/a	9/9/2022	0.19ND	No	8	MW-21	n/a	n/a	50	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Cobalt (ug/L)	MW-2	0.750	n/a	9/12/2023	2.3	Yes	8	MW-21	n/a	n/a	50	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Cobalt (ug/L)	MW-20	0.750	n/a	9/12/2023	0.17ND	No	8	MW-21	n/a	n/a	50	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Cobalt (ug/L)	MW-25R	0.750	n/a	9/12/2023	0.17ND	No	8	MW-21	n/a	n/a	50	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Cobalt (ug/L)	MW-5	0.750	n/a	9/13/2023	0.17ND	No	8	MW-21	n/a	n/a	50	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Cobalt (ug/L)	MW-23/23R	0.750	n/a	9/14/2023	0.17ND	No	8	MW-21	n/a	n/a	50	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Copper (ug/L)	MW-14	2.80	n/a	9/11/2023	1.8ND	No	8	MW-21	n/a	n/a	62.5	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Copper (ug/L)	MW-15AR	2.80	n/a	9/9/2022	1.8ND	No	8	MW-21	n/a	n/a	62.5	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Copper (ug/L)	MW-2	2.80	n/a	9/12/2023	1.8ND	No	8	MW-21	n/a	n/a	62.5	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Copper (ug/L)	MW-20	2.80	n/a	9/12/2023	1.8ND	No	8	MW-21	n/a	n/a	62.5	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Copper (ug/L)	MW-25R	2.80	n/a	9/12/2023	1.8ND	No	8	MW-21	n/a	n/a	62.5	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Copper (ug/L)	MW-5	2.80	n/a	9/13/2023	1.8ND	No	8	MW-21	n/a	n/a	62.5	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Copper (ug/L)	MW-23/23R	2.80	n/a	9/14/2023	1.8ND	No	8	MW-21	n/a	n/a	62.5	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Iron (ug/L)	MW-14	7470	n/a	9/11/2023	54J	No	8	MW-21	4,883	1,258	25	None	In(x)	0.0005787	Param Inter 1 of 2

Prediction Limit


Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB Printed 10/23/2023, 11:31 AM

<u>Constituent</u>	<u>Well</u>	<u>Upper Lim.</u>	<u>Lower Lim.</u>	<u>Date</u>	<u>Observ.</u>	<u>Sig.</u>	<u>Bg N</u>	<u>Bg Wells</u>	<u>Bg Mean</u>	<u>Std. Dev.</u>	<u>%NDs</u>	<u>ND Adj.</u>	<u>Transform</u>	<u>Alpha</u>	<u>Method</u>
Iron (ug/L)	MW-15AR	7470	n/a	9/9/2022	36ND	No	8	MW-21	4.883	1.258	25	None	In(x)	0.0005787	Param Inter 1 of 2
Iron (ug/L)	MW-2	7470	n/a	9/12/2023	12000	Yes	8	MW-21	4.883	1.258	25	None	In(x)	0.0005787	Param Inter 1 of 2
Iron (ug/L)	MW-20	7470	n/a	9/12/2023	60J	No	8	MW-21	4.883	1.258	25	None	In(x)	0.0005787	Param Inter 1 of 2
Iron (ug/L)	MW-25R	7470	n/a	9/12/2023	36ND	No	8	MW-21	4.883	1.258	25	None	In(x)	0.0005787	Param Inter 1 of 2
Iron (ug/L)	MW-5	7470	n/a	9/13/2023	140	No	8	MW-21	4.883	1.258	25	None	In(x)	0.0005787	Param Inter 1 of 2
Iron (ug/L)	MW-23/23R	7470	n/a	9/14/2023	36ND	No	8	MW-21	4.883	1.258	25	None	In(x)	0.0005787	Param Inter 1 of 2
Lead (ug/L)	MW-14	5.6	n/a	9/11/2023	0.24ND	No	8	MW-21	-0.8059	0.7878	37.5	None	In(x)	0.0005787	Param Inter 1 of 2
Lead (ug/L)	MW-15AR	5.6	n/a	9/9/2022	0.24ND	No	8	MW-21	-0.8059	0.7878	37.5	None	In(x)	0.0005787	Param Inter 1 of 2
Lead (ug/L)	MW-2	5.6	n/a	9/12/2023	0.36J	No	8	MW-21	-0.8059	0.7878	37.5	None	In(x)	0.0005787	Param Inter 1 of 2
Lead (ug/L)	MW-20	5.6	n/a	9/12/2023	0.24ND	No	8	MW-21	-0.8059	0.7878	37.5	None	In(x)	0.0005787	Param Inter 1 of 2
Lead (ug/L)	MW-25R	5.6	n/a	9/12/2023	0.24ND	No	8	MW-21	-0.8059	0.7878	37.5	None	In(x)	0.0005787	Param Inter 1 of 2
Lead (ug/L)	MW-5	5.6	n/a	9/13/2023	0.38J	No	8	MW-21	-0.8059	0.7878	37.5	None	In(x)	0.0005787	Param Inter 1 of 2
Lead (ug/L)	MW-23/23R	5.6	n/a	9/14/2023	0.24ND	No	8	MW-21	-0.8059	0.7878	37.5	None	In(x)	0.0005787	Param Inter 1 of 2
Magnesium (ug/L)	MW-14	53000	n/a	9/11/2023	16000	No	8	MW-21	30963	6856	0	None	No	0.0005787	Param Inter 1 of 2
Magnesium (ug/L)	MW-15AR	53000	n/a	9/9/2022	49000	No	8	MW-21	30963	6856	0	None	No	0.0005787	Param Inter 1 of 2
Magnesium (ug/L)	MW-2	53000	n/a	9/12/2023	24000	No	8	MW-21	30963	6856	0	None	No	0.0005787	Param Inter 1 of 2
Magnesium (ug/L)	MW-20	53000	n/a	9/12/2023	21000	No	8	MW-21	30963	6856	0	None	No	0.0005787	Param Inter 1 of 2
Magnesium (ug/L)	MW-25R	53000	n/a	9/12/2023	40000	No	8	MW-21	30963	6856	0	None	No	0.0005787	Param Inter 1 of 2
Magnesium (ug/L)	MW-5	53000	n/a	9/13/2023	38000	No	8	MW-21	30963	6856	0	None	No	0.0005787	Param Inter 1 of 2
Magnesium (ug/L)	MW-23/23R	53000	n/a	9/14/2023	31000	No	8	MW-21	30963	6856	0	None	No	0.0005787	Param Inter 1 of 2
Manganese (ug/L)	MW-14	661	n/a	9/11/2023	72	No	8	MW-21	2.737	1.171	12.5	None	In(x)	0.0005787	Param Inter 1 of 2
Manganese (ug/L)	MW-15AR	661	n/a	9/9/2022	1.8ND	No	8	MW-21	2.737	1.171	12.5	None	In(x)	0.0005787	Param Inter 1 of 2
Manganese (ug/L)	MW-2	661	n/a	9/12/2023	1400	Yes	8	MW-21	2.737	1.171	12.5	None	In(x)	0.0005787	Param Inter 1 of 2
Manganese (ug/L)	MW-20	661	n/a	9/12/2023	1.8ND	No	8	MW-21	2.737	1.171	12.5	None	In(x)	0.0005787	Param Inter 1 of 2
Manganese (ug/L)	MW-25R	661	n/a	9/12/2023	1.8ND	No	8	MW-21	2.737	1.171	12.5	None	In(x)	0.0005787	Param Inter 1 of 2
Manganese (ug/L)	MW-5	661	n/a	9/13/2023	29	No	8	MW-21	2.737	1.171	12.5	None	In(x)	0.0005787	Param Inter 1 of 2
Manganese (ug/L)	MW-23/23R	661	n/a	9/14/2023	1.8ND	No	8	MW-21	2.737	1.171	12.5	None	In(x)	0.0005787	Param Inter 1 of 2
Selenium (ug/L)	MW-14	2.76	n/a	9/11/2023	11	Yes	8	MW-21	1.287	0.4581	12.5	None	No	0.0005787	Param Inter 1 of 2
Selenium (ug/L)	MW-15AR	2.76	n/a	9/9/2022	19	Yes	8	MW-21	1.287	0.4581	12.5	None	No	0.0005787	Param Inter 1 of 2
Selenium (ug/L)	MW-2	2.76	n/a	9/12/2023	0.7ND	No	8	MW-21	1.287	0.4581	12.5	None	No	0.0005787	Param Inter 1 of 2
Selenium (ug/L)	MW-20	2.76	n/a	9/12/2023	21	Yes	8	MW-21	1.287	0.4581	12.5	None	No	0.0005787	Param Inter 1 of 2
Selenium (ug/L)	MW-25R	2.76	n/a	9/12/2023	2.6J	No	8	MW-21	1.287	0.4581	12.5	None	No	0.0005787	Param Inter 1 of 2
Selenium (ug/L)	MW-5	2.76	n/a	9/13/2023	5.9	Yes	8	MW-21	1.287	0.4581	12.5	None	No	0.0005787	Param Inter 1 of 2
Selenium (ug/L)	MW-23/23R	2.76	n/a	9/14/2023	2.5J	No	8	MW-21	1.287	0.4581	12.5	None	No	0.0005787	Param Inter 1 of 2
Sulfate (mg/L)	MW-14	62.3	n/a	9/11/2023	38	No	24	MW-21	50.1	5.367	0	None	No	0.0005787	Param Inter 1 of 2
Sulfate (mg/L)	MW-15AR	62.3	n/a	9/9/2022	270	Yes	24	MW-21	50.1	5.367	0	None	No	0.0005787	Param Inter 1 of 2
Sulfate (mg/L)	MW-2	62.3	n/a	9/12/2023	61	No	24	MW-21	50.1	5.367	0	None	No	0.0005787	Param Inter 1 of 2
Sulfate (mg/L)	MW-20	62.3	n/a	9/12/2023	48	No	24	MW-21	50.1	5.367	0	None	No	0.0005787	Param Inter 1 of 2
Sulfate (mg/L)	MW-25R	62.3	n/a	9/12/2023	53	No	24	MW-21	50.1	5.367	0	None	No	0.0005787	Param Inter 1 of 2
Sulfate (mg/L)	MW-5	62.3	n/a	9/13/2023	97	Yes	24	MW-21	50.1	5.367	0	None	No	0.0005787	Param Inter 1 of 2
Sulfate (mg/L)	MW-23/23R	62.3	n/a	9/14/2023	52	No	24	MW-21	50.1	5.367	0	None	No	0.0005787	Param Inter 1 of 2
Zinc (ug/L)	MW-14	14.2	n/a	9/11/2023	6.4ND	No	7	MW-21	n/a	n/a	57.14	n/a	n/a	0.01959	NP Inter (NDs) 1 of 2
Zinc (ug/L)	MW-15AR	14.2	n/a	9/9/2022	10ND	No	7	MW-21	n/a	n/a	57.14	n/a	n/a	0.01959	NP Inter (NDs) 1 of 2
Zinc (ug/L)	MW-2	14.2	n/a	9/12/2023	6.6J	No	7	MW-21	n/a	n/a	57.14	n/a	n/a	0.01959	NP Inter (NDs) 1 of 2
Zinc (ug/L)	MW-20	14.2	n/a	9/12/2023	6.4ND	No	7	MW-21	n/a	n/a	57.14	n/a	n/a	0.01959	NP Inter (NDs) 1 of 2
Zinc (ug/L)	MW-25R	14.2	n/a	9/12/2023	6.4ND	No	7	MW-21	n/a	n/a	57.14	n/a	n/a	0.01959	NP Inter (NDs) 1 of 2
Zinc (ug/L)	MW-5	14.2	n/a	9/13/2023	6.4ND	No	7	MW-21	n/a	n/a	57.14	n/a	n/a	0.01959	NP Inter (NDs) 1 of 2
Zinc (ug/L)	MW-23/23R	14.2	n/a	9/14/2023	6.4ND	No	7	MW-21	n/a	n/a	57.14	n/a	n/a	0.01959	NP Inter (NDs) 1 of 2

Exceeds Limit: MW-2

Arsenic

Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 49%. Limit is highest of 8 background values. 50% NDs. Annual per-constituent alpha = 0.1903. Individual comparison alpha = 0.01611 (1 of 2). Comparing 7 points to limit. Assumes 6 future values. Insufficient data to test for seasonality; data will not be deseasonalized.

Prediction Limit Analysis Run 10/23/2023 11:26 AM View: shallow

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Prediction Limit

Constituent: Arsenic (ug/L) Analysis Run 10/23/2023 11:31 AM View: shallow


Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-14	MW-23/23R	MW-21 (bg)	MW-5	MW-25R	MW-15AR	MW-20	MW-2
9/23/2016	0.78 (J)	0.59 (J)	0.57 (J)	0.18 (J)	0.44 (J)	0.18 (J)	0.8 (J)	1.3
9/5/2017	0.83 (J)		0.73 (J)	0.26 (J)	0.49 (J)	0.87 (J)	0.65 (J)	1.1
4/25/2018		0.5 (J)						
9/17/2018	0.73 (J)	5.9	1.2	0.33 (J)	0.8 (J)	0.7 (J)	3	1.4
4/23/2019		1 (J)						
9/23/2019	<0.75	0.76 (J)	<0.75	<0.75	<0.75	<0.75	<0.75	0.89 (J)
9/21/2020					<0.88		<0.88	
9/22/2020	<0.88			<0.88				<0.88
9/23/2020			<0.88					
9/24/2020		<0.88				<0.88		
9/7/2021					<0.75			
9/8/2021	<0.75						0.75 (J)	1.8 (J)
9/9/2021		<0.75		<0.75				
9/10/2021			<0.75					
9/6/2022	0.75 (J)				<0.75		<0.75	
9/7/2022			<0.75	<0.75				2
9/8/2022		<0.75						
9/9/2022						<0.75		
9/11/2023	0.79 (J)							
9/12/2023					<0.53 (U)		0.92 (J)	2.3
9/13/2023					<0.53 (U)			
9/14/2023		<0.53 (U)	0.9 (J)					

Within Limit

Barium

Interwell Parametric



Background Data Summary: Mean=195.5, Std. Dev.=25.52, n=8. Insufficient data to test for seasonality; not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.1, calculated = 0.9356, critical = 0.851. Kappa = 3.209 (c=14, w=13, 1 of 2, event alpha = 0.1). Report alpha = 0.007498. Individual comparison alpha = 0.0005787. Comparing 7 points to limit. Assumes 6 future values.

Prediction Limit Analysis Run 10/23/2023 11:26 AM View: shallow

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Prediction Limit

Constituent: Barium (ug/L) Analysis Run 10/23/2023 11:31 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input File BB

Within Limit

Beryllium

Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 49%. Limit is highest of 8 background values. 87.5% NDs. Annual per-constituent alpha = 0.1903. Individual comparison alpha = 0.01611 (1 of 2). Comparing 7 points to limit. Assumes 6 future values. Insufficient data to test for seasonality; data will not be deseasonalized.

Prediction Limit Analysis Run 10/23/2023 11:26 AM View: shallow

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Prediction Limit

Constituent: Beryllium (ug/L) Analysis Run 10/23/2023 11:31 AM View: shallow


Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-14	MW-23/23R	MW-21 (bg)	MW-5	MW-25R	MW-15AR	MW-20	MW-2
9/23/2016	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08	<0.08
9/5/2017	<0.012		0.03 (J)	<0.012	0.018 (J)	0.047 (J)	<0.012	<0.012
4/25/2018		0.015 (J)						
9/17/2018	<0.12	0.41 (J)	<0.12	<0.12	<0.12	<0.12	0.13 (J)	<0.12
4/23/2019		<0.27						
9/23/2019	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27	<0.27
9/21/2020					<0.27		<0.27	
9/22/2020	<0.27			<0.27				<0.27
9/23/2020			<0.27					
9/24/2020		<0.27				<0.27		
9/7/2021					<0.27			
9/8/2021	<0.27						<0.27	0.29 (J)
9/9/2021		<0.27		<0.27				
9/10/2021			<0.27					
9/6/2022	<0.27				<0.27		<0.27	
9/7/2022			<0.27	<0.27				<0.27
9/8/2022		<0.27						
9/9/2022						<0.27		
9/11/2023	<0.33 (U)				<0.33 (U)		<0.33 (U)	<0.33 (U)
9/12/2023								
9/13/2023				<0.33 (U)				
9/14/2023		<0.33 (U)	<0.33 (U)					

Exceeds Limit: MW-14, MW-15AR, MW-2,
MW-20, MW-25R, MW-5, MW-23/23R

Boron

Interwell Parametric



Background Data Summary: Mean=98.58, Std. Dev.=32.13, n=8. Insufficient data to test for seasonality; not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.1, calculated = 0.9306, critical = 0.851. Kappa = 3.209 (c=14, w=13, 1 of 2, event alpha = 0.1). Report alpha = 0.007498. Individual comparison alpha = 0.0005787. Comparing 7 points to limit. Assumes 6 future values.

Prediction Limit Analysis Run 10/23/2023 11:26 AM View: shallow

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Prediction Limit

Constituent: Boron (ug/L) Analysis Run 10/23/2023 11:31 AM View: shallow


Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-14	MW-15AR	MW-2	MW-20	MW-25R	MW-5	MW-21 (bg)	MW-23/23R
9/23/2016	3240	2930	1370	939	269	890	81 (J)	2740
9/5/2017	2290	5670	1930	3660	178	1310	110	
4/25/2018								2910
9/17/2018	2070	3940	1490	1260	290	809	97.6 (J)	2800
4/23/2019								2800
9/23/2019	2600	5000	1700	2700	190 (J)	1400	160 (J,B)	22000 (B)
9/21/2020				3200	170			
9/22/2020	1900		1800			1300		
9/23/2020							120	
9/24/2020		6800						1600
9/7/2021					110			
9/8/2021	1800		1300	2900				
9/9/2021						950		520
9/10/2021							63 (J)	
9/6/2022	1600			1600	320			
9/7/2022			1100			1000	63 (J)	
9/8/2022								540
9/9/2022		3300						
9/11/2023	1700							
9/12/2023			1100	1800	310			
9/13/2023						880		
9/14/2023							94 (J)	400

Within Limit

Chloride

Interwell Parametric



Background Data Summary (based on natural log transformation): Mean=2.464, Std. Dev.=0.7312, n=8. Insufficient data to test for seasonality; not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.1, calculated = 0.9118, critical = 0.851. Kappa = 3.209 (c=14, w=13, 1 of 2, event alpha = 0.1). Report alpha = 0.007498. Individual comparison alpha = 0.0005787. Comparing 7 points to limit. Assumes 6 future values.

Prediction Limit Analysis Run 10/23/2023 11:26 AM View: shallow

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Prediction Limit

Constituent: Chloride (mg/L) Analysis Run 10/23/2023 11:31 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input File BB

Exceeds Limit: MW-2

Cobalt

Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 49%. Limit is highest of 8 background values. 50% NDs. Annual per-constituent alpha = 0.1903. Individual comparison alpha = 0.01611 (1 of 2). Comparing 7 points to limit. Assumes 6 future values. Insufficient data to test for seasonality; data will not be deseasonalized.

Prediction Limit Analysis Run 10/23/2023 11:26 AM View: shallow

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Prediction Limit

Constituent: Cobalt (ug/L) Analysis Run 10/23/2023 11:31 AM View: shallow


Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-14	MW-23/23R	MW-21 (bg)	MW-5	MW-25R	MW-15AR	MW-20	MW-2
9/23/2016	1.7	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	2.1
9/5/2017	0.4 (J)		0.52 (J)	0.043 (J)	0.2 (J)	0.66 (J)	0.078 (J)	2.2
4/25/2018		0.3 (J)						
9/17/2018	1.1	3.7	0.75 (J)	<0.15	0.82 (J)	0.34 (J)	1.1	2.4
4/23/2019		2.7						
9/23/2019	0.49 (J)	3.1	0.23 (J)	<0.091	0.26 (J)	0.13 (J)	0.12 (J)	2
9/21/2020					<0.091		<0.091	
9/22/2020	0.5			<0.091				4
9/23/2020			0.18 (J)					
9/24/2020		<0.091				<0.091		
9/7/2021					0.89			
9/8/2021	1.2						0.35 (J)	5
9/9/2021		0.31 (J)		<0.19				
9/10/2021			<0.19					
9/6/2022	1.7				<0.19		<0.19	
9/7/2022			<0.19	0.2 (J)				4.5 (D)
9/8/2022		<0.19						
9/9/2022						<0.19		
9/11/2023	0.2 (J)				<0.17 (U)		<0.17 (U)	2.3
9/12/2023					<0.17 (U)			
9/13/2023								
9/14/2023		<0.17 (U)	<0.17 (U)					

Within Limit

Copper

Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 49%. Limit is highest of 8 background values. 62.5% NDs. Annual per-constituent alpha = 0.1903. Individual comparison alpha = 0.01611 (1 of 2). Comparing 7 points to limit. Assumes 6 future values. Insufficient data to test for seasonality; data will not be deseasonalized.

Prediction Limit Analysis Run 10/23/2023 11:26 AM View: shallow

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Prediction Limit

Constituent: Copper (ug/L) Analysis Run 10/23/2023 11:31 AM View: shallow


Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-14	MW-23/23R	MW-21 (bg)	MW-5	MW-25R	MW-15AR	MW-20	MW-2
9/23/2016	1.9	0.26 (J)	1.7	0.6 (J)	1.6	0.18 (J)	1.6	2.1
9/5/2017	1		1.9	0.43 (J)	1.8	1.6	0.67 (J)	0.8 (J)
4/25/2018		1.6						
9/17/2018	1.4	16.7	2.8	1.8	2.6	1.1	3.2	1.6
4/23/2019		13						
9/23/2019	9.9	10	<2	<2	<2	<2	<2	<2
9/21/2020					<1.5		<1.5	
9/22/2020	<1.5			<1.5				<1.5
9/23/2020			<1.5					
9/24/2020		<1.5				<1.5		
9/7/2021					1.5 (J)			
9/8/2021	1.5 (J)						1.5 (J)	7.5
9/9/2021		<1.4		<1.4				
9/10/2021			<1.4					
9/6/2022	3.5 (J)				<1.8		<1.8	
9/7/2022			<1.8	<1.8				<1.8
9/8/2022		<1.8						
9/9/2022						<1.8		
9/11/2023	<1.8 (U)				<1.8 (U)		<1.8 (U)	<1.8 (U)
9/12/2023								
9/13/2023				<1.8 (U)				
9/14/2023		<1.8 (U)	<1.8 (U)					

Exceeds Limit: MW-2

Iron

Interwell Parametric



Background Data Summary (based on natural log transformation): Mean=4.883, Std. Dev.=1.258, n=8, 25% NDs.
Insufficient data to test for seasonality; not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.1, calculated = 0.8596, critical = 0.851. Kappa = 3.209 (c=14, w=13, 1 of 2, event alpha = 0.1). Report alpha = 0.007498. Individual comparison alpha = 0.0005787. Comparing 7 points to limit. Assumes 6 future values.

Prediction Limit Analysis Run 10/23/2023 11:26 AM View: shallow

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Prediction Limit


Constituent: Iron (ug/L) Analysis Run 10/23/2023 11:31 AM View: shallow
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-14	MW-15AR	MW-2	MW-20	MW-25R	MW-5	MW-21 (bg)	MW-23/23R
9/23/2016	838	145	12600	648	835	363	110	317
9/5/2017	34.3 (J)	1280	6860	60.7	479	48.8 (J)	644	
4/25/2018								493
9/17/2018	213	951	9690	4680	1870	139	1170	15400
4/23/2019								1400
9/23/2019	67 (J)	88 (J)	7500	93 (J)	270	<66	110	2200
9/21/2020				<50	<50			
9/22/2020	<50		2800			<50		
9/23/2020							78 (J)	
9/24/2020		<50						90 (J)
9/7/2021					610			
9/8/2021	200		40000	180				
9/9/2021						71 (J)		240
9/10/2021								<36
9/6/2022	370			40 (J)	56 (J)			
9/7/2022			14000			70 (J)		<36
9/8/2022								40 (J)
9/9/2022		<36						
9/11/2023	54 (J)							
9/12/2023			12000	60 (J)	<36 (U)			
9/13/2023						140		
9/14/2023							100	<36 (U)

Within Limit

Lead

Interwell Parametric



Background Data Summary (based on natural log transformation): Mean=-0.8059, Std. Dev.=0.7878, n=8, 37.5% NDs. Insufficient data to test for seasonality; not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.1, calculated = 0.9181, critical = 0.851. Kappa = 3.209 (c=14, w=13, 1 of 2, event alpha = 0.1). Report alpha = 0.007498. Individual comparison alpha = 0.0005787. Comparing 7 points to limit. Assumes 6 future values.

Prediction Limit Analysis Run 10/23/2023 11:26 AM View: shallow

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Prediction Limit


Constituent: Lead (ug/L) Analysis Run 10/23/2023 11:31 AM View: shallow
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-14	MW-15AR	MW-2	MW-20	MW-25R	MW-5	MW-21 (bg)	MW-23/23R
9/23/2016	0.48 (J)	0.37 (J)	0.52 (J)	0.57 (J)	0.55 (J)	0.44 (J)	<0.19	0.41 (J)
9/5/2017	0.11 (J)	2.9	0.075 (J)	0.099 (J)	0.32 (J)	0.12 (J)	1.1	
4/25/2018								0.66 (J)
9/17/2018	0.21 (J)	1.8	0.2 (J)	2.2	1.1	0.14 (J)	1.7	15.5
4/23/2019								8
9/23/2019	0.47 (J)	1.6	<0.27	<0.27	0.68	<0.27	0.52	8.1
9/21/2020					<0.11	<0.11		
9/22/2020	<0.11			0.26 (J)		0.13 (J)		
9/23/2020							0.46 (J)	
9/24/2020		<0.11						0.29 (J)
9/7/2021					1.4			
9/8/2021	0.24 (J)		1.5	0.68				
9/9/2021						0.26 (J)		0.8
9/10/2021							<0.21	
9/6/2022	0.28 (J)			<0.24	<0.24			
9/7/2022			0.56			0.26 (J)	<0.24	
9/8/2022		<0.24						<0.24
9/9/2022								
9/11/2023	<0.24 (U)							
9/12/2023			0.36 (J)	<0.24 (U)	<0.24 (U)			
9/13/2023						0.38 (J)		
9/14/2023							0.37 (J)	<0.24 (U)

Within Limit

Magnesium

Interwell Parametric



Background Data Summary: Mean=30963, Std. Dev.=6856, n=8. Insufficient data to test for seasonality; not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.1, calculated = 0.9448, critical = 0.851. Kappa = 3.209 (c=14, w=13, 1 of 2, event alpha = 0.1). Report alpha = 0.007498. Individual comparison alpha = 0.0005787. Comparing 7 points to limit. Assumes 6 future values.

Prediction Limit Analysis Run 10/23/2023 11:26 AM View: shallow

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Prediction Limit

Constituent: Magnesium (ug/L) Analysis Run 10/23/2023 11:31 AM View: shallow


Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-14	MW-15AR	MW-2	MW-20	MW-25R	MW-5	MW-21 (bg)	MW-23/23R
9/23/2016	18100	35800	29100	30000	43200	41300	22400	37900
9/5/2017	20200	50500	34700	28600	44100	47800	29000	
4/25/2018								45000
9/17/2018	18400	41000	25600	16200	41600	37000	26300	70400
4/23/2019								17000
9/23/2019	20000	48000	32000	28000	42000	50000	24000	69000
9/21/2020				29000	38000			
9/22/2020	18000		30000			44000		
9/23/2020							31000	
9/24/2020		48000						36000
9/7/2021					43000			
9/8/2021	19000		31000	27000				
9/9/2021						42000		34000
9/10/2021							35000	
9/6/2022	18000			21000	39000			
9/7/2022			25000			52000	39000	
9/8/2022		49000						32000
9/9/2022								
9/11/2023	16000			24000	21000	40000		
9/12/2023								
9/13/2023						38000		
9/14/2023							41000	31000

Exceeds Limit: MW-2

Manganese

Interwell Parametric



Background Data Summary (based on natural log transformation): Mean=2.737, Std. Dev.=1.171, n=8, 12.5% NDs.
Insufficient data to test for seasonality; not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.1, calculated = 0.9485, critical = 0.851. Kappa = 3.209 (c=14, w=13, 1 of 2, event alpha = 0.1). Report alpha = 0.007498. Individual comparison alpha = 0.0005787. Comparing 7 points to limit. Assumes 6 future values.

Prediction Limit Analysis Run 10/23/2023 11:27 AM View: shallow

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Prediction Limit


Constituent: Manganese (ug/L) Analysis Run 10/23/2023 11:31 AM View: shallow

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-14	MW-15AR	MW-2	MW-20	MW-25R	MW-5	MW-21 (bg)	MW-23/23R
9/23/2016	360	6.7	1360	9.2	35.2	17.4	5.2	7
9/5/2017	138	29.8	1480	1.6	19.7	4	59.3	
4/25/2018								203
9/17/2018	186	23.5	1480	40.8	89.1	8.2	59.2	708
4/23/2019								950
9/23/2019	180	14	1200	4.6 (J)	29	6.6 (J)	34	740
9/21/2020				<4	<4			
9/22/2020	190		2000			<4		
9/23/2020							20	
9/24/2020		<4						15
9/7/2021					62			
9/8/2021	290		1900	12				
9/9/2021						6 (J)		47
9/10/2021								<4.4
9/6/2022	255 (D)			<3.6	5.7 (J)			
9/7/2022			1950 (D)			22	9.1 (J)	
9/8/2022								25
9/9/2022		<3.6						
9/11/2023	72							
9/12/2023			1400	<3.6 (U)	<3.6 (U)			
9/13/2023						29		
9/14/2023							13	<3.6 (U)

Exceeds Limit: MW-14, MW-15AR, MW-20,
MW-5

Selenium Interwell Parametric



Background Data Summary: Mean=1.287, Std. Dev.=0.4581, n=8, 12.5% NDs. Insufficient data to test for seasonality; not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.1, calculated = 0.9554, critical = 0.851. Kappa = 3.209 (c=14, w=13, 1 of 2, event alpha = 0.1). Report alpha = 0.007498. Individual comparison alpha = 0.0005787. Comparing 7 points to limit. Assumes 6 future values.

Prediction Limit Analysis Run 10/23/2023 11:27 AM View: shallow

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Prediction Limit

Constituent: Selenium (ug/L) Analysis Run 10/23/2023 11:31 AM View: shallow


Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-14	MW-15AR	MW-2	MW-20	MW-25R	MW-5	MW-21 (bg)	MW-23/23R
9/23/2016	19.6	10.4	6.2	6.9	2.4	9.1	1	9.6
9/5/2017	25.1	22.1	1.3	31.9	0.97 (J)	13.5	0.9 (J)	
4/25/2018								10.4
9/17/2018	22.3	13.3	1.1	6.3	5.2	7	2.1	11.1
4/23/2019								9.4
9/23/2019	20	24	1.9 (J)	26	1.7 (J)	19	1.3 (J)	10
9/21/2020				32	1.6 (J)			
9/22/2020	18		1.7 (J)			14		
9/23/2020							1.6 (J)	
9/24/2020		24						6.9
9/7/2021					2.4 (J)			
9/8/2021	17		3.7 (J)	29				
9/9/2021						11		3.4 (J)
9/10/2021							1.6 (J)	
9/6/2022	15			9.4	3.3 (J)			
9/7/2022			1.9 (J)			8.4	1.1 (J)	
9/8/2022								3 (J)
9/9/2022		19						
9/11/2023	11							
9/12/2023			<1.4 (U)	21	2.6 (J)			
9/13/2023						5.9		
9/14/2023							<1.4 (U)	2.5 (J)

Exceeds Limit: MW-15AR, MW-5

Sulfate

Interwell Parametric



Background Data Summary: Mean=50.1, Std. Dev.=5.367, n=24. Insufficient data to test for seasonality; not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9548, critical = 0.884. Kappa = 2.28 (c=14, w=13, 1 of 2, event alpha = 0.1). Report alpha = 0.007498. Individual comparison alpha = 0.0005787. Comparing 7 points to limit. Assumes 6 future values.

Prediction Limit Analysis Run 10/23/2023 11:27 AM View: shallow

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Prediction Limit

Constituent: Sulfate (mg/L) Analysis Run 10/23/2023 11:31 AM View: shallow
Big Bend Closed Landfill Client: SCS Engineers Data: Input File BB

Within Limit

Zinc

Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 49%. Limit is highest of 7 background values. 57.14% NDs. Annual per-constituent alpha = 0.2268. Individual comparison alpha = 0.01959 (1 of 2). Comparing 7 points to limit. Assumes 6 future values. Insufficient data to test for seasonality; data will not be deseasonalized.

Prediction Limit Analysis Run 10/23/2023 11:27 AM View: shallow

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Prediction Limit

Constituent: Zinc (ug/L) Analysis Run 10/23/2023 11:31 AM View: shallow
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-14	MW-23/23R	MW-21 (bg)	MW-5	MW-20	MW-2	MW-15AR	MW-25R
9/23/2016	7.3 (J)	3.7 (J)	14.2	4 (J)	3.8 (J)	8.3 (J)	2.4 (J)	7.2 (J)
9/5/2017	3.4 (J)		4.7 (J)	2 (J)	1.8 (J)	2 (J)	7 (J)	4.7 (J)
4/25/2018		6.3 (J)						
9/17/2018	6 (J)	44.8	8 (J)	4.9 (J)	11.5	6.6 (J)	7.8 (J)	8.2 (J)
4/23/2019		11 (J)						
9/23/2019	15 (J)	<20	<10	<10	<10	<10	<10	<10
9/21/2020					<10			<10
9/22/2020	<10			<10		<10		
9/23/2020			<10					
9/24/2020		<10					<10	
9/7/2021								<10
9/8/2021	<10				<10	12 (J)		
9/9/2021		<10		<10				
9/10/2021			<10					
9/6/2022	330				150			100
9/7/2022				260		170		
9/8/2022		<10						
9/9/2022							<10	
9/11/2023	<6.4 (U)							
9/12/2023					<6.4 (U)	6.6 (J)		<6.4 (U)
9/13/2023					<6.4 (U)			
9/14/2023		<6.4 (U)	<6.4 (U)					

Attachment E6

Interwell Prediction Limit Analysis Results - Deep

Prediction Limit

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB Printed 10/23/2023, 11:58 AM

<u>Constituent</u>	<u>Well</u>	<u>Upper Lim.</u>	<u>Lower Lim.</u>	<u>Date</u>	<u>Observ.</u>	<u>Sig.</u>	<u>Bg N</u>	<u>Bg Wells</u>	<u>Bg Mean</u>	<u>Std. Dev.</u>	<u>%NDs</u>	<u>ND Adj.</u>	<u>Transform</u>	<u>Alpha</u>	<u>Method</u>
Arsenic (ug/L)	MW-10	1.71	n/a	9/13/2023	1.4J	No	8	MW-12	1.124	0.1828	0	None	No	0.0005787	Param Inter 1 of 2
Arsenic (ug/L)	MW-11	1.71	n/a	9/12/2023	1J	No	8	MW-12	1.124	0.1828	0	None	No	0.0005787	Param Inter 1 of 2
Arsenic (ug/L)	MW-16	1.71	n/a	9/14/2023	0.55J	No	8	MW-12	1.124	0.1828	0	None	No	0.0005787	Param Inter 1 of 2
Arsenic (ug/L)	MW-6	1.71	n/a	9/13/2023	0.79J	No	8	MW-12	1.124	0.1828	0	None	No	0.0005787	Param Inter 1 of 2
Arsenic (ug/L)	MW-7	1.71	n/a	9/13/2023	0.55J	No	8	MW-12	1.124	0.1828	0	None	No	0.0005787	Param Inter 1 of 2
Arsenic (ug/L)	MW-24/24R	1.71	n/a	9/8/2022	2.6	Yes	8	MW-12	1.124	0.1828	0	None	No	0.0005787	Param Inter 1 of 2
Barium (ug/L)	MW-10	223	n/a	9/13/2023	100	No	8	MW-12	189.8	10.35	0	None	No	0.0005787	Param Inter 1 of 2
Barium (ug/L)	MW-11	223	n/a	9/12/2023	90	No	8	MW-12	189.8	10.35	0	None	No	0.0005787	Param Inter 1 of 2
Barium (ug/L)	MW-16	223	n/a	9/14/2023	110	No	8	MW-12	189.8	10.35	0	None	No	0.0005787	Param Inter 1 of 2
Barium (ug/L)	MW-6	223	n/a	9/13/2023	120	No	8	MW-12	189.8	10.35	0	None	No	0.0005787	Param Inter 1 of 2
Barium (ug/L)	MW-7	223	n/a	9/13/2023	120	No	8	MW-12	189.8	10.35	0	None	No	0.0005787	Param Inter 1 of 2
Barium (ug/L)	MW-24/24R	223	n/a	9/8/2022	98	No	8	MW-12	189.8	10.35	0	None	No	0.0005787	Param Inter 1 of 2
Boron (ug/L)	MW-10	110	n/a	9/13/2023	1400	Yes	8	MW-12	n/a	n/a	75	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Boron (ug/L)	MW-11	110	n/a	9/12/2023	420	Yes	8	MW-12	n/a	n/a	75	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Boron (ug/L)	MW-16	110	n/a	9/14/2023	520	Yes	8	MW-12	n/a	n/a	75	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Boron (ug/L)	MW-6	110	n/a	9/13/2023	940	Yes	8	MW-12	n/a	n/a	75	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Boron (ug/L)	MW-7	110	n/a	9/13/2023	210	Yes	8	MW-12	n/a	n/a	75	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Boron (ug/L)	MW-24/24R	110	n/a	9/8/2022	58ND	No	8	MW-12	n/a	n/a	75	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Chloride (mg/L)	MW-10	3.89	n/a	9/13/2023	11	Yes	11	MW-12	2.791	0.3961	0	None	No	0.0005787	Param Inter 1 of 2
Chloride (mg/L)	MW-11	3.89	n/a	9/12/2023	19	Yes	11	MW-12	2.791	0.3961	0	None	No	0.0005787	Param Inter 1 of 2
Chloride (mg/L)	MW-16	3.89	n/a	9/14/2023	8.8	Yes	11	MW-12	2.791	0.3961	0	None	No	0.0005787	Param Inter 1 of 2
Chloride (mg/L)	MW-6	3.89	n/a	9/13/2023	11	Yes	11	MW-12	2.791	0.3961	0	None	No	0.0005787	Param Inter 1 of 2
Chloride (mg/L)	MW-7	3.89	n/a	9/13/2023	6.8	Yes	11	MW-12	2.791	0.3961	0	None	No	0.0005787	Param Inter 1 of 2
Chloride (mg/L)	MW-24/24R	3.89	n/a	9/8/2022	1.15ND	No	11	MW-12	2.791	0.3961	0	None	No	0.0005787	Param Inter 1 of 2
Cobalt (ug/L)	MW-10	0.657	n/a	9/13/2023	0.085ND	No	8	MW-12	0.4425	0.06671	0	None	No	0.0005787	Param Inter 1 of 2
Cobalt (ug/L)	MW-11	0.657	n/a	9/12/2023	0.4J	No	8	MW-12	0.4425	0.06671	0	None	No	0.0005787	Param Inter 1 of 2
Cobalt (ug/L)	MW-16	0.657	n/a	9/14/2023	0.29J	No	8	MW-12	0.4425	0.06671	0	None	No	0.0005787	Param Inter 1 of 2
Cobalt (ug/L)	MW-6	0.657	n/a	9/13/2023	0.34J	No	8	MW-12	0.4425	0.06671	0	None	No	0.0005787	Param Inter 1 of 2
Cobalt (ug/L)	MW-7	0.657	n/a	9/13/2023	0.085ND	No	8	MW-12	0.4425	0.06671	0	None	No	0.0005787	Param Inter 1 of 2
Cobalt (ug/L)	MW-24/24R	0.657	n/a	9/8/2022	94.5	Yes	8	MW-12	0.4425	0.06671	0	None	No	0.0005787	Param Inter 1 of 2
Copper (ug/L)	MW-10	2.00	n/a	9/13/2023	1.8ND	No	8	MW-12	n/a	n/a	75	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Copper (ug/L)	MW-11	2.00	n/a	9/12/2023	1.8ND	No	8	MW-12	n/a	n/a	75	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Copper (ug/L)	MW-16	2.00	n/a	9/14/2023	1.8ND	No	8	MW-12	n/a	n/a	75	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Copper (ug/L)	MW-6	2.00	n/a	9/13/2023	1.8ND	No	8	MW-12	n/a	n/a	75	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Copper (ug/L)	MW-7	2.00	n/a	9/13/2023	1.8ND	No	8	MW-12	n/a	n/a	75	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Copper (ug/L)	MW-24/24R	2.00	n/a	9/8/2022	1.8ND	No	8	MW-12	n/a	n/a	75	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Iron (ug/L)	MW-10	2040	n/a	9/13/2023	510	No	8	MW-12	1714	100.6	0	None	No	0.0005787	Param Inter 1 of 2
Iron (ug/L)	MW-11	2040	n/a	9/12/2023	18ND	No	8	MW-12	1714	100.6	0	None	No	0.0005787	Param Inter 1 of 2
Iron (ug/L)	MW-16	2040	n/a	9/14/2023	190	No	8	MW-12	1714	100.6	0	None	No	0.0005787	Param Inter 1 of 2
Iron (ug/L)	MW-6	2040	n/a	9/13/2023	2100	Yes	8	MW-12	1714	100.6	0	None	No	0.0005787	Param Inter 1 of 2
Iron (ug/L)	MW-7	2040	n/a	9/13/2023	18ND	No	8	MW-12	1714	100.6	0	None	No	0.0005787	Param Inter 1 of 2
Iron (ug/L)	MW-24/24R	2040	n/a	9/8/2022	310	No	8	MW-12	1714	100.6	0	None	No	0.0005787	Param Inter 1 of 2
Lead (ug/L)	MW-10	0.270	n/a	9/13/2023	0.37J	No	8	MW-12	n/a	n/a	75	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Lead (ug/L)	MW-11	0.270	n/a	9/12/2023	0.24ND	No	8	MW-12	n/a	n/a	75	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Lead (ug/L)	MW-16	0.270	n/a	9/14/2023	0.24ND	No	8	MW-12	n/a	n/a	75	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Lead (ug/L)	MW-6	0.270	n/a	9/13/2023	0.37J	No	8	MW-12	n/a	n/a	75	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Lead (ug/L)	MW-7	0.270	n/a	9/13/2023	0.24ND	No	8	MW-12	n/a	n/a	75	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Lead (ug/L)	MW-24/24R	0.270	n/a	9/8/2022	0.34J	No	8	MW-12	n/a	n/a	75	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Magnesium (ug/L)	MW-10	47000	n/a	9/13/2023	39000	No	8	MW-12	40488	2020	0	None	No	0.0005787	Param Inter 1 of 2
Magnesium (ug/L)	MW-11	47000	n/a	9/12/2023	36000	No	8	MW-12	40488	2020	0	None	No	0.0005787	Param Inter 1 of 2

Prediction Limit


Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB Printed 10/23/2023, 11:58 AM

<u>Constituent</u>	<u>Well</u>	<u>Upper Lim.</u>	<u>Lower Lim.</u>	<u>Date</u>	<u>Observ.</u>	<u>Sig.</u>	<u>Bg N</u>	<u>Bg Wells</u>	<u>Bg Mean</u>	<u>Std. Dev.</u>	<u>%NDs</u>	<u>ND Adj.</u>	<u>Transform</u>	<u>Alpha</u>	<u>Method</u>
Magnesium (ug/L)	MW-16	47000	n/a	9/14/2023	31000	No	8	MW-12	40488	2020	0	None	No	0.0005787	Param Inter 1 of 2
Magnesium (ug/L)	MW-6	47000	n/a	9/13/2023	37000	No	8	MW-12	40488	2020	0	None	No	0.0005787	Param Inter 1 of 2
Magnesium (ug/L)	MW-7	47000	n/a	9/13/2023	32000	No	8	MW-12	40488	2020	0	None	No	0.0005787	Param Inter 1 of 2
Magnesium (ug/L)	MW-24/24R	47000	n/a	9/8/2022	28000	No	8	MW-12	40488	2020	0	None	No	0.0005787	Param Inter 1 of 2
Manganese (ug/L)	MW-10	303	n/a	9/13/2023	56	No	8	MW-12	266.1	11.34	0	None	No	0.0005787	Param Inter 1 of 2
Manganese (ug/L)	MW-11	303	n/a	9/12/2023	19	No	8	MW-12	266.1	11.34	0	None	No	0.0005787	Param Inter 1 of 2
Manganese (ug/L)	MW-16	303	n/a	9/14/2023	45	No	8	MW-12	266.1	11.34	0	None	No	0.0005787	Param Inter 1 of 2
Manganese (ug/L)	MW-6	303	n/a	9/13/2023	230	No	8	MW-12	266.1	11.34	0	None	No	0.0005787	Param Inter 1 of 2
Manganese (ug/L)	MW-7	303	n/a	9/13/2023	1.8ND	No	8	MW-12	266.1	11.34	0	None	No	0.0005787	Param Inter 1 of 2
Manganese (ug/L)	MW-24/24R	303	n/a	9/8/2022	120	No	8	MW-12	266.1	11.34	0	None	No	0.0005787	Param Inter 1 of 2
Sulfate (mg/L)	MW-10	123	n/a	9/13/2023	130	Yes	15	MW-12	n/a	n/a	0	n/a	n/a	0.006529	NP Inter (normality) ...
Sulfate (mg/L)	MW-11	123	n/a	9/12/2023	84	No	15	MW-12	n/a	n/a	0	n/a	n/a	0.006529	NP Inter (normality) ...
Sulfate (mg/L)	MW-16	123	n/a	9/14/2023	41	No	15	MW-12	n/a	n/a	0	n/a	n/a	0.006529	NP Inter (normality) ...
Sulfate (mg/L)	MW-6	123	n/a	9/13/2023	110	No	15	MW-12	n/a	n/a	0	n/a	n/a	0.006529	NP Inter (normality) ...
Sulfate (mg/L)	MW-7	123	n/a	9/13/2023	23	No	15	MW-12	n/a	n/a	0	n/a	n/a	0.006529	NP Inter (normality) ...
Sulfate (mg/L)	MW-24/24R	123	n/a	9/8/2022	18	No	15	MW-12	n/a	n/a	0	n/a	n/a	0.006529	NP Inter (normality) ...
Zinc (ug/L)	MW-10	43.0	n/a	9/13/2023	8.1J	No	8	MW-12	n/a	n/a	62.5	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Zinc (ug/L)	MW-11	43.0	n/a	9/12/2023	6.4ND	No	8	MW-12	n/a	n/a	62.5	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Zinc (ug/L)	MW-16	43.0	n/a	9/14/2023	6.4ND	No	8	MW-12	n/a	n/a	62.5	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Zinc (ug/L)	MW-6	43.0	n/a	9/13/2023	9.9J	No	8	MW-12	n/a	n/a	62.5	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Zinc (ug/L)	MW-7	43.0	n/a	9/13/2023	9.3J	No	8	MW-12	n/a	n/a	62.5	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2
Zinc (ug/L)	MW-24/24R	43.0	n/a	9/8/2022	71	Yes	8	MW-12	n/a	n/a	62.5	n/a	n/a	0.01611	NP Inter (NDs) 1 of 2

Exceeds Limit: MW-24/24R

Arsenic

Interwell Parametric



Background Data Summary: Mean=1.124, Std. Dev.=0.1828, n=8. Insufficient data to test for seasonality; not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.1, calculated = 0.9673, critical = 0.851. Kappa = 3.209 (c=14, w=13, 1 of 2, event alpha = 0.1). Report alpha = 0.007498. Individual comparison alpha = 0.0005787. Comparing 6 points to limit. Assumes 7 future values.

Prediction Limit Analysis Run 10/23/2023 11:53 AM View: Deep

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


Prediction Limit

Constituent: Arsenic (ug/L) Analysis Run 10/23/2023 11:58 AM View: Deep
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-16	MW-6	MW-7	MW-24/24R
9/23/2016	19.9	1.7	0.81 (J)	0.49 (J)	1.2	0.39 (J)	3.4
9/5/2017	9.3	2.2	1.1	0.46 (J)	0.32 (J)	0.49 (J)	3.1
4/25/2018							4.9
9/17/2018	3.5	14.2	1.3	0.6 (J)	0.42 (J)	0.5 (J)	3.3
4/23/2019							2.9
9/23/2019	4	2.4	0.98 (J)	<0.75	2.7	<0.75	2.4
9/21/2020			1.1 (J)				
9/22/2020		0.97 (J)			<0.88		
9/23/2020				<0.88		<0.88	
9/24/2020	3.2						2
9/8/2021		1.3 (J)	1.1 (J)				
9/9/2021	1.9 (J)			<0.75	<0.75	<0.75	
9/10/2021							1.9 (J)
9/6/2022		2.1	1.4 (J)				
9/7/2022					1.1 (J)		
9/8/2022				<0.75		<0.75	2.6
9/9/2022	3.2						
9/11/2023			1.2 (J)				
9/12/2023		1 (J)					
9/13/2023	1.4 (J)				0.79 (J)	0.55 (J)	
9/14/2023				0.55 (J)			

Within Limit

Barium
Interwell Parametric



Background Data Summary: Mean=189.8, Std. Dev.=10.35, n=8. Insufficient data to test for seasonality; not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.1, calculated = 0.8854, critical = 0.851. Kappa = 3.209 (c=14, w=13, 1 of 2, event alpha = 0.1). Report alpha = 0.007498. Individual comparison alpha = 0.0005787. Comparing 6 points to limit. Assumes 7 future values.

Prediction Limit Analysis Run 10/23/2023 11:53 AM View: Deep
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Prediction Limit


Constituent: Barium (ug/L) Analysis Run 10/23/2023 11:58 AM View: Deep
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-16	MW-6	MW-7	MW-24/24R
9/23/2016	190	103	191	107	145	121	150
9/5/2017	154	109	190	141	127	118	164
4/25/2018							118
9/17/2018	137	132	197	111	134	124	91.1
4/23/2019							91
9/23/2019	140	110	200	110	160	140	81
9/21/2020			190				
9/22/2020		110			120		
9/23/2020				130		130	
9/24/2020	120						73
9/8/2021		98 (B)	180 (B)				
9/9/2021	120 (B)			120 (B)	120 (B)	120 (B)	
9/10/2021							76 (B)
9/6/2022		130	200				
9/7/2022					140		
9/8/2022				130		130	98
9/9/2022	130		170				
9/11/2023							
9/12/2023		90					
9/13/2023	100				120	120	
9/14/2023			110				

Exceeds Limit: MW-10, MW-11, MW-16,
MW-6, MW-7

Boron

Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 49%. Limit is highest of 8 background values. 75% NDs. Annual per-constituent alpha = 0.1903. Individual comparison alpha = 0.01611 (1 of 2). Comparing 6 points to limit. Assumes 7 future values. Insufficient data to test for seasonality; data will not be deseasonalized.


Prediction Limit

Constituent: Boron (ug/L) Analysis Run 10/23/2023 11:58 AM View: Deep
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-7	MW-16	MW-6	MW-24/24R	MW-11	MW-12 (bg)
9/23/2016	1450	371	87.1 (J)	1020	879	645	<50
9/5/2017	4010	325	823	1190	2480	733	83.4 (J)
4/25/2018					44.3 (J)		
9/17/2018	1560	232	300	1120	18.3 (J)	556	30.4 (J)
4/23/2019					<110		
9/23/2019	2400	300	110 (J)	1300	<110	620	<110
9/21/2020							<80
9/22/2020				1100		530	
9/23/2020		300	810		<80		
9/24/2020	1700					430	<58
9/8/2021							
9/9/2021	1800	210	1300	1000	<58		
9/10/2021							
9/6/2022						490	<58
9/7/2022				1100			
9/8/2022		230	1800		<58		
9/9/2022	2000						
9/11/2023							<76 (U)
9/12/2023						420	
9/13/2023	1400	210		940			
9/14/2023				520			

Exceeds Limit: MW-10, MW-11, MW-16,
MW-6, MW-7

Chloride
Interwell Parametric



Background Data Summary: Mean=2.791, Std. Dev.=0.3961, n=11. Insufficient data to test for seasonality; not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.05, calculated = 0.9641, critical = 0.85. Kappa = 2.78 (c=14, w=13, 1 of 2, event alpha = 0.1). Report alpha = 0.007498. Individual comparison alpha = 0.0005787. Comparing 6 points to limit. Assumes 7 future values.

Prediction Limit


Constituent: Chloride (mg/L) Analysis Run 10/23/2023 11:58 AM View: Deep
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-16	MW-6	MW-7	MW-24/24R
9/1/2013			2.7				
9/1/2014			2.4				
9/1/2015			2.6				
9/23/2016	19	10.8	2.7	7	17.7	6.4	8
9/5/2017	20.4	10.2	2.8	9.8	15.4	6	13.4
4/25/2018							4.5
9/17/2018	21.3	10.1	2.4	9.2	17	6.1	1.6
4/23/2019							3.4 (J)
9/23/2019	16	9.8	2.2 (J)	6	12	5.8	<1.5
9/21/2020			3.2 (J)				
9/22/2020		18			12		
9/23/2020				10		7.3	
9/24/2020	16						<2
9/8/2021		18	3.5 (J)				
9/9/2021	16			9.1	11	7.4	
9/10/2021							0.59 (J)
9/6/2022		17	3.1 (J)				
9/7/2022					11		
9/8/2022				8.3		6.6	
9/9/2022	12						<2.3
9/11/2023			3.1 (J)				
9/12/2023		19					
9/13/2023	11				11	6.8	
9/14/2023				8.8			

Exceeds Limit: MW-24/24R

Cobalt

Interwell Parametric



Background Data Summary: Mean=0.4425, Std. Dev.=0.06671, n=8. Insufficient data to test for seasonality; not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.1, calculated = 0.9568, critical = 0.851. Kappa = 3.209 (c=14, w=13, 1 of 2, event alpha = 0.1). Report alpha = 0.007498. Individual comparison alpha = 0.0005787. Comparing 6 points to limit. Assumes 7 future values.

Prediction Limit Analysis Run 10/23/2023 11:53 AM View: Deep

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Prediction Limit


Constituent: Cobalt (ug/L) Analysis Run 10/23/2023 11:58 AM View: Deep
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-16	MW-6	MW-7	MW-24/24R
9/23/2016	0.68 (J)	<0.5	0.57 (J)	<0.5	<0.5	<0.5	1.3
9/5/2017	0.31 (J)	0.61 (J)	0.46 (J)	0.12 (J)	0.8 (J)	0.024 (J)	0.67 (J)
4/25/2018							0.72 (J)
9/17/2018	0.22 (J)	2.3	0.44 (J)	0.22 (J)	0.2 (J)	<0.15	0.37 (J)
4/23/2019							0.9
9/23/2019	0.2 (J)	0.89	0.4 (J)	0.16 (J)	0.71	0.25 (J)	4.7
9/21/2020			0.4 (J)				
9/22/2020		0.37 (J)			0.13 (J)		
9/23/2020				<0.091		<0.091	
9/24/2020	0.14 (J)						24
9/8/2021		0.69	0.49 (J)				
9/9/2021	<0.19			<0.19	0.23 (J)	<0.19	
9/10/2021							61
9/6/2022		1.2	0.43 (J)				
9/7/2022					0.44 (J)		
9/8/2022				<0.19		<0.19	
9/9/2022	0.19 (J)						94.5 (D)
9/11/2023			0.35 (J)				
9/12/2023		0.4 (J)					
9/13/2023	<0.17 (U)				0.34 (J)	<0.17 (U)	
9/14/2023				0.29 (J)			

Within Limit

Copper

Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 49%. Limit is highest of 8 background values. 75% NDs. Annual per-constituent alpha = 0.1903. Individual comparison alpha = 0.01611 (1 of 2). Comparing 6 points to limit. Assumes 7 future values. Insufficient data to test for seasonality; data will not be deseasonalized.

Prediction Limit Analysis Run 10/23/2023 11:54 AM View: Deep

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Prediction Limit


Constituent: Copper (ug/L) Analysis Run 10/23/2023 11:58 AM View: Deep
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-7	MW-16	MW-6	MW-24/24R	MW-11	MW-12 (bg)
9/23/2016	2.5	0.95 (J)	0.21 (J)	1.3	7.7	1.6	0.57 (J)
9/5/2017	1	0.36 (J)	0.31 (J)	0.2 (J)	6.8	0.35 (J)	0.24 (J)
4/25/2018					4.6		
9/17/2018	5.7	1.7	2.5	2.4	1.2	9	<0.48
4/23/2019					<2		
9/23/2019	<2	<2	<2	2.4 (J)	<2	<2	<2
9/21/2020							<1.5
9/22/2020				1.6 (J)		<1.5	
9/23/2020		<1.5	1.5 (J)		<1.5		
9/24/2020	<1.5						
9/8/2021						<1.4	<1.4
9/9/2021	<1.4	<1.4	<1.4	<1.4			
9/10/2021					<1.4		
9/6/2022						<1.8	<1.8
9/7/2022				<1.8			
9/8/2022		<1.8	<1.8		<1.8		
9/9/2022	<1.8						
9/11/2023							<1.8 (U)
9/12/2023							<1.8 (U)
9/13/2023	<1.8 (U)	<1.8 (U)		<1.8 (U)			
9/14/2023			<1.8 (U)				

Exceeds Limit: MW-6

Iron

Interwell Parametric



Background Data Summary: Mean=1714, Std. Dev.=100.6, n=8. Insufficient data to test for seasonality; not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.1, calculated = 0.9056, critical = 0.851. Kappa = 3.209 (c=14, w=13, 1 of 2, event alpha = 0.1). Report alpha = 0.007498. Individual comparison alpha = 0.0005787. Comparing 6 points to limit. Assumes 7 future values.

Prediction Limit Analysis Run 10/23/2023 11:54 AM View: Deep

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Prediction Limit


Constituent: Iron (ug/L) Analysis Run 10/23/2023 11:58 AM View: Deep
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-16	MW-6	MW-7	MW-24/24R
9/23/2016	10900	193	1590	187	3010	77.8	3660
9/5/2017	4750	154	1710	<9.6	240	11.4 (J)	2780
4/25/2018							793
9/17/2018	1730	2930	1710	157	403	35.6 (J)	755
4/23/2019							530
9/23/2019	1700	160	1600	<66	12000	180	510
9/21/2020			1800				
9/22/2020		<50			290		
9/23/2020				<50		<50	
9/24/2020	1600						380
9/8/2021		82 (J)	1700				
9/9/2021	910			53 (J)	270	<36	
9/10/2021							470
9/6/2022		430	1900		4300		
9/7/2022				59 (J)		<36	310
9/8/2022							
9/9/2022	1600		1700				
9/11/2023							
9/12/2023		<36 (U)					
9/13/2023	510				2100	<36 (U)	
9/14/2023			190				

Within Limit

Lead

Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 49%. Limit is highest of 8 background values. 75% NDs. Annual per-constituent alpha = 0.1903. Individual comparison alpha = 0.01611 (1 of 2). Comparing 6 points to limit. Assumes 7 future values. Insufficient data to test for seasonality; data will not be deseasonalized.

Prediction Limit Analysis Run 10/23/2023 11:54 AM View: Deep

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Prediction Limit


Constituent: Lead (ug/L) Analysis Run 10/23/2023 11:58 AM View: Deep
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-7	MW-16	MW-6	MW-24/24R	MW-11	MW-12 (bg)
9/23/2016	3.2	0.41 (J)	0.26 (J)	0.96 (J)	6.2	0.43 (J)	<0.19
9/5/2017	2.5	0.1 (J)	0.1 (J)	0.13 (J)	3.6	0.089 (J)	0.038 (J)
4/25/2018					1.4		
9/17/2018	1.5	0.15 (J)	0.3 (J)	0.3 (J)	0.27 (J)	4.2	<0.12
4/23/2019					<0.27		
9/23/2019	0.69	0.69	<0.27	0.4 (J)	<0.27	<0.27	<0.27
9/21/2020						0.17 (J)	
9/22/2020				0.22 (J)		0.26 (J)	
9/23/2020		0.39 (J)	0.42 (J)		0.12 (J)		
9/24/2020	0.56					0.29 (J)	<0.21
9/8/2021							
9/9/2021	0.47 (J)	<0.21	0.25 (J)	0.21 (J)			
9/10/2021					<0.21		
9/6/2022						0.25 (J)	<0.24
9/7/2022				0.3 (J)			
9/8/2022		<0.24	<0.24		0.34 (J)		
9/9/2022	0.88						
9/11/2023						<0.24 (U)	
9/12/2023						<0.24 (U)	
9/13/2023	0.37 (J)	<0.24 (U)		0.37 (J)			
9/14/2023			0.37 (J)	<0.24 (U)			

Within Limit

Magnesium

Interwell Parametric



Background Data Summary: Mean=40488, Std. Dev.=2020, n=8. Insufficient data to test for seasonality; not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.1, calculated = 0.9188, critical = 0.851. Kappa = 3.209 (c=14, w=13, 1 of 2, event alpha = 0.1). Report alpha = 0.007498. Individual comparison alpha = 0.0005787. Comparing 6 points to limit. Assumes 7 future values.

Prediction Limit Analysis Run 10/23/2023 11:54 AM View: Deep

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Prediction Limit

Constituent: Magnesium (ug/L) Analysis Run 10/23/2023 11:58 AM View: Deep


Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-16	MW-6	MW-7	MW-24/24R
9/23/2016	46600	37000	41000	32300	42400	32200	37800
9/5/2017	50200	40100	42800	36600	46300	33200	47100
4/25/2018							39000
9/17/2018	40500	34400	38100	30600	40000	29300	28000
4/23/2019							29000
9/23/2019	47000	38000	44000	34000	43000	36000	31000
9/21/2020			39000				
9/22/2020		35000			39000		
9/23/2020				33000		34000	
9/24/2020	42000						28000
9/8/2021		36000	40000				
9/9/2021	44000			35000	39000	33000	
9/10/2021							28000
9/6/2022		37000	40000		41000		
9/7/2022				35000		33000	28000
9/8/2022							
9/9/2022	42000						
9/11/2023			39000				
9/12/2023		36000					
9/13/2023	39000				37000	32000	
9/14/2023				31000			

Within Limit

Manganese

Interwell Parametric



Background Data Summary: Mean=266.1, Std. Dev.=11.34, n=8. Insufficient data to test for seasonality; not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.1, calculated = 0.9053, critical = 0.851. Kappa = 3.209 (c=14, w=13, 1 of 2, event alpha = 0.1). Report alpha = 0.007498. Individual comparison alpha = 0.0005787. Comparing 6 points to limit. Assumes 7 future values.

Prediction Limit Analysis Run 10/23/2023 11:54 AM View: Deep

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Prediction Limit

Constituent: Manganese (ug/L) Analysis Run 10/23/2023 11:58 AM View: Deep


Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-10	MW-11	MW-12 (bg)	MW-16	MW-6	MW-7	MW-24/24R
9/23/2016	266	38.6	276	18.4	180	5	460
9/5/2017	77.4	44.8	266	2.5	54.6	1.7	208
4/25/2018							623
9/17/2018	88.2	188	257	10.3	78.7	0.81 (J)	575
4/23/2019							370
9/23/2019	95	43	280	7.3 (J)	430	18	330
9/21/2020			280				
9/22/2020		17			63		
9/23/2020				<4		<4	
9/24/2020	96						220
9/8/2021		26	260				
9/9/2021	62			<4.4	47	<4.4	
9/10/2021							140
9/6/2022		84	260				
9/7/2022					200		
9/8/2022				7.5 (J)		<3.6	120
9/9/2022	72						
9/11/2023			250				
9/12/2023		19					
9/13/2023	56				230	<3.6 (U)	
9/14/2023				45			

Exceeds Limit: MW-10

Sulfate

Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because the Shapiro Wilk normality test showed the data to be non-normal at the 0.05 alpha level. Limit is highest of 15 background values. Annual per-constituent alpha = 0.08163. Individual comparison alpha = 0.006529 (1 of 2). Comparing 6 points to limit. Assumes 7 future values. Insufficient data to test for seasonality; data will not be deseasonalized.

Prediction Limit Analysis Run 10/23/2023 11:54 AM View: Deep

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Prediction Limit


Constituent: Sulfate (mg/L) Analysis Run 10/23/2023 11:58 AM View: Deep
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-12 (bg)	MW-10	MW-24/24R	MW-7	MW-6	MW-16	MW-11
11/1/2010	52.9						
2/1/2011	61.2						
9/1/2011	123						
9/1/2012	58.7						
9/1/2013	57.1						
9/1/2014	64.1						
9/1/2015	75.5						
9/23/2016	50.2	204	94.5	32.6	133	31.6	72.2
9/5/2017	49.6	265	176	31.1	138	62.7	70.3
4/25/2018			23.4				
9/17/2018	52.8	207	13.7	28.6	141	36.1	72.7
4/23/2019			18				
9/23/2019	47	190	18	30	130	31	65
9/21/2020	49				110		
9/22/2020							58
9/23/2020				30		60	
9/24/2020		170	20				
9/8/2021	49						59
9/9/2021		190		28	110	77	
9/10/2021			4				
9/6/2022	45						59
9/7/2022					99		
9/8/2022			18	24		73	
9/9/2022		150					
9/11/2023	47						
9/12/2023							84
9/13/2023		130		23	110		
9/14/2023						41	

Exceeds Limit: MW-24/24R

Zinc

Interwell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 49%. Limit is highest of 8 background values. 62.5% NDs. Annual per-constituent alpha = 0.1903. Individual comparison alpha = 0.01611 (1 of 2). Comparing 6 points to limit. Assumes 7 future values. Insufficient data to test for seasonality; data will not be deseasonalized.

Prediction Limit Analysis Run 10/23/2023 11:54 AM View: Deep

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB




Prediction Limit




Constituent: Zinc (ug/L) Analysis Run 10/23/2023 11:58 AM View: Deep
 Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB




	MW-10	MW-7	MW-16	MW-6	MW-24/24R	MW-11	MW-12 (bg)
9/23/2016	12.7	8.1 (J)	2.5 (J)	8.1 (J)	22	28.3	3.2 (J)
9/5/2017	3.6 (J)	5.5 (J)	2.2 (J)	1.5 (J)	36.4	2.4 (J)	1.4 (J)
4/25/2018					7.7 (J)		
9/17/2018	12.7	8.4 (J)	6.4 (J)	6 (J)	<3.7	20.3	<3.7
4/23/2019					<10		
9/23/2019	<10	14 (J)	<10	<10	<10	<10	<10
9/21/2020							<10
9/22/2020				<10		<10	
9/23/2020		<10	<10		<10		
9/24/2020	<10				<10		
9/8/2021						<10	<10
9/9/2021	<10	<10	<10	<10			
9/10/2021					<10		
9/6/2022						250	43
9/7/2022				<10			
9/8/2022		96	51		71		
9/9/2022	46						
9/11/2023							<6.4 (U)
9/12/2023							<6.4 (U)
9/13/2023	8.1 (J)	9.3 (J)		9.9 (J)			
9/14/2023				<6.4 (U)			




Appendix F



Standards History Graphs












Appendix G

Trend Analysis

Trend Test

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB Printed 11/5/2024, 12:31 PM

<u>Constituent</u>	<u>Well</u>	<u>Slope</u>	<u>Calc.</u>	<u>Critical</u>	<u>Sig.</u>	<u>N</u>	<u>%NDs</u>	<u>Normality</u>	<u>Xform</u>	<u>Alpha</u>	<u>Method</u>
Cobalt (ug/L)	MW-11	0.1114	12	23	No	9	11.11	n/a	n/a	0.02	NP
Cobalt (ug/L)	MW-2	0.0521	7	23	No	9	0	n/a	n/a	0.02	NP
Cobalt (ug/L)	MW-24/24R	9.065	33	31	Yes	11	0	n/a	n/a	0.02	NP
Molybdenum (ug/L)	MW-11	0.9838	NaN	NaN	No	2	0	n/a	n/a	NaN	NP
Molybdenum (ug/L)	MW-2	0.3837	NaN	NaN	No	2	100	n/a	n/a	NaN	NP
Molybdenum (ug/L)	MW-24/24R	-2.731	NaN	NaN	No	2	50	n/a	n/a	NaN	NP



Sen's Slope and 95% Confidence Band Analysis Run 11/5/2024 12:29 PM


Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Sen's Slope Estimator

Constituent: Cobalt (ug/L) Analysis Run 11/5/2024 12:31 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-11	LCL	UCL
9/23/2016	<0.5	-1.156	1.383
9/5/2017	0.61 (J)	-0.6641	1.266
9/17/2018	2.3	-0.1851	1.2
9/23/2019	0.89	0.2178	1.197
9/22/2020	0.37 (J)	0.37	1.2
9/8/2021	0.69	0.3988	1.656
9/6/2022	1.2	0.3659	2.148
9/12/2023	0.4 (J)	0.2523	2.609
9/17/2024	4.6	0.1147	3.097



Sen's Slope and 95% Confidence Band Analysis Run 11/5/2024 12:30 PM


Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Sen's Slope Estimator

Constituent: Cobalt (ug/L) Analysis Run 11/5/2024 12:31 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-2	LCL	UCL
9/23/2016	2.1	0.07155	4.311
9/5/2017	2.2	0.6	4.102
9/17/2018	2.4	1.21	4.116
9/23/2019	2	1.762	4.119
9/22/2020	4	2.1	4
9/8/2021	5	2.1	4.5
9/7/2022	4.5 (D)	1.915	4.915
9/12/2023	2.3	1.715	5.365
9/17/2024	2.1	1.515	5.791



Sen's Slope and 95% Confidence Band Analysis Run 11/5/2024 12:30 PM


Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Sen's Slope Estimator

Constituent: Cobalt (ug/L) Analysis Run 11/5/2024 12:31 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-24/24R	LCL	UCL
9/23/2016	1.3	-44.77	23.82
9/5/2017	0.67 (J)	-29.88	35.61
4/25/2018	0.72 (J)	-20.13	43.48
9/17/2018	0.37 (J)	-14.15	48.4
4/23/2019	0.9	-4.994	55.81
9/23/2019	4.7	0.72	61
9/24/2020	24	1.082	79.68
9/10/2021	61	1.256	94
9/8/2022	94.5 (D)	1.318	107.2
4/25/2024	94	1.551	131.1
9/19/2024	8.2	1.624	137.3



Sen's Slope Estimator Analysis Run 11/5/2024 12:30 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Sen's Slope Estimator

Constituent: Molybdenum (ug/L) Analysis Run 11/5/2024 12:31 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB


MW-11

9/12/2023	13
9/17/2024	14

Sanitas™ v.10.0.23 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Molybdenum

MW-2



Sen's Slope Estimator Analysis Run 11/5/2024 12:30 PM

Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Sen's Slope Estimator


Constituent: Molybdenum (ug/L) Analysis Run 11/5/2024 12:31 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-2
9/12/2023	<0.91 (U)
9/17/2024	<1.3

Sanitas™ v.10.0.23 Software licensed to SCS Engineers. UG
Hollow symbols indicate censored values.

Molybdenum

MW-24/24R



Sen's Slope Estimator Analysis Run 11/5/2024 12:30 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

Sen's Slope Estimator

Constituent: Molybdenum (ug/L) Analysis Run 11/5/2024 12:31 PM
Big Bend Closed Landfill Client: SCS Engineers Data: Input_File_BB

	MW-24/24R
4/25/2024	2.4
9/19/2024	<1.3

Appendix H

Receptor Survey


	GEOSAM 1 MILE RADIUS SEARCH: November 2024						
FID	19599	22835	28805	51130	51269	62101	88414
wnumber	20239	25194	31219	55557	55697	66740	93312
owner_name	Popelka, Frank	Pisney, Louis	Big Bend	Pisney, Ed	Bruner, Ron	Miller, Larry	Duckett, Justin
alt_name							Duckett Custom Construction
pwts_id	0	0	0	2075723	0	2135956	2202789
project	Unknown	Unknown	Unknown	Unknown	Unknown	Unknown	
operator	Unknown	Unknown	Unknown	Unknown	Unknown	Unknown	
county	Linn						
quad	Bertram, Iowa						
township	T83N	T83N	T83N	T83N	T82N	T83N	T83N
range	R6W	R7W	R6W	R6W	R6W	R6W	R6W
section	31	36	31	31	6	31	31
quarter	SW NE NE NW	SE	SW SE	NW NW	SW NW SE	NW SE NE SE NW	SW SE NW
latitude	41.954358	41.951286	41.949369	41.960384	41.937479	41.955448	41.949841
longitude	-91.591383	-91.604171	-91.592052	-91.596868	-91.595119	-91.590477	-91.59359
ll_acc	Calc. +/- 230 ft.	Calc. +/- 1870 ft.	Calc. +/- 930 ft.	Calc. +/- 930 ft.	Calc. +/- 470 ft.	Unknown	Calc. +/- 470 ft.
utm_x	616743	615689	616697	616277	616464	616816	616568
utm_y	4645668	4645310	4645113	4646330	4643789	4645790	4645164
elevation	753	706	790	755	827	716	809
elev_acc	Digital Elevation Model Accurate to 5 ft	Topo Map Accurate to 2 ft					
field_loca	0	0	0	0	0	0	0
site_type	Drilled hole						
position	Unknown	Unknown	Unknown	Upland	Upland	Unknown	Unknown
dpth_br	79	55	89	4	124	60	210
dpth_well	153	165	360	215	243	160	315
dpth_tot	153	165	360	215	243	160	315
drill_comp	Novotny Well Drilling	Novotny Well Drilling	Latta & Sons Well Drilling	Gingerich Well Co.	Greiner Well Service, Inc	Greiner Well Service, Inc	Gingerich Well Co.
icon	0	0	1	1	1	1	1
drl_date	28-May-67	30-Jun-72	31-Dec-88	6-Jan-02	31-May-01	1-Sep-08	13-Sep-18
aquifer							
well_type	Private	Private	Other	Private	Private	Private	Private
smpl_type	Chips	Chips	Chips				
log_drlr	0	0	1	1	1	1	1
log_strp	0	0	0	0	0	0	0
log_geop	0	0	0	0	0	0	0
log_other	1	1	0	0	0	0	0
HLINK	https://www.iahr.uiowa.edu/igs/geosam/well/20239/general-	https://www.iahr.uiowa.edu/igs/geosam/well/25194/general-	https://www.iahr.uiowa.edu/igs/geosam/well/31219/general-	https://www.iahr.uiowa.edu/igs/geosam/well/55557/general-	https://www.iahr.uiowa.edu/igs/geosam/well/55697/general-	https://www.iahr.uiowa.edu/igs/geosam/well/66740/general-	https://www.iahr.uiowa.edu/igs/geosam/well/93312/general-information
x	-10195906.12	-10197329.67	-10195980.59	-10196516.7	-10196322.01	-10195805.26	-10196151.8
y	5154144.943859566	5153685.113921203	5153398.180491684	5155047.005380923	5151618.697404438	5154308.104991598	5153468.827880163

2024 Receptor Survey Results

Search results include wells within 1 mile in GeoSAM and PWTS, and wells within 1 mile provided by Linn Co Public Health

Legend

- ★ Big Bend Closed Landfill
- Well Location (Active) Within 1 Mile from PWTS Search
- ◊ Well Location from 2023 Site Map
- △ Well Location Within 1 Mile from GeoSAM Search
- Well Location Within 1 Mile from Linn County Records Search



Linn County Health Department Records Search: Wells Within 1 Mile, October 2024

	Well Address
LINN	2606 Big Bend Rd, Ely, IA
COUNTY	2911 Big Bend Rd, Ely, IA
HEALTH 1	3616 Big Bend Rd, Ely, IA
MILE	4901 Honey Grove Rd, Ely, IA
RADIUS	5900 Old River Rd, Ely, IA
SEARCH	5400 Old River Rd, Ely, IA
	5376 Wren Circle, Ely, IA

PWTS Search Results: Wells Within 1 Mile, November 2024

PWTS ID	Permit #	Owner Name	Other Name	Drill Date	Well Depth (ft)	PLSS	Latitude	Longitude	Well status
2190977	47974	joyce pruss				T83N R7 W S36	41.95172	-91.61134	Permitted
2217562	56938		cj moyna			T83N R7 W S36	41.95064	-91.60003	Permitted
2234814		sheila willms		1/1/1978	363	T83N R7 W S36	41.95925	-91.60519	Active
2135956	28523	larry miller				T83N R6 W S31	41.95545	-91.59048	Permitted
2150515	33253	jenna wischmeyer	interstate power & light			T83N R6 W S31	41.9483	-91.59149	Permitted
2156808	35340	gary gatrell				T83N R6 W S31	41.95443	-91.58112	Permitted
2202789	51864	justin duckett	duckett custom construction	9/14/2018	315	T83N R6 W S31	41.94984	-91.59359	Active Logged
2208035		crystal berstler		1/1/1900	200	T83N R6 W S31	41.95531	-91.58202	Active
2134550		kathy ripley		1/1/1900	135	T83N R6 W S32	41.95401	-91.57901	Active Logged
2085326		joseph & leslie sadecky		1/1/1974	250	T82N R6 W S6	41.93573	-91.59231	Active
2138014		richard tichy		1/1/1900	285	T82N R6 W S6	41.93814	-91.58299	Active
2139904		al boeding		1/1/1960	235	T82N R6 W S6	41.94486	-91.59193	Active Logged
2208036		barbara baird		1/1/1900	200	T82N R6 W S6	41.93641	-91.5935	Active