



Environmental Engineering,
Management and Consulting

23210 Greater Mack Ave
#174
Saint Clair Shores
Michigan 48080

(313) 999 4071

www.CJFassociates.com

December 4, 2024

Ms. Becky Jolly
Iowa Department of Natural Resources
Land Quality Bureau
502 E. 9th Street
Des Moines, Iowa 50319

Dear Ms. Jolly:

Re: Fluff Quarterly Sampling Results
Alter Metal Recycling – Mason City, Iowa
4th Quarter 2024

CJF Associates, LLC (CJF) is pleased to submit this report on behalf of Alter Trading Corporation, Mason City, Iowa (Alter). This report presents the quarterly fluff sampling results as identified above.

Summary

- PCB concentration this quarter: 5.4 mg/kg;
- Ten-Sample Rolling PCB Average: 21.52 mg/kg;
- PCB TCLP result this quarter is non-detect; and
- All TCLP metal results are below regulatory criteria.

Based on the analytical results; the fluff may be landfilled in Iowa per IAC 567, Chapter 118.


Details

In order to characterize the fluff, samples were collected and analyzed from the bulk seven-day composite sample. The composite sample was collected from October 1, 2024 through October 9, 2024 in accordance with IAC 567, Chapter 118. Samples were analyzed for total Polychlorinated Biphenyls (PCBs), Toxic Characteristic Leaching Procedure (TCLP) PCBs, TCLP Resource Conservation and Recovery Act (RCRA) metals, and Ignitability.

Total PCBs results for the sampling period totaled 5.4 mg/kg. Barium and cadmium were the only RCRA metals identified above the laboratory reporting limits. Lead was not identified above the reporting limit concentration of 0.4 mg/L which does not exceed the regulatory TCLP concentration of 5.0 mg/L. The present ten-sample rolling average for PCBs is 21.52 mg/kg. Rolling averages of the ten-sampling period results for total PCBs are presented below:



December 4, 2024



Fourth quarter analytical results are summarized as follows:

Sample ID	Analyte										Ignitability ²
	Total PCBs ¹	TCLP PCBs	TCLP Arsenic	TCLP Barium	TCLP Cad	TCLP Chrom	TCLP Lead	TCLP Sel	TCLP Silver	TCLP Mercury	
MCSF-102424-003	5.4	ND	ND	0.88	0.14	ND	ND	ND	ND	ND	>202

Notes

All TCLP results are reported in mg/L

ND = Not Detected Above Laboratory Detection Limits

(1) Results reported in mg/kg

NA = Not Analyzed

(2) Results reported in Degrees F

Laboratory analytical results and chain of custody forms are presented in Attachment A.

If you have any questions, please contact Frank W. Ring at (313) 999-4071.

Sincerely,
CJF Associates, LLC

Frank W. Ring, P.E.

Encl.

CC: Ryan Carpenter, Alter
Bill Rowland, Landfill of Iowa North

ATTACHMENT A

LABORATORY ANALYTICAL RESULTS

 **ANALYTICAL REPORT****PREPARED FOR**

Attn: Charles Ring
CJF Associates, LLC
PO BOX 80815
St. Claire Shores, Michigan 48080
Generated 11/15/2024 3:55:18 AM

JOB DESCRIPTION

Alter Mason City Iowa 1218-01

JOB NUMBER

240-213771-1

Eurofins Cleveland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
11/15/2024 3:55:18 AM

Authorized for release by
Denise Heckler, Project Manager II
Denise.Heckler@et.eurofinsus.com
(330)966-9477



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	11
QC Sample Results	12
QC Association Summary	16
Lab Chronicle	18
Chain of Custody	19
Receipt Checklists	22

Definitions/Glossary

Client: CJF Associates, LLC
Project/Site: Alter Mason City Iowa 1218-01

Job ID: 240-213771-1

Qualifiers

GC Semi VOA

Qualifier	Qualifier Description
F2	MS/MSD RPD exceeds control limits
p	The %RPD between the primary and confirmation column/detector is >40%. The lower value has been reported.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: CJF Associates, LLC
Project: Alter Mason City Iowa 1218-01

Job ID: 240-213771-1

Job ID: 240-213771-1

Eurofins Cleveland

Job Narrative 240-213771-1

Receipt

The samples were received on 10/25/2024 9:30 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 2.5°C.

PCBs

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Metals

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

General Chemistry

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.



Method Summary

Client: CJF Associates, LLC
Project/Site: Alter Mason City Iowa 1218-01

Job ID: 240-213771-1

Method	Method Description	Protocol	Laboratory
8082A	Polychlorinated Biphenyls (PCBs) by Gas Chromatography	SW846	EET CF
PCB	Total PCB Calculation	TAL SOP	EET CF
6010D	Metals (ICP)	SW846	EET CF
7470A	Mercury (CVAA)	SW846	EET CF
D92	Flashpoint	ASTM	EET CF
Moisture	Percent Moisture	EPA	EET CF
1311	TCLP Extraction	SW846	EET CF
3010A	Preparation, Total Metals	SW846	EET CF
3511	Microextraction of Organic Compounds	SW846	EET CF
3546	Microwave Extraction	SW846	EET CF
7470A	Preparation, Mercury	SW846	EET CF

Protocol References:

ASTM = ASTM International

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

EET CF = Eurofins Cedar Falls, 3019 Venture Way, Cedar Falls, IA 50613, TEL (319)277-2401

Sample Summary

Client: CJF Associates, LLC
Project/Site: Alter Mason City Iowa 1218-01

Job ID: 240-213771-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-213771-1	MCSF-102424-003	Solid	10/24/24 14:15	10/25/24 09:30

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: CJF Associates, LLC
Project/Site: Alter Mason City Iowa 1218-01

Job ID: 240-213771-1

Client Sample ID: MCSF-102424-003

Lab Sample ID: 240-213771-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
PCB-1242	5.4	p	0.66	0.42	mg/Kg	1	✳	8082A	Total/NA
Total PCBs	5.4		0.66	0.57	mg/Kg	1		PCB	Total/NA
Barium	0.88		0.80	0.16	mg/L	4		6010D	TCLP
Cadmium	0.14		0.080	0.016	mg/L	4		6010D	TCLP
Flashpoint	>202		65.0	65.0	Degrees F	1		D92	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Client Sample Results

Client: CJF Associates, LLC
 Project/Site: Alter Mason City Iowa 1218-01

Job ID: 240-213771-1

Client Sample ID: MCSF-102424-003

Lab Sample ID: 240-213771-1

Date Collected: 10/24/24 14:15

Matrix: Solid

Date Received: 10/25/24 09:30

Method: SW846 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	ND		1.8	0.74	ug/L		11/01/24 13:29	11/04/24 14:22	1
PCB-1221	ND		1.8	0.74	ug/L		11/01/24 13:29	11/04/24 14:22	1
PCB-1232	ND		1.8	0.74	ug/L		11/01/24 13:29	11/04/24 14:22	1
PCB-1242	ND		1.8	0.74	ug/L		11/01/24 13:29	11/04/24 14:22	1
PCB-1248	ND		1.8	0.62	ug/L		11/01/24 13:29	11/04/24 14:22	1
PCB-1254	ND		1.8	0.62	ug/L		11/01/24 13:29	11/04/24 14:22	1
PCB-1260	ND		1.8	0.62	ug/L		11/01/24 13:29	11/04/24 14:22	1
PCB-1268	ND		1.8	0.62	ug/L		11/01/24 13:29	11/04/24 14:22	1
Polychlorinated biphenyls, Total	ND		1.8	0.74	ug/L		11/01/24 13:29	11/04/24 14:22	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	33		11 - 122				11/01/24 13:29	11/04/24 14:22	1
Tetrachloro-m-xylene	77		23 - 123				11/01/24 13:29	11/04/24 14:22	1

Method: TAL SOP PCB - Total PCB Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total PCBs	5.4		0.66	0.57	mg/Kg			11/11/24 16:12	1

Method: SW846 6010D - Metals (ICP) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		0.40	0.12	mg/L		11/04/24 09:30	11/05/24 13:32	4
Barium	0.88		0.80	0.16	mg/L		11/04/24 09:30	11/05/24 13:32	4
Cadmium	0.14		0.080	0.016	mg/L		11/04/24 09:30	11/05/24 13:32	4
Chromium	ND		0.080	0.024	mg/L		11/04/24 09:30	11/05/24 13:32	4
Lead	ND		0.40	0.15	mg/L		11/04/24 09:30	11/05/24 13:32	4
Selenium	ND		0.40	0.12	mg/L		11/04/24 09:30	11/05/24 13:32	4
Silver	ND		0.20	0.064	mg/L		11/04/24 09:30	11/05/24 13:32	4

Method: SW846 7470A - Mercury (CVAA) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.0020	0.0011	mg/L		11/02/24 15:10	11/04/24 11:21	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Flashpoint (ASTM D92)	>202		65.0	65.0	Degrees F			10/30/24 16:23	1
Percent Moisture (EPA Moisture)	3.7		0.1	0.1	%			10/29/24 17:06	1
Percent Solids (EPA Moisture)	96.3		0.1	0.1	%			10/29/24 17:06	1

Client Sample Results

Client: CJF Associates, LLC
 Project/Site: Alter Mason City Iowa 1218-01

Job ID: 240-213771-1

Client Sample ID: MCSF-102424-003

Lab Sample ID: 240-213771-1

Date Collected: 10/24/24 14:15

Matrix: Solid

Date Received: 10/25/24 09:30

Percent Solids: 96.3

Method: SW846 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	ND		0.66	0.42	mg/Kg	☼	11/08/24 10:37	11/11/24 16:12	1
PCB-1221	ND		0.66	0.42	mg/Kg	☼	11/08/24 10:37	11/11/24 16:12	1
PCB-1232	ND		0.66	0.42	mg/Kg	☼	11/08/24 10:37	11/11/24 16:12	1
PCB-1242	5.4	p	0.66	0.42	mg/Kg	☼	11/08/24 10:37	11/11/24 16:12	1
PCB-1248	ND		0.66	0.57	mg/Kg	☼	11/08/24 10:37	11/11/24 16:12	1
PCB-1254	ND		0.66	0.57	mg/Kg	☼	11/08/24 10:37	11/11/24 16:12	1
PCB-1260	ND		0.66	0.57	mg/Kg	☼	11/08/24 10:37	11/11/24 16:12	1
PCB-1268	ND		0.66	0.57	mg/Kg	☼	11/08/24 10:37	11/11/24 16:12	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	105	p	10 - 150				11/08/24 10:37	11/11/24 16:12	1
Tetrachloro-m-xylene	85		12 - 127				11/08/24 10:37	11/11/24 16:12	1

Surrogate Summary

Client: CJF Associates, LLC
Project/Site: Alter Mason City Iowa 1218-01

Job ID: 240-213771-1

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Matrix: Solid

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCB1 (10-150)	TCX1 (12-127)
240-213771-1	MCSF-102424-003	105 p	85
LCS 310-439110/2-A	Lab Control Sample	95	96
MB 310-439110/1-A	Method Blank	95	94

Surrogate Legend

DCB = DCB Decachlorobiphenyl (Surr)

TCX = Tetrachloro-m-xylene

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Matrix: Solid

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCB1 (11-122)	TCX1 (23-123)
LCS 310-438428/9-A	Lab Control Sample	56	107
MB 310-438428/1-A	Method Blank	26	52

Surrogate Legend

DCB = DCB Decachlorobiphenyl (Surr)

TCX = Tetrachloro-m-xylene

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Matrix: Solid

Prep Type: TCLP

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCB1 (11-122)	TCX1 (23-123)
240-213771-1	MCSF-102424-003	33	77
240-213771-1 MS	MCSF-102424-003	42	71
240-213771-1 MSD	MCSF-102424-003	17	46
LB 310-438266/1-D	Method Blank	40	52

Surrogate Legend

DCB = DCB Decachlorobiphenyl (Surr)

TCX = Tetrachloro-m-xylene

QC Sample Results

Client: CJF Associates, LLC
 Project/Site: Alter Mason City Iowa 1218-01

Job ID: 240-213771-1

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Lab Sample ID: MB 310-438428/1-A
Matrix: Solid
Analysis Batch: 438540

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 438428

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	ND		1.8	0.75	ug/L		11/01/24 13:29	11/04/24 12:26	1
PCB-1221	ND		1.8	0.75	ug/L		11/01/24 13:29	11/04/24 12:26	1
PCB-1232	ND		1.8	0.75	ug/L		11/01/24 13:29	11/04/24 12:26	1
PCB-1242	ND		1.8	0.75	ug/L		11/01/24 13:29	11/04/24 12:26	1
PCB-1248	ND		1.8	0.63	ug/L		11/01/24 13:29	11/04/24 12:26	1
PCB-1254	ND		1.8	0.63	ug/L		11/01/24 13:29	11/04/24 12:26	1
PCB-1260	ND		1.8	0.63	ug/L		11/01/24 13:29	11/04/24 12:26	1
PCB-1268	ND		1.8	0.63	ug/L		11/01/24 13:29	11/04/24 12:26	1
Polychlorinated biphenyls, Total	ND		1.8	0.75	ug/L		11/01/24 13:29	11/04/24 12:26	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	26		11 - 122	11/01/24 13:29	11/04/24 12:26	1
Tetrachloro-m-xylene	52		23 - 123	11/01/24 13:29	11/04/24 12:26	1

Lab Sample ID: LCS 310-438428/9-A
Matrix: Solid
Analysis Batch: 438540

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 438428

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
PCB-1016	26.5	27.2		ug/L		103	30 - 133
PCB-1260	26.5	26.0		ug/L		98	31 - 133

Surrogate	LCS %Recovery	LCS Qualifier	Limits
DCB Decachlorobiphenyl (Surr)	56		11 - 122
Tetrachloro-m-xylene	107		23 - 123

Lab Sample ID: MB 310-439110/1-A
Matrix: Solid
Analysis Batch: 439242

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 439110

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	ND		0.047	0.030	mg/Kg		11/08/24 10:37	11/11/24 13:14	1
PCB-1221	ND		0.047	0.030	mg/Kg		11/08/24 10:37	11/11/24 13:14	1
PCB-1232	ND		0.047	0.030	mg/Kg		11/08/24 10:37	11/11/24 13:14	1
PCB-1242	ND		0.047	0.030	mg/Kg		11/08/24 10:37	11/11/24 13:14	1
PCB-1248	ND		0.047	0.041	mg/Kg		11/08/24 10:37	11/11/24 13:14	1
PCB-1254	ND		0.047	0.041	mg/Kg		11/08/24 10:37	11/11/24 13:14	1
PCB-1260	ND		0.047	0.041	mg/Kg		11/08/24 10:37	11/11/24 13:14	1
PCB-1268	ND		0.047	0.041	mg/Kg		11/08/24 10:37	11/11/24 13:14	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	95		10 - 150	11/08/24 10:37	11/11/24 13:14	1
Tetrachloro-m-xylene	94		12 - 127	11/08/24 10:37	11/11/24 13:14	1

Eurofins Cleveland

QC Sample Results

Client: CJF Associates, LLC
 Project/Site: Alter Mason City Iowa 1218-01

Job ID: 240-213771-1

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography (Continued)

Lab Sample ID: LCS 310-439110/2-A
Matrix: Solid
Analysis Batch: 439242

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 439110

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits	
PCB-1016	0.321	0.223		mg/Kg		70	35 - 128	
PCB-1260	0.321	0.212		mg/Kg		66	38 - 128	
LCS LCS								
Surrogate	%Recovery	Qualifier	Limits					
DCB Decachlorobiphenyl (Surr)	95		10 - 150					
Tetrachloro-m-xylene	96		12 - 127					

Lab Sample ID: LB 310-438266/1-D
Matrix: Solid
Analysis Batch: 438540

Client Sample ID: Method Blank
Prep Type: TCLP
Prep Batch: 438428

Analyte	LB LB		RL	MDL	Unit	D	Prepared		Analyzed		Dil Fac
	Result	Qualifier									
PCB-1016	ND		1.8	0.74	ug/L		11/01/24 13:29	11/04/24 13:12		1	
PCB-1221	ND		1.8	0.74	ug/L		11/01/24 13:29	11/04/24 13:12		1	
PCB-1232	ND		1.8	0.74	ug/L		11/01/24 13:29	11/04/24 13:12		1	
PCB-1242	ND		1.8	0.74	ug/L		11/01/24 13:29	11/04/24 13:12		1	
PCB-1248	ND		1.8	0.63	ug/L		11/01/24 13:29	11/04/24 13:12		1	
PCB-1254	ND		1.8	0.63	ug/L		11/01/24 13:29	11/04/24 13:12		1	
PCB-1260	ND		1.8	0.63	ug/L		11/01/24 13:29	11/04/24 13:12		1	
PCB-1268	ND		1.8	0.63	ug/L		11/01/24 13:29	11/04/24 13:12		1	
Polychlorinated biphenyls, Total	ND		1.8	0.74	ug/L		11/01/24 13:29	11/04/24 13:12		1	
LB LB											
Surrogate	%Recovery	Qualifier	Limits			Prepared		Analyzed		Dil Fac	
DCB Decachlorobiphenyl (Surr)	40		11 - 122			11/01/24 13:29		11/04/24 13:12		1	
Tetrachloro-m-xylene	52		23 - 123			11/01/24 13:29		11/04/24 13:12		1	

Lab Sample ID: 240-213771-1 MS
Matrix: Solid
Analysis Batch: 438540

Client Sample ID: MCSF-102424-003
Prep Type: TCLP
Prep Batch: 438428

Analyte	Sample Result	Sample Qualifier	Spike Added	MS MS		Unit	D	%Rec	%Rec Limits	
				Result	Qualifier					
PCB-1016	ND		25.9	17.9		ug/L		69	30 - 133	
PCB-1260	ND		25.9	16.7	p	ug/L		64	31 - 133	
MS MS										
Surrogate	%Recovery	Qualifier	Limits							
DCB Decachlorobiphenyl (Surr)	42		11 - 122							
Tetrachloro-m-xylene	71		23 - 123							

Lab Sample ID: 240-213771-1 MSD
Matrix: Solid
Analysis Batch: 438540

Client Sample ID: MCSF-102424-003
Prep Type: TCLP
Prep Batch: 438428

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD MSD		Unit	D	%Rec	%Rec		RPD	
				Result	Qualifier				Limits	RPD	Limit	
PCB-1016	ND		26.0	19.7		ug/L		76	30 - 133	10	35	
PCB-1260	ND		26.0	10.2	p F2	ug/L		39	31 - 133	48	35	

Eurofins Cleveland

QC Sample Results

Client: CJF Associates, LLC
 Project/Site: Alter Mason City Iowa 1218-01

Job ID: 240-213771-1

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography (Continued)

Lab Sample ID: 240-213771-1 MSD
Matrix: Solid
Analysis Batch: 438540

Client Sample ID: MCSF-102424-003
Prep Type: TCLP
Prep Batch: 438428

Surrogate	MSD MSD		Limits
	%Recovery	Qualifier	
DCB Decachlorobiphenyl (Surr)	17		11 - 122
Tetrachloro-m-xylene	46		23 - 123

Method: 6010D - Metals (ICP)

Lab Sample ID: LB 310-438266/1-B
Matrix: Solid
Analysis Batch: 438772

Client Sample ID: Method Blank
Prep Type: TCLP
Prep Batch: 438389

Analyte	LB LB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Arsenic	ND		0.10	0.030	mg/L		11/04/24 09:30	11/05/24 12:25	1
Barium	ND		0.20	0.040	mg/L		11/04/24 09:30	11/05/24 12:25	1
Cadmium	ND		0.020	0.0039	mg/L		11/04/24 09:30	11/05/24 12:25	1
Chromium	ND		0.020	0.0060	mg/L		11/04/24 09:30	11/05/24 12:25	1
Lead	ND		0.10	0.037	mg/L		11/04/24 09:30	11/05/24 12:25	1
Selenium	ND		0.10	0.029	mg/L		11/04/24 09:30	11/05/24 12:25	1
Silver	ND		0.050	0.016	mg/L		11/04/24 09:30	11/05/24 12:25	1

Lab Sample ID: LCS 310-438266/2-B
Matrix: Solid
Analysis Batch: 438772

Client Sample ID: Lab Control Sample
Prep Type: TCLP
Prep Batch: 438389

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Barium	2.00	2.13		mg/L		107	80 - 120
Cadmium	2.00	2.17		mg/L		108	80 - 120
Chromium	2.00	2.22		mg/L		111	80 - 120
Lead	4.00	4.28		mg/L		107	80 - 120
Selenium	8.00	9.18		mg/L		115	80 - 120
Silver	2.00	2.20		mg/L		110	80 - 120

Lab Sample ID: 240-213771-1 MS
Matrix: Solid
Analysis Batch: 438772

Client Sample ID: MCSF-102424-003
Prep Type: TCLP
Prep Batch: 438389

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Barium	0.88		2.00	2.98		mg/L		105	75 - 125
Cadmium	0.14		2.00	2.31		mg/L		109	75 - 125
Chromium	ND		2.00	2.18		mg/L		109	75 - 125
Lead	ND		4.00	4.36		mg/L		109	75 - 125
Selenium	ND		8.00	8.92		mg/L		112	75 - 125
Silver	ND		2.00	2.20		mg/L		110	75 - 125

QC Sample Results

Client: CJF Associates, LLC
 Project/Site: Alter Mason City Iowa 1218-01

Job ID: 240-213771-1

Method: 7470A - Mercury (CVAA)

Lab Sample ID: LB 310-438266/1-F
Matrix: Solid
Analysis Batch: 438610

Client Sample ID: Method Blank
Prep Type: TCLP
Prep Batch: 438436

Analyte	LB Result	LB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.0020	0.0011	mg/L		11/02/24 15:10	11/04/24 11:17	1

Lab Sample ID: LCS 310-438266/2-C
Matrix: Solid
Analysis Batch: 438610

Client Sample ID: Lab Control Sample
Prep Type: TCLP
Prep Batch: 438436

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Mercury	0.0167	0.0172		mg/L		103	80 - 120

Lab Sample ID: 240-213771-1 MS
Matrix: Solid
Analysis Batch: 438610

Client Sample ID: MCSF-102424-003
Prep Type: TCLP
Prep Batch: 438436

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Mercury	ND		0.0167	0.0162		mg/L		97	80 - 120



QC Association Summary

Client: CJF Associates, LLC
 Project/Site: Alter Mason City Iowa 1218-01

Job ID: 240-213771-1

GC Semi VOA

Leach Batch: 438266

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-213771-1	MCSF-102424-003	TCLP	Solid	1311	
LB 310-438266/1-D	Method Blank	TCLP	Solid	1311	
240-213771-1 MS	MCSF-102424-003	TCLP	Solid	1311	
240-213771-1 MSD	MCSF-102424-003	TCLP	Solid	1311	

Prep Batch: 438428

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-213771-1	MCSF-102424-003	TCLP	Solid	3511	438266
LB 310-438266/1-D	Method Blank	TCLP	Solid	3511	438266
MB 310-438428/1-A	Method Blank	Total/NA	Solid	3511	
LCS 310-438428/9-A	Lab Control Sample	Total/NA	Solid	3511	
240-213771-1 MS	MCSF-102424-003	TCLP	Solid	3511	438266
240-213771-1 MSD	MCSF-102424-003	TCLP	Solid	3511	438266

Analysis Batch: 438540

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-213771-1	MCSF-102424-003	TCLP	Solid	8082A	438428
LB 310-438266/1-D	Method Blank	TCLP	Solid	8082A	438428
MB 310-438428/1-A	Method Blank	Total/NA	Solid	8082A	438428
LCS 310-438428/9-A	Lab Control Sample	Total/NA	Solid	8082A	438428
240-213771-1 MS	MCSF-102424-003	TCLP	Solid	8082A	438428
240-213771-1 MSD	MCSF-102424-003	TCLP	Solid	8082A	438428

Prep Batch: 439110

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-213771-1	MCSF-102424-003	Total/NA	Solid	3546	
MB 310-439110/1-A	Method Blank	Total/NA	Solid	3546	
LCS 310-439110/2-A	Lab Control Sample	Total/NA	Solid	3546	

Analysis Batch: 439242

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-213771-1	MCSF-102424-003	Total/NA	Solid	8082A	439110
MB 310-439110/1-A	Method Blank	Total/NA	Solid	8082A	439110
LCS 310-439110/2-A	Lab Control Sample	Total/NA	Solid	8082A	439110

Analysis Batch: 439756

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-213771-1	MCSF-102424-003	Total/NA	Solid	PCB	

Metals

Leach Batch: 438266

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-213771-1	MCSF-102424-003	TCLP	Solid	1311	
LB 310-438266/1-B	Method Blank	TCLP	Solid	1311	
LB 310-438266/1-F	Method Blank	TCLP	Solid	1311	
LCS 310-438266/2-B	Lab Control Sample	TCLP	Solid	1311	
LCS 310-438266/2-C	Lab Control Sample	TCLP	Solid	1311	
240-213771-1 MS	MCSF-102424-003	TCLP	Solid	1311	

QC Association Summary

Client: CJF Associates, LLC
Project/Site: Alter Mason City Iowa 1218-01

Job ID: 240-213771-1

Metals

Prep Batch: 438389

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-213771-1	MCSF-102424-003	TCLP	Solid	3010A	438266
LB 310-438266/1-B	Method Blank	TCLP	Solid	3010A	438266
LCS 310-438266/2-B	Lab Control Sample	TCLP	Solid	3010A	438266
240-213771-1 MS	MCSF-102424-003	TCLP	Solid	3010A	438266

Prep Batch: 438436

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-213771-1	MCSF-102424-003	TCLP	Solid	7470A	438266
LB 310-438266/1-F	Method Blank	TCLP	Solid	7470A	438266
LCS 310-438266/2-C	Lab Control Sample	TCLP	Solid	7470A	438266
240-213771-1 MS	MCSF-102424-003	TCLP	Solid	7470A	438266

Analysis Batch: 438610

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-213771-1	MCSF-102424-003	TCLP	Solid	7470A	438436
LB 310-438266/1-F	Method Blank	TCLP	Solid	7470A	438436
LCS 310-438266/2-C	Lab Control Sample	TCLP	Solid	7470A	438436
240-213771-1 MS	MCSF-102424-003	TCLP	Solid	7470A	438436

Analysis Batch: 438772

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-213771-1	MCSF-102424-003	TCLP	Solid	6010D	438389
LB 310-438266/1-B	Method Blank	TCLP	Solid	6010D	438389
LCS 310-438266/2-B	Lab Control Sample	TCLP	Solid	6010D	438389
240-213771-1 MS	MCSF-102424-003	TCLP	Solid	6010D	438389

General Chemistry

Analysis Batch: 437980

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-213771-1	MCSF-102424-003	Total/NA	Solid	Moisture	

Analysis Batch: 438129

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-213771-1	MCSF-102424-003	Total/NA	Solid	D92	

Lab Chronicle

Client: CJF Associates, LLC
 Project/Site: Alter Mason City Iowa 1218-01

Job ID: 240-213771-1

Client Sample ID: MCSF-102424-003

Lab Sample ID: 240-213771-1

Date Collected: 10/24/24 14:15

Matrix: Solid

Date Received: 10/25/24 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
TCLP	Leach	1311			438266	U8FK	EET CF	10/31/24 15:36 - 11/01/24 07:36 ¹
TCLP	Prep	3511			438428	AYK7	EET CF	11/01/24 13:29
TCLP	Analysis	8082A		1	438540	BW2O	EET CF	11/04/24 14:22
Total/NA	Analysis	PCB		1	439756	D2YP	EET CF	11/11/24 16:12
TCLP	Leach	1311			438266	U8FK	EET CF	10/31/24 15:36 - 11/01/24 07:36 ¹
TCLP	Prep	3010A			438389	F5MW	EET CF	11/04/24 09:30
TCLP	Analysis	6010D		4	438772	ZRI4	EET CF	11/05/24 13:32
TCLP	Leach	1311			438266	U8FK	EET CF	10/31/24 15:36 - 11/01/24 07:36 ¹
TCLP	Prep	7470A			438436	QTZ5	EET CF	11/02/24 15:10
TCLP	Analysis	7470A		1	438610	QTZ5	EET CF	11/04/24 11:21
Total/NA	Analysis	D92		1	438129	WZC8	EET CF	10/30/24 16:23
Total/NA	Analysis	Moisture		1	437980	T5AC	EET CF	10/29/24 17:06

Client Sample ID: MCSF-102424-003

Lab Sample ID: 240-213771-1

Date Collected: 10/24/24 14:15

Matrix: Solid

Date Received: 10/25/24 09:30

Percent Solids: 96.3

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	3546			439110	D2YP	EET CF	11/08/24 10:37
Total/NA	Analysis	8082A		1	439242	BW2O	EET CF	11/11/24 16:12

¹ This procedure uses a method stipulated length of time for the process. Both start and end times are displayed.

Laboratory References:

EET CF = Eurofins Cedar Falls, 3019 Venture Way, Cedar Falls, IA 50613, TEL (319)277-2401

Eurofins - Cleveland Sample Receipt Form/Narrative Login # _____
 Barberton Facility

Client CJF Associates Site Name _____ Cooler unpacked by: CM

Cooler Received on 10/25/24 Opened on 10/26/24

FedEx: 1st Grd UPS FAS Waypoint Client Drop Off Eurofins Courier Other _____

Receipt After-hours Drop-off Date/Time _____ Storage Location _____

Eurofins Cooler # FC Foam Box Client Cooler Box Other _____

Packing material used: Bubble Wrap Foam Plastic Bag None Other _____

COOLANT Wet Ice Blue Ice Dry Ice Water None See Multiple Cooler Form

1 Cooler temperature upon receipt _____
 IR GUN # 17 (CF FO1 °C) Observed Cooler Temp 2.4 °C Corrected Cooler Temp. 2.5 °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1 Yes No NA

-Were the seals on the outside of the cooler(s) signed & dated? Yes No NA

-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No NA

-Were tamper/custody seals intact and uncompromised? Yes No NA

3 Shippers' packing slip attached to the cooler(s)? Yes No NA

4 Did custody papers accompany the sample(s)? Yes No NA

5 Were the custody papers relinquished & signed in the appropriate place? Yes No NA

6 Was/were the person(s) who collected the samples clearly identified on the COC? Yes No NA

7 Did all bottles arrive in good condition (Unbroken)? Yes No NA

8 Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No NA

9 For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes No NA

10 Were correct bottle(s) used for the test(s) indicated? Yes No NA

11 Sufficient quantity received to perform indicated analyses? Yes No NA

12. Are these work share samples and all listed on the COC? Yes No NA

If yes, Questions 13-17 have been checked at the originating laboratory

13 Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strip Lot# HC447997

14. Were VOAs on the COC? Yes No NA

15 Were air bubbles >6 mm in any VOA vials? Yes No NA Larger than this.

16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____ Yes No NA

17 Was a LL Hg or Me Hg trip blank present? Yes No NA

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____

Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page Samples processed by: _____

19. SAMPLE CONDITION _____ were received after the recommended holding time had expired

Sample(s) _____ were received in a broken container

Sample(s) _____ were received with bubble >6 mm in diameter (Notify PM)

20. SAMPLE PRESERVATION _____ were further preserved in the laboratory

Sample(s) _____ were further preserved in the laboratory

Time preserved. _____ Preservative(s) added/Lot number(s). _____

VOA Sample Preservation - Date/Time VOAs Frozen. _____



10/26/2024

Login Container Summary Report

240-213771

Temperature readings

11/15/2024

<u>Client Sample ID</u>	<u>Lab ID</u>	<u>Container Type</u>	<u>Container pH</u>	<u>Preservation Temp</u>	<u>Preservation Added</u>	<u>Preservation Lot Number</u>
MCSF-102424-003	240-213771-A-1	Soil jar 4oz - clear glass	_____	_____	_____	_____
MCSF-102424-003	240-213771-B-1	Soil jar 4oz - clear glass	_____	_____	_____	_____
MCSF-102424-003	240-213771-C-1	Soil jar 16oz - clear glass	_____	_____	_____	_____
MCSF-102424-003	240-213771-D-1	Soil jar 16oz - clear glass	_____	_____	_____	_____
MCSF-102424-003 DUP	240-213771-A-2	Soil jar 4oz - clear glass	_____	_____	_____	_____
MCSF-102424-003 DUP	240-213771-B-2	Soil jar 4oz - clear glass	_____	_____	_____	_____
MCSF-102424-003 DUP	240-213771-C-2	Soil jar 16oz - clear glass	_____	_____	_____	_____
MCSF-102424-003 DUP	240-213771-D-2	Soil jar 16oz - clear glass	_____	_____	_____	_____

Login Sample Receipt Checklist

Client: CJF Associates, LLC

Job Number: 240-213771-1

Login Number: 213771

List Number: 2

Creator: Hirsch, Preston

List Source: Eurofins Cedar Falls

List Creation: 10/29/24 10:23 AM

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	