



Environmental Engineering,
Management and Consulting

23210 Greater Mack Ave
#174
Saint Clair Shores
Michigan 48080

(313) 999 4071

www.CJFassociates.com

December 10, 2024

Ms. Becky Jolly
Iowa Department of Natural Resources
Land Quality Bureau
502 E. 9th Street
Des Moines, Iowa 50319

Dear Ms. Jolly:

Re: Fluff Quarterly Sampling Results
Alter Metal Recycling – Davenport, Iowa
4th Quarter 2024

CJF Associates, LLC (CJF) is pleased to submit this report on behalf of Alter Corporation, Davenport, Iowa (Alter). This report presents the quarterly fluff sampling results as identified above.

Summary


- PCB concentration this quarter: 8 mg/kg;
- Ten-Sample Rolling PCB Average: 10.38 mg/kg;
- PCB TCLP result this quarter is non-detect; and
- All TCLP metal results are below regulatory criteria.

Based on the analytical results; the fluff may be landfilled in Iowa per IAC 567, Chapter 118.

Details

In order to characterize the fluff, samples were collected and analyzed from the bulk seven-day composite sample. The composite sample was collected from October 1 through October 10, 2024 in accordance with IAC 567, Chapter 118. Samples were analyzed for total Polychlorinated Biphenyls (PCBs), Toxic Characteristic Leaching Procedure (TCLP) PCBs, TCLP Resource Conservation and Recovery Act (RCRA) metals, and Ignitability.

Total PCB results for the sampling period totaled 8 mg/kg. TCLP PCBs were not detected above the laboratory reporting limit. Barium, cadmium, and lead were the only RCRA metal identified above the laboratory reporting limits but below regulatory TCLP concentrations. Lead was detected at a concentration of 0.19 mg/L which does not exceed the regulatory TCLP concentration of 5.0 mg/L. The present ten-sample rolling average for PCBs is 10.38 mg/kg. Rolling averages of the ten-sampling period results for total PCBs are presented below:



Fourth quarter analytical results are summarized as follows:


Sample ID	Analyte										Ignitability ²
	Total PCBs ¹	TCLP PCBs	TCLP Arsenic	TCLP Barium	TCLP Cad	TCLP Chrom	TCLP Lead	TCLP Sel	TCLP Silver	TCLP Mercury	
ZDSF-102424-001	8	ND	ND	0.90	0.17	ND	0.19	ND	ND	ND	>201

Notes: All TCLP results are reported in mg/L ND = Not Detected above Laboratory Detection Limits
 (1) Results reported in mg/kg NA = Not Analyzed
 (2) Results reported in degrees Fahrenheit

Laboratory analytical results and chain of custody forms are presented in Attachment A.

If you have any questions, please contact Frank W. Ring at (313) 999-4071.

Sincerely,
CJF Associates, LLC



Frank W. Ring, P.E.
Encl.

CC: Patrick Kohlmeier, Alter
 Brian Seals, Waste Commission of Scott County
 Casey Reitz, Waste Commission of Scott County

ATTACHMENT A

LABORATORY ANALYTICAL RESULTS



ANALYTICAL REPORT

PREPARED FOR

Attn: Charles Ring
CJF Associates, LLC
PO BOX 80815
St. Claire Shores, Michigan 48080
Generated 11/14/2024 5:04:23 PM

JOB DESCRIPTION

Alter Davenport Iowa 1217-01

JOB NUMBER

240-213778-1

Eurofins Cleveland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
11/14/2024 5:04:23 PM

Authorized for release by
Denise Heckler, Project Manager II
Denise.Heckler@et.eurofinsus.com
(330)966-9477



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	11
QC Sample Results	12
QC Association Summary	15
Lab Chronicle	17
Chain of Custody	18
Receipt Checklists	21

Definitions/Glossary

Client: CJF Associates, LLC
Project/Site: Alter Davenport Iowa 1217-01

Job ID: 240-213778-1

Qualifiers

GC Semi VOA

Qualifier	Qualifier Description
S1+	Surrogate recovery exceeds control limits, high biased.

Metals

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: CJF Associates, LLC
Project: Alter Davenport Iowa 1217-01

Job ID: 240-213778-1

Job ID: 240-213778-1

Eurofins Cleveland

Job Narrative 240-213778-1

Receipt

The samples were received on 10/25/2024 9:30 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 2.5°C.

PCBs

Method 8082A: Surrogate recovery for the following sample was outside control limits: ZDSF-102424-001 (240-213778-1). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Metals

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

General Chemistry

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Method Summary

Client: CJF Associates, LLC
Project/Site: Alter Davenport Iowa 1217-01

Job ID: 240-213778-1

Method	Method Description	Protocol	Laboratory
8082A	Polychlorinated Biphenyls (PCBs) by Gas Chromatography	SW846	EET CF
PCB	Total PCB Calculation	TAL SOP	EET CF
6010D	Metals (ICP)	SW846	EET CF
7470A	Mercury (CVAA)	SW846	EET CF
D92	Flashpoint	ASTM	EET CF
Moisture	Percent Moisture	EPA	EET CF
1311	TCLP Extraction	SW846	EET CF
3010A	Preparation, Total Metals	SW846	EET CF
3511	Microextraction of Organic Compounds	SW846	EET CF
3546	Microwave Extraction	SW846	EET CF
7470A	Preparation, Mercury	SW846	EET CF

Protocol References:

ASTM = ASTM International

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

EET CF = Eurofins Cedar Falls, 3019 Venture Way, Cedar Falls, IA 50613, TEL (319)277-2401

Sample Summary

Client: CJF Associates, LLC
Project/Site: Alter Davenport Iowa 1217-01

Job ID: 240-213778-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-213778-1	ZDSF-102424-001	Solid	10/24/24 15:15	10/25/24 09:30

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: CJF Associates, LLC
Project/Site: Alter Davenport Iowa 1217-01

Job ID: 240-213778-1

Client Sample ID: ZDSF-102424-001

Lab Sample ID: 240-213778-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
PCB-1242	8.0		0.29	0.19	mg/Kg	1	✳	8082A	Total/NA
Total PCBs	8.0		0.29	0.25	mg/Kg	1		PCB	Total/NA
Barium	0.90		0.40	0.080	mg/L	2		6010D	TCLP
Cadmium	0.17		0.040	0.0078	mg/L	2		6010D	TCLP
Lead	0.19	J	0.20	0.074	mg/L	2		6010D	TCLP
Flashpoint	>201		65.0	65.0	Degrees F	1		D92	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

Client Sample Results

Client: CJF Associates, LLC
 Project/Site: Alter Davenport Iowa 1217-01

Job ID: 240-213778-1

Client Sample ID: ZDSF-102424-001

Lab Sample ID: 240-213778-1

Date Collected: 10/24/24 15:15

Matrix: Solid

Date Received: 10/25/24 09:30

Method: SW846 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	ND		1.8	0.74	ug/L		11/01/24 13:29	11/04/24 15:09	1
PCB-1221	ND		1.8	0.74	ug/L		11/01/24 13:29	11/04/24 15:09	1
PCB-1232	ND		1.8	0.74	ug/L		11/01/24 13:29	11/04/24 15:09	1
PCB-1242	ND		1.8	0.74	ug/L		11/01/24 13:29	11/04/24 15:09	1
PCB-1248	ND		1.8	0.62	ug/L		11/01/24 13:29	11/04/24 15:09	1
PCB-1254	ND		1.8	0.62	ug/L		11/01/24 13:29	11/04/24 15:09	1
PCB-1260	ND		1.8	0.62	ug/L		11/01/24 13:29	11/04/24 15:09	1
PCB-1268	ND		1.8	0.62	ug/L		11/01/24 13:29	11/04/24 15:09	1
Polychlorinated biphenyls, Total	ND		1.8	0.74	ug/L		11/01/24 13:29	11/04/24 15:09	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	41		11 - 122				11/01/24 13:29	11/04/24 15:09	1
Tetrachloro-m-xylene	80		23 - 123				11/01/24 13:29	11/04/24 15:09	1

Method: TAL SOP PCB - Total PCB Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total PCBs	8.0		0.29	0.25	mg/Kg			11/11/24 16:50	1

Method: SW846 6010D - Metals (ICP) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		0.20	0.060	mg/L		11/04/24 09:30	11/05/24 13:38	2
Barium	0.90		0.40	0.080	mg/L		11/04/24 09:30	11/05/24 13:38	2
Cadmium	0.17		0.040	0.0078	mg/L		11/04/24 09:30	11/05/24 13:38	2
Chromium	ND		0.040	0.012	mg/L		11/04/24 09:30	11/05/24 13:38	2
Lead	0.19 J		0.20	0.074	mg/L		11/04/24 09:30	11/05/24 13:38	2
Selenium	ND		0.20	0.058	mg/L		11/04/24 09:30	11/05/24 13:38	2
Silver	ND		0.10	0.032	mg/L		11/04/24 09:30	11/05/24 13:38	2

Method: SW846 7470A - Mercury (CVAA) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.0020	0.0011	mg/L		11/02/24 15:10	11/04/24 11:34	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Flashpoint (ASTM D92)	>201		65.0	65.0	Degrees F			11/06/24 07:45	1
Percent Moisture (EPA Moisture)	15.4		0.1	0.1	%			10/29/24 17:06	1
Percent Solids (EPA Moisture)	84.6		0.1	0.1	%			10/29/24 17:06	1

Client Sample Results

Client: CJF Associates, LLC
 Project/Site: Alter Davenport Iowa 1217-01

Job ID: 240-213778-1

Client Sample ID: ZDSF-102424-001

Lab Sample ID: 240-213778-1

Date Collected: 10/24/24 15:15

Matrix: Solid

Date Received: 10/25/24 09:30

Percent Solids: 84.6

Method: SW846 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	ND		0.29	0.19	mg/Kg	☼	11/08/24 10:37	11/11/24 16:50	1
PCB-1221	ND		0.29	0.19	mg/Kg	☼	11/08/24 10:37	11/11/24 16:50	1
PCB-1232	ND		0.29	0.19	mg/Kg	☼	11/08/24 10:37	11/11/24 16:50	1
PCB-1242	8.0		0.29	0.19	mg/Kg	☼	11/08/24 10:37	11/11/24 16:50	1
PCB-1248	ND		0.29	0.25	mg/Kg	☼	11/08/24 10:37	11/11/24 16:50	1
PCB-1254	ND		0.29	0.25	mg/Kg	☼	11/08/24 10:37	11/11/24 16:50	1
PCB-1260	ND		0.29	0.25	mg/Kg	☼	11/08/24 10:37	11/11/24 16:50	1
PCB-1268	ND		0.29	0.25	mg/Kg	☼	11/08/24 10:37	11/11/24 16:50	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	1008	S1+	10 - 150				11/08/24 10:37	11/11/24 16:50	1
Tetrachloro-m-xylene	101		12 - 127				11/08/24 10:37	11/11/24 16:50	1

Surrogate Summary

Client: CJF Associates, LLC
Project/Site: Alter Davenport Iowa 1217-01

Job ID: 240-213778-1

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Matrix: Solid

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCB1	TCX1
		(10-150)	(12-127)
240-213778-1	ZDSF-102424-001	1008 S1+	101
LCS 310-439110/2-A	Lab Control Sample	95	96
MB 310-439110/1-A	Method Blank	95	94

Surrogate Legend

DCB = DCB Decachlorobiphenyl (Surr)

TCX = Tetrachloro-m-xylene

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Matrix: Solid

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCB1	TCX1
		(11-122)	(23-123)
LCS 310-438428/9-A	Lab Control Sample	56	107
MB 310-438428/1-A	Method Blank	26	52

Surrogate Legend

DCB = DCB Decachlorobiphenyl (Surr)

TCX = Tetrachloro-m-xylene

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Matrix: Solid

Prep Type: TCLP

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCB1	TCX1
		(11-122)	(23-123)
240-213778-1	ZDSF-102424-001	41	80
LB 310-438266/1-D	Method Blank	40	52

Surrogate Legend

DCB = DCB Decachlorobiphenyl (Surr)

TCX = Tetrachloro-m-xylene

QC Sample Results

Client: CJF Associates, LLC
 Project/Site: Alter Davenport Iowa 1217-01

Job ID: 240-213778-1

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Lab Sample ID: MB 310-438428/1-A
Matrix: Solid
Analysis Batch: 438540

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 438428

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
PCB-1016	ND		1.8	0.75	ug/L		11/01/24 13:29	11/04/24 12:26	1
PCB-1221	ND		1.8	0.75	ug/L		11/01/24 13:29	11/04/24 12:26	1
PCB-1232	ND		1.8	0.75	ug/L		11/01/24 13:29	11/04/24 12:26	1
PCB-1242	ND		1.8	0.75	ug/L		11/01/24 13:29	11/04/24 12:26	1
PCB-1248	ND		1.8	0.63	ug/L		11/01/24 13:29	11/04/24 12:26	1
PCB-1254	ND		1.8	0.63	ug/L		11/01/24 13:29	11/04/24 12:26	1
PCB-1260	ND		1.8	0.63	ug/L		11/01/24 13:29	11/04/24 12:26	1
PCB-1268	ND		1.8	0.63	ug/L		11/01/24 13:29	11/04/24 12:26	1
Polychlorinated biphenyls, Total	ND		1.8	0.75	ug/L		11/01/24 13:29	11/04/24 12:26	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
DCB Decachlorobiphenyl (Surr)	26		11 - 122	11/01/24 13:29	11/04/24 12:26	1
Tetrachloro-m-xylene	52		23 - 123	11/01/24 13:29	11/04/24 12:26	1

Lab Sample ID: LCS 310-438428/9-A
Matrix: Solid
Analysis Batch: 438540

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 438428

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	Limits
		Result	Qualifier				
PCB-1016	26.5	27.2		ug/L		103	30 - 133
PCB-1260	26.5	26.0		ug/L		98	31 - 133

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
DCB Decachlorobiphenyl (Surr)	56		11 - 122
Tetrachloro-m-xylene	107		23 - 123

Lab Sample ID: MB 310-439110/1-A
Matrix: Solid
Analysis Batch: 439242

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 439110

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
PCB-1016	ND		0.047	0.030	mg/Kg		11/08/24 10:37	11/11/24 13:14	1
PCB-1221	ND		0.047	0.030	mg/Kg		11/08/24 10:37	11/11/24 13:14	1
PCB-1232	ND		0.047	0.030	mg/Kg		11/08/24 10:37	11/11/24 13:14	1
PCB-1242	ND		0.047	0.030	mg/Kg		11/08/24 10:37	11/11/24 13:14	1
PCB-1248	ND		0.047	0.041	mg/Kg		11/08/24 10:37	11/11/24 13:14	1
PCB-1254	ND		0.047	0.041	mg/Kg		11/08/24 10:37	11/11/24 13:14	1
PCB-1260	ND		0.047	0.041	mg/Kg		11/08/24 10:37	11/11/24 13:14	1
PCB-1268	ND		0.047	0.041	mg/Kg		11/08/24 10:37	11/11/24 13:14	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
DCB Decachlorobiphenyl (Surr)	95		10 - 150	11/08/24 10:37	11/11/24 13:14	1
Tetrachloro-m-xylene	94		12 - 127	11/08/24 10:37	11/11/24 13:14	1

Eurofins Cleveland

QC Sample Results

Client: CJF Associates, LLC
 Project/Site: Alter Davenport Iowa 1217-01

Job ID: 240-213778-1

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography (Continued)

Lab Sample ID: LCS 310-439110/2-A
Matrix: Solid
Analysis Batch: 439242

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 439110

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
PCB-1016	0.321	0.223		mg/Kg		70	35 - 128
PCB-1260	0.321	0.212		mg/Kg		66	38 - 128

Surrogate	LCS %Recovery	LCS Qualifier	Limits
DCB Decachlorobiphenyl (Surr)	95		10 - 150
Tetrachloro-m-xylene	96		12 - 127

Lab Sample ID: LB 310-438266/1-D
Matrix: Solid
Analysis Batch: 438540

Client Sample ID: Method Blank
Prep Type: TCLP
Prep Batch: 438428

Analyte	LB Result	LB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	ND		1.8	0.74	ug/L		11/01/24 13:29	11/04/24 13:12	1
PCB-1221	ND		1.8	0.74	ug/L		11/01/24 13:29	11/04/24 13:12	1
PCB-1232	ND		1.8	0.74	ug/L		11/01/24 13:29	11/04/24 13:12	1
PCB-1242	ND		1.8	0.74	ug/L		11/01/24 13:29	11/04/24 13:12	1
PCB-1248	ND		1.8	0.63	ug/L		11/01/24 13:29	11/04/24 13:12	1
PCB-1254	ND		1.8	0.63	ug/L		11/01/24 13:29	11/04/24 13:12	1
PCB-1260	ND		1.8	0.63	ug/L		11/01/24 13:29	11/04/24 13:12	1
PCB-1268	ND		1.8	0.63	ug/L		11/01/24 13:29	11/04/24 13:12	1
Polychlorinated biphenyls, Total	ND		1.8	0.74	ug/L		11/01/24 13:29	11/04/24 13:12	1

Surrogate	LB %Recovery	LB Qualifier	Limits	Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	40		11 - 122	11/01/24 13:29	11/04/24 13:12	1
Tetrachloro-m-xylene	52		23 - 123	11/01/24 13:29	11/04/24 13:12	1

Method: 6010D - Metals (ICP)

Lab Sample ID: LB 310-438266/1-B
Matrix: Solid
Analysis Batch: 438772

Client Sample ID: Method Blank
Prep Type: TCLP
Prep Batch: 438389

Analyte	LB Result	LB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		0.10	0.030	mg/L		11/04/24 09:30	11/05/24 12:25	1
Barium	ND		0.20	0.040	mg/L		11/04/24 09:30	11/05/24 12:25	1
Cadmium	ND		0.020	0.0039	mg/L		11/04/24 09:30	11/05/24 12:25	1
Chromium	ND		0.020	0.0060	mg/L		11/04/24 09:30	11/05/24 12:25	1
Lead	ND		0.10	0.037	mg/L		11/04/24 09:30	11/05/24 12:25	1
Selenium	ND		0.10	0.029	mg/L		11/04/24 09:30	11/05/24 12:25	1
Silver	ND		0.050	0.016	mg/L		11/04/24 09:30	11/05/24 12:25	1

Lab Sample ID: LCS 310-438266/2-B
Matrix: Solid
Analysis Batch: 438772

Client Sample ID: Lab Control Sample
Prep Type: TCLP
Prep Batch: 438389

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Arsenic	4.00	4.68		mg/L		117	80 - 120
Barium	2.00	2.13		mg/L		107	80 - 120

Eurofins Cleveland

QC Sample Results

Client: CJF Associates, LLC
 Project/Site: Alter Davenport Iowa 1217-01

Job ID: 240-213778-1

Method: 6010D - Metals (ICP) (Continued)

Lab Sample ID: LCS 310-438266/2-B
 Matrix: Solid
 Analysis Batch: 438772

Client Sample ID: Lab Control Sample
 Prep Type: TCLP
 Prep Batch: 438389

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Cadmium	2.00	2.17		mg/L		108	80 - 120
Chromium	2.00	2.22		mg/L		111	80 - 120
Lead	4.00	4.28		mg/L		107	80 - 120
Selenium	8.00	9.18		mg/L		115	80 - 120
Silver	2.00	2.20		mg/L		110	80 - 120

Method: 7470A - Mercury (CVAA)

Lab Sample ID: LB 310-438266/1-F
 Matrix: Solid
 Analysis Batch: 438610

Client Sample ID: Method Blank
 Prep Type: TCLP
 Prep Batch: 438436

Analyte	LB Result	LB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.0020	0.0011	mg/L		11/02/24 15:10	11/04/24 11:17	1

Lab Sample ID: LCS 310-438266/2-C
 Matrix: Solid
 Analysis Batch: 438610

Client Sample ID: Lab Control Sample
 Prep Type: TCLP
 Prep Batch: 438436

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Mercury	0.0167	0.0172		mg/L		103	80 - 120

Method: D92 - Flashpoint

Lab Sample ID: 240-213778-1 DU
 Matrix: Solid
 Analysis Batch: 438927

Client Sample ID: ZDSF-102424-001
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Flashpoint	>201		>201.0		Degrees F		NC	16

QC Association Summary

Client: CJF Associates, LLC
Project/Site: Alter Davenport Iowa 1217-01

Job ID: 240-213778-1

GC Semi VOA

Leach Batch: 438266

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-213778-1	ZDSF-102424-001	TCLP	Solid	1311	
LB 310-438266/1-D	Method Blank	TCLP	Solid	1311	

Prep Batch: 438428

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-213778-1	ZDSF-102424-001	TCLP	Solid	3511	438266
LB 310-438266/1-D	Method Blank	TCLP	Solid	3511	438266
MB 310-438428/1-A	Method Blank	Total/NA	Solid	3511	
LCS 310-438428/9-A	Lab Control Sample	Total/NA	Solid	3511	

Analysis Batch: 438540

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-213778-1	ZDSF-102424-001	TCLP	Solid	8082A	438428
LB 310-438266/1-D	Method Blank	TCLP	Solid	8082A	438428
MB 310-438428/1-A	Method Blank	Total/NA	Solid	8082A	438428
LCS 310-438428/9-A	Lab Control Sample	Total/NA	Solid	8082A	438428

Prep Batch: 439110

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-213778-1	ZDSF-102424-001	Total/NA	Solid	3546	
MB 310-439110/1-A	Method Blank	Total/NA	Solid	3546	
LCS 310-439110/2-A	Lab Control Sample	Total/NA	Solid	3546	

Analysis Batch: 439242

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-213778-1	ZDSF-102424-001	Total/NA	Solid	8082A	439110
MB 310-439110/1-A	Method Blank	Total/NA	Solid	8082A	439110
LCS 310-439110/2-A	Lab Control Sample	Total/NA	Solid	8082A	439110

Analysis Batch: 439661

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-213778-1	ZDSF-102424-001	Total/NA	Solid	PCB	

Metals

Leach Batch: 438266

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-213778-1	ZDSF-102424-001	TCLP	Solid	1311	
LB 310-438266/1-B	Method Blank	TCLP	Solid	1311	
LB 310-438266/1-F	Method Blank	TCLP	Solid	1311	
LCS 310-438266/2-B	Lab Control Sample	TCLP	Solid	1311	
LCS 310-438266/2-C	Lab Control Sample	TCLP	Solid	1311	

Prep Batch: 438389

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-213778-1	ZDSF-102424-001	TCLP	Solid	3010A	438266
LB 310-438266/1-B	Method Blank	TCLP	Solid	3010A	438266
LCS 310-438266/2-B	Lab Control Sample	TCLP	Solid	3010A	438266

Eurofins Cleveland

QC Association Summary

Client: CJF Associates, LLC
Project/Site: Alter Davenport Iowa 1217-01

Job ID: 240-213778-1

Metals

Prep Batch: 438436

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-213778-1	ZDSF-102424-001	TCLP	Solid	7470A	438266
LB 310-438266/1-F	Method Blank	TCLP	Solid	7470A	438266
LCS 310-438266/2-C	Lab Control Sample	TCLP	Solid	7470A	438266

Analysis Batch: 438610

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-213778-1	ZDSF-102424-001	TCLP	Solid	7470A	438436
LB 310-438266/1-F	Method Blank	TCLP	Solid	7470A	438436
LCS 310-438266/2-C	Lab Control Sample	TCLP	Solid	7470A	438436

Analysis Batch: 438772

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-213778-1	ZDSF-102424-001	TCLP	Solid	6010D	438389
LB 310-438266/1-B	Method Blank	TCLP	Solid	6010D	438389
LCS 310-438266/2-B	Lab Control Sample	TCLP	Solid	6010D	438389

General Chemistry

Analysis Batch: 437980

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-213778-1	ZDSF-102424-001	Total/NA	Solid	Moisture	

Analysis Batch: 438927

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-213778-1	ZDSF-102424-001	Total/NA	Solid	D92	
240-213778-1 DU	ZDSF-102424-001	Total/NA	Solid	D92	

Lab Chronicle

Client: CJF Associates, LLC
 Project/Site: Alter Davenport Iowa 1217-01

Job ID: 240-213778-1

Client Sample ID: ZDSF-102424-001
Date Collected: 10/24/24 15:15
Date Received: 10/25/24 09:30

Lab Sample ID: 240-213778-1
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
TCLP	Leach	1311			438266	U8FK	EET CF	10/31/24 15:36 - 11/01/24 07:36 ¹
TCLP	Prep	3511			438428	AYK7	EET CF	11/01/24 13:29
TCLP	Analysis	8082A		1	438540	BW2O	EET CF	11/04/24 15:09
Total/NA	Analysis	PCB		1	439661	D2YP	EET CF	11/11/24 16:50
TCLP	Leach	1311			438266	U8FK	EET CF	10/31/24 15:36 - 11/01/24 07:36 ¹
TCLP	Prep	3010A			438389	F5MW	EET CF	11/04/24 09:30
TCLP	Analysis	6010D		2	438772	ZRI4	EET CF	11/05/24 13:38
TCLP	Leach	1311			438266	U8FK	EET CF	10/31/24 15:36 - 11/01/24 07:36 ¹
TCLP	Prep	7470A			438436	QTZ5	EET CF	11/02/24 15:10
TCLP	Analysis	7470A		1	438610	QTZ5	EET CF	11/04/24 11:34
Total/NA	Analysis	D92		1	438927	WZC8	EET CF	11/06/24 07:45
Total/NA	Analysis	Moisture		1	437980	T5AC	EET CF	10/29/24 17:06

Client Sample ID: ZDSF-102424-001
Date Collected: 10/24/24 15:15
Date Received: 10/25/24 09:30

Lab Sample ID: 240-213778-1
Matrix: Solid
Percent Solids: 84.6

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	3546			439110	D2YP	EET CF	11/08/24 10:37
Total/NA	Analysis	8082A		1	439242	BW2O	EET CF	11/11/24 16:50

¹ This procedure uses a method stipulated length of time for the process. Both start and end times are displayed.

Laboratory References:

EET CF = Eurofins Cedar Falls, 3019 Venture Way, Cedar Falls, IA 50613, TEL (319)277-2401

Client CJF Associates Site Name _____ Cooler unpacked by: CM

Cooler Received on 10/25/24 Opened on 10/26/24

FedEx: 1st Grd ExD UPS FAS Waypoint Client Drop Off Eurofins Courier Other _____
 Receipt After-hours Drop-off Date/Time _____ Storage Location _____

Eurofins Cooler # FR Foam Box Client Cooler Box Other _____
 Packing material used Bubble Wrap Foam Plastic Bag None Other _____

COOLANT Metics Blue Ice Dry Ice Water None _____
 See Multiple Cooler Form

1 Cooler temperature upon receipt IR GUN # 17 (CF 101 °C) Observed Cooler Temp. 2.4 °C Corrected Cooler Temp. 2.5 °C

Tests that are not checked for pH by Receiving:
 VOAs
 Oil and Grease
 TOC

- 2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1
 - Were the seals on the outside of the cooler(s) signed & dated? Yes Yes No NA
 - Were tamper/custody seals on the bottle(s) or bottle kits (LIHg/MeHg)? Yes Yes No NA
 - Were tamper/custody seals intact and uncompromised? Yes Yes No NA
- 3 Shippers' packing slip attached to the cooler(s)? Yes Yes No NA
- 4 Did custody papers accompany the sample(s)? Yes Yes No NA
- 5 Were the custody papers relinquished & signed in the appropriate place? Yes Yes No NA
- 6 Was/were the person(s) who collected the samples clearly identified on the COC? Yes Yes No NA
- 7 Did all bottles arrive in good condition (Unbroken)? Yes Yes No NA
- 8 Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes Yes No NA
- 9 For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)? Yes Yes No NA
- 10 Were correct bottle(s) used for the test(s) indicated? Yes Yes No NA
- 11 Sufficient quantity received to perform indicated analyses? Yes Yes No NA
- 12. Are these work share samples and all listed on the COC? Yes Yes No NA
- If yes, Questions 13-17 have been checked at the originating laboratory
- 13 Were all preserved sample(s) at the correct pH upon receipt? Yes Yes No NA pH Strip Lot# HC447997
- 14. Were VOAs on the COC? Yes Yes No NA
- 15 Were air bubbles >6 mm in any VOA vials? Yes Yes No NA Larger than thus.
- 16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____ Yes Yes No NA
- 17 Was a LL Hg or Me Hg trip blank present? Yes Yes No NA

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____
 Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page Samples processed by: _____

19. SAMPLE CONDITION
 Sample(s) _____ were received after the recommended holding time had expired
 Sample(s) _____ were received in a broken container
 Sample(s) _____ were received with bubble >6 mm in diameter (Notify PM)

20. SAMPLE PRESERVATION
 Sample(s) _____ were further preserved in the laboratory
 Time preserved. _____ Preservative(s) added/Lot number(s). _____
 VOA Sample Preservation - Date/Time VOAs Frozen. _____



10/26/2024

Login Container Summary Report

240-213778

Temperature readings

<u>Client Sample ID</u>	<u>Lab ID</u>	<u>Container Type</u>	<u>Container</u> pH	<u>Preservation</u> Temp	<u>Preservation</u> Added	<u>Preservation</u> Lot Number
ZDSF-102424-001	240-213778-A-1	Soil jar 4oz - clear glass	_____	_____	_____	_____
ZDSF-102424-001	240-213778-B-1	Soil jar 4oz - clear glass	_____	_____	_____	_____
ZDSF-102424-001	240-213778-C-1	Soil jar 16oz - clear glass	_____	_____	_____	_____
ZDSF-102424-001	240-213778-D-1	Soil jar 16oz - clear glass	_____	_____	_____	_____
ZDSF-102424-001 DUP	240-213778-A-2	Soil jar 4oz - clear glass	_____	_____	_____	_____
ZDSF-102424-001 DUP	240-213778-B-2	Soil jar 4oz - clear glass	_____	_____	_____	_____
ZDSF-102424-001 DUP	240-213778-C-2	Soil jar 16oz - clear glass	_____	_____	_____	_____
ZDSF-102424-001 DUP	240-213778-D-2	Soil jar 16oz - clear glass	_____	_____	_____	_____

Login Sample Receipt Checklist

Client: CJF Associates, LLC

Job Number: 240-213778-1

Login Number: 213778

List Number: 2

Creator: Hirsch, Preston

List Source: Eurofins Cedar Falls

List Creation: 10/29/24 10:23 AM

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

