

APPLIANCE DEMANUFACTURING ANNUAL REPORT

January 1, 2024 – December 31, 2024

77-ADP-04-02

Please make address corrections as necessary

REPORT IS DUE ON OR BEFORE
January 31, 2025

JOE SLOAN
METRO APPLIANCE
4601 143RD STREET
URBAN DALE IA 50323-2487

Send completed form to:
Iowa Department of Natural Resources
Land Quality Bureau
6200 Park Avenue, Ste 200
Des Moines, Iowa 50321
Or Email: Becky.jolly@dnr.iowa.gov
Or Fax: 515-725-8202, Attn: Sue Johnson

Attach additional pages if necessary.

- Are appliances containing refrigerants accepted at this facility? Yes No
- Are appliances containing mercury accepted at this facility? Yes No
- Are appliances containing sodium chromate accepted at this facility? Yes No
- Are appliances containing PCB capacitors and ballasts accepted at this facility? Yes No

Number of Appliances Demanufactured in each category


TYPE OF APPLIANCE	NUMBER	TYPE OF APPLIANCE	NUMBER
Refrigerators and freezers	2150	Furnaces	0
Commercial coolers	0	Clothes washers and dryers	6400
Air-conditioning units	0	Dishwashers	3100
Dehumidifiers	0	Microwave Ovens	425
Gas Water Heaters	15	Stoves/ Ovens or Other items containing Mercury, refrigerant or PCB-containing articles.	0

Storage Dates

Date the first item was placed in the mercury storage drum that is in use on December 31.	0	Date the first PCB-containing item was placed in the storage drum that is in use on December 31.	0
---	---	--	---

Component Removal			
TYPE OF COMPONENT	NUMBER	TYPE OF COMPONENT	NUMBER
Number of mercury switches removed. (Not in lbs)		Amount of Refrigerant Removed	21/6
Number of mercury thermocouples removed.(Not in lbs)		Number of PCB capacitors removed. (Not in lbs)	0
Number of fluorescent tubes removed.(Not in lbs)		Number of PCB ballasts removed. (Not in lbs)	

Sodium Chromate Appliances	
Number of sodium chromate containing appliances shipped to another demanufacturer	8/10/14

67 Certification			
I certify under penalty of law that I am the owner, operator, or authorized representative of the owner or operator and that I have examined and am familiar with the information reported above, and that I believe the information is true, accurate and complete.			
Signature: 	Name & Agency of Person Certifying (please type or print)	Date:	Telephone Number: 515 240-3491
Email: jsloan50@msn.com			Fax Number: 515 986-3428

Additional Comments:

In accordance with Iowa Administrative Code 567 Chapter 118.13(1) – Annual reports with the information required in subrule 118.13(2) are due January 31 each year for the activities of the previous calendar year shall be retained at the facility for at least three years.