

January 27, 2025

MT SHEARING MARK THAYER PO BOX 36 ROWAN IA 50470

Subject: Appliance Demanufacturing Facility Inspection

Dear Mr. Thayer

Enclosed is a report documenting the inspection of your appliance demanufacturing operation. The inspection was conducted on December 20, 2024, by Jeremy Klatt, an Environmental Specialist with this office.

During the inspection, it was noted that none of the required records were available for review. You indicated that no hazardous components have been encountered in the last three years and that you were unable to locate any older records.

Please review the enclosed report and ensure that all recordkeeping requirements are met in the future. If you have any questions about the content of this report, please contact Mr. Klatt at 641-424-4073.

Sincerely,

FIELD SERVICES & COMPLIANCE BUREAU

Trent Lambert

Field Office Supervisor

Phone: 641-424-4073

C: Sue Johnson (susan.johnson@dnr.iowa.gov), Becky Jolly (becky.jolly@dnr.iowa.gov)

TL/jk

www.iowadnr.gov Fax: 641-424-9342

DNR APPLIANCE DEMANUFACTURING (ADP) PERMIT INSPECTION

	IOWA DEPARTMENT OF NATURAL RESOURCES APPLIANCE DEMANUFACTURING (ADP) PERMIT INSPECTION FORM				
Permit No.:	99 -ADP- 01 - 12 County: Wright				
Facility Name	e: MT Shearing Phone Number: 6	41-853	-2207		
Facility Addre	ess: 610 Patton Street City/State/Zip: Rowan Iowa, 5047	0			
Responsible	Responsible Official: Mark Thayer Phone Number:				
Mailing Addr	ess: PO Box 36 City/State/Zip: Rowan, IA 50470				
Person(s) Pre	sent: 1. Mark Thayer, Owner				
	2.				
	3				
Date of This	VODE 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1				
*Be advised yo (Stormwater p	our facility may require, due to either SIC code or onsite management practices, an NPDES General Permit	al Permi	t #1		
(Stormwater p	ermity.				
Storage & Ha	ndling				
IAC 567 Chap	oter 118.4: Appliance Storage & Handling Prior to Demanufacturing	Yes	No	NA	
118.4(1)	Are appliances being stored to prevent capacitors, refrigerant lines, compressors, and components containing mercury from being damaged and allowing a release into the environment?			\boxtimes	
118.4(2)	Are appliances being handled in a way which prevents damage, cuts, or breaks in refrigerant lines, compressors, capacitors and components containing mercury from being damaged and allowing a release into the environment?			\boxtimes	
118.4(3)	Are less than 1,000 appliances being stored prior to demanufacturing?	\boxtimes			
118.4(4)	Are appliances being demanufactured in 270 days or less?	\boxtimes			
Comments:					
There were r	o appliances on-site at the time of the inspection.				
Operations					
IAC 567 Chap	oter 118.7: Fixed Facility & Mobile Operations	Yes	No	NA	
118.7(1)	Is demanufacturing taking place on an impervious floor (including but not limited to concrete, ceramic tile, or metal)?				
118.7(2)	Is the point of demanufacturing located 50 feet or more from a well and any water of the state?				
118.7(5)	Is a unique marking system (minimum of nine inches square) being applied to the appliances after demanufacturing?				
PRODUCTION OF THE PROPERTY OF	vas not sure of the location of the well. However, previous inspections have noted that ore than 50 feet from the well.	demar	nufactu	ring is	

Training

IAC 567 Chap	oter 118.8: Training	Yes	No	NA
118.8	Is at least one owner or employee completed a Department-approved training course?			
118.8	Is one trained person on site at all times when appliances are being demanufactured?	\boxtimes		

Comments:

Mr. Thayer or Renee VanZweden conduct all demanufacturing; both are certified to do so.

Refrigerant Recovery

IAC 567 Chapte	er 118.6: Permit Application Requirements	Yes	No	NA
118.6(8)	Is a copy of the EPA Refrigerant Recovery or Recycling Device Acquisition Certification available onsite?	\boxtimes		
608 CAA (CFR)	Is a copy of the EPA Refrigerant Reclaimer's Certification available onsite if reclamation (purification) is taking place at the facility?			\boxtimes
IAC 567 Chapte	IAC 567 Chapter 118.9: Refrigerant Removal Requirements		No	NA
118.9(2)	If refrigerant is removed at a location other than a permitted ADP facility, is there documentation that it was removed by a service or repair facility certified for the removal of refrigerant?			\boxtimes
118.9(3)	Is removal of refrigerant being done in an area where the temperature of the surrounding air and that of the appliance being demanufactured is 45 degrees Fahrenheit or greater?	\boxtimes		
IAC 567 Chapte	er 118.13: Record Keeping & Reporting	Yes	No	NA
118.13(2)"a" & 118.13(2)"g"	Are the number and type of refrigerant containing appliances being tracked, as well as the amount of refrigerant removed?		\boxtimes	
118.13(3)"a"	Are bills of lading being kept as to where refrigerants are being shipped for disposal?		\boxtimes	

Comments:

Mr. Thayer did not have any records regarding the type of refirgerant containing appliances handled, the amount of refrigerant being removed or any bills of lading.

Oil

IAC 567 Chap	oter 118.9: Refrigerant Removal Requirements	Yes	No	NA
118.9(5)	If compressor oil is being removed from the refrigeration units, is it being stored in accordance with 567-119.5 (Note: AST must be large enough and on an impermeable surface to prevent spills, meet API construction standards, have absorbent material available, have a gauge to monitor liquid level, & meet Ch. 567-135 &136 if UST)			\boxtimes

Comments:

Compressor oil is not removed.

Ammonia Gas Refrigerant

Allillollia Gas K				
IAC 567 Chapter	118.9: Refrigerant Removal Requirements	Yes	No	NA
118.9(6)"a"	Is the ammonia gas being vented into water and is the resulting wastewater being properly disposed of?			
118.9(6)"e"	Is sodium chromate being properly stored in DOT-approved containers labeled with a proper EPA-approved chromium label stating "chromium" or "hazardous waste"?			\boxtimes
118.9(6)"g"	Does the facility have an EPA ID number (RCRA)?			
118.9(6)"h" & 118.9(6)"i"	Is asbestos insulation being removed and handled properly?			
IAC 567 Chapter	118.13: Record Keeping & Reporting	Yes	No	NA
118.13(2)"a"(2)	Are records being kept on the number of sodium chromate—containing appliances being demanufactured			\boxtimes
118.13(2)"f"	Are records being kept on the number of sodium chromate-containing appliances shipped to another demanufacturer			
118.13(3)"a" & 118.13(3)"b"	Are records being kept on the shipment of sodium chromate (name of the facility to which sodium chromate was shipped, the date of each shipment, the amount shipped and the name and address of the transporter)?			\boxtimes

Comments:

The facility does not accept ammonia-containing or sodium chromate-containing appliances.

01/2022 Page 2 of 6 DNR Form 542-0140

Mercury Components

IAC 567 Chap	pter 118.10: Mercury-Containing Component Removal & Disposal	Yes	No	NA
118.10(1)	Are all components containing mercury being removed?			\boxtimes
118.10(2)	Are mercury components being stored in containers with a proper EPA-approved label stating "Universal Waste-Mercury Containing Equipment", or Waste Mercury-Containing Equipment" in both English and the predominant language of any non-English-reading workers?			\boxtimes
118.10(3)	Is the date when the first mercury-containing component was placed in the container affixed to the container?			\boxtimes
118.10(4)	Storage of mercury is limited to one year, after which, it must be transported to an EPA-approved recycler/recovery facility. Has storage been under one year?			\boxtimes
118.10(8)	Are fluorescent tubes, lamps, bulbs, etc., being placed in a container and packaged to prevent breakage to an EPA-approved recycler?			\boxtimes
IAC 567 Cha	pter 118.13: Record Keeping & Reporting	Yes	No	NA
118.13(2)	Are records being kept on the number of mercury-containing appliances being demanufactured, number of mercury switches removed, number of fluorescent tubes removed, as well as the number of mercury thermocouples being removed?			\boxtimes
118.13(3)	Are records or bills of ladings being kept on the shipment of mercury-containing components?			\boxtimes

Comments:

Mr. Thayer stated that they have not encountered any mercury components for the last three years, therefore, there were no records or bills of lading available for review.

PCB Capacitors

PCB Capacito	15			
IAC 567 Chap	ter 118.11: Capacitor Removal Requirements	Yes	No	NA
118.11(4)"a"	Does the facility have an EPA TSCA ID number for capacitor storage (required if facility has no RCRA ID #)?	\boxtimes		
118.11(4)"b"	Are PCB items being stored in a manner that provides adequate protection from the elements and adequate secondary containment? (Note: Storage must take place on an impervious material above the 100-year floodwater elevation)			\boxtimes
118.11(4)"c"	Is the point of demanufacturing located above the 100-year flood water elevation?			
118.11(4)"d"	Are PCB storage containers filled to two inches of absorbent material in the bottom?			\boxtimes
118.11(4)"e"	Are PCB containers DOT-approved and labeled with a 6" by 6" yellow label stating "PCBs" as described in CFR part 761.45?	\boxtimes		
118.11(4)"g"	Is the storage for non leaking small PCB capacitors that do not comply with the requirements in 118.11(4) "a" to "f" stored for less than 30 days from the date of removal and a notation places on the PCB capacitor indicating the date the item was removed from the appliance?			\boxtimes
118.11(4)"f" & 118.11(4)"h"	Is the date when the first capacitor was placed in the storage container on the label? Storage of capacitors is limited to 270 days, after which they must be transported to an EPA-approved landfill or incinerator. This burial or incineration must be documented (within one year of the date on the container) and this record kept by the demanufacturer for three years from the date the PCB waste was accepted by the initial transporter.			
IAC 567 Chap	oter 118.13: Record Keeping & Reporting	Yes	No	NA
118.13(2)	Are records being kept on the number of PCB containing appliances being demanufactured, number of PCB capacitors and ballasts as well as the date the first PCB-containing item was placed in the storage drum that is in use on December 31? number of mercury thermocouples being removed?			
118.13(3)"a" & 118.13(3)"b"	Are records being kept on the shipment of PCB components and the documentation of destruction or receipt from a regional collection center for all PCB materials shipped?			\boxtimes
118.13(3)"d"	Are records being kept documenting inspections of the PCB storage area as required by 118.11(4)"h"?			\boxtimes

Comments:

Per Mr Thayer, no components have been encountered in last three years.

01/2022 Page 3 of 6 DNR Form 542-0140

Spills

IAC 567 Cha	pter 118.12: Spills	Yes	No	NA
118.12(1)	Are spill records being kept and has the facility reported spills that resulted in a hazardous condition?			\boxtimes
118.12(2)	Is a mercury spill kit on hand?	\boxtimes		

Comments:

Reporting

IAC 567 Chap	IAC 567 Chapter 118.13. Record Keeping & Reporting		No	NA
118.13(2)	Are records being kept on appliances demanufactured in separate categories, as well as the number of each component, amount of refrigerant, etc?		\boxtimes	
118.13(3)	Are records being kept on all hazardous waste manifest and bills of lading for shipments of refrigerant, mercury switches, PCB-containing material, and kept on site for a minimum of three years?		\boxtimes	
118.13(3)"f"	Are copies of annual reports (containing all the record keeping requirements) that have been sent to the Department Central Office being retained for at least three years?		\boxtimes	

Comments:

No records were available for review at the time of inspection.

Processing

1 1000331116				
IAC 567 Cha	pter 118.15: Shredding of Appliances	Yes	No	NA
118.15(1)	Has fluff from shredding been tested at least quarterly for PCBs, and TCLP for heavy metals? Have these results being sent to the department within 30 days of the end of each quarter?			\boxtimes
118.15(1)	Have the results from fluff testing been submitted to the department within 30 days of the end of each quarter? And are these records being kept on site for a minimum of three years?			\boxtimes
118.15(3)	Are appliances being demanufactured before shredding or processing?			\boxtimes
118.15(3)	If appliances are being accepted from demanufacturers for recycle/disposal, have the appliances been demanufactured in accordance with Federal regulations and state laws from which the appliances were received?			\boxtimes

Comments:

Appliances are not shredded on-site.

Summary of Requirements	Compliance Date:
Maintain records of appliances demanufactured in separate categories, as well as the numbers	
of each component and amount of refrigerant per Subrule 567 IAC 118.13(1).	Immediately
Maintain all hazardous waste manifests and bills of lading for shipments of refrigerant, mercury	
switches and PCB containing materials per Subrule 567 IAC 118.13(3) "a"	Immediately
Maintain documentation of destruction or receipt from a regional collection center for all PCB	Ti Ti
material per Subrule 567 IAC 118.13(3) "b"	Immediately
Maintain copy of the annual reports per Subrule 567 118.13(3) "f"	Immediately

DNR APPLIANCE DEMANUFACTURING (ADP) PERMIT INSPECTION

Summary of Reminders	Compliance Date:
Ensure PCB container has at least two inches of absorbant material in the bottom.	Immediately
Summary of Recommendations	Compliance Date:
e e	
Attach facility photos (if applicable) on page 6.	
Inspector: Jeremy Klatt Reviewer: David Knoll	1
Date: 1/23/25	

DNR APPLIANCE DEMANUFACTURING (ADP) PERMIT INSPECTION

Facility Photographs (if applicable)







