



Environmental Engineering,
Management and Consulting

23210 Greater Mack Ave
#174
Saint Clair Shores
Michigan 48080

(313) 999 4071

www.CJFassociates.com

February 24, 2025

Ms. Becky Jolly
Iowa Department of Natural Resources
Land Quality Bureau
502 E. 9th Street
Des Moines, Iowa 50319

Dear Ms. Jolly:

Re: Fluff Quarterly Sampling Results
Alter Metal Recycling – Davenport, Iowa
1st Quarter 2025

CJF Associates, LLC (CJF) is pleased to submit this report on behalf of Alter Corporation, Davenport, Iowa (Alter). This report presents the quarterly fluff sampling results as identified above.

Summary

- PCB concentration this quarter: 12 mg/kg;
- Ten-Sample Rolling PCB Average: 10.78 mg/kg;
- PCB TCLP result this quarter is non-detect; and
- All TCLP metal results are below regulatory criteria.

Based on the analytical results; the fluff may be landfilled in Iowa per IAC 567, Chapter 118.


Details

In order to characterize the fluff, samples were collected and analyzed from the bulk seven-day composite sample. The composite sample was collected from January 13 through January 27, 2025 in accordance with IAC 567, Chapter 118. Samples were analyzed for total Polychlorinated Biphenyls (PCBs), Toxic Characteristic Leaching Procedure (TCLP) PCBs, TCLP Resource Conservation and Recovery Act (RCRA) metals, and Ignitability.

Total PCB results for the sampling period totaled 12 mg/kg. TCLP PCBs were not detected above the laboratory reporting limit. Barium and cadmium were the only RCRA metal identified above the laboratory reporting limits but below regulatory TCLP concentrations. Lead was not detected above the reporting limit concentration of 0.20 mg/L which does not exceed the regulatory TCLP concentration of 5.0 mg/L. The present ten-sample rolling average for PCBs is 10.78 mg/kg. Rolling averages of the ten-sampling period results for total PCBs are presented below:



February 24, 2025



First quarter analytical results are summarized as follows:


Sample ID	Analyte										Ignitability ²
	Total PCBs ¹	TCLP PCBs	TCLP Arsenic	TCLP Barium	TCLP Cad	TCLP Chrom	TCLP Lead	TCLP Sel	TCLP Silver	TCLP Mercury	
ZDSF-020525-001	12	ND	ND	0.69	0.16	ND	ND	ND	ND	ND	>200

Notes: All TCLP results are reported in mg/L ND = Not Detected above Laboratory Detection Limits
 (1) Results reported in mg/kg NA = Not Analyzed
 (2) Results reported in degrees Fahrenheit

Laboratory analytical results and chain of custody forms are presented in Attachment A.

If you have any questions, please contact Frank W. Ring at (313) 999-4071.

Sincerely,
CJF Associates, LLC



Frank W. Ring, P.E.
Encl.

CC: Patrick Kohlmeier, Alter
 Brian Seals, Waste Commission of Scott County
 Casey Reitz, Waste Commission of Scott County

ATTACHMENT A

LABORATORY ANALYTICAL RESULTS

 **ANALYTICAL REPORT****PREPARED FOR**

Attn: Charles Ring
CJF Associates, LLC
PO BOX 80815
St. Claire Shores, Michigan 48080

Generated 2/20/2025 3:58:55 PM

JOB DESCRIPTION

1217-01, Davenport, Iowa

JOB NUMBER

240-218615-1

Eurofins Cleveland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
2/20/2025 3:58:55 PM

Authorized for release by
Denise Heckler, Project Manager II
Denise.Heckler@et.eurofinsus.com
(330)966-9477



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	11
QC Sample Results	12
QC Association Summary	15
Lab Chronicle	17
Certification Summary	18
Chain of Custody	19
Receipt Checklists	24

Definitions/Glossary

Client: CJF Associates, LLC
Project/Site: 1217-01, Davenport, Iowa

Job ID: 240-218615-1

Qualifiers

GC Semi VOA

Qualifier	Qualifier Description
S1+	Surrogate recovery exceeds control limits, high biased.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: CJF Associates, LLC
Project: 1217-01, Davenport, Iowa

Job ID: 240-218615-1

Job ID: 240-218615-1

Eurofins Cleveland

Job Narrative 240-218615-1

Receipt

The samples were received on 2/6/2025 9:45 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 2.0° C.

GC Semi VOA

Method 8082A: Due to the high concentration of PCB-1242, the matrix spike / matrix spike duplicate (MS/MSD) for preparation batch 310-446799 and analytical batch 310-446811 could not be evaluated for accuracy and precision. The associated laboratory control sample (LCS) met acceptance criteria.

Method 8082A: Surrogate recovery for the following samples were outside control limits: (MB 310-446799/1-A), (310-300118-F-1-B MS) and (310-300118-F-1-C MSD). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Metals

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

General Chemistry

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Organic Prep

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Eurofins Cleveland

Method Summary

Client: CJF Associates, LLC
Project/Site: 1217-01, Davenport, Iowa

Job ID: 240-218615-1

Method	Method Description	Protocol	Laboratory
8082A	Polychlorinated Biphenyls (PCBs) by Gas Chromatography	SW846	EET CF
PCB	Total PCB Calculation	TAL SOP	EET CF
6010D	Metals (ICP)	SW846	EET CF
7470A	Mercury (CVAA)	SW846	EET CF
D92	Flashpoint	ASTM	EET CF
Moisture	Percent Moisture	EPA	EET CF
1311	TCLP Extraction	SW846	EET CF
3010A	Preparation, Total Metals	SW846	EET CF
3511	Microextraction of Organic Compounds	SW846	EET CF
3546	Microwave Extraction	SW846	EET CF
7470A	Preparation, Mercury	SW846	EET CF

Protocol References:

ASTM = ASTM International

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

EET CF = Eurofins Cedar Falls, 3019 Venture Way, Cedar Falls, IA 50613, TEL (319)277-2401

Sample Summary

Client: CJF Associates, LLC
Project/Site: 1217-01, Davenport, Iowa

Job ID: 240-218615-1

<u>Lab Sample ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Collected</u>	<u>Received</u>
240-218615-1	ZDSF-020525-001	Solid	02/05/25 15:00	02/06/25 09:45

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Detection Summary

Client: CJF Associates, LLC
Project/Site: 1217-01, Davenport, Iowa

Job ID: 240-218615-1

Client Sample ID: ZDSF-020525-001

Lab Sample ID: 240-218615-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
PCB-1242	12		0.059	0.42	mg/Kg	1	✳	8082A	Total/NA
Total PCBs	12		0.059	0.56	mg/Kg	1		PCB	Total/NA
Barium	0.69		0.40	0.080	mg/L	2		6010D	TCLP
Cadmium	0.16		0.040	0.0078	mg/L	2		6010D	TCLP
Flashpoint	>200		65.0	65.0	Degrees F	1		D92	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

Client Sample Results

Client: CJF Associates, LLC
 Project/Site: 1217-01, Davenport, Iowa

Job ID: 240-218615-1

Client Sample ID: ZDSF-020525-001

Lab Sample ID: 240-218615-1

Date Collected: 02/05/25 15:00

Matrix: Solid

Date Received: 02/06/25 09:45

Method: SW846 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	ND		1.8	0.74	ug/L		02/12/25 09:16	02/13/25 13:50	1
PCB-1221	ND		1.8	0.74	ug/L		02/12/25 09:16	02/13/25 13:50	1
PCB-1232	ND		1.8	0.74	ug/L		02/12/25 09:16	02/13/25 13:50	1
PCB-1242	ND		1.8	0.74	ug/L		02/12/25 09:16	02/13/25 13:50	1
PCB-1248	ND		1.8	0.62	ug/L		02/12/25 09:16	02/13/25 13:50	1
PCB-1254	ND		1.8	0.62	ug/L		02/12/25 09:16	02/13/25 13:50	1
PCB-1260	ND		1.8	0.62	ug/L		02/12/25 09:16	02/13/25 13:50	1
PCB-1268	ND		1.8	0.62	ug/L		02/12/25 09:16	02/13/25 13:50	1
Polychlorinated biphenyls, Total	ND		1.8	0.74	ug/L		02/12/25 09:16	02/13/25 13:50	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	94		11 - 122				02/12/25 09:16	02/13/25 13:50	1
Tetrachloro-m-xylene	103		23 - 123				02/12/25 09:16	02/13/25 13:50	1

Method: TAL SOP PCB - Total PCB Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total PCBs	12		0.059	0.56	mg/Kg			02/14/25 15:37	1

Method: SW846 6010D - Metals (ICP) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		0.20	0.060	mg/L		02/11/25 09:45	02/20/25 12:19	2
Barium	0.69		0.40	0.080	mg/L		02/11/25 09:45	02/20/25 12:19	2
Cadmium	0.16		0.040	0.0078	mg/L		02/11/25 09:45	02/20/25 12:19	2
Chromium	ND		0.040	0.012	mg/L		02/11/25 09:45	02/20/25 12:19	2
Lead	ND		0.20	0.074	mg/L		02/11/25 09:45	02/20/25 12:19	2
Selenium	ND		0.20	0.058	mg/L		02/11/25 09:45	02/20/25 12:19	2
Silver	ND		0.10	0.032	mg/L		02/11/25 09:45	02/20/25 12:19	2

Method: SW846 7470A - Mercury (CVAA) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.0020	0.0011	mg/L		02/13/25 11:27	02/14/25 15:13	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Flashpoint (ASTM D92)	>200		65.0	65.0	Degrees F			02/18/25 11:59	1
Percent Moisture (EPA Moisture)	15.6		0.1	0.1	%			02/10/25 08:41	1
Percent Solids (EPA Moisture)	84.4		0.1	0.1	%			02/10/25 08:41	1

Client Sample Results

Client: CJF Associates, LLC
 Project/Site: 1217-01, Davenport, Iowa

Job ID: 240-218615-1

Client Sample ID: ZDSF-020525-001

Lab Sample ID: 240-218615-1

Date Collected: 02/05/25 15:00

Matrix: Solid

Date Received: 02/06/25 09:45

Percent Solids: 84.4

Method: SW846 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	ND		0.059	0.42	mg/Kg	☼	02/13/25 09:22	02/14/25 15:37	1
PCB-1221	ND		0.059	0.42	mg/Kg	☼	02/13/25 09:22	02/14/25 15:37	1
PCB-1232	ND		0.059	0.42	mg/Kg	☼	02/13/25 09:22	02/14/25 15:37	1
PCB-1242	12		0.059	0.42	mg/Kg	☼	02/13/25 09:22	02/14/25 15:37	1
PCB-1248	ND		0.059	0.56	mg/Kg	☼	02/13/25 09:22	02/14/25 15:37	1
PCB-1254	ND		0.059	0.56	mg/Kg	☼	02/13/25 09:22	02/14/25 15:37	1
PCB-1260	ND		0.059	0.56	mg/Kg	☼	02/13/25 09:22	02/14/25 15:37	1
PCB-1268	ND		0.059	0.56	mg/Kg	☼	02/13/25 09:22	02/14/25 15:37	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>DCB Decachlorobiphenyl (Surr)</i>	21		10 - 150				02/13/25 09:22	02/14/25 15:37	1
<i>Tetrachloro-m-xylene</i>	18		12 - 127				02/13/25 09:22	02/14/25 15:37	1

Surrogate Summary

Client: CJF Associates, LLC
Project/Site: 1217-01, Davenport, Iowa

Job ID: 240-218615-1

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Matrix: Solid

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCB1 (10-150)	TCX1 (12-127)
240-218615-1	ZDSF-020525-001	21	18
LCS 310-446799/3-A	Lab Control Sample	98	103
MB 310-446799/1-A	Method Blank	139	145 S1+

Surrogate Legend

DCB = DCB Decachlorobiphenyl (Surr)

TCX = Tetrachloro-m-xylene

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Matrix: Solid

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCB1 (11-122)	TCX1 (23-123)
LCS 310-446746/8-A	Lab Control Sample	50	76
MB 310-446746/1-A	Method Blank	56	77

Surrogate Legend

DCB = DCB Decachlorobiphenyl (Surr)

TCX = Tetrachloro-m-xylene

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Matrix: Solid

Prep Type: TCLP

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCB1 (11-122)	TCX1 (23-123)
240-218615-1	ZDSF-020525-001	94	103
LB 310-446571/1-D	Method Blank	87	95

Surrogate Legend

DCB = DCB Decachlorobiphenyl (Surr)

TCX = Tetrachloro-m-xylene

QC Sample Results

Client: CJF Associates, LLC
 Project/Site: 1217-01, Davenport, Iowa

Job ID: 240-218615-1

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Lab Sample ID: MB 310-446746/1-A
Matrix: Solid
Analysis Batch: 446811

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 446746

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	ND		1.8	0.75	ug/L		02/12/25 09:16	02/13/25 12:32	1
PCB-1221	ND		1.8	0.75	ug/L		02/12/25 09:16	02/13/25 12:32	1
PCB-1232	ND		1.8	0.75	ug/L		02/12/25 09:16	02/13/25 12:32	1
PCB-1242	ND		1.8	0.75	ug/L		02/12/25 09:16	02/13/25 12:32	1
PCB-1248	ND		1.8	0.63	ug/L		02/12/25 09:16	02/13/25 12:32	1
PCB-1254	ND		1.8	0.63	ug/L		02/12/25 09:16	02/13/25 12:32	1
PCB-1260	ND		1.8	0.63	ug/L		02/12/25 09:16	02/13/25 12:32	1
PCB-1268	ND		1.8	0.63	ug/L		02/12/25 09:16	02/13/25 12:32	1
Polychlorinated biphenyls, Total	ND		1.8	0.75	ug/L		02/12/25 09:16	02/13/25 12:32	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	56		11 - 122	02/12/25 09:16	02/13/25 12:32	1
Tetrachloro-m-xylene	77		23 - 123	02/12/25 09:16	02/13/25 12:32	1

Lab Sample ID: LCS 310-446746/8-A
Matrix: Solid
Analysis Batch: 446811

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 446746

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
PCB-1016	25.6	21.4		ug/L		84	30 - 133
PCB-1260	25.6	20.9		ug/L		82	31 - 133

Surrogate	LCS %Recovery	LCS Qualifier	Limits
DCB Decachlorobiphenyl (Surr)	50		11 - 122
Tetrachloro-m-xylene	76		23 - 123

Lab Sample ID: MB 310-446799/1-A
Matrix: Solid
Analysis Batch: 446811

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 446799

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	ND		0.047	0.030	mg/Kg		02/13/25 09:22	02/13/25 14:43	1
PCB-1221	ND		0.047	0.030	mg/Kg		02/13/25 09:22	02/13/25 14:43	1
PCB-1232	ND		0.047	0.030	mg/Kg		02/13/25 09:22	02/13/25 14:43	1
PCB-1242	ND		0.047	0.030	mg/Kg		02/13/25 09:22	02/13/25 14:43	1
PCB-1248	ND		0.047	0.040	mg/Kg		02/13/25 09:22	02/13/25 14:43	1
PCB-1254	ND		0.047	0.040	mg/Kg		02/13/25 09:22	02/13/25 14:43	1
PCB-1260	ND		0.047	0.040	mg/Kg		02/13/25 09:22	02/13/25 14:43	1
PCB-1268	ND		0.047	0.040	mg/Kg		02/13/25 09:22	02/13/25 14:43	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	139		10 - 150	02/13/25 09:22	02/13/25 14:43	1
Tetrachloro-m-xylene	145	S1+	12 - 127	02/13/25 09:22	02/13/25 14:43	1

Eurofins Cleveland

QC Sample Results

Client: CJF Associates, LLC
 Project/Site: 1217-01, Davenport, Iowa

Job ID: 240-218615-1

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography (Continued)

Lab Sample ID: LCS 310-446799/3-A
Matrix: Solid
Analysis Batch: 446811

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 446799

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
PCB-1016	0.315	0.282		mg/Kg		90	35 - 128
PCB-1260	0.315	0.302		mg/Kg		96	38 - 128

Surrogate	LCS %Recovery	LCS Qualifier	Limits
DCB Decachlorobiphenyl (Surr)	98		10 - 150
Tetrachloro-m-xylene	103		12 - 127

Lab Sample ID: LB 310-446571/1-D
Matrix: Solid
Analysis Batch: 446811

Client Sample ID: Method Blank
Prep Type: TCLP
Prep Batch: 446746

Analyte	LB Result	LB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	ND		1.8	0.74	ug/L		02/12/25 09:16	02/13/25 13:11	1
PCB-1221	ND		1.8	0.74	ug/L		02/12/25 09:16	02/13/25 13:11	1
PCB-1232	ND		1.8	0.74	ug/L		02/12/25 09:16	02/13/25 13:11	1
PCB-1242	ND		1.8	0.74	ug/L		02/12/25 09:16	02/13/25 13:11	1
PCB-1248	ND		1.8	0.62	ug/L		02/12/25 09:16	02/13/25 13:11	1
PCB-1254	ND		1.8	0.62	ug/L		02/12/25 09:16	02/13/25 13:11	1
PCB-1260	ND		1.8	0.62	ug/L		02/12/25 09:16	02/13/25 13:11	1
PCB-1268	ND		1.8	0.62	ug/L		02/12/25 09:16	02/13/25 13:11	1
Polychlorinated biphenyls, Total	ND		1.8	0.74	ug/L		02/12/25 09:16	02/13/25 13:11	1

Surrogate	LB %Recovery	LB Qualifier	Limits	Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	87		11 - 122	02/12/25 09:16	02/13/25 13:11	1
Tetrachloro-m-xylene	95		23 - 123	02/12/25 09:16	02/13/25 13:11	1

Method: 6010D - Metals (ICP)

Lab Sample ID: LB 310-446571/1-B
Matrix: Solid
Analysis Batch: 446966

Client Sample ID: Method Blank
Prep Type: TCLP
Prep Batch: 446670

Analyte	LB Result	LB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		0.10	0.030	mg/L		02/11/25 09:45	02/14/25 14:05	1
Barium	ND		0.20	0.040	mg/L		02/11/25 09:45	02/14/25 14:05	1
Cadmium	ND		0.020	0.0039	mg/L		02/11/25 09:45	02/14/25 14:05	1
Chromium	ND		0.020	0.0060	mg/L		02/11/25 09:45	02/14/25 14:05	1
Lead	ND		0.10	0.037	mg/L		02/11/25 09:45	02/14/25 14:05	1
Selenium	ND		0.10	0.029	mg/L		02/11/25 09:45	02/14/25 14:05	1

Lab Sample ID: LB 310-446571/1-B
Matrix: Solid
Analysis Batch: 447272

Client Sample ID: Method Blank
Prep Type: TCLP
Prep Batch: 446670

Analyte	LB Result	LB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Silver	ND		0.050	0.016	mg/L		02/11/25 09:45	02/20/25 12:09	1

Eurofins Cleveland

QC Sample Results

Client: CJF Associates, LLC
 Project/Site: 1217-01, Davenport, Iowa

Job ID: 240-218615-1

Method: 6010D - Metals (ICP) (Continued)

Lab Sample ID: LCS 310-446571/2-B
Matrix: Solid
Analysis Batch: 446966

Client Sample ID: Lab Control Sample
Prep Type: TCLP
Prep Batch: 446670

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Arsenic	4.00	4.22		mg/L		105	80 - 120
Barium	2.00	1.99		mg/L		100	80 - 120
Cadmium	2.00	1.94		mg/L		97	80 - 120
Chromium	2.00	1.97		mg/L		99	80 - 120
Lead	4.00	3.89		mg/L		97	80 - 120
Selenium	8.00	8.37		mg/L		105	80 - 120

Lab Sample ID: LCS 310-446571/2-B
Matrix: Solid
Analysis Batch: 447272

Client Sample ID: Lab Control Sample
Prep Type: TCLP
Prep Batch: 446670

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Silver	2.00	1.86		mg/L		93	80 - 120

Method: 7470A - Mercury (CVAA)

Lab Sample ID: LB 310-446571/1-C
Matrix: Solid
Analysis Batch: 446925

Client Sample ID: Method Blank
Prep Type: TCLP
Prep Batch: 446677

Analyte	LB Result	LB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.0020	0.0011	mg/L		02/13/25 11:27	02/14/25 15:01	1

Lab Sample ID: LCS 310-446571/2-C
Matrix: Solid
Analysis Batch: 446925

Client Sample ID: Lab Control Sample
Prep Type: TCLP
Prep Batch: 446677

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Mercury	0.0167	0.0136		mg/L		82	80 - 120

QC Association Summary

Client: CJF Associates, LLC
 Project/Site: 1217-01, Davenport, Iowa

Job ID: 240-218615-1

GC Semi VOA

Leach Batch: 446571

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-218615-1	ZDSF-020525-001	TCLP	Solid	1311	
LB 310-446571/1-D	Method Blank	TCLP	Solid	1311	

Prep Batch: 446746

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-218615-1	ZDSF-020525-001	TCLP	Solid	3511	446571
LB 310-446571/1-D	Method Blank	TCLP	Solid	3511	446571
MB 310-446746/1-A	Method Blank	Total/NA	Solid	3511	
LCS 310-446746/8-A	Lab Control Sample	Total/NA	Solid	3511	

Prep Batch: 446799

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-218615-1	ZDSF-020525-001	Total/NA	Solid	3546	
MB 310-446799/1-A	Method Blank	Total/NA	Solid	3546	
LCS 310-446799/3-A	Lab Control Sample	Total/NA	Solid	3546	

Analysis Batch: 446811

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-218615-1	ZDSF-020525-001	TCLP	Solid	8082A	446746
LB 310-446571/1-D	Method Blank	TCLP	Solid	8082A	446746
MB 310-446746/1-A	Method Blank	Total/NA	Solid	8082A	446746
MB 310-446799/1-A	Method Blank	Total/NA	Solid	8082A	446799
LCS 310-446746/8-A	Lab Control Sample	Total/NA	Solid	8082A	446746
LCS 310-446799/3-A	Lab Control Sample	Total/NA	Solid	8082A	446799

Analysis Batch: 446899

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-218615-1	ZDSF-020525-001	Total/NA	Solid	8082A	446799

Analysis Batch: 447174

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-218615-1	ZDSF-020525-001	Total/NA	Solid	PCB	

Metals

Leach Batch: 446571

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-218615-1	ZDSF-020525-001	TCLP	Solid	1311	
LB 310-446571/1-B	Method Blank	TCLP	Solid	1311	
LB 310-446571/1-C	Method Blank	TCLP	Solid	1311	
LCS 310-446571/2-B	Lab Control Sample	TCLP	Solid	1311	
LCS 310-446571/2-C	Lab Control Sample	TCLP	Solid	1311	

Prep Batch: 446670

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-218615-1	ZDSF-020525-001	TCLP	Solid	3010A	446571
LB 310-446571/1-B	Method Blank	TCLP	Solid	3010A	446571
LCS 310-446571/2-B	Lab Control Sample	TCLP	Solid	3010A	446571

Eurofins Cleveland

QC Association Summary

Client: CJF Associates, LLC
Project/Site: 1217-01, Davenport, Iowa

Job ID: 240-218615-1

Metals

Prep Batch: 446677

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-218615-1	ZDSF-020525-001	TCLP	Solid	7470A	446571
LB 310-446571/1-C	Method Blank	TCLP	Solid	7470A	446571
LCS 310-446571/2-C	Lab Control Sample	TCLP	Solid	7470A	446571

Analysis Batch: 446925

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-218615-1	ZDSF-020525-001	TCLP	Solid	7470A	446677
LB 310-446571/1-C	Method Blank	TCLP	Solid	7470A	446677
LCS 310-446571/2-C	Lab Control Sample	TCLP	Solid	7470A	446677

Analysis Batch: 446966

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LB 310-446571/1-B	Method Blank	TCLP	Solid	6010D	446670
LCS 310-446571/2-B	Lab Control Sample	TCLP	Solid	6010D	446670

Analysis Batch: 447272

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-218615-1	ZDSF-020525-001	TCLP	Solid	6010D	446670
LB 310-446571/1-B	Method Blank	TCLP	Solid	6010D	446670
LCS 310-446571/2-B	Lab Control Sample	TCLP	Solid	6010D	446670

General Chemistry

Analysis Batch: 446542

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-218615-1	ZDSF-020525-001	Total/NA	Solid	Moisture	

Analysis Batch: 447073

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-218615-1	ZDSF-020525-001	Total/NA	Solid	D92	

Lab Chronicle

Client: CJF Associates, LLC
 Project/Site: 1217-01, Davenport, Iowa

Job ID: 240-218615-1

Client Sample ID: ZDSF-020525-001

Lab Sample ID: 240-218615-1

Date Collected: 02/05/25 15:00

Matrix: Solid

Date Received: 02/06/25 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
TCLP	Leach	1311			446571	U8FK	EET CF	02/10/25 11:00 - 02/11/25 07:00 ¹
TCLP	Prep	3511			446746	AYK7	EET CF	02/12/25 09:16
TCLP	Analysis	8082A		1	446811	BW2O	EET CF	02/13/25 13:50
Total/NA	Analysis	PCB		1	447174	BW2O	EET CF	02/14/25 15:37
TCLP	Leach	1311			446571	U8FK	EET CF	02/10/25 11:00 - 02/11/25 07:00 ¹
TCLP	Prep	3010A			446670	QTZ5	EET CF	02/11/25 09:45
TCLP	Analysis	6010D		2	447272	ZRI4	EET CF	02/20/25 12:19
TCLP	Leach	1311			446571	U8FK	EET CF	02/10/25 11:00 - 02/11/25 07:00 ¹
TCLP	Prep	7470A			446677	QTZ5	EET CF	02/13/25 11:27
TCLP	Analysis	7470A		1	446925	F5MW	EET CF	02/14/25 15:13
Total/NA	Analysis	D92		1	447073	ENB7	EET CF	02/18/25 11:59
Total/NA	Analysis	Moisture		1	446542	W9YR	EET CF	02/10/25 08:41

Client Sample ID: ZDSF-020525-001

Lab Sample ID: 240-218615-1

Date Collected: 02/05/25 15:00

Matrix: Solid

Date Received: 02/06/25 09:45

Percent Solids: 84.4

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	3546			446799	BDJ4	EET CF	02/13/25 09:22
Total/NA	Analysis	8082A		1	446899	BW2O	EET CF	02/14/25 15:37

¹ This procedure uses a method stipulated length of time for the process. Both start and end times are displayed.

Laboratory References:

EET CF = Eurofins Cedar Falls, 3019 Venture Way, Cedar Falls, IA 50613, TEL (319)277-2401

Accreditation/Certification Summary

Client: CJF Associates, LLC
Project/Site: 1217-01, Davenport, Iowa

Job ID: 240-218615-1

Laboratory: Eurofins Cedar Falls

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Colorado	Petroleum Storage Tank Program	IA100001 (OR)	09-29-25
Georgia	State	IA100001 (OR)	09-29-25
Illinois	NELAP	200024	11-30-25
Iowa	State	007	12-01-25
Kansas	NELAP	E-10341	01-31-26
Minnesota	NELAP	019-999-319	12-31-25
Minnesota (Petrofund)	State	3349	01-18-26
North Dakota	State	R-186	09-29-24 *
Oregon	NELAP	IA100001	09-29-25

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins Cleveland Sample Receipt Form/Narrative
 Barberon Facility
 Login # _____

Client CJE Associates Site Name _____ Cooler unpacked by: JMOROSKO

Cooler Received on 2/16/25 Opened on 2/16/25

FedEx: 1st Grd Exp UPS FAS Waypoint Client Drop Off Eurofins Courier Other _____

Receipt After-hours Drop-off Date/Time _____ Storage Location _____

Eurofins Cooler # 2C Foam Box Client Cooler Box Other _____

Packing material used: Bubble Wrap Foam Plastic Bag None Other _____

COOLANT: Wet Ice Blue Ice Dry Ice Water None _____

1 Cooler temperature upon receipt See Multiple Cooler Form

IR GUN # 18 (CF-0) °C Observed Cooler Temp. 2 °C Corrected Cooler Temp. 2.0 °C

Tests that are not checked for pH by Receiving: VOA5, Oil and Grease, TOC

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1 Yes No NA
 - Were the seals on the outside of the cooler(s) signed & dated? Yes No NA
 - Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? Yes No NA
 - Were tamper/custody seals intact and uncompromised? Yes No NA
 - 3 Shippers' packing slip attached to the cooler(s)? Yes No NA
 - 4 Did custody papers accompany the sample(s)? Yes No NA
 - 5 Were the custody papers relinquished & signed in the appropriate place? Yes No NA
 - 6 Was/were the person(s) who collected the samples clearly identified on the COC? Yes No NA
 - 7 Did all bottles arrive in good condition (Unbroken)? Yes No NA
 - 8 Could all bottle labels (ID/Date/Time) be reconciled with the COC? Yes No NA
 - 9 For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N) and sample type of grab/comp (Y/N)? Yes No NA
 - 10 Were correct bottle(s) used for the test(s) indicated? Yes No NA
 - 11 Sufficient quantity received to perform indicated analyses? Yes No NA
 - 12 Are these work share samples and all listed on the COC? Yes No NA
 - If Yes, Questions 13-17 have been checked at the originating laboratory
 - 13 Were all preserved sample(s) at the correct pH upon receipt? Yes No NA pH Strp Lot# HC448976
 - 14 Were VOAs on the COC? Yes No NA
 - 15 Were air bubbles >6 mm in any VOA vials? Larger than this. Yes No NA
 - 16 Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____ Yes No NA
 - 17 Was a LL Hg or Me Hg trip blank present? Yes No NA
- Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____
- Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page Samples processed by: _____

19. SAMPLE CONDITION _____ were received after the recommended holding time had expired

Sample(s) _____ were received in a broken container

Sample(s) _____ were received with bubble >6 mm in diameter (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory

Time preserved _____ Preservative(s) added/Lot number(s) _____

VOA Sample Preservation - Date/Time VOAs Frozen _____



2/6/2025

Login Container Summary Report

240-218615

2/20/2025

Temperature readings

<u>Client Sample ID</u>	<u>Lab ID</u>	<u>Container Type</u>	<u>Container</u> <u>pH</u>	<u>Preservation</u> <u>Temp</u>	<u>Preservation</u> <u>Added</u>	<u>Preservation</u> <u>Lot Number</u>
ZDSF-020525-001	240-218615-A-1	Soil jar 4oz - clear glass	_____	_____	_____	_____
ZDSF-020525-001	240-218615-B-1	Soil jar 4oz - clear glass	_____	_____	_____	_____
ZDSF-020525-001	240-218615-C-1	Soil jar 16oz - clear glass	_____	_____	_____	_____
ZDSF-020525-001	240-218615-D-1	Soil jar 16oz - clear glass	_____	_____	_____	_____
ZDSF-020525-001 DUP	240-218615-A-2	Soil jar 4oz - clear glass	_____	_____	_____	_____
ZDSF-020525-001 DUP	240-218615-B-2	Soil jar 4oz - clear glass	_____	_____	_____	_____
ZDSF-020525-001 DUP	240-218615-C-2	Soil jar 16oz - clear glass	_____	_____	_____	_____
ZDSF-020525-001 DUP	240-218615-D-2	Soil jar 16oz - clear glass	_____	_____	_____	_____



Environment Testing
America




240-218615 Chain of Custody

Cooler/Sample Receipt and Temperature Log Form

Client Information			
Client: <u>Euro. Cleveland</u>			
City/State:	CITY	STATE	Project:
Receipt Information			
Date/Time Received:	DATE	TIME	Received By:
	<u>2-7-25</u>	<u>900</u>	<u>PH</u>
Delivery Type: <input type="checkbox"/> UPS <input checked="" type="checkbox"/> FedEx <input type="checkbox"/> FedEx Ground <input type="checkbox"/> US Mail <input type="checkbox"/> Spee-Dee <input type="checkbox"/> Lab Courier <input type="checkbox"/> Lab Field Services <input type="checkbox"/> Client Drop-off <input type="checkbox"/> Other: _____			
Condition of Cooler/Containers			
Sample(s) received in Cooler? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If yes: Cooler ID: _____			
Multiple Coolers? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes: Cooler # _____ of _____			
Cooler Custody Seals Present? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes: Cooler custody seals intact? <input type="checkbox"/> Yes <input type="checkbox"/> No			
Sample Custody Seals Present? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes: Sample custody seals intact? <input type="checkbox"/> Yes <input type="checkbox"/> No			
Trip Blank Present? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes: Which VOA samples are in cooler? ↓			
Temperature Record			
Coolant: <input checked="" type="checkbox"/> Wet ice <input type="checkbox"/> Blue ice <input type="checkbox"/> Dry ice <input type="checkbox"/> Other: _____ <input type="checkbox"/> NONE			
Thermometer ID: <u>R</u>		Correction Factor (°C): <u>0</u>	
• Temp Blank Temperature – If no temp blank, or temp blank temperature above criteria, proceed to Sample Container Temperature			
Uncorrected Temp (°C):		Corrected Temp (°C):	
• Sample Container Temperature			
Container(s) used:	CONTAINER 1	CONTAINER 2	
	<u>PL 250 S</u>	<u>402 J9r</u>	
Uncorrected Temp (°C):	<u>12</u>	<u>5.6</u>	
Corrected Temp (°C):	<u>12</u>	<u>5.6</u>	
Exceptions Noted			
1) If temperature exceeds criteria, was sample(s) received same day of sampling? <input type="checkbox"/> Yes <input type="checkbox"/> No a) If yes: Is there evidence that the chilling process began? <input type="checkbox"/> Yes <input type="checkbox"/> No			
2) If temperature is <0°C, are there obvious signs that the integrity of sample containers is compromised? (e.g., bulging septa, broken/cracked bottles, frozen solid?) <input type="checkbox"/> Yes <input type="checkbox"/> No			
NOTE: If yes, contact PM before proceeding. If no, proceed with login			
Additional Comments			

urofins Cleveland
 10 S Van Buren Avenue
 Arberton, OH 44203
 Phone: 330-497-9396 Fax: 330-497-0772

Chain of Custody Record



Environment Testing

Client Information (Sub Contract Lab)
 Lab P/N: Heckler, Denise D
 State of Origin: Iowa
 Carrier Tracking No(s): N/A
 COC No: 240-197964-1
 Page: Page 1 of 1
 Job #: 240-218615-1
 Preservation Codes:

urofins Environment Testing North Central
 Address: 1019 Venture Way, Cedar Falls, IA, 50613
 City: Cedar Falls
 State Zip: IA, 50613
 Phone: 319-277-2401(Tel) 319-277-2425(Fax)
 Email: N/A
 Project Name: Alter Metals, Iowa, 1053, 1216, 1217, 1218
 Project #: 24013819
 SOW#: N/A

Sample ID	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, G=trace, A=air)	Field Filtered Sample (Yes or No)		Perform MSD (Yes or No)		Analysis Requested					Total Number of Containers	Special Instructions/Note:
					7470A/1311T_Hg Mercury TCLP	D92/ Flashpoint	Total PCB/ Total PCBs	6010D/1311T_M TCLP Metals	8082A/1311T_PCBs	Moisture/ Percent Moisture	Other				
ZRF-020525-001 (240-218615-1)	2/5/25	15:00 Central	G	Solid	X	X	X	X	X	X			3		
ZRF-020525-001 DUP (240-218615-2)	2/5/25	15:00 Central	G	Solid	X	X	X	X	X	X			3		

Possible Hazard Identification
 Unconfirmed
 Deliverable Requested I, II, III, IV, Other (specify) Primary Deliverable Rank: 2
 Special Instructions/QC Requirements

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return To Client Disposal By Lab Archive For _____ Months

Empty Kit Relinquished by: _____
 Relinquished by: _____
 Relinquished by: _____
 Relinquished by: _____

Chain of Custody:
 Received by: _____ Date/Time: 2-7-25 9:00
 Received by: _____ Date/Time: _____
 Received by: _____ Date/Time: _____

Company: Eurofins Company
 Company: Eurofins Company
 Company: Eurofins Company

Cooler Temperature(s) °C and Other Remarks:

Login Sample Receipt Checklist

Client: CJF Associates, LLC

Job Number: 240-218615-1

Login Number: 218615

List Number: 2

Creator: Hirsch, Preston

List Source: Eurofins Cedar Falls

List Creation: 02/07/25 10:49 AM

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

