



Jolly, Becky <becky.jolly@dnr.iowa.gov>

Re: FW: SBMP-Clow Valve62-BUD-06-93

1 message

Stobbe, Chad <chad.stobbe@dnr.iowa.gov>
To: Cindy Thompson <cindy.thompson@clowvalve.com>
Cc: "Jolly, Becky" <becky.jolly@dnr.iowa.gov>

Wed, Feb 26, 2025 at 10:25 AM

Cindy -

This email is to verify that the DNR has received your request for a time extension to submit the 2025 Solid By-Product Management Plan (SBMP) as required by Special Condition #5 of the executed beneficial use determination ([Doc #106389](#)). Based on our conversation and the rationale noted in the extension request below, the DNR is hereby granting the requested extension until March 14, 2025. As such, the DNR intends to exercise its enforcement discretion on this matter and not pursue the enforcement of [paragraph 108.7\(3\)"a"](#) provided the SBMP is received no later than March 14, 2025.

Please feel free to contact me with any questions. Thanks

Chad A. Stobbe
Environmental Specialist Senior
Solid Waste and Contaminated Sites Section
Iowa Department of Natural Resources
6200 Park Avenue, Suite 200
Des Moines, IA 50321
515-201-8272
chad.stobbe@dnr.iowa.gov
www.iowadnr.gov



On Wed, Feb 26, 2025 at 10:10 AM Cindy Thompson <cindy.thompson@clowvalve.com> wrote:

I just got off the phone with the lab, they said they would do a priority rush on the sample. They feel that they could have it processed, and results emailed to me by 03/07/2025, I will have to get my GM to sign off on the report and post marked at the latest 03/14/2025. Hopefully sooner. I can also send you a version electronically after I have my GM signs off along with the tracking number when we send it.

We respectfully request March 14, 2025 due date? Is that acceptable?

Cindy Thompson
Assistant Environmental Manager



Phone: 641-569-6248
Cindy.Thompson@clowvalve.com

www.clowvalve.com

From: Cindy Thompson
Sent: Wednesday, February 26, 2025 9:14 AM
To: Stobbe, Chad <chad.stobbe@dnr.iowa.gov>
Subject: SBMP-Clow Valve62-BUD-06-93

Chad,

We are updating our analytical testing report for the lab was very far behind and the samples. We collected on 01/22/2024; we finally received the report yesterday 02/26/2025. After reviewing the report, I found that total metals for Total Chromium- Hex & Tri were not analyzed. I contacted the lab this morning to ask for them to run it on the samples they already have, and they informed me they couldn't because it will be out of the hold time allowed.

My question to you is, I can pull another sample and send it in for analysis (we will pay for a rush on results); but if I do that; the updated Annual BUD Analytical results will not, be it submitted by March 1 for our facilities report.

We respectfully request that DNR allow us to have our annual report due date extended pending the proper lab analysis.

If you have any questions, please feel free to call or email me, Dain Netland is currently out for medical leave.

Thanks,

Cindy Thompson

Assistant Environmental Manager



Phone: 641-569-6248
Cindy.Thompson@clowvalve.com

www.clowvalve.com