



APPLIANCE DEMANUFACTURING ANNUAL REPORT

JANUARY 1, - DECEMBER 31,

CON 12-1-1

Doc # 112400

Permit Number: 99-ADP-03-14

Responsible Official: Mark Thayer

Facility Name: MT Sherring LLC

Address: 610 Patton St

City, State Zip: Rowan IA 54100

BEFORE
JANUARY 31ST

Send completed form to:
Land Quality Bureau
502 East Ninth Street
Des Moines, Iowa 50319-0034

OR FAX: 515-725-8202, ATTN: SUE JOHNSON

ATTACH ADDITIONAL PAGES IF NECESSARY.

- Are appliances containing refrigerants accepted at this facility? Yes No
- Are appliances containing mercury accepted at this facility? Yes No
- Are appliances containing sodium chromate accepted at this facility? Yes No
- Are appliances containing PCB capacitors and ballasts accepted at this facility? Yes No

Number of Appliances Demanufactured in each category

TYPE OF APPLIANCE	NUMBER	TYPE OF APPLIANCE	NUMBER
Refrigerators and freezers	42	Furnaces	16
Commercial coolers	0	Clothes washers and dryers	7
Air-conditioning units	12	Dishwashers	28
Dehumidifiers	3	Microwave Ovens	18
Gas Water Heaters	15	Stoves/ Ovens or Other items containing Mercury, refrigerant or PCB-containing articles.	20

Storage Dates

Date the first item was placed in the mercury storage drum that is in use on December 31.	<u>N/A</u>	Date the first PCB-containing item was placed in the storage drum that is in use on December 31.	<u>N/A</u>
---	------------	--	------------

Component Removal

TYPE OF COMPONENT	NUMBER	TYPE OF COMPONENT	NUMBER
Number of mercury switches removed. (Not in lbs)	<u>0</u>	Amount of Refrigerant Removed	<u>0</u>
Number of mercury thermocouples removed. (Not in lbs)	<u>0</u>	Number of PCB capacitors removed. (Not in lbs)	<u>0</u>
Number of fluorescent tubes removed. (Not in lbs)	<u>0</u>	Number of PCB ballasts removed. (Not in lbs)	<u>44</u>

RECEIVED

Questions? Call or email: Susan Johnson, susan.johnson@dnr.iowa.gov, 515-725-8317
Please mail completed form to: Land Quality Bureau, 502 East 9th Street, Des Moines, IA 50319

FEB 17 2025

1

Sodium Chromate Appliances

Number of sodium chromate containing
appliances shipped to another demanufacturer

0

Certification

I certify under penalty of law that I am the owner, operator, or authorized representative of the owner or operator and that I have examined and am familiar with the information reported above, and that I believe the information is true, accurate and complete.

Name & Agency of Person Certifying

(please type or print)

mark Thayer

Telephone Number:


515-298 2139

Fax Number:

Email:

mts69@Frontier.net.net

Signature:



Date:

1-28-25

Additional Comments:

Hard to find Ballasts that have PCB'S.

In accordance with Iowa Administrative Code 567 Chapter 118.13(1) – Annual reports with the information required in subrule 118.13(2) are due January 31 each year for the activities of the previous calendar year shall be retained at the facility for at least three years.

Questions? Call or email: Susan Johnson, susan.johnson@dnr.iowa.gov, 515-725-8317
Please mail completed form to: Land Quality Bureau, 502 East 9th Street, Des Moines, IA 50319

03/2013

DNR Form 542-8005