

November 4, 2025

RICH TYNAN TYNAN'S RECYCLING 301 1ST AVE NW ROCKFORD IA 50468

Subject: Appliance Demanufacturing Permit Renewal Inspection

Permit # 34-ADP-04-20

Dear Mr. Tynan:

Enclosed is a report documenting the inspection of your appliance demanufacturing operation. The inspection was conducted on October 31, 2025, by Madelynn Austin, an Environmental Specialist with this office.

No violations or deficiencies were documented at the time of the inspection. Please continue to manage your operation in compliance with Chapter 567 IAC 118.

If you have any questions regarding this matter, please contact Ms. Austin at 641-424-4073 or madelynn.austin@dnr.iowa.gov.

Sincerely,

FIELD SERVICES AND COMPLIANCE BUREAU

Trent Lambert

Field Office Supervisor

TL/ma

Enc: Inspection report

Phone: 641-424-4073

c: Becky Jolly (becky.jolly@dnr.iowa.gov)

Fax: 641-424-9342

IOWA DEPARTMENT OF NATURAL RESOURCES APPLIANCE DEMANUFACTURING (ADP) PERMIT INSPECTION FORM

Permit No.:34-ADP-04-20	County:Floyd
Facility Name: Tynan's Recycling	Facility Address: 1100 13 th Ave Charles City, IA 50616
Phone Number:641-228-1613	
Responsible Official: Rich Tynan	Mailing Address: 301 1st Ave NW
Phone Number: 641-228-1613	Rockford IA 50468
Person(s) Present:	
1)Rich Tynan	
2)Levi Wolf	
3)Cameron Sharp	
Date of This Inspection: October 31, 2025	Date of Last Inspection: December 10, 2019

^{*}Be advised your facility may require, due to either SIC code or onsite management practices, an NPDES General Permit #1 (Stormwater permit).

	IAC 567 C	hapter 118.4: Appliance Storage & Handling Prior to Demanufacturing	Yes	No	NA
Handling	118.4(1)	Are appliances being stored to prevent capacitors, refrigerant lines, compressors, and components containing mercury from being damaged and allowing a release into the environment?	\boxtimes		
Storage & H	118.4(2)	Are appliances being handled in a way which prevents damage, cuts, or breaks in refrigerant lines, compressors, capacitors and components containing mercury from being damaged and allowing a release into the environment?	\boxtimes		
\$	118.4(3)	Are less than 1,000 appliances being stored prior to demanufacturing?	\boxtimes		
	118.4(4)	Are appliances being demanufactured in 270 days or less?	\boxtimes		

Comments: Appliances are being properly stored and handled. All appliances are demanufactured in a timely manner.

	IAC 567 C	napter 118.7: Fixed Facility & Mobile Operations	Yes	No	NA
perations	118.7(1)	Is demanufacturing taking place on an impervious floor (including but not limited to concrete, ceramic tile, or metal)?	\boxtimes		
pera	118.7(2)	Is the point of demanufacturing located 50 feet or more from a well and any water of the state?	\boxtimes		
	118.7(5)	Is a unique marking system (minimum of nine inches square) being applied to the appliances after demanufacturing?	\boxtimes		

Comments: The demanufacturing takes place in a shop building with a concrete floor. All demanufactured appliances are marked with with a large "T".

50	IAC 567 C	napter 118.8: Training	Yes	No	N/A
ainin	118.8	Is at least one owner or employee completed a Department-approved training course?	\boxtimes		
Ë	118.8	Is one trained person on site at all times when appliances are being demanufactured?	\boxtimes		

Comments: Richard Tynan, Levi Wolf and Cameron Sharp have all completed the approved training course.

	IAC 567 CI	napter 118.6: Permit Application Requirements	Yes	No	ΝA
	118.6(8)	Is a copy of the EPA Refrigerant Recovery or Recycling Devise Acquisition Certification available onsite?	\boxtimes		
	608 CAA (CFR)	Is a copy of the EPA Refrigerant Reclaimer's Certification available onsite if reclamation (purification) is taking place at the facility?			\boxtimes
oven	IAC 567 CI	napter 118.9: Refrigerant Removal Requirements	Yes	Νō	NA
ant Reco	118.9(2)	If refrigerant is removed at a location other than a permitted ADP facility, is there documentation that it was removed by a service or repair facility certified for the removal of refrigerant?			\boxtimes
Refrigerant Rec	118.9(3)	Is removal of refrigerant being done in an area where the temperature of the surrounding air and that of the appliance being demanufactured is 45 degrees Fahrenheit or greater?	\boxtimes		
	IAC 567 CI	napter 118.13: Record Keeping & Reporting	Yes	Νo	NA
	118.13(2)"a" & 118.13(2)"g"	Are the number and type of refrigerant containing appliances being tracked, as well as the amount of refrigerant removed?	\boxtimes		
	118.13(3)" <i>a</i> "	Are bills of lading being kept as to where refrigerants are being shipped for disposal?	\boxtimes		

Comments: Tallies are being kept of refrigerant containing appliances as well as the amount of refrigerant removed. Records of proper disposal were reviewed and appear to be complete.

	IAC 567 CI	napter 118.9: Refrigerant Removal Requirements	Yes	No	NA
lio	118.9(5)	If compressor oil is being removed from the refrigeration units, is it being stored in accordance with 567-119.5 (Note: AST must be large enough and on an impermeable surface to prevent spills, meet API construction standards, have absorbent material available, have a gauge to monitor liquid level, & meet Ch. 567-135 &136 if UST)	\boxtimes		

Comments: None.

as	IAC 567 C	hapter 118.9; Refrigerant Removal Requirements	Yes	No	NA
nia G	118.9(6)" <i>a</i> "	Is the ammonia gas being vented into water and is the resulting wastewater being properly disposed of?			\boxtimes
Ammo	118.9(6)"e"	Is sodium chromate being properly stored in DOT-approved containers labeled with a proper EPA-approved chromium label stating "chromium" or "hazardous waste"?			\boxtimes

118.9(6)"g"	Does the facility have an EPA ID number (RCRA)?			\boxtimes
118.9(6)" <i>h</i> " & 118.9(6)" <i>i</i> "	Is asbestos insulation being removed and handled properly?			\boxtimes
IAC 567 C	hapter 118.13: Record Keeping & Reporting	Yes	No	NA
118.13(2)"a"(Are records being kept on the number of sodium chromate–containing appliances being demanufactured			\boxtimes
118.13(2)" <i>f</i> "	Are records being kept on the number of sodium chromate–containing appliances shipped to another demanufacturer			\boxtimes
118.13(3)"a" 118.13(3)"b'				\boxtimes

Comments: This facility does not accept ammonia-containing or sodium chromate-containing appliances.

	I/AC 567 C	hapter 118.10; Mercury-Containing Component Removal & Disposal	Yes	No	NA
	118.10(1)	Are all components containing mercury being removed?	\boxtimes		
S	118.10(2)	Are mercury components being stored in containers with a proper EPA- approved label stating "Universal Waste-Mercury Containing Equipment", or Waste Mercury-Containing Equipment" in both English and the predominant language of any non-English-reading workers?			
onen	118.10(3)	Is the date when the first mercury-containing component was placed in the container affixed to the container?			
Components	118.10(4)	Storage of mercury is limited to one year, after which, it must be transported to an EPA-approved recycler/recovery facility. Has storage been under one year?			
Mercury	118.10(8)	Are fluorescent tubes, lamps, bulbs, etc., being placed in a container and packaged to prevent breakage to an EPA-approved recycler?	\boxtimes		
Z e	IAC 567 C	hapter 118.13: Record Keeping & Reporting	Yes	No	NA
	118.13(2)	Are records being kept on the number of mercury-containing appliances being demanufactured, number of mercury switches removed, number of fluorescent tubes removed, as well as the number of mercury thermocouples being removed?	\boxtimes		
	118.13(3)	Are records or bills of ladings being kept on the shipment of mercury-containing components?	\boxtimes		

Comments: Tallies are being kept of mercury-containing appliances and components removed. Records of proper disposal were reviewed and appear to be complete. Since last disposal, this facility has not encountered a mercury-containing component. None were being stored at the time of this inspection, but proper storage containers and location were observed.

1 61	I/AC 567 CH	apter 118.11: Capacitor Removal Requirements	Yes	No	NA
acito	118.11(4)"a"	Does the facility have an EPA TSCA ID number for capacitor storage (required if facility has no RCRA ID #)?	\boxtimes		
B Capa	118.11(4)"b"	Are PCB items being stored in a manner that provides adequate protection from the elements and adequate secondary containment? (Note: Storage must take place on an impervious material above the 100-year floodwater elevation)	\boxtimes		
PC	118.11(4)"c"	is the point of demanufacturing located above the 100-year flood water elevation?	\boxtimes		

	118.11(4)" <i>d</i> "	Are PCB storage containers filled to two inches of absorbent material in the bottom?	\boxtimes		
	118.11(4)"e"	Are PCB containers DOT-approved and labeled with a 6" by 6" yellow label stating "PCBs" as described in CFR part 761.45?	\boxtimes		
	118.11(4)"g"	Is the storage for non-leaking small PCB capacitors that do not comply with the requirements in 118.11(4) "a" to "f" stored for less than 30 days from the date of removal and a notation places on the PCB capacitor indicating the date the item was removed from the appliance?			\boxtimes
	118.11(4)"f' & 118.11(4)"h"	Is the date when the first capacitor was placed in the storage container on the label? Storage of capacitors is limited to 270 days, after which they must be transported to an EPA-approved landfill or incinerator. This burial or incineration must be documented (within one year of the date on the container) and this record kept by the demanufacturer for three years from the date the PCB waste was accepted by the initial transporter.			
	IAC 567 Ch	apter 118.13: Record Keeping & Reporting	Yes	No	NA
Capacitors	118.13(2)	Are records being kept on the number of PCB containing appliances being demanufactured, number of PCB capacitors and ballasts as well as the date the first PCB-containing item was placed in the storage drum that is in use on December 31? number of mercury thermocouples being removed?	\boxtimes		
PCB Ca	118.13(3)"a" & 118.13(3)" <i>b</i> "	Are records being kept on the shipment of PCB components and the documentation of destruction or receipt from a regional collection center for all PCB materials shipped?	\boxtimes		
	118.13(3)" <i>d</i> "	Are records being kept documenting inspections of the PCB storage area as required by 118.11(4)"h"?			

Comments: Tallies are being kept of PCB-containing appliances and components removed. Records of proper disposal were reviewed and appear to be complete. The PCB storage bucket had approximately a dozen components in it with a date of 3/18/25 fixed on the bucket. As a reminder, these need to be properly disposed of within 270 days, therefore by December 15, 2025.

	(0	IAC 567 C	hapter 118.12: Spills	Yes	No	NA
	Spills	118.12(1)	Are spill records being kept and has the facility reported spills that resulted in a hazardous condition?			\boxtimes
		118.12(2)	Is a mercury spill kit on hand?	\boxtimes		

Comments: No spills are reported to have occurred.

Reporting	IAC 567 Chapter 118.13. Record Keeping & Reporting				NA
	118.13(2)	Are records being kept on appliances demanufactured in separate categories, as well as the number of each component, amount of refrigerant, etc?	\boxtimes		
	118.13(3)	Are records being kept on all hazardous waste manifest and bills of lading for shipments of refrigerant, mercury switches, PCB-containing material, and kept on site for a minimum of three years?	\boxtimes		
	118.13(3)" <i>f</i> "	Are copies of annual reports (containing all the record keeping requirements) that have been sent to the Department Central Office being retained for at least three years?	\boxtimes		

Processing	IAC 567 Chapter 118.15; Shredding of Appliances				NW\
	118.15(1)	Has fluff from shredding been tested at least quarterly for PCBs, and TCLP for heavy metals? Have these results being sent to the department within 30 days of the end of each quarter?			\boxtimes
	118.15(1)	Have the results from fluff testing been submitted to the department within 30 days of the end of each quarter? And are these records being kept on site for a minimum of three years?			\boxtimes
	118.15(3)	Are appliances being demanufactured before shredding or processing?			\boxtimes
	118.15(3)	If appliances are being accepted from demanufacturers for recycle/disposal, have the appliances been demanufactured in accordance with Federal regulations and state laws from which the appliances were received?			\boxtimes

Comments: This facility does not shred appliances.

		AUTHENTICATIO		
INSPECTOR:	Madelynn Austin	Madelyn	Austin	DATE: 11/4/25
REVIEWER:	Jeremy Klatt	MM		DATE: 11/6/25