



Jolly, Becky <becky.jolly@dnr.iowa.gov>

Re: Continental Cement - 2025 Annual Water Quality Report - Request for Extension

1 message

Rath, Brian <brian.rath@dnr.iowa.gov>

Fri, Nov 21, 2025 at 12:04 PM

To: Dylan Morlang <dmorlang@bowman.com>

Cc: Todd Kincaid <kincaid@geohydros.com>, "Mark.Wenclawiak@continentalcement.com"

<Mark.Wenclawiak@continentalcement.com>, "Brett.Imsland@Quikrete-Cement.com" <Brett.Imsland@quikrete-

cement.com>, "Bill.Hilger@Quikrete-Cement.com" <Bill.Hilger@quikrete-cement.com>, "steve.schemenauer@stinson.com"

<steve.schemenauer@stinson.com>, "Barrientos, Brittany A." <brittany.barrientos@stinson.com>, Becky Jolly

<becky.jolly@dnr.iowa.gov>, "sarah.struby@stinson.com" <sarah.struby@stinson.com>, "betsy.moedritzer@stinson.com"

<betsy.moedritzer@stinson.com>, Rich Hisert <rhisert@bowman.com>, Will Oakes <woakes@bowman.com>, Jennifer Popp

<jpopp@bowman.com>

No problem. Extension is granted.

Brian Rath, P.E.**Environmental Engineer Senior**

Solid Waste and Contaminated Sites Section

Iowa Department of Natural Resources

6200 Park Ave, Suite 200

Des Moines, IA 50321

515-537-4051

brian.rath@dnr.iowa.govwww.iowadnr.gov

On Fri, Nov 21, 2025 at 11:06 AM Dylan Morlang <dmorlang@bowman.com> wrote:

Mr. Rath,

Following up on the note below, we noticed a mistake in Todd Kincaid's email. Under the site's Permit, the 2025 Annual Water Quality Report and 2025 Leachate Control System Performance Evaluation Report are due Friday, November 28 because November 30 falls on a Sunday. We meant to request a 30-day extension through December 30. Pending your approval, we will submit the AWQR and LCSPER by Tuesday, December 30, 2025.

The required report of activities completed under the Remedial Action Mitigation Plan will be included with the 2025 AWQR. We apologize for the confusion and appreciate the Agency's patience.

Thank you,

Dylan

DYLAN MORLANGProject Geologist | **BOWMAN**

D: (518) 308-4361

dmorlang@bowman.com

From: Todd Kincaid <kincaid@geohydros.com>

Sent: Friday, October 24, 2025 9:10 AM

To: brian.rath@dnr.iowa.gov

Cc: Carlos.DaSilva@us-pipe.com; Nick.Ivezaj@quikrete.com; Mark.Wenclawiak@continentalcement.com; Brett.lmsland@Quikrete-Cement.com; Bill.Hilger@Quikrete-Cement.com; steve.schemenauer@stinson.com; Barrientos, Brittany A. <brittany.barrientos@stinson.com>; sarah.struby@stinson.com; betsy.moedritzer@stinson.com; Rich Hisert <rhisert@bowman.com>; Will Oakes <woakes@bowman.com>; Dylan Morlang <dmorlang@bowman.com>; Jennifer Popp <jpopp@bowman.com>

Subject: [EXTERNAL] FW: DRAFT: Continental Cement - 2025 Annual Water Quality Report - Request for Extension

Good morning Mr. Rath,

My name is Todd Kincaid. I'm taking over from Rich Hisert as the primary point of contact for Bowman regarding Continental Cement's environmental compliance work at the Davenport CKD landfill site.

On behalf of Continental Cement, Bowman is requesting an extension of one month to the 2025 Annual Water Quality Report and the 2025 Leachate Control System Performance Evaluation Report.

We had experienced a delay with the laboratory.

Pending your approval, this report will be submitted no later than Friday, November 28, 2025.

Thank you,

Todd Kincaid, Ph.D.

President, Hydrogeologic Modeler



kincaid@geohydros.com

+1.775.722.3974