

2025 ANNUAL WATER QUALITY REPORT

FOR THE

MONONA COUNTY SANITARY LANDFILL

67-SDP-01-75C

TURIN, IOWA

by:

HLW Engineering Group

204 West Broad Street

P.O. Box 314

Story City, Iowa 50248

(515) 733-4144

November, 2025



6036-24A.320

Table of Contents

Narrative

- Section 1.0 Background Information
 - Monitoring Well Maintenance Performance Reevaluation
- Section 2.0 Reporting Period Activities
- Section 3.0 Data Evaluation and Summary
 - Quality Assurance/Quality Control
 - Background data Validation
 - Site Specific GWPS
 - Exceedance of A Background Standard
 - Response to Water Quality Results
 - Corrective Action Evaluations & Monitoring
- Section 4.0 Leachate Collection System Performance Reevaluation
- Section 5.0 Gas Monitoring Evaluation
- Section 6.0 Recommendations & Certification

Figures

- Figure 1 – Site Plan
- Figure 2 – Water Table Contour Map

Tables in IDNR Format

- Table 1 – Monitoring Program Summary
- Table 2 – Monitoring Program Implementation Schedule
- Table 2A – Supplement – Sampling to Date
- Table 3 – Monitoring Well Maintenance Performance Reevaluation Schedule
- Table 4 – Monitoring Well Maintenance Performance Reevaluation Summary
- Table 4A – Historic Water Elevations – Comprehensive Summary
- Table 5 – Background and GWPS Summary
- Table 6 – Summary of Detections relative to Background and GWPS
- Table 7 – Summary of Ongoing & Newly Identified SSI
- Table 8 - **(NOT REQUIRED)**
- Table 9 – Analytical Data Summary
- Table 10 – **(NOT REQUIRED)**
- Table 11 – **(NOT REQUIRED)**
- Table 12 – Leachate Summary
- Table 13 – Gas Monitoring Summary

Appendices

- Appendix A - Hydraulic Conductivity Information
- Appendix B - Field Sampling Forms
- Appendix C - Statistical Reports & GWPS Comparisons
- Appendix D – Laboratory Reports for Report Period
- Appendix E – Turbidity

Section 1.0 Background Information

1.1 Report Priority

This report is considered to be low priority for review. SSI were identified in MW-1 for barium, nickel, chloride, and cis-1,2-dichloroethylene. The SSI do not approach GWPS. IAC 567, Chapter 114 does not have a requirement to collect Appendix II samples in the event of a detected SSI. Additional testing requirements are at the discretion of the IDNR based on any perceived release from the facility. The sample parameters were changed in 2023 based on the IDNR request to do so. No release is interpreted based on water quality findings to date.

1.2 Period of Report Coverage

Water quality data evaluation is based on a running compilation of data beginning October 4, 2018. Statistical evaluations herein are based on the 2025 water quality data collected April 1, 2025 and October 10, 2025.

1.3 Current Site Map

Figure 1 is attached illustrating the current site features, monitoring well locations, and subsurface gas probe locations.

1.4 Site Status and Applicable Rules

Site Location

The Monona County Sanitary Landfill is located in the SW¹/₄ of the SW¹/₄ lying north and east of Monona County Road L-16, and the south 100 feet of the south 20 rods of the NW¹/₄ of the SW¹/₄ of Section 13, T83N, R44W, Monona County, Iowa. The site encompasses approximately 23 acres. The facility is closed under the Iowa Department of Natural Resources (IDNR) Permit Number 67-SDP-01-75C.

Landfill Layout & History

The site is situated in rolling terrain on land that was previously a ravine. Drainage from the site is predominantly to ditches outside of the waste boundary that pass through the sedimentation basin in the north-central portion of the site. The facility was closed in 2016.

Applicable Rules

Iowa Administrative Code (IAC) 567-114 is applicable to the site.

1.5 Summary of the Hydrologic Monitoring System Plan (HMSP)

The geology and hydrogeology at the site are described in the Hydrogeologic Assessment Report dated January 6, 2012 by Terracon (Doc #68181). Previous land use is agricultural land.

The Hydrogeologic Assessment Report dated January 6, 2012 (Doc #68181) concluded that the water table at the landfill is located within the uppermost aquifer (see Hydrogeologic Assessment Report in Attachment A, Section 6.5, page 9). There are five (5) monitoring wells existing in the Uppermost Aquifer system (MW-1, MW-3R, MW-4, MW-5, and MW-7).

MW-3R, MW-4, and MW-5 are the background wells for the uppermost aquifer at this site (Figure 2). Flow paths across the site (Figure 2) appear to converge toward MW-1 and MW-7 near the north waste boundary (downgradient). The rule (IAC 114.22(1)) allows the convergence of flow paths to be appropriate in the minimization of the overall length of the downgradient dimension of the facility. MW-1 and MW-7 appear to be appropriately located as downgradient uppermost aquifer wells.

The IDNR Letter dated July 5, 2018 (Doc # 92740) required the collection of water samples for total metals. The total metal analyses were added to the water quality testing beginning October 4, 2018. The sample portion collected for total metals analyses is collected by No-Purge methods.

A variance request dated November 21, 2018, was submitted to IDNR requesting the elimination of several testing parameters previously required at the site under Iowa Administrative Code (IAC) 567, Chapter 114 and the Closure Permit. The variance request was approved by IDNR on March 25, 2019 (Doc #94705) and was incorporated into the Closure Permit on March 26, 2019 (Doc # 94716). A second variance request requesting the use of three (3) upgradient wells and two (2) downgradient wells was submitted on April 24, 2019 (Doc #94983). This variance was approved on August 2, 2019 (Doc #95638) and was incorporated into the Revised Closure Permit issued August 2, 2019 (Doc #95637).

The January 24, 2023 IDNR letter (Doc #105574) required that a leachate sample be collected from leachate piezometer LW-1 and analyzed for Appendix I compounds. Further, the January 24, 2023 IDNR Comment letter (Doc #105574) required that the testing parameters in all HMSP monitoring wells be changed to include any Appendix I compound that was detected in the leachate (at peizometer LW-1). The initial sampling of LW-1 was completed April 19, 2023. The following Appendix I compounds were detected in leachate from LW-1 on *April 19, 2023*:

Compound	LW-1
Antimony, total (ug/L)	5.2
Arsenic, total (ug/L)	217.0
Barium, total (ug/L)	3,140.0
Cadmium, total (ug/L)	2.4
Chromium, total (ug/L)	30.2
Cobalt, total (ug/L)	60.9
Copper, total (ug/L)	619.0
Nickel, total (ug/L)	803.0
Lead, total (ug/L)	37.3
Selenium, total (ug/L)	6.3
Vanadium, total (ug/L)	27.2
Zinc, total (ug/L)	1,440

Note that were no VOC compounds detected in leachate at LW-1.

In addition, MW-1 was also analyzed for Appendix I compounds (in addition to the historically tested parameters) on April 19, 2023 based on the fact that there were known historic impacts to MW-1 over time. Barium, cobalt, nickel, and cis-1,2-dichloroethene were the only Appendix I compounds detected at MW-1 on *April 19, 2023*.

The HMSP sampling parameters were amended based on the April 19, 2023 water quality results completed at leachate piezometer LW-1. Beginning on October 25, 2023 the water samples collected at all site monitoring wells are analyzed for the compounds listed in the Table above. Water collected at MW-1 is also analyzed for cis-1,2-dichloroethene and chloride based on recent historic detections at MW-1.

The Site Plan and the approved monitoring network are illustrated on Figure 1. The Water Table Contour Map is included as Figure 2.

The current HMSP is summarized in Table 1. The HMSP Implementation Schedule for 2026 is itemized in Table 2.

MONITORING WELL MAINTENANCE PERFORMANCE REEVALUATION

Table 3 outlines the status of well performance and maintenance activities performed as required by IAC 567-114.21.

Formal Monitoring Well Maintenance Performance Reevaluations have been performed in November 1992; October 1998; October 2003; November 2008; October 2013; April 2019; and April 2024.

The most recent Monitoring Well Maintenance Performance Reevaluation Plan (MWMPRP) was submitted to IDNR for review on May 10, 2024 (Doc #110033). The report recommended no changes

to the monitoring well system or the Hydrologic Monitoring System Plan. As per IDNR Regulations, the MWMPRP is required every 5 years, and should be completed again in 2029.

Review of the water elevation data for 2025 does not indicate excessive variability compared to historic water elevation data. Water elevation data is summarized in Table 4. Based on the available water elevation data, the semi-annual water level measurements are interpreted to be sufficient to gauge notable changes in the site hydrology. The October 2025 Water Table Contour Map is included as Figure 2.

High & Low Water Levels

Current year water elevation data is included in Table 4. Historic water elevation data is included in the Table 4 Supplement. The maximum depth to water and the minimum depth to water are included on Table 4.

Well Depth & Sedimentation

Well depth measurements were made in October 2025. Review of the well depth data included on Table 4 indicate that well sedimentation is estimated to be less than one (1) foot at all site monitoring wells (Table 4).

Well Recharge Rates & Chemistry

Horizontal hydraulic conductivity testing results from 1992, 2012, and 2019 (Appendix A) ranged between 10^{-4} cm/sec and 10^{-5} cm/sec. Hydraulic conductivity testing results for April 18, 2024 also ranged between 10^{-4} cm/sec and 10^{-5} cm/sec (Table 4 and Appendix A). Well recovery information indicates that recharge to the individual wells remains sufficient to promote collection of representative water quality samples and the wells were functioning as intended. Monitoring well recharge reevaluation is due every five (5) years according to 114.21(2)"d" and should be evaluated again in 2029.

Based on the apparent static condition of the water surfaces across the site, it appears that the semi-annual water elevation data is sufficient to adequately monitor the hydrologic condition of the site. Further, the wells are interpreted to be appropriately located to detect any impact, should it occur. No changes or modifications to the site monitoring wells are recommended.

Section 2.0 Reporting Period Monitoring Activities

Field sampling information for April 1, 2025 and October 10, 2025 is included on the field forms (IDNR Form 542-1322) in Appendix B.

A comprehensive summary of Analytical Data for the episodes between October 4, 2018 and October 10, 2025 is included in Table 9.

Section 3.0 Data Evaluation and Summary

Statistical Evaluation is prepared by Otter Creek Environmental Services for the April 1, 2025 and October 10, 2025 monitoring episodes. The Groundwater Statistics Report for the Monona County Landfill, First Semi-Annual Monitoring Event in 2025, dated July, 2025 is included in Appendix C.1. The Groundwater Statistics Report for the Monona County Landfill, Second Semi-Annual Monitoring Event in 2025, dated October, 2025 is included in Appendix C.2.

Time Series Plots for the Supplemental Testing Parameters chloride and cis-1,2-dichloroethylene at MW-1 are included in Appendix C.3. Review of the Time Series plots indicate relatively static concentrations of chloride and cis-1,2-dichloroethylene over time.

The Analytical Reports for the laboratory testing for sampling episodes on April 1, 2025 and October 10, 2025 are included in Appendix D.

QUALITY ASSURANCE/QUALITY CONTROL

A blind duplicate sample was collected at MW-7 during the April 1, 2025 sampling episode. A blind duplicate was collected at MW-3R during the October 10, 2025 sampling episode.

The purpose of the field duplicate is to evaluate the precision of sample collection and analysis process from the field through the laboratory. The calculation of the Relative Percent Difference (RPD) for duplicate pair results is used as a means to evaluate the precision. Iron is excluded from use in duplication due to the rapid oxidation rate, as it is problematic to duplicate.

The Quality Control (QC) limit for the RPD on field duplicates is established at thirty percent (30%) for duplicate pairs that have reported concentrations five (5) times greater than the laboratory Reporting Limit. For samples and respective duplicates with reported analyte concentrations nearer the Reporting Limit, the RPD calculations demonstrate greater variability and the RPD can be very large. RPD values are considered non-representative in the following conditions:

- a) Both the original and/or the duplicate results are less than five (5) times the Reporting Limit.
- b) One or both results are qualified, flagged, or estimated.
- c) One or both results are non-detected.

The results of the blind duplicate and the monitoring well results (both April 1, 2025 and October 10, 2025) were within the limits established and indicate that the data quality is acceptable without restriction.

BACKGROUND DATA VALIDATION

The background data utilized herein has been restricted to include only sample results that have been collected by “No Purge” methods. A summary of the recorded field turbidity measurements is included in Appendix E.

Upgradient Data, Table 1, Attachment B to Fall Statistical Evaluation Report (Appendices C) includes a summary of the background data. The site prediction limits established are based on the background collected since October 4, 2018.

SITE SPECIFIC GWPS

The Statewide Standards for Protected Groundwater as published in IAC 567, Chapter 137, are utilized as the Groundwater Protection Standards (GWPS) for all compounds, except arsenic and cobalt. The calculated prediction limits for arsenic and cobalt (based on the site background) exceed the published in IAC 567, Chapter 137 Statewide Standards.

Table 5 indicates that the prediction limit for the following compounds *exceed* the published IAC 567, Chapter 137 Statewide Standard:

<u>Compound</u>	<u>Prediction Limit</u>	<u>IAC 137 GWPS</u>
Arsenic	57.3 ug/L	10.0 ug/L
Cobalt	8.62 ug/L	2.1 ug/L

The Site-Specific GWPS should not be set lower than the Site Prediction Limit calculated from the site background data. For this report, the prediction limits itemized above are utilized as the Site-Specific GWPS for the HMSP Systems. For all other compounds the published IAC 567, Chapter 137 Statewide Standard are utilized as the GWPS. Note that there are no published GWPS for chloride. Site-Specific GWPS were approved by IDNR on July 8, 2021 (Doc #100801) and again on May 20, 2022 (Doc #103262).

EXCEEDANCE OF A BACKGROUND STANDARD

The detected concentrations of each compound are compared to the site prediction limit for each respective compound calculated based on the background data set. A detected and verified concentration for a compound that is in excess of the calculated site prediction limit is recorded on Table 6 and Table 7. Table 6 is a summary of all compounds at site monitoring wells that have exceeded the prediction limit *in the current year* (highlighted in light brown). Table 7 is a summary of all compounds at site monitoring wells that have exceeded the prediction limit *to date* (highlighted in light brown).

As reported in Table 6, there are four (4) compounds that have exceeded a background standard (Prediction Limit) in 2025. There are no detected compounds to date that exceed a GWPS (Table 7). IAC 567, Chapter 114 does not have a requirement to collect Appendix II samples in the event of a detected SSI. Additional testing requirements are at the discretion of the IDNR based on any

perceived release from the facility. IDNR amended the required sampling in 2023. No release is interpreted based on water quality findings to date.

CONFIDENCE INTERVAL EVALUATION

The detections that exceed the current site prediction limits are utilized to calculate the 95% lower confidence limits (LCL) in accordance with the 2009 Unified Guidance for Statistical Analysis of Groundwater Monitoring Data at RCRA Facilities by US EPA. The 95% LCL values are compared to applicable GWPS. Any 95% LCL value that exceeds an applicable GWPS is recorded as an SSL.

Table 7 includes a summary of the Confidence Limits (95% LCL). *There are no Statistically Significant Levels (SSL) recorded to date.* The Confidence Intervals (95% LCL and 95% UCL) for inorganic compounds are summarized in Table 1 of Attachment C of the Otter Creek Reports (Appendix C.1 and Appendix C.2).

RESPONSES TO WATER QUALITY RESULTS

Based on the minor nature of the recorded statistical exceedances, there is no recommendation to perform additional sampling in accordance with IAC 114.26(7) at this time.

CORRECTIVE ACTION EVALUATIONS & MONITORING

Corrective Action and Corrective Action Monitoring are not required at this time.

Section 4.0 Leachate Collection System Performance Evaluation

The site was not constructed with a formal leachate collection system (LCS). The current LCS consists of a leachate piezometer (LW-1). Leachate levels are measured at LW-1 on a semi-annual basis. If leachate levels exceed 12", the leachate is required to be pumped from LW-1 until levels drop down below 12". Leachate removed from LW-1 would be hauled to a holding tank at the transfer station building and disposed of at the City of Onawa POTW. Leachate has not been extracted from LW-1 since closure was completed in 2016. Leachate thickness measurements in LW-1 did not exceed 12 inches in 2025.

The 2025 leachate liquid elevation at LW-1 and extraction volumes (0 gallons) are summarized in Table 12. The leachate thickness in LW-1 has been recorded during 2025 as 0.15 feet, or less, in both April and October.

Based on the available leachate thickness data collected since closure in 2016, it is apparent that leachate levels are consistently well below 12 inches and that there are no significant findings during any monitoring episode.

Section 5.0 Gas Monitoring

Explosive gas monitoring was performed semi-annually in 2025, per IAC 567-114.26(15) and as modified by the IDNR Letter dated June 23, 2024 (Doc #110240). Results of the explosive gas monitoring indicate that explosive gases were within applicable limits along the entire site perimeter and in the equipment building. Gas monitoring results for 2025 are summarized in the Table 13.

Based on the available data collected since closure in 2016, it is apparent that explosive gas concentrations have not been detected.

Section 6.0 Recommendations/Requests

Continue to perform water sampling in accordance with the plan summarized in Table 2.

Continue to perform semi-annual water level measurements in April and October of each year and reevaluate the data in the Annual Groundwater Quality Report in January of each year.


Continue to perform semi-annual leachate level measurements in April and October of each year and reevaluate the data in the Annual Leachate Control System Performance Evaluation in November of each year.

Continue to perform semi-annual explosive gas monitoring in April and October of each year and reevaluate the data in the Annual Groundwater Quality Report in November of each year.

Perform Monitoring Well Maintenance Performance Reevaluation in 2029.

	I hereby certify that this engineering document was prepared by me or under my direct personal supervision and that I am a duly licensed Professional Engineer under the laws of the State of Iowa.	
		11/24/25
	DOUGLAS J. LUTZETAX, P.E.	DATE
	License number 12654	
	My license renewal date is December 31, 2026.	
	Pages or sheets covered by this seal: All except Appendix C & D	

Figures




HLW Engineering Group
204 West Broad Street, P.O. Box 314
Story City, Iowa 50248
Phone: (515) 733-4144
FAX: (515) 733-4146

SITE PLAN
MONONA COUNTY SANITARY LANDFILL
TURIN, IOWA

FIGURE:		1
REVISION	NO.	DATE
DRAWN DRA	PROJECT NO. 6036	DATE 10-20-25

WATER ELEVATION OCTOBER 10, 2025	
WELL	ELEV.
MW-1	1194.46
MW-3R	1213.70
MW-4	1213.37
MW-5	1233.98
MW-7	1190.51
LW-1	1224.68



HLW Engineering Group
204 West Broad Street, P.O. Box 314
Story City, Iowa 50248
Phone: (515) 733-4144
FAX: (515) 733-4146

WATER TABLE MAP
MONONA COUNTY SANITARY LANDFILL
TURIN, IOWA

FIGURE:		1
REVISION	NO.	DATE
DRAWN DRA	PROJECT NO. 6036	DATE 10-20-25

Tables (in IDNR Format)

Table Index

Table 1 – Monitoring Program Summary
Table 2 – Monitoring Program Implementation Schedule
Table 2A – Supplement – Sampling to Date
Table 3 – Monitoring Well Maintenance Performance Reevaluation Schedule
Table 4 – Monitoring Well Maintenance Performance Reevaluation Summary
Table 4A – Historic Water Elevations – Comprehensive Summary
Table 5 – Background and GWPS Summary
Table 6 – Summary of Detections relative to Background and GWPS
Table 7 – Summary of Ongoing & Newly Identified SSI
Table 8 - <i>(NOT REQUIRED)</i>
Table 9 – Analytical Data Summary
Table 10 – <i>(NOT REQUIRED)</i>
Table 11 – <i>(NOT REQUIRED)</i>
Table 12 – Leachate Summary
Table 13 – Gas Monitoring Summary

Table 1 – Monitoring Program Summary

Table 1
Monitoring Program Summary
Annual Water Quality Report
Monona County Sanitary Landfill
Permit No. 67-SDP-01-75C

[illegible]

Table 2 – Monitoring Program Implementation Schedule

Table 2
Monitoring Program Implementation Schedule
Annual Water Quality Report
Monona County Sanitary Landfill
Permit No. 67-SDP-01-75C

Monitoring Well	Recent Sampling Dates and Constituents	Upcoming Sampling Dates and Constituents		Supplemental Sample Dates	
		April, 2026	October, 2026	Previously Collected	Next Event
MW-3R (b)	10/4/18, 4/15/19, 10/8/19, 4/8/20, 10/2/20, 4/12/21, 10/26/21, 4/12/22, 10/7/22, 4/19/23, 10/25/23, 4/18/24, 10/17/24, 4/1/25, 10/10/25	List #1	List #1	N/A	N/A
MW-4 (b)	10/4/18, 4/15/19, 10/8/19, 4/8/20, 10/2/20, 4/12/21, 10/26/21, 4/12/22, 10/7/22, 4/19/23, 10/25/23, 4/18/24, 4/1/25, 10/10/25	List #1	List #1	N/A	N/A
MW-5 (b)	10/4/18, 4/15/19, 10/8/19, 4/8/20, 10/2/20, 4/12/21, 10/26/21, 4/12/22, 10/7/22, 4/19/23, 10/25/23, 4/18/24, 10/17/24, 4/1/25, 10/10/25	List #1	List #1	N/A	N/A
MW-1	10/4/18, 4/15/19, 10/8/19, 4/8/20, 10/2/20, 4/12/21, 10/26/21, 4/12/22, 10/7/22, 4/19/23, 10/25/23, 4/18/24, 10/17/24, 4/1/25, 10/10/25	List #1 & List #2	List #1 & List #2	N/A	N/A
MW-7	10/4/18, 4/15/19, 10/8/19, 4/8/20, 10/2/20, 4/12/21, 10/26/21, 4/12/22, 10/7/22, 4/19/23, 10/25/23, 4/18/24, 10/17/24, 4/1/25, 10/10/25	List #1	List #1	N/A	N/A

(b) background well

List #1 - Total Metals (Sb, As, Ba, Cd, Cr, Co, Cu, Pb, Ni, Se, V, Zn)
List #2 - Chloride, cis-1,2-dichloroethene

Table 2A – Testing Parameters Summary by Date

Table 3 – Monitoring Well Maintenance Performance Reevaluation Schedule

Table 3
Monitoring Well Maintenance and Performance Revaluation Schedule
Annual Water Quality Report
Monona County Sanitary Landfill
Permit No. 67-SDP-01-75C

Compliance with:	Monitoring Calendar Years									
	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
567 IAC 114.21(2)"a" - high and low water levels (biennial)	X	X	X	X	X	X	X	X	X	X
567 IAC 114.21(2)"b" - changes in the hydrologic setting and flow paths (biennial)	X	X	X	X	X	X	X	X	X	X
567 IAC 114.21(2)"c" - well depths (annual)	X	X	X	X	X	X	X	X	X	X
567 IAC 114.21(2)"d" - in-situ permeability testing (1 per 5 years)	X						X			

Compliance with:	Monitoring Calendar Years									
	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
567 IAC 114.21(2)"a" - high and low water levels (biennial)	X	X	X	X	X	X	X	X	X	X
567 IAC 114.21(2)"b" - changes in the hydrologic setting and flow paths (biennial)	X	X	X	X	X	X	X	X	X	X
567 IAC 114.21(2)"c" - well depths (annual)	X	X	X	X	X	X	X	X	X	X
567 IAC 114.21(2)"d" - in-situ permeability testing (1 per 5 years)		X					X			

Compliance with:	Monitoring Calendar Years									
	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021
567 IAC 114.21(2)"a" - high and low water levels (biennial)	X	X	X	X	X	X	X	X	X	X
567 IAC 114.21(2)"b" - changes in the hydrologic setting and flow paths (biennial)	X	X	X	X	X	X	X	X	X	X
567 IAC 114.21(2)"c" - well depths (annual)	X	X	X	X	X	X	X	X	X	X
567 IAC 114.21(2)"d" - in-situ permeability testing (1 per 5 years)		X						X		

Compliance with:	Monitoring Calendar Years									
	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031
567 IAC 114.21(2)"a" - high and low water levels (biennial)	X	X	X	X	P	P	P	P	P	P
567 IAC 114.21(2)"b" - changes in the hydrologic setting and flow paths (biennial)	X	X	X	X	P	P	P	P	P	P
567 IAC 114.21(2)"c" - well depths (annual)	X	X	X	X	P	P	P	P	P	P
567 IAC 114.21(2)"d" - in-situ permeability testing (1 per 5 years)			X					P		

X = completed

P = Planned

N/A = Not Applicable

Table 4 – Monitoring Well Maintenance Performance Reevaluation Summary

Table 4
Monitoring Well Maintenance and Performance Summary
Annual Water Quality Report
Monona County Sanitary Landfill
Permit No. 67-SDP-01-75C

Well	Top of casing	Top of Screen	Total Depth		Date of Measurements		Maximum Depth Discrepancy (ft)	Hydraulic Cond. (cm/sec)/date	Most Recent Hydraulic Conductivity	
					4/1/2025	10/10/2025			4/18/2024	Change
MW-3R (b)	1266.2	1215.2	66.7	Groundwater Level (ft)	51.75	52.5	0	4.20E-05 11/24/1992	3.26E-05	Minor
				Groundwater Elevation (Ft MSL)	1214.45	1213.7				
				Measured Well Depth (ft)	66.7	66.7				
				Submerged (+) or Exposed screen (-)	-0.75	-1.5				
MW-4 (b)	1275.6	1193.2	92.4	Groundwater Level (ft)	56.49	58.25	0	3.00E-05 11/24/1992	4.92E-05	Minor
				Groundwater Elevation (Ft MSL)	1219.11	1217.35				
				Measured Well Depth (ft)	92.4	92.4				
				Submerged (+) or Exposed screen (-)	25.91	24.15				
MW-5 (b)	1335.64	1229	121.64	Groundwater Level (ft)	102.05	101.75	0.14	1.60E-05 11/24/1992	3.03E-05	Minor
				Groundwater Elevation (Ft MSL)	1233.59	1233.89				
				Measured Well Depth (ft)	121.5	121.5				
				Submerged (+) or Exposed screen (-)	4.59	4.89				
MW-1	1219.49	1192.3	42.19	Groundwater Level (ft)	27.13	25.27	-0.31	8.10E-05 11/24/1992	2.68E-04	Minor
				Groundwater Elevation (Ft MSL)	1192.36	1194.22				
				Measured Well Depth (ft)	42.5	42.5				
				Submerged (+) or Exposed screen (-)	0.06	1.92				
MW-7	1236.98	1197.2	54.78	Groundwater Level (ft)	47.22	46.47	0.28	2.40E-05 1/6/2012	6.70E-05	Minor
				Groundwater Elevation (Ft MSL)	1189.76	1190.51				
				Measured Well Depth (ft)	54.5	54.5				
				Submerged (+) or Exposed screen (-)	-7.44	-6.69				

Table 4A – Water Elevation Summary Over Time

Water Elevation Data
Monona County Landfill
67-SDP-1-75P

Well/TOC	MW-1 1219.73		MW-3R 1266.2		MW-4 1271.62		MW-5 1335.73		MW-7 1236.98	
	Water Depth	Water Elevation	Water Depth	Water Elevation	Water Depth	Water Elevation	Water Depth	Water Elevation	Water Depth	Water Elevation
04/01/13	NT	NT	NT	NT	65.70	1205.92	104.45	1231.28	NT	NT
05/01/13	15.00	1204.73	NT	NT	64.50	1207.12	104.80	1230.93	NT	NT
06/01/13	15.00	1204.73	NT	NT	64.45	1207.17	104.65	1231.08	NT	NT
07/01/13	15.10	1204.63	NT	NT	64.45	1207.17	104.66	1231.07	NT	NT
08/01/13	18.30	1201.43	NT	NT	64.40	1207.22	104.65	1231.08	NT	NT
09/01/13	18.85	1200.88	50.90	1215.30	64.55	1207.07	104.80	1230.93	NT	NT
10/01/13	19.94	1199.79	51.11	1215.09	64.61	1207.01	104.78	1230.95	NT	NT
04/16/14	30.35	1189.38	52.20	1214.00	64.40	1207.22	105.00	1230.73	49.80	1187.18
10/21/14	29.15	1190.58	46.35	1219.85	64.70	1206.92	105.20	1230.53	49.30	1187.68
04/15/15	29.10	1190.63	48.50	1217.70	64.70	1206.92	105.25	1230.48	49.30	1187.68
10/07/15	28.45	1191.28	49.00	1217.20	65.45	1206.17	105.00	1230.73	49.00	1187.98
04/12/16	27.67	1192.06	50.07	1216.13	64.55	1207.07	105.00	1230.73	48.27	1188.71
10/11/16	27.40	1192.33	50.10	1216.10	63.51	1208.11	104.33	1231.40	47.82	1189.16
04/10/17	28.25	1191.48	50.80	1215.40	63.92	1207.70	104.04	1231.69	47.32	1189.66
10/12/17	28.00	1191.73	51.03	1215.17	62.20	1209.42	103.47	1232.26	48.20	1188.78
04/10/18	28.25	1191.48	50.10	1216.10	61.70	1209.92	103.10	1232.63	48.30	1188.68
10/04/18	27.68	1192.05	48.81	1217.39	61.20	1210.42	103.03	1232.70	48.15	1188.83
04/15/19	28.25	1191.48	50.10	1216.10	60.33	1211.29	102.32	1233.41	47.32	1189.66
10/08/19	25.85	1193.88	46.94	1219.26	59.63	1211.99	102.15	1233.58	46.80	1190.18
04/08/20	25.07	1194.66	46.22	1219.98	58.47	1213.15	101.66	1234.07	46.41	1190.57
10/02/20	25.53	1194.20	46.27	1219.93	57.91	1213.71	101.65	1234.08	46.26	1190.72
04/12/21	25.90	1193.83	46.90	1219.30	56.87	1214.75	101.05	1234.68	46.38	1190.60
10/26/21	26.25	1193.48	47.41	1218.79	55.89	1215.73	100.44	1235.29	46.56	1190.42
04/12/22	26.43	1193.30	47.65	1218.55	55.50	1216.12	99.81	1235.92	46.36	1190.62
10/07/22	26.89	1192.84	49.09	1217.11	56.25	1215.37	100.50	1235.23	47.17	1189.81
04/19/23	26.67	1193.06	48.62	1217.58	57.45	1214.17	99.80	1235.93	46.70	1190.28
10/25/23	27.15	1192.58	50.30	1215.90	56.36	1215.26	100.60	1235.13	47.30	1189.68
04/18/24	27.16	1192.57	51.21	1214.99	56.92	1214.70	101.35	1234.38	47.35	1189.63
10/17/24	26.77	1192.96	51.22	1214.98	56.04	1215.58	101.53	1234.20	47.19	1189.79
04/01/25	27.13	1192.60	51.75	1214.45	56.49	1215.13	102.05	1233.68	47.22	1189.76
10/10/25	25.27	1194.46	52.50	1213.70	58.25	1213.37	101.75	1233.98	46.47	1190.51

Table 5 – Background and GWPS Summary

Table 5
Background and GWPS Summary
Annual Water Quality Report
Monona County Sanitary Landfill
Permit No. 67-SDP-01-75C

Interwell Background Well (MW-3R, MW-4, and MW-5)

Inorganics - Appendix I										
Constituent	Units	Model Type	Samples - N	Detections	Mean	SD	Prediction Limit	Confidence	GWPS	Source
Antimony (Sb)	µg/l	nonparametric	14	3			2.0000	0.98	6	SS
Arsenic (As)	µg/l	nonparametric	44	18			57.3000	0.99	57.3	Site
Barium (Ba)	µg/l	lognormal	44	44	5.6535	0.4928	951.0368		2000	SS
Cadmium (Cd)	µg/l	nonparametric	44	4			2.2000	0.99	5	SS
Chromium (Cr)	µg/l	nonparametric	41	25			19.5000	0.99	100	SS
Cobalt (Co)	µg/l	lognormal	17	9	0.1614	0.0750	8.6169		8.6	Site
Copper (Cu)	µg/l	nonparametric	44	18			26.5000	0.99	1300	SS
Lead (Pb)	µg/l	nonparametric	40	7			7.6000	0.99	15	SS
Nickel	µg/l	nonparametric	17	9			19.6000	0.99	100	SS
Selenium	µg/l	nonparametric	17	0			4.0000	0.99	50	SS
Vanadium	µg/l	nonparametric	14	2			20.0000	0.98	20	SS
Zinc (Zn)	µg/l	nonparametric	44	16			67.9000	0.99	2000	SS

= Prediction limit exceeds the GWPS. A Site-Specific GWPS is warranted
 * = insufficient data

Table 6 – Summary of Detections Relative to Background and GWPS

Table 6
Summary of Well/Detected Constituent Pairs that Exceed the Background Standard
Annual Water Quality Report
Monona County Sanitary Landfill
Permit No. 67-SDP-01-75C

Well	Constituent	Date	Units	Most recent result	Background Standard	GWPS
MW-1	Barium	4/1/2025	ug/L	1120	929.9110	2000
MW-1	Barium	10/10/2025	ug/L	1100	951.0368	2000
MW-1	Nickel	10/10/2025	ug/L	20.5	19.60	100
MW-1	cis-1,2-dichloroethene	4/1/2025	ug/L	2.10	1.00	70
MW-1	cis-1,2-dichloroethene	10/10/2025	ug/L	1.30	1.00	70
MW-1	chloride	4/1/2025	mg/L	236	50.00	---
MW-1	chloride	10/10/2025	mg/L	200	50.00	---

Table 7 – Summary of Ongoing and Newly Identified SSI

Table 7
Summary of Ongoing & Newly Identified SSI
Annual Water Quality Report
Monona County Sanitary Landfill
Permit No. 67-SDP-01-75C

KEY:	SSI	SSL LCL>GWPS
------	-----	--------------

Note: The absence of shading indicates that the condition does not exist.

Monitoring Well	Compound	Sample Date	Each Result (ug/L)	Prediction Limit (ug/L)	95% LCL (ug/L)	GWPS Limit (ug/L)	Initial Exceedance	Resamples Due	5th Background Sample
MW-1	Barium	10/4/2018	1000.0	1265.4698	---	2000	10/26/2021	NA	10/2/2020
MW-1	Barium	4/15/2019	1060.0	1265.4698	---	2000	10/26/2021	NA	10/2/2020
MW-1	Barium	10/8/2019	1020.0	1265.4698	---	2000	10/26/2021	NA	10/2/2020
MW-1	Barium	4/8/2020	995.0	1265.4698	993.163	2000	10/26/2021	NA	10/2/2020
MW-1	Barium	10/2/2020	1000.0	1265.4698	993.163	2000	10/26/2021	NA	10/2/2020
MW-1	Barium	4/12/2021	1060.0	1265.4698	993.163	2000	10/26/2021	NA	10/2/2020
MW-1	Barium	10/26/2021	960.0	824.2049	954.925	2000	10/26/2021	NA	10/2/2020
MW-1	Barium	4/12/2022	1030.0	793.2172	962.249	2000	10/26/2021	NA	10/2/2020
MW-1	Barium	10/7/2022	1000.0	995.9742	962.249	2000	10/26/2021	NA	10/2/2020
MW-1	Barium	4/19/2023	1020.0	975.7976	966.086	2000	10/26/2021	NA	10/2/2020
MW-1	Barium	10/25/2023	1090.0	921.2112	989.443	2000	10/26/2021	NA	10/2/2020
MW-1	Barium	4/18/2024	1100.0	913.2290	993.784	2000	10/26/2021	NA	10/2/2020
MW-1	Barium	10/17/2024	895.0	895.4363	915.136	2000	10/26/2021	NA	10/2/2020
MW-1	Barium	4/1/2025	1120.0	929.9110	927.845	2000	10/26/2021	NA	10/2/2020
MW-1	Barium	10/10/2025	1110.0	951.0368	929.435	2000	10/26/2021	NA	10/2/2020
MW-1	Nickel	4/19/2023	21.7	19.6000	---	100	4/19/2023	NA	10/2/2020
MW-1	Nickel	10/25/2023	21.9	19.6000	---	100	4/19/2023	NA	10/2/2020
MW-1	Nickel	4/18/2024	25.9	32.4174	19.38	100	4/19/2023	NA	10/2/2020
MW-1	Nickel	10/17/2024	21.9	28.6291	20.456	100	4/19/2023	NA	10/2/2020
MW-1	Nickel	4/1/2025	18.2	85.0212	18.276	100	4/19/2023	NA	10/2/2020
MW-1	Nickel	10/10/2025	20.5	19.6000	17.823	100	4/19/2023	NA	10/2/2020
MW-1	Chloride	10/4/2018	176.0	50.0000	---	---	10/4/2018	NA	10/2/2020
MW-1	Chloride	4/15/2019	191.0	50.0000	---	---	10/4/2018	NA	10/2/2020
MW-1	Chloride	10/8/2019	201.0	50.0000	---	---	10/4/2018	NA	10/2/2020
MW-1	Chloride	4/8/2020	212.0	50.0000	181.752	---	10/4/2018	NA	10/2/2020
MW-1	Chloride	10/2/2020	178.0	50.0000	182.960	---	10/4/2018	NA	10/2/2020
MW-1	Chloride	4/12/2021	160.0	50.0000	167.571	---	10/4/2018	NA	10/2/2020
MW-1	Chloride	10/26/2021	170.0	50.0000	160.455	---	10/4/2018	NA	10/2/2020
MW-1	Chloride	4/12/2022	187.0	50.0000	163.791	---	10/4/2018	NA	10/2/2020
MW-1	Chloride	10/7/2022	204.0	50.0000	163.481	---	10/4/2018	NA	10/2/2020
MW-1	Chloride	4/19/2023	223.0	50.0000	169.263	---	10/4/2018	NA	10/2/2020
MW-1	Chloride	10/25/2023	239.0	50.0000	193.675	---	10/4/2018	NA	10/2/2020
MW-1	Chloride	4/18/2024	249.0	50.0000	211.715	---	10/4/2018	NA	10/2/2020
MW-1	Chloride	10/17/2024	239.0	50.0000	228.186	---	10/4/2018	NA	10/2/2020
MW-1	Chloride	4/1/2025	236.0	50.0000	235.832	---	10/4/2018	NA	10/2/2020
MW-1	Chloride	10/10/2025	200.0	50.0000	212.466	---	10/4/2018	NA	10/2/2020
MW-1	cis-1,2-dichloroethene	4/19/2023	2.3	1.0	---	70	4/19/2023	NA	10/2/2020
MW-1	cis-1,2-dichloroethene	10/25/2023	2.6	1.0	---	70	4/19/2023	NA	10/2/2020
MW-1	cis-1,2-dichloroethene	4/18/2024	1.6	1.0	---	70	4/19/2023	NA	10/2/2020
MW-1	cis-1,2-dichloroethene	10/17/2024	1.2	1.0	1.173	70	4/19/2023	NA	10/2/2020
MW-1	cis-1,2-dichloroethene	4/1/2025	2.1	1.0	1.160	70	4/19/2023	NA	10/2/2020
MW-1	cis-1,2-dichloroethene	10/10/2025	1.3	1.0	1.075	70	4/19/2023	NA	10/2/2020

Bold GWPS = A Site Specific GWPS that is equal to the Prediction Limit. All other GWPS are IAC 567-137 Statewide Standards for Protected Groundwater.

Table 7
Summary of Ongoing & Newly Identified SSI
Annual Water Quality Report
Monona County Sanitary Landfill
Permit No. 67-SDP-01-75C

KEY:	SSI	SSL LCL>GWPS
------	-----	--------------

Note: The absence of shading indicates that the condition does not exist.

Monitoring Well	Compound	Sample Date	Each Result (ug/L)	Prediction Limit (ug/L)	95% LCL (ug/L)	GWPS Limit (ug/L)	Initial Exceedance	Resamples Due	5th Background Sample
MW-7	Cadmium	10/4/2018	<0.8	0.8	---	5	10/26/2021	NA	10/2/2020
MW-7	Cadmium	4/15/2019	<0.8	0.8	---	5	10/26/2021	NA	10/2/2020
MW-7	Cadmium	10/8/2019	<0.8	0.8	---	5	10/26/2021	NA	10/2/2020
MW-7	Cadmium	4/8/2020	<0.8	0.8	0.4	5	10/26/2021	NA	10/2/2020
MW-7	Cadmium	10/2/2020	0.9	0.8	0.309	5	10/26/2021	NA	10/2/2020
MW-7	Cadmium	4/12/2021	1.3	0.8	0.373	5	10/26/2021	NA	10/2/2020
MW-7	Cadmium	10/26/2021	<0.8	2.2	0.373	5	10/26/2021	NA	10/2/2020
MW-7	Cadmium	4/12/2022	<0.8	2.2	0.373	5	10/26/2021	NA	10/2/2020
MW-7	Cadmium	10/7/2022	<0.8	2.2	0.235	5	10/26/2021	NA	10/2/2020
MW-7	Cadmium	4/19/2023	<0.8	2.2	0.400	5	10/26/2021	NA	10/2/2020
MW-7	Cadmium	10/25/2023	<0.8	2.2	0.400	5	10/26/2021	NA	10/2/2020
MW-7	Cadmium	4/18/2024	<0.8	2.2	0.400	5	10/26/2021	NA	10/2/2020
MW-7	Cadmium	10/17/2024	<0.8	2.2	0.400	5	10/26/2021	NA	10/2/2020
MW-7	Cadmium	4/1/2025	<0.2	2.2	0.200	5	10/26/2021	NA	10/2/2020
MW-7	Cadmium	10/10/2025	<0.2	2.2	0.200	5	10/26/2021	NA	10/2/2020

Bold GWPS = A Site Specific GWPS that is equal to the Prediction Limit. All other GWPS are IAC 567-137 Statewide Standards for Protected Groundwater.

Table 8 – **NOT REQUIRED**

Table 9 – Analytical Data Summary

Table 9

Analytical Data Summary for LW-1

Constituents	Units	4/19/2023
1,1,1,2-Tetrachloroethane	ug/L	<5
1,1,1-Trichloroethane	ug/L	<5
1,1,2,2-Tetrachloroethane	ug/L	<5
1,1,2-Trichloroethane	ug/L	<5
1,1-Dichloroethane	ug/L	<5
1,1-Dichloroethylene	ug/L	<5
1,2,3-Trichloropropane	ug/L	<5
1,2-Dibromo-3-chloropropane	ug/L	<25
1,2-Dibromoethane	ug/L	<5
1,2-Dichlorobenzene	ug/L	<5
1,2-Dichloroethane	ug/L	<5
1,2-Dichloropropane	ug/L	<5
1,4-Dichlorobenzene	ug/L	<5
2-Butanone (MEK)	ug/L	<50
2-Hexanone (MBK)	ug/L	<25
4-Methyl-2-pentanone (MIBK)	ug/L	<25
Acetone	ug/L	<50
Acrylonitrile	ug/L	<25
Antimony, total	ug/L	5.2
Arsenic, total	ug/L	217
Barium, total	ug/L	3140
Benzene	ug/L	<5
Beryllium, total	ug/L	<4
Bromochloromethane	ug/L	<5
Bromodichloromethane	ug/L	<5
Bromoform	ug/L	<5
Bromomethane	ug/L	<5
Cadmium, total	ug/L	2.4
Carbon Disulfide	ug/L	<5
Carbon Tetrachloride	ug/L	<5
Chlorobenzene	ug/L	<5
Chloroethane	ug/L	<5
Chloroform	ug/L	<5
Chloromethane	ug/L	<5
Chromium, total	ug/L	30.2
cis-1,2-Dichloroethylene	ug/L	<5
cis-1,3-Dichloropropene	ug/L	<5
Cobalt, total	ug/L	60.9
Copper, total	ug/L	619
Dibromochloromethane	ug/L	<5
Dibromomethane	ug/L	<5
Ethylbenzene	ug/L	<5
Lead, total	ug/L	37.3
Methyl Iodide	ug/L	<5
Methylene Chloride	ug/L	<25
Nickel, total	ug/L	803
Selenium, total	ug/L	6.3
Silver, total	ug/L	<4
Styrene	ug/L	<5
Tetrachloroethylene	ug/L	<5
Thallium, total	ug/L	<2
Toluene	ug/L	<5
trans-1,2-Dichloroethylene	ug/L	<5
trans-1,3-Dichloropropene	ug/L	<5
trans-1,4-Dichloro-2-butene	ug/L	<25
Trichloroethylene	ug/L	<5
Trichlorofluoromethane	ug/L	<5
Vanadium, total	ug/L	27.2
Vinyl Acetate	ug/L	<25
Vinyl Chloride	ug/L	<5
Xylenes, total	ug/L	<10
Zinc, total	ug/L	1440

* - The displayed value is the arithmetic mean of multiple database matches.

Table 9

Analytical Data Summary for MW-1

Constituents	Units	4/16/2014	10/21/2014	4/15/2015	10/7/2015	4/12/2016	10/11/2016	4/10/2017	10/12/2017
1,1,1,2-Tetrachloroethane	ug/L								
1,1,1-Trichloroethane	ug/L								
1,1,2,2-Tetrachloroethane	ug/L								
1,1,2-Trichloroethane	ug/L								
1,1-Dichloroethane	ug/L								
1,1-Dichloroethylene	ug/L								
1,2,3-Trichloropropane	ug/L								
1,2-Dibromo-3-chloropropane	ug/L								
1,2-Dibromoethane	ug/L								
1,2-Dichlorobenzene	ug/L								
1,2-Dichloroethane	ug/L								
1,2-Dichloropropane	ug/L								
1,4-Dichlorobenzene	ug/L								
2-Butanone (MEK)	ug/L								
2-Hexanone (MBK)	ug/L								
4-Methyl-2-pentanone (MIBK)	ug/L								
Acetone	ug/L								
Acrylonitrile	ug/L								
Antimony, total	ug/L								
Arsenic, total	ug/L								
Barium, total	ug/L								
Benzene	ug/L								
Beryllium, total	ug/L								
Boron, total	ug/L								
Bromochloromethane	ug/L								
Bromodichloromethane	ug/L								
Bromoform	ug/L								
Bromomethane	ug/L								
Cadmium, total	ug/L								
Carbon Disulfide	ug/L								
Carbon Tetrachloride	ug/L								
Chemical Oxygen Demand	mg/L	58	26	40	45	30	44	17	48
Chloride	mg/L	141	117	145	121	149	205	121	154
Chlorobenzene	ug/L								
Chloroethane	ug/L								
Chloroform	ug/L								
Chloromethane	ug/L								
Chromium, total	ug/L								
cis-1,2-Dichloroethylene	ug/L								
cis-1,3-Dichloropropene	ug/L								
Cobalt, total	ug/L								
Copper, total	ug/L								
Dibromochloromethane	ug/L								
Dibromomethane	ug/L								
Ethylbenzene	ug/L								
Iron, dissolved	ug/L	2630	2510	2880	3350	3240	2630	2320	2190
Iron, total	ug/L								
Lead, total	ug/L								
Magnesium, total	mg/L								
Manganese, total	ug/L								
Mercury, total	ug/L								
Methyl Iodide	ug/L								
Methylene Chloride	ug/L								
Molybdenum, total	ug/L								
Nickel, total	ug/L								
Nitrogen, Ammonia	mg/L	<1	<1	<1	<1	<1	<1	<1	<1
Phenols, total	mg/L		<.1		<.1		<.1		<.1
Phosphorus, total	mg/L								
Selenium, total	ug/L								
Silver, total	ug/L								
Styrene	ug/L								
Tetrachloroethylene	ug/L								
Thallium, total	ug/L								
Toluene	ug/L								
Total Organic Halogens (TOX)	mg/L		.067		.053		.135		.073
trans-1,2-Dichloroethylene	ug/L								
trans-1,3-Dichloropropene	ug/L								
trans-1,4-Dichloro-2-butene	ug/L								
Trichloroethylene	ug/L								
Trichlorofluoromethane	ug/L								
Vanadium, total	ug/L								
Vinyl Acetate	ug/L								
Vinyl Chloride	ug/L								
Xylenes, total	ug/L								
Zinc, total	ug/L								

* - The displayed value is the arithmetic mean of multiple database matches.

Table 9

Analytical Data Summary for MW-1

Constituents	4/10/2018	10/4/2018	4/15/2019	10/8/2019	4/8/2020	10/2/2020	4/12/2021	10/26/2021	4/12/2022
1,1,1,2-Tetrachloroethane									
1,1,1-Trichloroethane									
1,1,2,2-Tetrachloroethane									
1,1,2-Trichloroethane									
1,1-Dichloroethane									
1,1-Dichloroethylene									
1,2,3-Trichloropropane									
1,2-Dibromo-3-chloropropane									
1,2-Dibromoethane									
1,2-Dichlorobenzene									
1,2-Dichloroethane									
1,2-Dichloropropane									
1,4-Dichlorobenzene									
2-Butanone (MEK)									
2-Hexanone (MBK)									
4-Methyl-2-pentanone (MIBK)									
Acetone									
Acrylonitrile									
Antimony, total									
Arsenic, total		<4.0	<4.0	<4.0	4.2	<4.0	<4.0	<4.0	<4.0
Barium, total		1000	1060	1020	995	1000	1060	960	1030
Benzene									
Beryllium, total									
Boron, total		<100							
Bromochloromethane									
Bromodichloromethane									
Bromoform									
Bromomethane									
Cadmium, total		<.8	<.8	<.8	<.8	<.8	<.8	<.8	<.8
Carbon Disulfide									
Carbon Tetrachloride									
Chemical Oxygen Demand	52	32	<20	38	30	<20	<20	<20	24
Chloride	126	176	191	201	212	178	160	170	187
Chlorobenzene									
Chloroethane									
Chloroform									
Chloromethane									
Chromium, total			<8.0	<8.0	<8.0	<8.0	<8.0	<8.0	<8.0
cis-1,2-Dichloroethylene									
cis-1,3-Dichloropropene									
Cobalt, total		4.5							
Copper, total		<4	<4	<4	<4	<4	<4	<4	<4
Dibromochloromethane									
Dibromomethane									
Ethylbenzene									
Iron, dissolved	2070	1740							
Iron, total		1370	1440	1320	1470	1350	1260	1200	1090
Lead, total			<4	<4	<4	<4	<4	<4	<4
Magnesium, total		128	135	134	123	112	116	123	121
Manganese, total		2140	1770						
Mercury, total		<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5
Methyl Iodide									
Methylene Chloride									
Molybdenum, total		<4							
Nickel, total		33.1							
Nitrogen, Ammonia	<1	<1	<1	<1	<1	<1	<1	<1	<1
Phenols, total									
Phosphorus, total		<1							
Selenium, total		<4							
Silver, total									
Styrene									
Tetrachloroethylene									
Thallium, total									
Toluene									
Total Organic Halogens (TOX)									
trans-1,2-Dichloroethylene									
trans-1,3-Dichloropropene									
trans-1,4-Dichloro-2-butene									
Trichloroethylene									
Trichlorofluoromethane									
Vanadium, total									
Vinyl Acetate									
Vinyl Chloride									
Xylenes, total									
Zinc, total		44.9	<20.0	29.9	<20.0	<20.0	<20.0	<20.0	<20.0

* - The displayed value is the arithmetic mean of multiple database matches.

Table 9

Analytical Data Summary for MW-1

Constituents	10/7/2022	4/19/2023	10/25/2023	4/18/2024	10/17/2024	4/1/2025	10/10/2025
1,1,1,2-Tetrachloroethane		<1					
1,1,1-Trichloroethane		<1					
1,1,2,2-Tetrachloroethane		<1					
1,1,2-Trichloroethane		<1					
1,1-Dichloroethane		<1					
1,1-Dichloroethylene		<1					
1,2,3-Trichloropropane		<1					
1,2-Dibromo-3-chloropropane		<5					
1,2-Dibromoethane		<1					
1,2-Dichlorobenzene		<1					
1,2-Dichloroethane		<1					
1,2-Dichloropropane		<1					
1,4-Dichlorobenzene		<1					
2-Butanone (MEK)		<10					
2-Hexanone (MBK)		<5					
4-Methyl-2-pentanone (MIBK)		<5					
Acetone		<10					
Acrylonitrile		<5					
Antimony, total		<2	<2	<2	<2	<1	<1
Arsenic, total	<4.0	<4.0	<4.0	<4.0	<4.0	<2.0	2.0
Barium, total	1000	1020	1090	1100	895	1120	1110
Benzene		<1					
Beryllium, total		<4					
Boron, total							
Bromochloromethane		<1					
Bromodichloromethane		<1					
Bromoform		<1					
Bromomethane		<1					
Cadmium, total	<.8	<.8	<.8	<.8	<.8	<.2	<.2
Carbon Disulfide		<1					
Carbon Tetrachloride		<1					
Chemical Oxygen Demand	<20	<20					
Chloride	204	223	239	249	239	236	200
Chlorobenzene		<1					
Chloroethane		<1					
Chloroform		<1					
Chloromethane		<1					
Chromium, total	<8.0	<8.0	<8.0	<8.0	<8.0	1.1	1.0
cis-1,2-Dichloroethylene		2.3	2.6	1.6	1.2	2.1	1.3
cis-1,3-Dichloropropene		<1					
Cobalt, total		3.0	3.1	3.6	3.6	3.1	3.0
Copper, total	<4	<4	<4	<4	<4	<5	<5
Dibromochloromethane		<1					
Dibromomethane		<1					
Ethylbenzene		<1					
Iron, dissolved							
Iron, total	1190	1090					
Lead, total	<4	<4	<4	<4	<4	<1	<1
Magnesium, total	129	118					
Manganese, total							
Mercury, total	<.5	<.5					
Methyl Iodide		<1					
Methylene Chloride		<5					
Molybdenum, total							
Nickel, total		21.7	21.9	25.9	21.9	18.2	20.5
Nitrogen, Ammonia	<1	<1					
Phenols, total							
Phosphorus, total							
Selenium, total		<4	<4	<4	<4	<2	<2
Silver, total		<4					
Styrene		<1					
Tetrachloroethylene		<1					
Thallium, total		<2					
Toluene		<1					
Total Organic Halogens (TOX)							
trans-1,2-Dichloroethylene		<1					
trans-1,3-Dichloropropene		<1					
trans-1,4-Dichloro-2-butene		<5					
Trichloroethylene		<1					
Trichlorofluoromethane		<1					
Vanadium, total		<20	<20	<20	<20	<2	<2
Vinyl Acetate		<5					
Vinyl Chloride		<1					
Xylenes, total		<2					
Zinc, total	<20.0	<20.0	44.1	<20.0	<20.0	<5.0	<5.0

* - The displayed value is the arithmetic mean of multiple database matches.

Table 9**Analytical Data Summary for MW-2**

Constituents	Units	4/16/2014	10/21/2014	4/15/2015	10/7/2015
Chemical Oxygen Demand	mg/L	35	23	27	25
Chloride	mg/L	60	73	73	67
Iron, dissolved	ug/L	688	594	251	358
Nitrogen, Ammonia	mg/L	<1	<1	<1	<1
Phenols, total	mg/L		<.1		<.1
Total Organic Halogens (TOX)	mg/L		.065		.051

* - The displayed value is the arithmetic mean of multiple database matches.

Table 9

Analytical Data Summary for MW-3

Constituents	Units	4/16/2014	10/21/2014	4/15/2015	10/7/2015
Chemical Oxygen Demand	mg/L	<10	<10	<10	<10
Chloride	mg/L	15	<10	<10	<10
Iron, dissolved	ug/L	<100	<100	<100	<100
Nitrogen, Ammonia	mg/L	<1	<1	<1	<1
Phenols, total	mg/L		<.1		<.1
Total Organic Halogens (TOX)	mg/L		.012		<.010

* - The displayed value is the arithmetic mean of multiple database matches.

Table 9

Analytical Data Summary for MW-3R

Constituents	Units	4/12/2016	10/11/2016	4/10/2017	10/12/2017	4/10/2018	10/4/2018	4/15/2019	10/8/2019
Antimony, total	ug/L								
Arsenic, total	ug/L						<4	<4	<4
Barium, total	ug/L						325	175	352
Boron, total	ug/L						103		
Cadmium, total	ug/L						<.8	<.8	<.8
Chemical Oxygen Demand	mg/L	<10	<10	<10	<10	<10	<20		
Chloride	mg/L	<10.0	<10.0	<10.0	10.0	<10.0	<10.0		
Chromium, total	ug/L							<8.0	10.4
Cobalt, total	ug/L						<.8		
Copper, total	ug/L						<4.0	15.4	<4.0
Iron, dissolved	ug/L	<100	<100	<100	<100	<100	<100		
Iron, total	ug/L						<100	517	<100
Lead, total	ug/L							5.6	<4.0
Magnesium, total	mg/L						39.1	14.8	38.0
Manganese, total	ug/L						5	214	
Mercury, total	ug/L						<.5	<.5	<.5
Molybdenum, total	ug/L						<4		
Nickel, total	ug/L						<4		
Nitrogen, Ammonia	mg/L	<1	<1	<1	<1	<1	<1		
Phenols, total	mg/L		<.1		<.1				
Phosphorus, total	mg/L						<1		
Selenium, total	ug/L						<4		
Total Organic Halogens (TOX)	mg/L		.012		<.010				
Vanadium, total	ug/L								
Zinc, total	ug/L						<20.0	59.3	14.1

* - The displayed value is the arithmetic mean of multiple database matches.

Table 9

Analytical Data Summary for MW-3R

Constituents	4/8/2020	10/2/2020	4/12/2021	10/26/2021	4/12/2022	10/7/2022	4/19/2023	10/25/2023	4/18/2024
Antimony, total								<2	<2
Arsenic, total	<4	<4	<4	<4	<4	<4	<4	<4	<4
Barium, total	350	328	324	302	332	307	324	306	336
Boron, total									
Cadmium, total	<.8	<.8	<.8	<.8	<.8	<.8	<.8	<.8	<.8
Chemical Oxygen Demand						<20			
Chloride						6.3			
Chromium, total	11.2	10.7	11.1	10.6	11.6	11.0	11.5	11.8	11.8
Cobalt, total								<.4	<.4
Copper, total	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0
Iron, dissolved									
Iron, total	212	<100	<100	<100	<100	<100	<100		
Lead, total	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0
Magnesium, total	37.3	39.5	34.3	36.1	36.7	36.2	34.7		
Manganese, total									
Mercury, total	<.5	<.5	<.5	<.5	<.5	<.5	<.5		
Molybdenum, total									
Nickel, total								<4	<4
Nitrogen, Ammonia						<1			
Phenols, total									
Phosphorus, total									
Selenium, total								<4	<4
Total Organic Halogens (TOX)									
Vanadium, total								<20	<20
Zinc, total	<20.0	<20.0	<20.0	<20.0	<20.0	<20.0	<20.0	<20.0	<20.0

* - The displayed value is the arithmetic mean of multiple database matches.

Table 9

Analytical Data Summary for MW-3R

Constituents	10/17/2024	4/1/2025	10/10/2025
Antimony, total	<2	<1	<1
Arsenic, total	<4	<2	<2
Barium, total	319	350	323
Boron, total			
Cadmium, total	<.8	<.2	<.2
Chemical Oxygen Demand			
Chloride			
Chromium, total	12.5	14.0	12.7
Cobalt, total	<.4	<.5	<.5
Copper, total	<4.0	<5.0	<5.0
Iron, dissolved			
Iron, total			
Lead, total	<4.0	<1.0	<1.0
Magnesium, total			
Manganese, total			
Mercury, total			
Molybdenum, total			
Nickel, total	<4	<5	<5
Nitrogen, Ammonia			
Phenols, total			
Phosphorus, total			
Selenium, total	<4	<2	<2
Total Organic Halogens (TOX)			
Vanadium, total	<20	<2	<2
Zinc, total	<20.0	<5.0	<5.0

* - The displayed value is the arithmetic mean of multiple database matches.

Table 9

Analytical Data Summary for MW-4

Constituents	Units	4/16/2014	10/21/2014	4/15/2015	10/7/2015	4/12/2016	10/11/2016	4/10/2017	10/12/2017
Antimony, total	ug/L								
Arsenic, total	ug/L								
Barium, total	ug/L								
Boron, total	ug/L								
Cadmium, total	ug/L								
Chemical Oxygen Demand	mg/L	33	11	<10	<10	<10	<10	<10	<10
Chloride	mg/L	14	<10	<10	<10	<10	<10	<10	<10
Chromium, total	ug/L								
Cobalt, total	ug/L								
Copper, total	ug/L								
Iron, dissolved	ug/L	<100	<100	<100	<100	<100	<100	<100	<100
Iron, total	ug/L								
Lead, total	ug/L								
Magnesium, total	mg/L								
Manganese, total	ug/L								
Mercury, total	ug/L								
Molybdenum, total	ug/L								
Nickel, total	ug/L								
Nitrogen, Ammonia	mg/L	<1	<1	<1	<1	<1	<1	<1	<1
Phenols, total	mg/L		<.1		<.1		<.1		<.1
Phosphorus, total	mg/L								
Selenium, total	ug/L								
Total Organic Halogens (TOX)	mg/L		.013		.010		<.010		<.010
Vanadium, total	ug/L								
Zinc, total	ug/L								

* - The displayed value is the arithmetic mean of multiple database matches.

Table 9

Analytical Data Summary for MW-4

Constituents	4/10/2018	10/4/2018	4/15/2019	10/8/2019	4/8/2020	10/2/2020	4/12/2021	10/26/2021	4/12/2022
Antimony, total									
Arsenic, total		57.3	<4.0	49.0	16.7	36.3	31.2	20.8	20.4
Barium, total		228	154	218	295	922	744	251	442
Boron, total		103							
Cadmium, total		<.8	<.8	<.8	<.8	<.8	<.8	<.8	<.8
Chemical Oxygen Demand	<10	<20							
Chloride	<10	<10							
Chromium, total			<8.0	<8.0	<8.0	<8.0	9.0	<8.0	<8.0
Cobalt, total		1.4							
Copper, total		6.9	<4.0	6.9	4.1	15.1	16.7	4.3	7.0
Iron, dissolved	<100	<100							
Iron, total		1480	2770		2930	3860	9090	1210	782
Lead, total			<4.0	<4.0	<4.0	<4.0	4.2	<4.0	<4.0
Magnesium, total		27.6	34.7	34.7	36.4	39.2	41.5	24.4	37.1
Manganese, total		3880	202						
Mercury, total		<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5
Molybdenum, total		16							
Nickel, total		<4.0							
Nitrogen, Ammonia	<1	<1							
Phenols, total									
Phosphorus, total		<1							
Selenium, total		<4							
Total Organic Halogens (TOX)									
Vanadium, total									
Zinc, total		31.9	<20.0	24.6	<20.0	32.5	40.9	<20.0	<20.0

* - The displayed value is the arithmetic mean of multiple database matches.

Table 9

Analytical Data Summary for MW-4

Constituents	10/7/2022	4/19/2023	10/25/2023	4/18/2024	4/1/2025	10/10/2025
Antimony, total			<2.0	<2.0	<1.0	1.1
Arsenic, total	19.8	23.9	21.4	26.9	14.0	18.0
Barium, total	395	445	347	490	648	622
Boron, total						
Cadmium, total	<.8	<.8	<.8	<.8	.2	.5
Chemical Oxygen Demand	<20					
Chloride	5					
Chromium, total	<8.0	<8.0	10.4	13.1	3.6	5.3
Cobalt, total			.4	1.0	1.2	4.2
Copper, total	5.6	4.8	<4.0	6.5	<5.0	10.6
Iron, dissolved						
Iron, total	665	1040				
Lead, total	<4.0	<4.0	<4.0	<4.0	1.0	4.5
Magnesium, total	31.4	30.6				
Manganese, total						
Mercury, total	<.5	<.5				
Molybdenum, total						
Nickel, total			9.7	10.1	5.4	12.4
Nitrogen, Ammonia	<1					
Phenols, total						
Phosphorus, total						
Selenium, total			<4	<4	<2	<2
Total Organic Halogens (TOX)						
Vanadium, total			<20.0	<20.0	3.3	6.5
Zinc, total	22.0	<20.0	<20.0	<20.0	8.6	24.9

* - The displayed value is the arithmetic mean of multiple database matches.

Table 9

Analytical Data Summary for MW-5

Constituents	Units	4/16/2014	10/21/2014	4/15/2015	10/7/2015	4/12/2016	10/11/2016	4/10/2017	10/12/2017
Antimony, total	ug/L								
Arsenic, total	ug/L								
Barium, total	ug/L								
Boron, total	ug/L								
Cadmium, total	ug/L								
Chemical Oxygen Demand	mg/L	44	38	13	40	19	<10	<10	15
Chloride	mg/L	33.0	41.0	44.0	36.0	43.0	36.0	49.0	50.0
Chromium, total	ug/L								
Cobalt, total	ug/L								
Copper, total	ug/L								
Iron, dissolved	ug/L	476	<100	<100	<100	<100	<100	<100	<100
Iron, total	ug/L								
Lead, total	ug/L								
Magnesium, total	mg/L								
Manganese, total	ug/L								
Mercury, total	ug/L								
Molybdenum, total	ug/L								
Nickel, total	ug/L								
Nitrogen, Ammonia	mg/L	<1	<1	<1	<1	<1	<1	<1	<1
Phenols, total	mg/L		<.1		<.1		<.1		<.1
Phosphorus, total	mg/L								
Selenium, total	ug/L								
Total Organic Halogens (TOX)	mg/L		.020		.012		.061		<.010
Vanadium, total	ug/L								
Zinc, total	ug/L								

* - The displayed value is the arithmetic mean of multiple database matches.

Table 9

Analytical Data Summary for MW-5

Constituents	4/10/2018	10/4/2018	4/15/2019	10/8/2019	4/8/2020	10/2/2020	4/12/2021	10/26/2021	4/12/2022
Antimony, total									
Arsenic, total		6.4	<4.0	<4.0	6.0	<4.0	4.0	5.6	<4.0
Barium, total		317.0	80.7	166.0	484.0	177.0	254.0	341.0	195.0
Boron, total		190							
Cadmium, total		<.8	<.8	<.8	.8	<.8	<.8	2.2	<.8
Chemical Oxygen Demand	22	<20							
Chloride	48.0	50.0							
Chromium, total			<8.0	<8.0	13.4	<8.0	14.3	10.8	16.8
Cobalt, total		6.3							
Copper, total		16.4	<4.0	<4.0	26.5	<4.0	8.4	14.7	4.6
Iron, dissolved	<100	<100							
Iron, total		18600	1940	1070	32700	1790	10100	15000	2170
Lead, total			<4.0	<4.0	15.5	<4.0	4.9	7.6	<4.0
Magnesium, total		35.3	24.1	23.6	48.8	23.6	28.5	30.7	25.5
Manganese, total		428	<4						
Mercury, total		<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5
Molybdenum, total		<4							
Nickel, total		19.5							
Nitrogen, Ammonia	<1	<1							
Phenols, total									
Phosphorus, total		<1							
Selenium, total		<4							
Total Organic Halogens (TOX)									
Vanadium, total									
Zinc, total		67.9	<20.0	44.6	65.8	<20.0	24.5	46.4	<20.0

* - The displayed value is the arithmetic mean of multiple database matches.

Table 9

Analytical Data Summary for MW-5

Constituents	10/7/2022	4/19/2023	10/25/2023	4/18/2024	10/17/2024	4/1/2025	10/10/2025
Antimony, total			<2.0	<2.0	<2.0	1.1	1.4
Arsenic, total	<4.0	<4.0	4.6	<4.0	<4.0	<2.0	<2.0
Barium, total	155.0	146.0	243.0	175.0	150.0	145.0	147.0
Boron, total							
Cadmium, total	<.8	<.8	<.8	<.8	<.8	<.2	<.2
Chemical Oxygen Demand	<20						
Chloride	38.3						
Chromium, total	<8.0	<8.0	19.5	<8.0	<8.0	6.5	6.6
Cobalt, total			3.5	.5	.5	<.5	<.5
Copper, total	<4.0	<4.0	8.9	<4.0	<4.0	<5.0	<5.0
Iron, dissolved							
Iron, total	1640	373					
Lead, total	<4.0	<4.0	4.6	<4.0	<4.0	<1.0	<1.0
Magnesium, total	22.2	22.6					
Manganese, total							
Mercury, total	<.5	<.5					
Molybdenum, total							
Nickel, total			19.6	5.8	4.0	<5.0	5.7
Nitrogen, Ammonia	<1						
Phenols, total							
Phosphorus, total							
Selenium, total			<4	<4	<4	<2	<2
Total Organic Halogens (TOX)							
Vanadium, total			<20	<20	<20	<2	<2
Zinc, total	<20.0	<20.0	36.5	<20.0	<20.0	<5.0	14.2

* - The displayed value is the arithmetic mean of multiple database matches.

Table 9

Analytical Data Summary for MW-7

Constituents	Units	4/16/2014	10/21/2014	4/15/2015	10/7/2015	4/12/2016	10/11/2016	4/10/2017	10/12/2017
Antimony, total	ug/L								
Arsenic, total	ug/L								
Barium, total	ug/L								
Boron, total	ug/L								
Cadmium, total	ug/L								
Chemical Oxygen Demand	mg/L	<10	<10	<10	11	<10	<10	<10	<10
Chloride	mg/L	16.0	10.0	12.0	10.0	<10.0	<10.0	<10.0	<10.0
Chromium, total	ug/L								
Cobalt, total	ug/L								
Copper, total	ug/L								
Iron, dissolved	ug/L	<100	160	173	146	259	<100	230	<100
Iron, total	ug/L								
Lead, total	ug/L								
Magnesium, total	mg/L								
Manganese, total	ug/L								
Mercury, total	ug/L								
Molybdenum, total	ug/L								
Nickel, total	ug/L								
Nitrogen, Ammonia	mg/L	<1	<1	<1	<1	<1	<1	<1	<1
Phenols, total	mg/L		<.1		<.1		<.1		<.1
Phosphorus, total	mg/L								
Selenium, total	ug/L								
Total Organic Halogens (TOX)	mg/L		.010		<.010		.014		<.010
Vanadium, total	ug/L								
Zinc, total	ug/L								

* - The displayed value is the arithmetic mean of multiple database matches.

Table 9

Analytical Data Summary for MW-7

Constituents	4/10/2018	10/4/2018	4/15/2019	10/8/2019	4/8/2020	10/2/2020	4/12/2021	10/26/2021	4/12/2022
Antimony, total									
Arsenic, total		<4.0	27.2	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0
Barium, total		150	279	178	187	190	195	163	190
Boron, total		<100							
Cadmium, total		<.8	<.8	<.8	<.8	.9	1.3	<.8	<.8
Chemical Oxygen Demand	<10	<20							
Chloride	<10.0	10.0							
Chromium, total			<8	<8	<8	<8	<8	<8	<8
Cobalt, total		<.8							
Copper, total		<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0	<4.0
Iron, dissolved	<100	<100							
Iron, total		<100	<100	<100	<100	<100	<100	<100	<100
Lead, total			<4	<4	<4	<4	<4	<4	<4
Magnesium, total		22.2	25.6	26.8	27.4	32.1	28.8	28.2	28.6
Manganese, total		583	687						
Mercury, total		<.5	<.5	<.5	<.5	<.5	<.5	<.5	<.5
Molybdenum, total		7.2							
Nickel, total		<4							
Nitrogen, Ammonia	<1	<1							
Phenols, total									
Phosphorus, total		<1							
Selenium, total		<4							
Total Organic Halogens (TOX)									
Vanadium, total									
Zinc, total		23.6	31.5	<8.0	<20.0	<20.0	<20.0	<20.0	<20.0

* - The displayed value is the arithmetic mean of multiple database matches.

Table 9

Analytical Data Summary for MW-7

Constituents	10/7/2022	4/19/2023	10/25/2023	4/18/2024	10/17/2024	4/1/2025	10/10/2025
Antimony, total			<2	<2	<2	<1	<1
Arsenic, total	<4.0	<4.0	<4.0	<4.0	<4.0	<2.0	<2.0
Barium, total	153	159	172	188	170	190	189
Boron, total							
Cadmium, total	<.8	<.8	<.8	<.8	<.8	.2	<.2
Chemical Oxygen Demand	<20						
Chloride	7.1						
Chromium, total	<8	<8	<8	<8	<8	1	<1
Cobalt, total			<.4	<.4	<.4	<.5	<.5
Copper, total	<4.0	<4.0	<4.0	<4.0	9.8	<5.0	<5.0
Iron, dissolved							
Iron, total	<100	<100					
Lead, total	<4	<4	<4	<4	<4	<1	<1
Magnesium, total	24.2	23.8					
Manganese, total							
Mercury, total	<.5	<.5					
Molybdenum, total							
Nickel, total			<4	<4	7	<5	<5
Nitrogen, Ammonia	<1						
Phenols, total							
Phosphorus, total							
Selenium, total			<4	<4	<4	<2	<2
Total Organic Halogens (TOX)							
Vanadium, total			<20	<20	<20	<2	<2
Zinc, total	<20.0	<20.0	<20.0	<20.0	<20.0	<5.0	<5.0

* - The displayed value is the arithmetic mean of multiple database matches.

Table 10 – **NOT REQUIRED**

Table 11 – **NOT REQUIRED**

Table 12 – Leachate Summary

Table 12
Leachate Elevation Data
Annual Water Quality Report
Monona County Landfill
67-SDP-1-75P

	LW-1 (Starting October, 2015) 26.45		Top PVC 1250.98	
	Leachate * Depth (ft)	Leachate Thickness (ft)	Gallons Extracted	Leachate Elevation (MSL)
04/01/25	26.40	0.05	0.00	1224.58
10/10/25	26.30	0.15	0.00	1224.68
* IDNR Letter dated June 13, 2024 (Doc #110240) reduced the frequency of leachate measurements to semi-annual (April and October measurements by HLW).				
			0.00 total gallons extracted	

Table 13 – Gas Monitoring Summary

Table 13
Explosive Gas Monitoring
Annual Water Quality Report
Monona County Landfill
Permit No. 67-SDP-01-75C

1-Apr-25		
Ambient Air Location	Oxygen %	Lower Explosive Limit %
MW-1	NA	0
MW-2	NA	0
MW-3R	NA	0
MW-4	NA	0
MW-5	NA	0
Shop	NA	0
Collected by: HLW		

10-Oct-25		
Ambient Air Location	Oxygen %	Lower Explosive Limit %
MW-1	20.9	0
MW-2	20.9	0
MW-3R	20.9	0
MW-4	20.9	0
MW-5	20.9	0
Shop	20.9	0
Collected by: HLW		

* IDNR Letter dated June 13, 2024 (Doc #110240) reduced the frequency of gas monitoring to semi-annual (April and October).

Appendix A

Hydraulic Conductivity Data

TABLE 2
Hydraulic Conductivity Summary Data
Monona County Sanitary Landfill

Well No.	Installation Date	11/24/1992 K cm/sec	1/6/2012 K cm/sec	4/15/2019 K cm/sec	4/18/2024 K cm/sec
MW-1	3/24/1992	8.10E-05	8.10E-05	1.81E-04	2.68E-04
MW-3R	9/10/2013	4.20E-05	4.20E-05	3.71E-05	3.26E-05
MW-4	11/6/1992	3.00E-05	3.00E-05	4.16E-05	4.92E-05
MW-5	11/12/1992	1.60E-05	1.60E-05	4.43E-05	3.03E-05
MW-7	10/6/2011	DNE	2.40E-05	5.15E-05	6.70E-05

DNE = Does not exist

Appendix B

Field Sampling Forms

Monona County Sanitary Landfill
PERMIT # 67-SDP-1-75C

4/1/2025

Sampled by: Glenn Hunter

Weather conditions: Overcast, drizzle, calm, 40-48 degrees

IDNR Form 542-1322

Monitoring Well: MW 1 (dg)

Primary Sampling Method:
Secondary Sampling Method:

No-Purge for Appendix I
Purge & Sample for all analytes beyond Appendix I

GENERAL INFORMATION

TOC	1219.49
Well Depth	42.19
Capped	YES
Standing Water	NO
Litter	NO
Level Tape	Solinst 101
NTU Meter	Hach 2100P
No-Purge Equipment -	Solinst 429
Purge Equipment -	Waterra

NO PURGE METHOD

TOC	1219.49
Well Depth	42.19
Top Screen	1192.30
Bottom Screen	1177.30
Bottom Well	1176.99
Sampler Length (ft)	4.00
Sampler Volume (mL)	440.00
Feet cordage	36.00
Top sample	1183.49
Bottom sample	1179.49
Turbidity(NTU)	2.53

Date	Time	Water Level	Water Elevation	Notes
4/1/2025	10:00	27.13	1192.36	

ANALYTES, CONTAINERS, AND VOLUMES

Analyte		Required Volume (mL)	Volume Collected No-Purge (mL)	Volume Collected Purge & Sample (mL)	Turbidity this Container (NTU)
All	Field NTU	10	10		2.53
Appendix I	Metals	250	250		2.53
Appendix I	VOC	120	120		2.53
Full Appendix II	10 more containers	5620			
Fe, dissolved - filtered	dissolved metals	250			
chloride, ammonia	chloride, ammonia	250	250		
COD	COD	125	125		
Total			755	0	

PURGE & SAMPLE METHOD - Purge by Waterra Inertial Lift Pump, then well rest, then sample collection

TOC	1219.49	2" dia.	Date	Time	Depth	Elevation	Gallons	# of Vol.	Purged Dry?
Well Depth	42.19	Before purging	4/1/2025	10:00	27.13	1192.36		0.0	
		After purging				1219.49			
		Top of Screen after construction				1192.30			
						27.19	feet above (+) or below (-) top screen		
		Bottom of Well after construction				1177.30			
		Bottom of Well	4/1/2025		42.50	1176.99			
						-0.31	feet sedimentation		
		Recovery				1219.49			
		Recovery				1219.49			
		Recovery				1219.49			
		Recovery				1219.49			
		Recovery				1219.49			
		Recovery				1219.49	pH	Conductivity	Temp.(C)
		Recovery				1219.49			

IDNR Form 542-1322

Monitoring Well: MW 3R

Primary Sampling Method:
Secondary Sampling Method:

No-Purge for Appendix I
Purge & Sample for all analytes beyond Appendix I

GENERAL INFORMATION

TOC	1266.2
Well Depth	66.70
Capped	YES
Standing Water	NO
Litter	NO
Level Tape	Solinst 101
NTU Meter	Hach 2100P
No-Purge Equipment -	Solinst 429
Purge Equipment -	Waterra

NO PURGE METHOD

TOC	1266.2
Well Depth	66.70
Top Screen	1215.20
Bottom Screen	1200.20
Bottom Well	1199.50
Sampler Length (ft)	4.00
Sampler Volume (mL)	440.00
Feet cordage	60.00
Top sample	1206.20
Bottom sample	1202.20
Turbidity(NTU)	1.35

Date	Time	Water Level	Water Elevation	Notes
4/1/2025	10:28	51.75	1214.45	

ANALYTES, CONTAINERS, AND VOLUMES

Analyte		Required Volume (mL)	Volume Collected No-Purge (mL)	Volume Collected Purge & Sample (mL)	Turbidity this Container (NTU)
All	Field NTU	10	10		1.35
Appendix I	Metals	250	250		1.35
Appendix I	VOC	120			
Full Appendix II	10 more containers	5620			
Fe, dissolved - filtered	dissolved metals	250			
chloride, ammonia	chloride, ammonia	250			
COD	COD	250			
Total			260	0	

PURGE & SAMPLE METHOD - Purge by Waterra Inertial Lift Pump, then well rest, then sample collection

TOC	1266.2	2" dia.	Date	Time	Depth	Elevation	Gallons	# of Vol.	Purged Dry?
Well Depth	66.00	Before purging	4/1/2025	10:28	51.75	1214.45		0.0	
		After purging				1266.20			
		Top of Screen after construction				1215.20			
						51.00	feet above (+) or below (-) top screen		
		Bottom of Well after construction				1199.50			
		Bottom of Well	4/1/2025		66.70	1199.50			
						0.00	feet sedimentation		
		Recovery				1266.20			
		Recovery				1266.20			
		Recovery				1266.20			
		Recovery				1266.20			
		Recovery				1266.20			
		Recovery				1266.20			
		Recovery				1266.20			
		Recovery				1266.20	pH	Conductivity	Temp.(C)
		Recovery				1266.20			

IDNR Form 542-1322

Monitoring Well: MW 4

Primary Sampling Method:
Secondary Sampling Method:

No-Purge for Appendix I
Purge & Sample for all analytes beyond Appendix I

GENERAL INFORMATION

TOC	1275.6
Well Depth	82.00
Capped	YES
Standing Water	NO
Litter	NO
Level Tape	Solinst 101
NTU Meter	Hach 2100P
No-Purge Equipment -	Solinst 429
Purge Equipment -	Waterra

NO PURGE METHOD

TOC	1275.6
Well Depth	82.00
Top Screen	1208.60
Bottom Screen	1193.60
Bottom Well	1193.60
Sampler Length (ft)	4.00
Sampler Volume (mL)	440.00
Feet cordage	70.00
Top sample	1205.60
Bottom sample	1201.60
Turbidity(NTU)	49.80

Date	Time	Water Level	Water Elevation	Notes
4/1/2025	9:36	56.49	1219.11	

ANALYTES, CONTAINERS, AND VOLUMES

Analyte		Required Volume (mL)	Volume Collected No-Purge (mL)	Volume Collected Purge & Sample (mL)	Turbidity this Container (NTU)
All	Field NTU	10	10		49.80
Appendix I	Metals	250	250		49.80
Appendix I	VOC	120	0		
Full Appendix II	10 more containers	5620			
Fe, dissolved - filtered	dissolved metals	250			
chloride, ammonia	chloride, ammonia	250			
COD	COD	125			
Total			260	0	

PURGE & SAMPLE METHOD - Purge by Waterra Inertial Lift Pump, then well rest, then sample collection

TOC	1275.6	2" dia.	Date	Time	Depth	Elevation	Gallons	# of Vol.	Purged Dry?
Well Depth	82.00	Before purging	4/1/2025	9:36	56.49	1219.11		0.0	
		After purging				1275.60			
		Top of Screen after construction				1193.20			
						25.91	feet above (+) or below (-) top screen		
		Bottom of Well after construction				1183.20			
		Bottom of Well	4/1/2025		92.40	1183.20			
						0.00	feet sedimentation		
		Recovery				1275.60			
		Recovery				1275.60			
		Recovery				1275.60			
		Recovery				1275.60			
		Recovery				1275.60			
		Recovery				1275.60			
		Recovery				1275.60			
		Recovery				1275.60	pH	Conductivity	Temp.(C)
		Recovery				1275.60			

IDNR Form 542-1322

Monitoring Well: MW-5

Primary Sampling Method:
Secondary Sampling Method:

No-Purge for Appendix I
Purge & Sample for all analytes beyond Appendix I

GENERAL INFORMATION

TOC	1335.64
Well Depth	121.64
Capped	YES
Standing Water	NO
Litter	NO
Level Tape	Solinst 101
NTU Meter	Hach 2100P
No-Purge Equipment -	Solinst 429
Purge Equipment -	Waterra

NO PURGE METHOD

TOC	1335.64
Well Depth	121.64
Top Screen	1229.00
Bottom Screen	1214.00
Bottom Well	1214.00
Sampler Length (ft)	4.00
Sampler Volume (mL)	440.00
Feet cordage	110.00
Top sample	1225.64
Bottom sample	1221.64
Turbidity(NTU)	4.53

Date	Time	Water Level	Water Elevation	Notes
4/1/2025	9:21	102.05	1233.59	

ANALYTES, CONTAINERS, AND VOLUMES

Analyte		Required Volume (mL)	Volume Collected No-Purge (mL)	Volume Collected Purge & Sample (mL)	Turbidity this Container (NTU)
All	Field NTU	10	10		4.53
Appendix I	Metals	250	250		4.53
Appendix I	VOC	120			
Full Appendix II	10 more containers	5620			
Fe, dissolved - filtered	dissolved metals	250			
chloride, ammonia	chloride, ammonia	250			
COD	COD	125			
Total			260	0	

PURGE & SAMPLE METHOD - Purge by Waterra Inertial Lift Pump, then well rest, then sample collection

TOC	1335.64	2" dia.	Date	Time	Depth	Elevation	Gallons	# of Vol.	Purged Dry?
Well Depth	121.64	Before purging	4/1/2025	9:21	102.05	1233.59		0.0	
		After purging				1335.64			
		Top of Screen after construction				1229.00			
						106.64	feet above (+) or below (-) top screen		
		Bottom of Well after construction				1214.00			
		Bottom of Well	4/1/2025		121.50	1214.14			
						0.14	feet sedimentation		
		Recovery				1335.64			
		Recovery				1335.64			
		Recovery				1335.64			
		Recovery				1335.64			
		Recovery				1335.64			
		Recovery				1335.64			
		Recovery				1335.64			
		Recovery				1335.64	pH	Conductivity	Temp.(C)
		Recovery				1335.64			

IDNR Form 542-1322

Monitoring Well: MW 7

Primary Sampling Method:
Secondary Sampling Method:

No-Purge for Appendix I
Purge & Sample for all analytes beyond Appendix I

GENERAL INFORMATION

TOC	1236.98
Well Depth	54.78
Capped	YES
Standing Water	NO
Litter	NO
Level Tape	Solinst 101
NTU Meter	Hach 2100P
No-Purge Equipment -	Solinst 429
Purge Equipment -	Waterra

NO PURGE METHOD

TOC	1236.98
Well Depth	54.78
Top Screen	1197.20
Bottom Screen	1182.20
Bottom Well	1182.20
Sampler Length (ft)	4.00
Sampler Volume (mL)	440.00
Feet cordage	48.00
Top sample	1188.98
Bottom sample	1184.98
Turbidity(NTU)	1.96

Date	Time	Water Level	Water Elevation	Notes
4/1/2025	10:14	47.22	1189.76	

ANALYTES, CONTAINERS, AND VOLUMES

Analyte		Required Volume (mL)	Volume Collected No-Purge (mL)	Volume Collected Purge & Sample (mL)	Turbidity this Container (NTU)
All	Field NTU	10	10		1.96
Appendix I	Metals	250	250		1.96
Appendix I	VOC	120			
Full Appendix II	10 more containers	5620			
Fe, dissolved - filtered	dissolved metals	250			
chloride, ammonia	chloride, ammonia	250			
COD	COD	125			
Total			260	0	

PURGE & SAMPLE METHOD - Purge by Waterra Inertial Lift Pump, then well rest, then sample collection

TOC	1236.98	2" dia.	Date	Time	Depth	Elevation	Gallons	# of Vol.	Purged Dry?
Well Depth	54.78	Before purging	4/1/2025	10:14	47.22	1189.76		0.0	
		After purging				1236.98			
		Top of Screen after construction				1197.20			
						39.78	feet above (+) or below (-) top screen		
		Bottom of Well after construction				1182.20			
		Bottom of Well	4/1/2025		54.50	1182.48			
						0.28	feet sedimentation		
		Recovery				1236.98			
		Recovery				1236.98			
		Recovery				1236.98			
		Recovery				1236.98			
		Recovery				1236.98			
		Recovery				1236.98			
		Recovery				1236.98			
		Recovery				1236.98	pH	Conductivity	Temp.(C)
		Recovery				1236.98			

Monona County Sanitary Landfill
PERMIT # 67-SDP-1-75C

10/10/2025

Sampled by: Glenn Hunter

Weather conditions: Sunny, light breeze, 60-70 degrees

IDNR Form 542-1322

Monitoring Well: MW 1 (dg)

Primary Sampling Method:
Secondary Sampling Method:

No-Purge for Appendix I
Purge & Sample for all analytes beyond Appendix I

GENERAL INFORMATION

TOC	1219.49
Well Depth	42.19
Capped	YES
Standing Water	NO
Litter	NO
Level Tape	Solinst 101
NTU Meter	Hach 2100P
No-Purge Equipment -	Solinst 429
Purge Equipment -	Waterra

NO PURGE METHOD

TOC	1219.49
Well Depth	42.19
Top Screen	1192.30
Bottom Screen	1177.30
Bottom Well	1176.99
Sampler Length (ft)	4.00
Sampler Volume (mL)	440.00
Feet cordage	36.00
Top sample	1183.49
Bottom sample	1179.49
Turbidity(NTU)	1.36

Date	Time	Water Level	Water Elevation	Notes
10/10/2025	11:07	25.27	1194.22	

ANALYTES, CONTAINERS, AND VOLUMES

Analyte		Required Volume (mL)	Volume Collected No-Purge (mL)	Volume Collected Purge & Sample (mL)	Turbidity this Container (NTU)
All	Field NTU	10	10		1.36
Appendix I	Metals	250	250		1.36
Appendix I	VOC	120	120		1.36
Full Appendix II	10 more containers	5620			
Fe, dissolved - filtered	dissolved metals	250			
chloride, ammonia	chloride, ammonia	250	250		
COD	COD	125	125		
Total			755	0	

PURGE & SAMPLE METHOD - Purge by Waterra Inertial Lift Pump, then well rest, then sample collection

TOC	1219.49	2" dia.	Date	Time	Depth	Elevation	Gallons	# of Vol.	Purged Dry?
Well Depth	42.19	Before purging	10/10/2025	11:07	25.27	1194.22		0.0	
		After purging				1219.49			
		Top of Screen after construction				1192.30			
						27.19	feet above (+) or below (-) top screen		
		Bottom of Well after construction				1177.30			
		Bottom of Well	10/10/2025		42.50	1176.99			
						-0.31	feet sedimentation		
		Recovery				1219.49			
		Recovery				1219.49			
		Recovery				1219.49			
		Recovery				1219.49			
		Recovery				1219.49			
		Recovery				1219.49	pH	Conductivity	Temp.(C)
		Recovery				1219.49			

IDNR Form 542-1322

Monitoring Well: MW 3R

Primary Sampling Method:
Secondary Sampling Method:

No-Purge for Appendix I
Purge & Sample for all analytes beyond Appendix I

GENERAL INFORMATION

TOC	1266.2
Well Depth	66.70
Capped	YES
Standing Water	NO
Litter	NO
Level Tape	Solinst 101
NTU Meter	Hach 2100P
No-Purge Equipment -	Solinst 429
Purge Equipment -	Waterra

NO PURGE METHOD

TOC	1266.2
Well Depth	66.70
Top Screen	1215.20
Bottom Screen	1200.20
Bottom Well	1199.50
Sampler Length (ft)	4.00
Sampler Volume (mL)	440.00
Feet cordage	60.00
Top sample	1206.20
Bottom sample	1202.20
Turbidity(NTU)	11.10

Date	Time	Water Level	Water Elevation	Notes
10/10/2025	11:25	52.5	1213.7	

ANALYTES, CONTAINERS, AND VOLUMES

Analyte		Required Volume (mL)	Volume Collected No-Purge (mL)	Volume Collected Purge & Sample (mL)	Turbidity this Container (NTU)
All	Field NTU	10	10		11.10
Appendix I	Metals	250	250		11.10
Appendix I	VOC	120			
Full Appendix II	10 more containers	5620			
Fe, dissolved - filtered	dissolved metals	250			
chloride, ammonia	chloride, ammonia	250			
COD	COD	250			
Total			260	0	

PURGE & SAMPLE METHOD - Purge by Waterra Inertial Lift Pump, then well rest, then sample collection

TOC	1266.2	2" dia.	Date	Time	Depth	Elevation	Gallons	# of Vol.	Purged Dry?
Well Depth	66.00	Before purging	10/10/2025	11:25	52.5	1213.70		0.0	
		After purging				1266.20			
		Top of Screen after construction				1215.20			
						51.00	feet above (+) or below (-) top screen		
		Bottom of Well after construction				1199.50			
		Bottom of Well	10/10/2025		66.70	1199.50			
						0.00	feet sedimentation		
		Recovery				1266.20			
		Recovery				1266.20			
		Recovery				1266.20			
		Recovery				1266.20			
		Recovery				1266.20			
		Recovery				1266.20			
		Recovery				1266.20			
		Recovery				1266.20	pH	Conductivity	Temp.(C)
		Recovery				1266.20			

IDNR Form 542-1322

Monitoring Well: MW 4

Primary Sampling Method:
Secondary Sampling Method:

No-Purge for Appendix I
Purge & Sample for all analytes beyond Appendix I

GENERAL INFORMATION

TOC	1275.6
Well Depth	82.00
Capped	YES
Standing Water	NO
Litter	NO
Level Tape	Solinst 101
NTU Meter	Hach 2100P
No-Purge Equipment -	Solinst 429
Purge Equipment -	Waterra

NO PURGE METHOD

TOC	1275.6
Well Depth	82.00
Top Screen	1208.60
Bottom Screen	1193.60
Bottom Well	1193.60
Sampler Length (ft)	4.00
Sampler Volume (mL)	440.00
Feet cordage	80.00
Top sample	1195.60
Bottom sample	1191.60
Turbidity(NTU)	250.00

Date	Time	Water Level	Water Elevation	Notes
10/10/2025	10:48	58.25	1217.35	

ANALYTES, CONTAINERS, AND VOLUMES

Analyte		Required Volume (mL)	Volume Collected No-Purge (mL)	Volume Collected Purge & Sample (mL)	Turbidity this Container (NTU)
All	Field NTU	10	10		250.00
Appendix I	Metals	250	250		250.00
Appendix I	VOC	120	0		
Full Appendix II	10 more containers	5620			
Fe, dissolved - filtered	dissolved metals	250			
chloride, ammonia	chloride, ammonia	250			
COD	COD	125			
Total			260	0	

PURGE & SAMPLE METHOD - Purge by Waterra Inertial Lift Pump, then well rest, then sample collection

TOC	1275.6	2" dia.	Date	Time	Depth	Elevation	Gallons	# of Vol.	Purged Dry?
Well Depth	82.00	Before purging	10/10/2025	10:48	58.25	1217.35		0.0	
		After purging				1275.60			
		Top of Screen after construction				1193.20			
						24.15	feet above (+) or below (-) top screen		
		Bottom of Well after construction				1183.20			
		Bottom of Well	10/10/2025		92.40	1183.20			
						0.00	feet sedimentation		
		Recovery				1275.60			
		Recovery				1275.60			
		Recovery				1275.60			
		Recovery				1275.60			
		Recovery				1275.60			
		Recovery				1275.60			
		Recovery				1275.60			
		Recovery				1275.60	pH	Conductivity	Temp.(C)
		Recovery				1275.60			

IDNR Form 542-1322

Monitoring Well: MW-5

Primary Sampling Method: No-Purge for Appendix I
Secondary Sampling Method: Purge & Sample for all analytes beyond Appendix I

GENERAL INFORMATION

TOC	1335.64
Well Depth	121.64
Capped	YES
Standing Water	NO
Litter	NO
Level Tape	Solinst 101
NTU Meter	Hach 2100P
No-Purge Equipment -	Solinst 429
Purge Equipment -	Waterra

NO PURGE METHOD

TOC	1335.64
Well Depth	121.64
Top Screen	1229.00
Bottom Screen	1214.00
Bottom Well	1214.00
Sampler Length (ft)	4.00
Sampler Volume (mL)	440.00
Feet cordage	110.00
Top sample	1225.64
Bottom sample	1221.64
Turbidity(NTU)	3.34

Date	Time	Water Level	Water Elevation	Notes
10/10/2025	10:24	101.75	1233.89	

ANALYTES, CONTAINERS, AND VOLUMES

Analyte		Required Volume (mL)	Volume Collected No-Purge (mL)	Volume Collected Purge & Sample (mL)	Turbidity this Container (NTU)
All	Field NTU	10	10		3.34
Appendix I	Metals	250	250		3.34
Appendix I	VOC	120			
Full Appendix II	10 more containers	5620			
Fe, dissolved - filtered	dissolved metals	250			
chloride, ammonia	chloride, ammonia	250			
COD	COD	125			
Total			260	0	

PURGE & SAMPLE METHOD - Purge by Waterra Inertial Lift Pump, then well rest, then sample collection

TOC	1335.64	2" dia.	Date	Time	Depth	Elevation	Gallons	# of Vol.	Purged Dry?
Well Depth	121.64	Before purging	10/10/2025	10:24	101.75	1233.89		0.0	
		After purging				1335.64			
		Top of Screen after construction				1229.00			
						106.64	feet above (+) or below (-) top screen		
		Bottom of Well after construction				1214.00			
		Bottom of Well	10/10/2025		121.50	1214.14			
						0.14	feet sedimentation		
		Recovery				1335.64			
		Recovery				1335.64			
		Recovery				1335.64			
		Recovery				1335.64			
		Recovery				1335.64			
		Recovery				1335.64			
		Recovery				1335.64			
		Recovery				1335.64	pH	Conductivity	Temp.(C)
		Recovery				1335.64			

IDNR Form 542-1322

Monitoring Well: MW 7

Primary Sampling Method:
Secondary Sampling Method:

No-Purge for Appendix I
Purge & Sample for all analytes beyond Appendix I

GENERAL INFORMATION

TOC	1236.98
Well Depth	54.78
Capped	YES
Standing Water	NO
Litter	NO
Level Tape	Solinst 101
NTU Meter	Hach 2100P
No-Purge Equipment -	Solinst 429
Purge Equipment -	Waterra

NO PURGE METHOD

TOC	1236.98
Well Depth	54.78
Top Screen	1197.20
Bottom Screen	1182.20
Bottom Well	1182.20
Sampler Length (ft)	4.00
Sampler Volume (mL)	440.00
Feet cordage	48.00
Top sample	1188.98
Bottom sample	1184.98
Turbidity(NTU)	0.97

Date	Time	Water Level	Water Elevation	Notes
10/10/2025	11:22	46.47	1190.51	

ANALYTES, CONTAINERS, AND VOLUMES

Analyte		Required Volume (mL)	Volume Collected No-Purge (mL)	Volume Collected Purge & Sample (mL)	Turbidity this Container (NTU)
All	Field NTU	10	10		0.97
Appendix I	Metals	250	250		0.97
Appendix I	VOC	120			
Full Appendix II	10 more containers	5620			
Fe, dissolved - filtered	dissolved metals	250			
chloride, ammonia	chloride, ammonia	250			
COD	COD	125			
Total			260	0	

PURGE & SAMPLE METHOD - Purge by Waterra Inertial Lift Pump, then well rest, then sample collection

TOC	1236.98	2" dia.	Date	Time	Depth	Elevation	Gallons	# of Vol.	Purged Dry?
Well Depth	54.78	Before purging	10/10/2025	11:22	46.47	1190.51		0.0	
		After purging				1236.98			
		Top of Screen after construction				1197.20			
						39.78	feet above (+) or below (-) top screen		
		Bottom of Well after construction				1182.20			
		Bottom of Well	10/10/2025		54.50	1182.48			
						0.28	feet sedimentation		
		Recovery				1236.98			
		Recovery				1236.98			
		Recovery				1236.98			
		Recovery				1236.98			
		Recovery				1236.98			
		Recovery				1236.98			
		Recovery				1236.98			
		Recovery				1236.98	pH	Conductivity	Temp.(C)
		Recovery				1236.98			

Appendix C

Statistical Reports

Appendix C.1 – Spring Statistical Evaluation Report

Results of the Ground Water Statistics for Monona County Sanitary Landfill

First Semi-Annual Monitoring Event in 2025

Prepared for:
Monona County Sanitary Landfill
31342 Hwy 37
Turin, IA

Prepared by:
Jeffrey A. Holmgren
Otter Creek Environmental Services, L.L.C.
Elgin, IL
(847) 464-1355

July 2025

INTRODUCTION

This report contains the results of the statistical analyses used to evaluate the ground water data obtained during the first semi-annual monitoring event in 2025 at Monona County Sanitary Landfill. The ground water at Monona County Sanitary Landfill is monitored by a network of wells including MW-1, MW-3R (upgradient), MW-4 (upgradient), MW-5 (upgradient), and MW-7. Monitoring wells MW-1, MW-3R, MW-4, MW-5, and MW-7 were sampled on April 1, 2025 and analyzed for the parameters required by permit. The statistical plan is designed to detect a release from the facility at the earliest indication so that it is protective of human health and the environment. The interwell methodology is described and then applied to the Monona County Sanitary Landfill data. The statistical plan conforms with IAC 567, Chapter 113.10, USEPA Guidance document (*“Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Unified Guidance”*, March 2009), and the American Society for Testing and Materials (ASTM) standard D6312-98, *Developing Appropriate Statistical Approaches for Ground-Water Detection Monitoring Programs*.

Ground Water Monitoring Program

The groundwater monitoring network for Monona County Sanitary Landfill includes MW-1, MW-3R, MW-4, MW-5, and MW-7. Each of the groundwater monitoring wells is to be sampled at least semiannually and analyzed for the trace metals including antimony, arsenic, barium, cadmium, chromium, cobalt, copper, lead, nickel, selenium, vanadium, and zinc. The ground water data obtained during the first semi-annual monitoring event in 2025 are summarized in Attachment A.

STATISTICAL METHODOLOGIES FOR DETECTION MONITORING

IAC 567, Chapter 113.10(4) provides several options for statistically evaluating the ground water data at those wells that monitor the open cells or contiguous MSWLF units. The preferred methods for comparing ground water data are using either prediction limits or using control charts. The site prediction limit method was applied to the Monona County Sanitary Landfill data using the DUMPStat[®] statistical program. DUMPStat[®] is a program for the statistical analysis of groundwater monitoring data using methods described in *“Statistical Methods for Groundwater Monitoring”* by Dr. Robert D. Gibbons. The DUMPStat program is completely consistent with all USEPA regulations and guidance and the ASTM D6312-98 guidance.

Interwell Statistics: Upgradient versus Downgradient Comparisons

Interwell statistics are appropriate when the upgradient and downgradient wells monitor the same ground water formation and there is similar variability in the upgradient and downgradient zones. Site prediction limits are determined by pooling the historical ground water data from hydraulically upgradient wells. This statistical method compares the current downgradient determinations to site prediction limits and checks for exceedances. The type of prediction limit utilized (e.g., parametric or nonparametric) is based on the detection frequency and the data distribution of each parameter in the background data. The distribution of the background data is tested for normality using the Shapiro-Wilk test (Gibbons, 1994 and USEPA 1992). If the constituent is normally distributed, a normal prediction limit is used. If normality is rejected by the Shapiro-Wilk test, the background data is transformed by taking the natural logarithm. The Shapiro-Wilk

test is then reapplied on the transformed data. If it is not rejected, lognormal prediction limits are used. If after transforming the data, normality is still rejected, nonparametric prediction limits are used for that analyte. The nonparametric prediction limit is the largest determination in the background measurements. For constituents where the background detection frequency is greater than 0% but less than 50%, nonparametric prediction limits will be used. If the detection frequency is 0% after thirteen samples have been collected, the practical quantitation limit (PQL) becomes the nonparametric prediction limit.

Results of the Interwell Statistics – Trace Metals

The background data used in this statistical analysis includes the ground water data collected from ground water wells MW-3R, MW-4, and MW-5 during the period from October 2018 through the current data. A summary of the background data from monitoring wells MW-3R, MW-4, and MW-5 is listed in Attachment B, Table 1 “Upgradient Data”. This statistical method compares the current downgradient determinations to site prediction limits and checks for exceedances.

Table 2 “Most Current Downgradient Monitoring Data”, summarizes the current data from downgradient wells MW-1 and MW-7, compared to the site prediction limits. Prediction limit exceedances are flagged with asterisks. . For the most current data, the site prediction limit exceedances detected are summarized in the table below.

Prediction Limit Exceedances during the First Semi-Annual Monitoring Event in 2025

Well	Parameter	Result	Prediction Limit	Prediction Limit Type	Verified/ Awaiting verification
MW-1	Barium, µg/L	1120	929.9110	Lognormal	Awaiting verification

The detection frequencies of the parameters in the up and down gradient monitoring wells are summarized in Table 3. Barium, chromium, cobalt, and nickel were detected at a frequency greater than or equal to 50% in the upgradient well so these metals were tested for normality. The remainder of the metals are rarely detected (less than 50%) in the upgradient wells so nonparametric prediction limits were be used in those cases.

Table 4 summarizes the results of the Shapiro-Wilk test. Table 5 is a summary of the statistics and prediction limits determined for the metals. Table 8 is a historical summary of the data at those wells that have indicated an exceedance. Time series graphs of each of the parameters at each well with the corresponding prediction limits are attached.

A statistical power curve indicates the expected false assessments for the site as a whole. The false positive rate for interwell analyses is the percentage of failures when the upgradient versus downgradient true mean difference equals zero. False negative rate indicates the chance of missing contamination at a single well for a single constituent. The statistical power is a function of the number of wells included, the number of constituents compared, the detection frequencies, and the data distributions involved. For interwell analysis, the site-wide false positive rate is 2% and the test becomes sensitive to 4 standard deviation unit increases over background.

Volatile Organic Compounds

Volatile Organic Compounds (VOCs) are generally man-made compounds not present in ambient ground water. If VOCs are detected above their statistical limit (i.e., the laboratory PQL or reporting limit), a verification resample will be conducted at the next scheduled sampling event. A statistical exceedance will be indicated if the VOC detection is confirmed by the subsequent monitoring.

Ground water well MW-1 was monitored for *cis*-1,2-dichloroethene during the first semi-annual monitoring event in 2025, because it was previously detected in 2023 and in 2024. There is a current detection of *cis*-1,2-Dichloroethene (2.1 µg/L) above the site-specific reporting limit at MW-1. The *cis*-1,2-dichloroethene detection is statistically since it confirms the October 2024 monitoring.

Exceedances

The current and previous verified exceedances were evaluated against the ground water protection standards (GWPS) using confidence limits calculated in accordance with the Statistical Analysis of Groundwater Monitoring Data at RCRA Facilities, USEPA, March 2009 (Attachment C). The analysis was conducted to evaluate whether verified concentrations are significantly above the water quality standard. The 95% lower confidence limit (LCL) for the mean of the historical data was used to evaluate whether the regulated unit is in compliance with the ground-water protection standards under 40 CFR 264 (e.g. whether the verified constituent is detected at a significant level above the GWPS). An exceedance is verified if the LCL is above the Regulatory GWPS.

The calculated 95% LCLs do not exceed the GWPS.

Attachment A

Ground Water Data obtained during the First Semi-Annual Monitoring Event in 2025

Table 1**Analytical Data Summary for 4/1/2025**

Constituents	Units	MW-1	MW-3R	MW-4	MW-5	MW-7
Antimony, total	ug/L	<1.0	<1.0	<1.0	1.1	<1.0
Arsenic, total	ug/L	<2	<2	14	<2	<2
Barium, total	ug/L	1120	350	648	145	190
Cadmium, total	ug/L	<.2	<.2	.2	<.2	.2
Chloride	mg/L	236				
Chromium, total	ug/L	1.1	14.0	3.6	6.5	1.0
cis-1,2-Dichloroethylene	ug/L	2.1				
Cobalt, total	ug/L	3.1	<.5	1.2	<.5	<.5
Copper, total	ug/L	<5	<5	<5	<5	<5
Lead, total	ug/L	<1	<1	1	<1	<1
Nickel, total	ug/L	18.2	<5.0	5.4	<5.0	<5.0
Selenium, total	ug/L	<2	<2	<2	<2	<2
Vanadium, total	ug/L	<2.0	<2.0	3.3	<2.0	<2.0
Zinc, total	ug/L	<5.0	<5.0	8.6	<5.0	<5.0

* - The displayed value is the arithmetic mean of multiple database matches.

Attachment B

Summary Tables and Graphs for the Interwell Comparisons

Table 1

Upgradient Data

Constituent	Units	Well	Date		Result	Adjusted	
Antimony, total	ug/L	MW-3R	10/25/2023	ND	2.0000		
Antimony, total	ug/L	MW-3R	04/18/2024	ND	2.0000		
Antimony, total	ug/L	MW-3R	10/17/2024	ND	2.0000		
Antimony, total	ug/L	MW-3R	04/01/2025	ND	1.0000	2.0000	**
Antimony, total	ug/L	MW-4	10/25/2023	ND	2.0000		
Antimony, total	ug/L	MW-4	04/18/2024	ND	2.0000		
Antimony, total	ug/L	MW-4	04/01/2025	ND	1.0000	2.0000	**
Antimony, total	ug/L	MW-5	10/25/2023	ND	2.0000		
Antimony, total	ug/L	MW-5	04/18/2024	ND	2.0000		
Antimony, total	ug/L	MW-5	10/17/2024	ND	2.0000		
Antimony, total	ug/L	MW-5	04/01/2025		1.1000		
Arsenic, total	ug/L	MW-3R	10/04/2018	ND	4.0000		
Arsenic, total	ug/L	MW-3R	04/15/2019	ND	4.0000		
Arsenic, total	ug/L	MW-3R	10/08/2019	ND	4.0000		
Arsenic, total	ug/L	MW-3R	04/08/2020	ND	4.0000		
Arsenic, total	ug/L	MW-3R	10/02/2020	ND	4.0000		
Arsenic, total	ug/L	MW-3R	04/12/2021	ND	4.0000		
Arsenic, total	ug/L	MW-3R	10/26/2021	ND	4.0000		
Arsenic, total	ug/L	MW-3R	04/12/2022	ND	4.0000		
Arsenic, total	ug/L	MW-3R	10/07/2022	ND	4.0000		
Arsenic, total	ug/L	MW-3R	04/19/2023	ND	4.0000		
Arsenic, total	ug/L	MW-3R	10/25/2023	ND	4.0000		
Arsenic, total	ug/L	MW-3R	04/18/2024	ND	4.0000		
Arsenic, total	ug/L	MW-3R	10/17/2024	ND	4.0000		
Arsenic, total	ug/L	MW-3R	04/01/2025	ND	2.0000	4.0000	**
Arsenic, total	ug/L	MW-4	10/04/2018		57.3000		
Arsenic, total	ug/L	MW-4	04/15/2019	ND	4.0000		
Arsenic, total	ug/L	MW-4	10/08/2019		49.0000		
Arsenic, total	ug/L	MW-4	04/08/2020		16.7000		
Arsenic, total	ug/L	MW-4	10/02/2020		36.3000		
Arsenic, total	ug/L	MW-4	04/12/2021		31.2000		
Arsenic, total	ug/L	MW-4	10/26/2021		20.8000		
Arsenic, total	ug/L	MW-4	04/12/2022		20.4000		
Arsenic, total	ug/L	MW-4	10/07/2022		19.8000		
Arsenic, total	ug/L	MW-4	04/19/2023		23.9000		
Arsenic, total	ug/L	MW-4	10/25/2023		21.4000		
Arsenic, total	ug/L	MW-4	04/18/2024		26.9000		
Arsenic, total	ug/L	MW-4	04/01/2025		14.0000		
Arsenic, total	ug/L	MW-5	10/04/2018		6.4000		
Arsenic, total	ug/L	MW-5	04/15/2019	ND	4.0000		
Arsenic, total	ug/L	MW-5	10/08/2019	ND	4.0000		
Arsenic, total	ug/L	MW-5	04/08/2020		6.0000		
Arsenic, total	ug/L	MW-5	10/02/2020	ND	4.0000		
Arsenic, total	ug/L	MW-5	04/12/2021		4.0000		
Arsenic, total	ug/L	MW-5	10/26/2021		5.6000		
Arsenic, total	ug/L	MW-5	04/12/2022	ND	4.0000		
Arsenic, total	ug/L	MW-5	10/07/2022	ND	4.0000		
Arsenic, total	ug/L	MW-5	04/19/2023	ND	4.0000		
Arsenic, total	ug/L	MW-5	10/25/2023		4.6000		
Arsenic, total	ug/L	MW-5	04/18/2024	ND	4.0000		
Arsenic, total	ug/L	MW-5	10/17/2024	ND	4.0000		
Arsenic, total	ug/L	MW-5	04/01/2025	ND	2.0000	4.0000	**
Barium, total	ug/L	MW-3R	10/04/2018		325.0000		
Barium, total	ug/L	MW-3R	04/15/2019		175.0000		
Barium, total	ug/L	MW-3R	10/08/2019		352.0000		
Barium, total	ug/L	MW-3R	04/08/2020		350.0000		
Barium, total	ug/L	MW-3R	10/02/2020		328.0000		
Barium, total	ug/L	MW-3R	04/12/2021		324.0000		
Barium, total	ug/L	MW-3R	10/26/2021		302.0000		
Barium, total	ug/L	MW-3R	04/12/2022		332.0000		
Barium, total	ug/L	MW-3R	10/07/2022		307.0000		
Barium, total	ug/L	MW-3R	04/19/2023		324.0000		
Barium, total	ug/L	MW-3R	10/25/2023		306.0000		
Barium, total	ug/L	MW-3R	04/18/2024		336.0000		
Barium, total	ug/L	MW-3R	10/17/2024		319.0000		
Barium, total	ug/L	MW-3R	04/01/2025		350.0000		
Barium, total	ug/L	MW-4	10/04/2018		228.0000		
Barium, total	ug/L	MW-4	04/15/2019		154.0000		
Barium, total	ug/L	MW-4	10/08/2019		218.0000		
Barium, total	ug/L	MW-4	04/08/2020		295.0000		
Barium, total	ug/L	MW-4	10/02/2020		922.0000		
Barium, total	ug/L	MW-4	04/12/2021		744.0000		
Barium, total	ug/L	MW-4	10/26/2021		251.0000		
Barium, total	ug/L	MW-4	04/12/2022		442.0000		

* - Outlier for that well and constituent.

** - ND value replaced with median RL.

*** - ND value replaced with manual RL.

ND = Not detected, Result = detection limit.

Table 1

Upgradient Data

Constituent	Units	Well	Date		Result	Adjusted	
Barium, total	ug/L	MW-4	10/07/2022		395.0000		
Barium, total	ug/L	MW-4	04/19/2023		445.0000		
Barium, total	ug/L	MW-4	10/25/2023		347.0000		
Barium, total	ug/L	MW-4	04/18/2024		490.0000		
Barium, total	ug/L	MW-4	04/01/2025		648.0000		
Barium, total	ug/L	MW-5	10/04/2018		317.0000		
Barium, total	ug/L	MW-5	04/15/2019		80.7000		
Barium, total	ug/L	MW-5	10/08/2019		166.0000		
Barium, total	ug/L	MW-5	04/08/2020		484.0000		
Barium, total	ug/L	MW-5	10/02/2020		177.0000		
Barium, total	ug/L	MW-5	04/12/2021		254.0000		
Barium, total	ug/L	MW-5	10/26/2021		341.0000		
Barium, total	ug/L	MW-5	04/12/2022		195.0000		
Barium, total	ug/L	MW-5	10/07/2022		155.0000		
Barium, total	ug/L	MW-5	04/19/2023		146.0000		
Barium, total	ug/L	MW-5	10/25/2023		243.0000		
Barium, total	ug/L	MW-5	04/18/2024		175.0000		
Barium, total	ug/L	MW-5	10/17/2024		150.0000		
Barium, total	ug/L	MW-5	04/01/2025		145.0000		
Cadmium, total	ug/L	MW-3R	10/04/2018	ND	0.8000		
Cadmium, total	ug/L	MW-3R	04/15/2019	ND	0.8000		
Cadmium, total	ug/L	MW-3R	10/08/2019	ND	0.8000		
Cadmium, total	ug/L	MW-3R	04/08/2020	ND	0.8000		
Cadmium, total	ug/L	MW-3R	10/02/2020	ND	0.8000		
Cadmium, total	ug/L	MW-3R	04/12/2021	ND	0.8000		
Cadmium, total	ug/L	MW-3R	10/26/2021	ND	0.8000		
Cadmium, total	ug/L	MW-3R	04/12/2022	ND	0.8000		
Cadmium, total	ug/L	MW-3R	10/07/2022	ND	0.8000		
Cadmium, total	ug/L	MW-3R	04/19/2023	ND	0.8000		
Cadmium, total	ug/L	MW-3R	10/25/2023	ND	0.8000		
Cadmium, total	ug/L	MW-3R	04/18/2024	ND	0.8000		
Cadmium, total	ug/L	MW-3R	10/17/2024	ND	0.8000		
Cadmium, total	ug/L	MW-3R	04/01/2025	ND	0.2000	0.8000	**
Cadmium, total	ug/L	MW-4	10/04/2018	ND	0.8000		
Cadmium, total	ug/L	MW-4	04/15/2019	ND	0.8000		
Cadmium, total	ug/L	MW-4	10/08/2019	ND	0.8000		
Cadmium, total	ug/L	MW-4	04/08/2020	ND	0.8000		
Cadmium, total	ug/L	MW-4	10/02/2020	ND	0.8000		
Cadmium, total	ug/L	MW-4	04/12/2021	ND	0.8000		
Cadmium, total	ug/L	MW-4	10/26/2021	ND	0.8000		
Cadmium, total	ug/L	MW-4	04/12/2022	ND	0.8000		
Cadmium, total	ug/L	MW-4	10/07/2022	ND	0.8000		
Cadmium, total	ug/L	MW-4	04/19/2023	ND	0.8000		
Cadmium, total	ug/L	MW-4	10/25/2023	ND	0.8000		
Cadmium, total	ug/L	MW-4	04/18/2024	ND	0.8000		
Cadmium, total	ug/L	MW-4	04/01/2025	ND	0.2000		
Cadmium, total	ug/L	MW-5	10/04/2018	ND	0.8000		
Cadmium, total	ug/L	MW-5	04/15/2019	ND	0.8000		
Cadmium, total	ug/L	MW-5	10/08/2019	ND	0.8000		
Cadmium, total	ug/L	MW-5	04/08/2020	ND	0.8000		
Cadmium, total	ug/L	MW-5	10/02/2020	ND	0.8000		
Cadmium, total	ug/L	MW-5	04/12/2021	ND	0.8000		
Cadmium, total	ug/L	MW-5	10/26/2021	ND	2.2000		
Cadmium, total	ug/L	MW-5	04/12/2022	ND	0.8000		
Cadmium, total	ug/L	MW-5	10/07/2022	ND	0.8000		
Cadmium, total	ug/L	MW-5	04/19/2023	ND	0.8000		
Cadmium, total	ug/L	MW-5	10/25/2023	ND	0.8000		
Cadmium, total	ug/L	MW-5	04/18/2024	ND	0.8000		
Cadmium, total	ug/L	MW-5	10/17/2024	ND	0.8000		
Cadmium, total	ug/L	MW-5	04/01/2025	ND	0.2000	0.8000	**
Chromium, total	ug/L	MW-3R	04/15/2019	ND	8.0000		
Chromium, total	ug/L	MW-3R	10/08/2019		10.4000		
Chromium, total	ug/L	MW-3R	04/08/2020		11.2000		
Chromium, total	ug/L	MW-3R	10/02/2020		10.7000		
Chromium, total	ug/L	MW-3R	04/12/2021		11.1000		
Chromium, total	ug/L	MW-3R	10/26/2021		10.6000		
Chromium, total	ug/L	MW-3R	04/12/2022		11.6000		
Chromium, total	ug/L	MW-3R	10/07/2022		11.0000		
Chromium, total	ug/L	MW-3R	04/19/2023		11.5000		
Chromium, total	ug/L	MW-3R	10/25/2023		11.8000		
Chromium, total	ug/L	MW-3R	04/18/2024		11.8000		
Chromium, total	ug/L	MW-3R	10/17/2024		12.5000		
Chromium, total	ug/L	MW-3R	04/01/2025		14.0000		
Chromium, total	ug/L	MW-4	04/15/2019	ND	8.0000		

* - Outlier for that well and constituent.

** - ND value replaced with median RL.

*** - ND value replaced with manual RL.

ND = Not detected, Result = detection limit.

Table 1

Upgradient Data

Constituent	Units	Well	Date		Result	Adjusted	
Chromium, total	ug/L	MW-4	10/08/2019	ND	8.0000		
Chromium, total	ug/L	MW-4	04/08/2020	ND	8.0000		
Chromium, total	ug/L	MW-4	10/02/2020	ND	8.0000		
Chromium, total	ug/L	MW-4	04/12/2021		9.0000		
Chromium, total	ug/L	MW-4	10/26/2021	ND	8.0000		
Chromium, total	ug/L	MW-4	04/12/2022	ND	8.0000		
Chromium, total	ug/L	MW-4	10/07/2022	ND	8.0000		
Chromium, total	ug/L	MW-4	04/19/2023	ND	8.0000		
Chromium, total	ug/L	MW-4	10/25/2023		10.4000		
Chromium, total	ug/L	MW-4	04/18/2024		13.1000		
Chromium, total	ug/L	MW-4	04/01/2025		3.6000		
Chromium, total	ug/L	MW-5	04/15/2019	ND	8.0000		
Chromium, total	ug/L	MW-5	10/08/2019	ND	8.0000		
Chromium, total	ug/L	MW-5	04/08/2020		13.4000		
Chromium, total	ug/L	MW-5	10/02/2020	ND	8.0000		
Chromium, total	ug/L	MW-5	04/12/2021		14.3000		
Chromium, total	ug/L	MW-5	10/26/2021		10.8000		
Chromium, total	ug/L	MW-5	04/12/2022		16.8000		
Chromium, total	ug/L	MW-5	10/07/2022	ND	8.0000		
Chromium, total	ug/L	MW-5	04/19/2023	ND	8.0000		
Chromium, total	ug/L	MW-5	10/25/2023		19.5000		
Chromium, total	ug/L	MW-5	04/18/2024	ND	8.0000		
Chromium, total	ug/L	MW-5	10/17/2024	ND	8.0000		
Chromium, total	ug/L	MW-5	04/01/2025		6.5000		
Cobalt, total	ug/L	MW-3R	10/04/2018	ND	0.8000	0.4000	**
Cobalt, total	ug/L	MW-3R	10/25/2023	ND	0.4000		
Cobalt, total	ug/L	MW-3R	04/18/2024	ND	0.4000		
Cobalt, total	ug/L	MW-3R	10/17/2024	ND	0.4000		
Cobalt, total	ug/L	MW-3R	04/01/2025	ND	0.5000	0.4000	**
Cobalt, total	ug/L	MW-4	10/04/2018		1.4000		
Cobalt, total	ug/L	MW-4	10/25/2023		0.4000		
Cobalt, total	ug/L	MW-4	04/18/2024		1.0000		
Cobalt, total	ug/L	MW-4	04/01/2025		1.2000		
Cobalt, total	ug/L	MW-5	10/04/2018		6.3000		
Cobalt, total	ug/L	MW-5	10/25/2023		3.5000		
Cobalt, total	ug/L	MW-5	04/18/2024		0.5000		
Cobalt, total	ug/L	MW-5	10/17/2024		0.5000		
Cobalt, total	ug/L	MW-5	04/01/2025	ND	0.5000	0.4000	**
Copper, total	ug/L	MW-3R	10/04/2018	ND	4.0000		
Copper, total	ug/L	MW-3R	04/15/2019		15.4000		
Copper, total	ug/L	MW-3R	10/08/2019	ND	4.0000		
Copper, total	ug/L	MW-3R	04/08/2020	ND	4.0000		
Copper, total	ug/L	MW-3R	10/02/2020	ND	4.0000		
Copper, total	ug/L	MW-3R	04/12/2021	ND	4.0000		
Copper, total	ug/L	MW-3R	10/26/2021	ND	4.0000		
Copper, total	ug/L	MW-3R	04/12/2022	ND	4.0000		
Copper, total	ug/L	MW-3R	10/07/2022	ND	4.0000		
Copper, total	ug/L	MW-3R	04/19/2023	ND	4.0000		
Copper, total	ug/L	MW-3R	10/25/2023	ND	4.0000		
Copper, total	ug/L	MW-3R	04/18/2024	ND	4.0000		
Copper, total	ug/L	MW-3R	10/17/2024	ND	4.0000		
Copper, total	ug/L	MW-3R	04/01/2025	ND	5.0000	4.0000	**
Copper, total	ug/L	MW-4	10/04/2018		6.9000		
Copper, total	ug/L	MW-4	04/15/2019	ND	4.0000		
Copper, total	ug/L	MW-4	10/08/2019		6.9000		
Copper, total	ug/L	MW-4	04/08/2020		4.1000		
Copper, total	ug/L	MW-4	10/02/2020		15.1000		
Copper, total	ug/L	MW-4	04/12/2021		16.7000		
Copper, total	ug/L	MW-4	10/26/2021		4.3000		
Copper, total	ug/L	MW-4	04/12/2022		7.0000		
Copper, total	ug/L	MW-4	10/07/2022		5.6000		
Copper, total	ug/L	MW-4	04/19/2023		4.8000		
Copper, total	ug/L	MW-4	10/25/2023	ND	4.0000		
Copper, total	ug/L	MW-4	04/18/2024		6.5000		
Copper, total	ug/L	MW-4	04/01/2025	ND	5.0000	4.0000	**
Copper, total	ug/L	MW-5	10/04/2018		16.4000		
Copper, total	ug/L	MW-5	04/15/2019	ND	4.0000		
Copper, total	ug/L	MW-5	10/08/2019	ND	4.0000		
Copper, total	ug/L	MW-5	04/08/2020		26.5000		
Copper, total	ug/L	MW-5	10/02/2020	ND	4.0000		
Copper, total	ug/L	MW-5	04/12/2021		8.4000		
Copper, total	ug/L	MW-5	10/26/2021		14.7000		
Copper, total	ug/L	MW-5	04/12/2022		4.6000		
Copper, total	ug/L	MW-5	10/07/2022	ND	4.0000		

* - Outlier for that well and constituent.

** - ND value replaced with median RL.

*** - ND value replaced with manual RL.

ND = Not detected, Result = detection limit.

Table 1

Upgradient Data

Constituent	Units	Well	Date		Result	Adjusted	
Copper, total	ug/L	MW-5	04/19/2023	ND	4.0000		
Copper, total	ug/L	MW-5	10/25/2023		8.9000		
Copper, total	ug/L	MW-5	04/18/2024	ND	4.0000		
Copper, total	ug/L	MW-5	10/17/2024	ND	4.0000		
Copper, total	ug/L	MW-5	04/01/2025	ND	5.0000	4.0000	**
Lead, total	ug/L	MW-3R	04/15/2019		5.6000		
Lead, total	ug/L	MW-3R	10/08/2019	ND	4.0000		
Lead, total	ug/L	MW-3R	04/08/2020	ND	4.0000		
Lead, total	ug/L	MW-3R	10/02/2020	ND	4.0000		
Lead, total	ug/L	MW-3R	04/12/2021	ND	4.0000		
Lead, total	ug/L	MW-3R	10/26/2021	ND	4.0000		
Lead, total	ug/L	MW-3R	04/12/2022	ND	4.0000		
Lead, total	ug/L	MW-3R	10/07/2022	ND	4.0000		
Lead, total	ug/L	MW-3R	04/19/2023	ND	4.0000		
Lead, total	ug/L	MW-3R	10/25/2023	ND	4.0000		
Lead, total	ug/L	MW-3R	04/18/2024	ND	4.0000		
Lead, total	ug/L	MW-3R	10/17/2024	ND	4.0000		
Lead, total	ug/L	MW-3R	04/01/2025	ND	1.0000	4.0000	**
Lead, total	ug/L	MW-4	04/15/2019	ND	4.0000		
Lead, total	ug/L	MW-4	10/08/2019	ND	4.0000		
Lead, total	ug/L	MW-4	04/08/2020	ND	4.0000		
Lead, total	ug/L	MW-4	10/02/2020	ND	4.0000		
Lead, total	ug/L	MW-4	04/12/2021		4.2000		
Lead, total	ug/L	MW-4	10/26/2021	ND	4.0000		
Lead, total	ug/L	MW-4	04/12/2022	ND	4.0000		
Lead, total	ug/L	MW-4	10/07/2022	ND	4.0000		
Lead, total	ug/L	MW-4	04/19/2023	ND	4.0000		
Lead, total	ug/L	MW-4	10/25/2023	ND	4.0000		
Lead, total	ug/L	MW-4	04/18/2024	ND	4.0000		
Lead, total	ug/L	MW-4	04/01/2025		1.0000		
Lead, total	ug/L	MW-5	04/15/2019	ND	4.0000		
Lead, total	ug/L	MW-5	10/08/2019	ND	4.0000		
Lead, total	ug/L	MW-5	04/08/2020		15.5000		*
Lead, total	ug/L	MW-5	10/02/2020	ND	4.0000		
Lead, total	ug/L	MW-5	04/12/2021		4.9000		
Lead, total	ug/L	MW-5	10/26/2021		7.6000		
Lead, total	ug/L	MW-5	04/12/2022	ND	4.0000		
Lead, total	ug/L	MW-5	10/07/2022	ND	4.0000		
Lead, total	ug/L	MW-5	04/19/2023	ND	4.0000		
Lead, total	ug/L	MW-5	10/25/2023		4.6000		
Lead, total	ug/L	MW-5	04/18/2024	ND	4.0000		
Lead, total	ug/L	MW-5	10/17/2024	ND	4.0000		
Lead, total	ug/L	MW-5	04/01/2025	ND	1.0000	4.0000	**
Nickel, total	ug/L	MW-3R	10/04/2018	ND	4.0000		
Nickel, total	ug/L	MW-3R	10/25/2023	ND	4.0000		
Nickel, total	ug/L	MW-3R	04/18/2024	ND	4.0000		
Nickel, total	ug/L	MW-3R	10/17/2024	ND	4.0000		
Nickel, total	ug/L	MW-3R	04/01/2025	ND	5.0000	4.0000	**
Nickel, total	ug/L	MW-4	10/04/2018	ND	4.0000		
Nickel, total	ug/L	MW-4	10/25/2023		9.7000		
Nickel, total	ug/L	MW-4	04/18/2024		10.1000		
Nickel, total	ug/L	MW-4	04/01/2025		5.4000		
Nickel, total	ug/L	MW-5	10/04/2018		19.5000		
Nickel, total	ug/L	MW-5	10/25/2023		19.6000		
Nickel, total	ug/L	MW-5	04/18/2024		5.8000		
Nickel, total	ug/L	MW-5	10/17/2024		4.0000		
Nickel, total	ug/L	MW-5	04/01/2025	ND	5.0000	4.0000	**
Selenium, total	ug/L	MW-3R	10/04/2018	ND	4.0000		
Selenium, total	ug/L	MW-3R	10/25/2023	ND	4.0000		
Selenium, total	ug/L	MW-3R	04/18/2024	ND	4.0000		
Selenium, total	ug/L	MW-3R	10/17/2024	ND	4.0000		
Selenium, total	ug/L	MW-3R	04/01/2025	ND	2.0000	4.0000	**
Selenium, total	ug/L	MW-4	10/04/2018	ND	4.0000		
Selenium, total	ug/L	MW-4	10/25/2023	ND	4.0000		
Selenium, total	ug/L	MW-4	04/18/2024	ND	4.0000		
Selenium, total	ug/L	MW-4	04/01/2025	ND	2.0000	4.0000	**
Selenium, total	ug/L	MW-5	10/04/2018	ND	4.0000		
Selenium, total	ug/L	MW-5	10/25/2023	ND	4.0000		
Selenium, total	ug/L	MW-5	04/18/2024	ND	4.0000		
Selenium, total	ug/L	MW-5	10/17/2024	ND	4.0000		
Selenium, total	ug/L	MW-5	04/01/2025	ND	2.0000	4.0000	**
Vanadium, total	ug/L	MW-3R	10/25/2023	ND	20.0000		
Vanadium, total	ug/L	MW-3R	04/18/2024	ND	20.0000		
Vanadium, total	ug/L	MW-3R	10/17/2024	ND	20.0000		

* - Outlier for that well and constituent.

** - ND value replaced with median RL.

*** - ND value replaced with manual RL.

ND = Not detected, Result = detection limit.

Table 1

Upgradient Data

Constituent	Units	Well	Date		Result	Adjusted	
Vanadium, total	ug/L	MW-3R	04/01/2025	ND	2.0000	20.0000	**
Vanadium, total	ug/L	MW-4	10/25/2023	ND	20.0000		
Vanadium, total	ug/L	MW-4	04/18/2024	ND	20.0000		
Vanadium, total	ug/L	MW-4	04/01/2025		3.3000		
Vanadium, total	ug/L	MW-5	10/25/2023	ND	20.0000		
Vanadium, total	ug/L	MW-5	04/18/2024	ND	20.0000		
Vanadium, total	ug/L	MW-5	10/17/2024	ND	20.0000		
Vanadium, total	ug/L	MW-5	04/01/2025	ND	2.0000	20.0000	**
Zinc, total	ug/L	MW-3R	10/04/2018	ND	20.0000		
Zinc, total	ug/L	MW-3R	04/15/2019		59.3000		
Zinc, total	ug/L	MW-3R	10/08/2019		14.1000		
Zinc, total	ug/L	MW-3R	04/08/2020	ND	20.0000		
Zinc, total	ug/L	MW-3R	10/02/2020	ND	20.0000		
Zinc, total	ug/L	MW-3R	04/12/2021	ND	20.0000		
Zinc, total	ug/L	MW-3R	10/26/2021	ND	20.0000		
Zinc, total	ug/L	MW-3R	04/12/2022	ND	20.0000		
Zinc, total	ug/L	MW-3R	10/07/2022	ND	20.0000		
Zinc, total	ug/L	MW-3R	04/19/2023	ND	20.0000		
Zinc, total	ug/L	MW-3R	10/25/2023	ND	20.0000		
Zinc, total	ug/L	MW-3R	04/18/2024	ND	20.0000		
Zinc, total	ug/L	MW-3R	10/17/2024	ND	20.0000		
Zinc, total	ug/L	MW-3R	04/01/2025	ND	5.0000	20.0000	**
Zinc, total	ug/L	MW-4	10/04/2018		31.9000		
Zinc, total	ug/L	MW-4	04/15/2019	ND	20.0000		
Zinc, total	ug/L	MW-4	10/08/2019		24.6000		
Zinc, total	ug/L	MW-4	04/08/2020	ND	20.0000		
Zinc, total	ug/L	MW-4	10/02/2020		32.5000		
Zinc, total	ug/L	MW-4	04/12/2021		40.9000		
Zinc, total	ug/L	MW-4	10/26/2021	ND	20.0000		
Zinc, total	ug/L	MW-4	04/12/2022	ND	20.0000		
Zinc, total	ug/L	MW-4	10/07/2022		22.0000		
Zinc, total	ug/L	MW-4	04/19/2023	ND	20.0000		
Zinc, total	ug/L	MW-4	10/25/2023	ND	20.0000		
Zinc, total	ug/L	MW-4	04/18/2024	ND	20.0000		
Zinc, total	ug/L	MW-4	04/01/2025		8.6000		
Zinc, total	ug/L	MW-5	10/04/2018		67.9000		
Zinc, total	ug/L	MW-5	04/15/2019	ND	20.0000		
Zinc, total	ug/L	MW-5	10/08/2019		44.6000		
Zinc, total	ug/L	MW-5	04/08/2020		65.8000		
Zinc, total	ug/L	MW-5	10/02/2020	ND	20.0000		
Zinc, total	ug/L	MW-5	04/12/2021		24.5000		
Zinc, total	ug/L	MW-5	10/26/2021		46.4000		
Zinc, total	ug/L	MW-5	04/12/2022	ND	20.0000		
Zinc, total	ug/L	MW-5	10/07/2022	ND	20.0000		
Zinc, total	ug/L	MW-5	04/19/2023	ND	20.0000		
Zinc, total	ug/L	MW-5	10/25/2023		36.5000		
Zinc, total	ug/L	MW-5	04/18/2024	ND	20.0000		
Zinc, total	ug/L	MW-5	10/17/2024	ND	20.0000		
Zinc, total	ug/L	MW-5	04/01/2025	ND	5.0000	20.0000	**

* - Outlier for that well and constituent.

** - ND value replaced with median RL.

*** - ND value replaced with manual RL.

ND = Not detected, Result = detection limit.

Table 2

Most Current Downgradient Monitoring Data

Constituent	Units	Well	Date		Result	Pred. Limit
Antimony, total	ug/L	MW-1	04/01/2025	ND	1.0000	2.0000
Antimony, total	ug/L	MW-7	04/01/2025	ND	1.0000	2.0000
Arsenic, total	ug/L	MW-1	04/01/2025	ND	2.0000	57.3000
Arsenic, total	ug/L	MW-7	04/01/2025	ND	2.0000	57.3000
Barium, total	ug/L	MW-1	04/01/2025		1120.0000	*
Barium, total	ug/L	MW-7	04/01/2025		190.0000	929.9110
Cadmium, total	ug/L	MW-1	04/01/2025	ND	0.2000	2.2000
Cadmium, total	ug/L	MW-7	04/01/2025		0.2000	2.2000
Chromium, total	ug/L	MW-1	04/01/2025		1.1000	19.5000
Chromium, total	ug/L	MW-7	04/01/2025		1.0000	19.5000
Cobalt, total	ug/L	MW-1	04/01/2025		3.1000	6.0500
Cobalt, total	ug/L	MW-7	04/01/2025	ND	0.5000	6.0500
Copper, total	ug/L	MW-1	04/01/2025	ND	5.0000	26.5000
Copper, total	ug/L	MW-7	04/01/2025	ND	5.0000	26.5000
Lead, total	ug/L	MW-1	04/01/2025	ND	1.0000	7.6000
Lead, total	ug/L	MW-7	04/01/2025	ND	1.0000	7.6000
Nickel, total	ug/L	MW-1	04/01/2025		18.2000	85.0212
Nickel, total	ug/L	MW-7	04/01/2025	ND	5.0000	85.0212
Selenium, total	ug/L	MW-1	04/01/2025	ND	2.0000	4.0000
Selenium, total	ug/L	MW-7	04/01/2025	ND	2.0000	4.0000
Vanadium, total	ug/L	MW-1	04/01/2025	ND	2.0000	20.0000
Vanadium, total	ug/L	MW-7	04/01/2025	ND	2.0000	20.0000
Zinc, total	ug/L	MW-1	04/01/2025	ND	5.0000	67.9000
Zinc, total	ug/L	MW-7	04/01/2025	ND	5.0000	67.9000

* - Current value failed - awaiting verification.

** - Current value passed - previous exceedance not verified.

*** - Current value failed - exceedance verified.

**** - Current value passed - awaiting one more verification.

***** - Insufficient background data to compute prediction limit.

ND = Not Detected, Result = detection limit.

Table 3**Detection Frequencies in Upgradient and Downgradient Wells**

Constituent	Detect	Upgradient N	Proportion	Detect	Downgradient N	Proportion
Antimony, total	1	11	0.091	0	9	0.000
Arsenic, total	17	41	0.415	2	28	0.071
Barium, total	41	41	1.000	28	28	1.000
Cadmium, total	3	41	0.073	3	28	0.107
Chromium, total	22	38	0.579	2	26	0.077
Cobalt, total	8	14	0.571	6	11	0.545
Copper, total	17	41	0.415	1	28	0.036
Lead, total	6	37	0.162	0	26	0.000
Nickel, total	7	14	0.500	7	11	0.636
Selenium, total	0	14	0.000	0	11	0.000
Vanadium, total	1	11	0.091	0	9	0.000
Zinc, total	14	41	0.341	5	28	0.179

N = Total number of measurements in all wells.

Detect = Total number of detections in all wells.

Proportion = Detect/N.

Table 4

Shapiro-Wilk Multiple Group Test of Normality

Constituent	Detect	N	Detect Freq	G raw	G log	G cbrt	G sqrt	G sqr	G cub	Crit Value	Dist Form	Model Type
Antimony, total	1	11	0.091	1.585	1.585					2.326	normal	nonpar
Arsenic, total	17	41	0.415	5.361	5.705					2.326	non-norm	nonpar
Barium, total	41	41	1.000	3.838	1.594					2.326	lognor	lognor
Cadmium, total	3	41	0.073	26.084	26.084					2.326	non-norm	nonpar
Chromium, total	22	38	0.579	3.607	4.126					2.326	non-norm	nonpar
Cobalt, total	8	14	0.571	1.724	2.247					2.326	normal	normal
Copper, total	17	41	0.415	16.065	15.055					2.326	non-norm	nonpar
Lead, total	6	37	0.162	19.849	20.204					2.326	non-norm	nonpar
Nickel, total	7	14	0.500	2.455	2.142					2.326	lognor	lognor
Selenium, total	0	14	0.000	2.509	2.509					2.326	non-norm	nonpar
Vanadium, total	1	11	0.091	1.585	1.585					2.326	normal	nonpar
Zinc, total	14	41	0.341	7.562	6.869					2.326	non-norm	nonpar

* - Distribution override for that constituent.

Fit to distribution is confirmed if $G \leq$ critical value.

Model type may not match distributional form when detection frequency < 50%.

Table 5

Summary Statistics and Prediction Limits

Constituent	Units	Detect	N	Mean	SD	alpha	Factor	Pred Limit	Type		Conf
Antimony, total	ug/L	1	11					2.0000	nonpar	***	0.98
Arsenic, total	ug/L	17	41					57.3000	nonpar		0.99
Barium, total	ug/L	41	41	5.6476	0.4842	0.0100	2.4525	929.9110	lognor		
Cadmium, total	ug/L	3	41					2.2000	nonpar		0.99
Chromium, total	ug/L	22	38					19.5000	nonpar		0.99
Cobalt, total	ug/L	8	14	1.0571	1.8223	0.0100	2.7400	6.0500	normal		
Copper, total	ug/L	17	41					26.5000	nonpar		0.99
Lead, total	ug/L	6	37					7.6000	nonpar		0.99
Nickel, total	ug/L	7	14	1.0972	1.2211	0.0100	2.7400	85.0212	lognor		
Selenium, total	ug/L	0	14					4.0000	nonpar	***	0.98
Vanadium, total	ug/L	1	11					20.0000	nonpar	***	0.98
Zinc, total	ug/L	14	41					67.9000	nonpar		0.99

Conf = confidence level for passing initial test or one verification resample at all downgradient wells for a single constituent (nonparametric test only).

* - Insufficient Data.

** - Calculated limit raised to Manual Reporting Limit.

*** - Nonparametric limit based on ND value.

For transformed data, mean and SD in transformed units and prediction limit in original units.

All sample sizes and statistics are based on outlier free data.

For nonparametric limits, median reporting limits are substituted for extreme reporting limit values.

Table 8

**Historical Downgradient Data for Constituent-Well Combinations
that Failed the Current Statistical Evaluation or
are in Verification Resampling Mode**

Constituent	Units	Well	Date	Result		Pred. Limit
Barium, total	ug/L	MW-1	10/04/2018	1000.0000	*	929.9110
Barium, total	ug/L	MW-1	04/15/2019	1060.0000	*	929.9110
Barium, total	ug/L	MW-1	10/08/2019	1020.0000	*	929.9110
Barium, total	ug/L	MW-1	04/08/2020	995.0000	*	929.9110
Barium, total	ug/L	MW-1	10/02/2020	1000.0000	*	929.9110
Barium, total	ug/L	MW-1	04/12/2021	1060.0000	*	929.9110
Barium, total	ug/L	MW-1	10/26/2021	960.0000	*	929.9110
Barium, total	ug/L	MW-1	04/12/2022	1030.0000	*	929.9110
Barium, total	ug/L	MW-1	10/07/2022	1000.0000	*	929.9110
Barium, total	ug/L	MW-1	04/19/2023	1020.0000	*	929.9110
Barium, total	ug/L	MW-1	10/25/2023	1090.0000	*	929.9110
Barium, total	ug/L	MW-1	04/18/2024	1100.0000	*	929.9110
Barium, total	ug/L	MW-1	10/17/2024	895.0000		929.9110
Barium, total	ug/L	MW-1	04/01/2025	1120.0000	*	929.9110


* - Significantly increased over background.

** - Detect at limit for 100% NDs in background (NPPL only).


*** - Manual exclusion.

ND = Not Detected, Result = detection limit.


Up vs. Down Prediction Limits




Graph 1




Graph 2




Graph 3



Graph 4




Graph 5




Graph 6


Up vs. Down Prediction Limits




Graph 7




Graph 8




Graph 9



Graph 10




Graph 11




Graph 12


Up vs. Down Prediction Limits




Graph 13




Graph 14




Graph 15



Graph 16




Graph 17




Graph 18


Up vs. Down Prediction Limits




Graph 19




Graph 20




Graph 21



Graph 22




Graph 23



Graph 24

False Positive and False Negative Rates for Current Upgradient vs. Downgradient Monitoring Program



Worksheet 1 - Upgradient vs. Downgradient Comparisons**Antimony, total (ug/L)****Nonparametric Prediction Limit**

<u>Step</u>	<u>Equation</u>	<u>Description</u>
1	PL = max(X) = 2.0	Compute nonparametric prediction limit as largest background measurement.
2	Conf = 0.975	Confidence level is based on N, K and resampling strategy (see Gibbons 1994).

Worksheet 1 - Upgradient vs. Downgradient Comparisons**Arsenic, total (ug/L)****Nonparametric Prediction Limit**

<u>Step</u>	<u>Equation</u>	<u>Description</u>
1	PL = max(X) = 57.3	Compute nonparametric prediction limit as largest background measurement.
2	Conf = 0.99	Confidence level is based on N, K and resampling strategy (see Gibbons 1994).

Worksheet 1 - Upgradient vs. Downgradient Comparisons**Barium, total (ug/L)****Lognormal Prediction Limit**

<u>Step</u>	<u>Equation</u>	<u>Description</u>
1	$Y = \log_e(X)$	Transform to natural logarithmic scale.
2	$\bar{Y} = \text{sum}[Y] / N$ = 231.553 / 41 = 5.648	Compute mean on a natural log scale.
3	$S_Y = ((\text{sum}[Y^2] - \text{sum}[Y]^2/N) / (N-1))^{1/2}$ = ((1317.103 - 53616.76/41) / (41-1)) ^{1/2} = 0.484	Compute sd on a natural log scale.
4	$\alpha = \min[(1-.95^{1/K})^{1/2}, .01]$ = min[(1-.95 ^{1/24}) ^{1/2} , .01] = 0.01	Adjusted per comparison false positive rate. Pass initial or 1 resample.
5	$PL = \exp[\bar{Y} + tS_Y(1+1/N)^{1/2}]$ = exp[5.648 + (2.423*0.484)(1+1/41) ^{1/2}] = 929.911	One-sided lognormal prediction limit (t is Student's t on N-1 degrees of freedom and 1-alpha confidence level).

Worksheet 1 - Upgradient vs. Downgradient Comparisons**Cadmium, total (ug/L)****Nonparametric Prediction Limit**

<u>Step</u>	<u>Equation</u>	<u>Description</u>
1	PL = max(X) = 2.2	Compute nonparametric prediction limit as largest background measurement.
2	Conf = 0.99	Confidence level is based on N, K and resampling strategy (see Gibbons 1994).

Worksheet 1 - Upgradient vs. Downgradient Comparisons**Chromium, total (ug/L)****Nonparametric Prediction Limit**

<u>Step</u>	<u>Equation</u>	<u>Description</u>
1	PL = max(X) = 19.5	Compute nonparametric prediction limit as largest background measurement.
2	Conf = 0.99	Confidence level is based on N, K and resampling strategy (see Gibbons 1994).

Worksheet 1 - Upgradient vs. Downgradient Comparisons**Cobalt, total (ug/L)****Normal Prediction Limit**

<u>Step</u>	<u>Equation</u>	<u>Description</u>
1	$\bar{X}_1 = \text{sum}[X_1] / N_1$ $= 14.8 / 8$ $= 1.85$	Compute mean of N_1 detected measurements.
2	$S_1 = ((\text{sum}[X_1^2] - \text{sum}[X_1]^2 / N_1) / (N_1 - 1))^{1/2}$ $= ((57.0 - 219.04/8) / (8-1))^{1/2}$ $= 2.057$	Compute sd of N_1 detected measurements.
3	$\bar{X} = (1 - N_0/N) \bar{X}_1$ $= (1 - 6/14) 1.85$ $= 1.057$	Use Aitchison's method to adjust mean for presence of nondetects.
4	$S = [(1 - N_0/N) * S_1^2 + (N_0/N) (1 - (N_0-1)/(N-1)) \bar{X}_1^2]^{1/2}$ $= [(1 - 6/14) * 2.057^2 + (6/14) (1 - (6-1)/(14-1)) 1.85^2]^{1/2}$ $= 1.822$	Use Aitchison's method to adjust sd for presence of nondetects.
5	$\alpha = \min[(1 - .95^{1/K})^{1/2}, .01]$ $= \min[(1 - .95^{1/24})^{1/2}, .01]$ $= 0.01$	Adjusted per comparison false positive rate. Pass initial or 1 resample.
6	$PL = \bar{X} + tS(1+1/N)^{1/2}$ $= 1.057$ $+ (2.647 * 1.822)(1+1/14)^{1/2}$ $= 6.05$	One-sided normal prediction limit (t is Student's t on N-1 degrees of freedom and 1-alpha confidence level).

Worksheet 1 - Upgradient vs. Downgradient Comparisons**Copper, total (ug/L)****Nonparametric Prediction Limit**

<u>Step</u>	<u>Equation</u>	<u>Description</u>
1	$PL = \max(X)$ $= 26.5$	Compute nonparametric prediction limit as largest background measurement.
2	Conf = 0.99	Confidence level is based on N, K and resampling strategy (see Gibbons 1994).

Worksheet 1 - Upgradient vs. Downgradient Comparisons**Lead, total (ug/L)****Nonparametric Prediction Limit**

<u>Step</u>	<u>Equation</u>	<u>Description</u>
1	$PL = \max(X)$ $= 7.6$	Compute nonparametric prediction limit as largest background measurement.
2	Conf = 0.99	Confidence level is based on N, K and resampling strategy (see Gibbons 1994).

Worksheet 1 - Upgradient vs. Downgradient Comparisons**Nickel, total (ug/L)****Lognormal Prediction Limit**

<u>Step</u>	<u>Equation</u>	<u>Description</u>
1	$Y = \log_e(X)$	Transform to natural logarithmic scale.
2	$\bar{Y}_1 = \text{sum}[Y_1] / N_1$ $= 15.361 / 7$ $= 2.194$	Compute mean of N_1 detected log transformed measurements.
3	$S_{Y_1} = ((\text{sum}[Y_1^2] - \text{sum}[Y_1]^2 / N_1) / (N_1 - 1))^{1/2}$ $= ((36.043 - 235.965/7) / (7-1))^{1/2}$ $= 0.624$	Compute sd of N_1 detected log transformed measurements.
4	$\bar{Y} = (1 - N_0/N) \bar{Y}_1$ $= (1 - 7/14) 2.194$ $= 1.097$	Use Aitchison's method to adjust mean for presence of nondetects (log scale).
5	$S_Y = [(1 - N_0/N) * S_{Y_1}^2 + (N_0/N) (1 - (N_0 - 1)/(N - 1)) \bar{Y}_1^2]^{1/2}$ $= [(1 - 7/14) * 0.624^2 + (7/14) (1 - (7-1)/(14-1)) 2.194^2]^{1/2}$ $= 1.221$	Use Aitchison's method to adjust sd for presence of nondetects (log scale).
6	$\alpha = \min[(1 - .95^{1/K})^{1/2}, .01]$ $= \min[(1 - .95^{1/24})^{1/2}, .01]$ $= 0.01$	Adjusted per comparison false positive rate. Pass initial or 1 resample.
7	$PL = \exp[\bar{Y} + t S_Y (1 + 1/N)^{1/2}]$ $= \exp[1.097 + (2.647 * 1.221) (1 + 1/14)^{1/2}]$ $= 85.021$	One-sided lognormal prediction limit (t is Student's t on N-1 degrees of freedom and 1-alpha confidence level).

Worksheet 1 - Upgradient vs. Downgradient Comparisons**Selenium, total (ug/L)****Nonparametric Prediction Limit**

<u>Step</u>	<u>Equation</u>	<u>Description</u>
1	PL = median(X) = 4.0	Compute nonparametric prediction limit as median reporting limit in background.
2	Conf = 0.984	Confidence level is based on N, K and resampling strategy (see Gibbons 1994).

Worksheet 1 - Upgradient vs. Downgradient Comparisons**Vanadium, total (ug/L)****Nonparametric Prediction Limit**

<u>Step</u>	<u>Equation</u>	<u>Description</u>
1	PL = max(X) = 20.0	Compute nonparametric prediction limit as largest background measurement.
2	Conf = 0.975	Confidence level is based on N, K and resampling strategy (see Gibbons 1994).

Worksheet 1 - Upgradient vs. Downgradient Comparisons**Zinc, total (ug/L)****Nonparametric Prediction Limit**

<u>Step</u>	<u>Equation</u>	<u>Description</u>
1	PL = max(X) = 67.9	Compute nonparametric prediction limit as largest background measurement.
2	Conf = 0.99	Confidence level is based on N, K and resampling strategy (see Gibbons 1994).

Attachment C

Assessment Statistics

Table 1

**Confidence Intervals for Comparing the Mean of the Last
4 Measurements to an Assessment Monitoring Standard**

Constituent	Units	Well	N	Mean	SD	Factor	95% LCL	95% UCL	Standard	Trend
Barium, total	ug/L	MW-1	4	1051.250	104.911	1.176	927.845	1174.655	2000.000	
cis-1,2-Dichloroethylene	ug/L	MW-1	4	1.875	0.608	1.176	1.160	2.590	70.000	
Nickel, total	ug/L	MW-1	4	21.975	3.145	1.176	18.276	25.674	100.000	




* - Insufficient Data

** - Significant Exceedance

LCL = Lower Confidence Limit

UCL = Upper Confidence Limit

Confidence Limits (Assessment)



Worksheet 6 - Assessment Monitoring
Barium, total (ug/L) at MW-1

<u>Step</u>	<u>Equation</u>	<u>Description</u>
1	$\bar{X} = \text{sum}[X] / N$ $= 4205.0 / 4$ $= 1051.25$	Compute the mean of the last 4 measurements.
2	$S = ((\text{sum}[X^2] - \text{sum}[X]^2/N) / (N-1))^{1/2}$ $= ((4.45 \times 10^6 - 1.77 \times 10^7 / 4) / (4-1))^{1/2}$ $= 104.911$	Compute sd of the last 4 measurements.
3	$LCL = \bar{X} - tS/N^{1/2}$ $= 1051.25 - 2.353 * 104.911/4^{1/2}$ $= 927.845$	Compute lower confidence limit for the mean of the last 4 measurements.
4	$UCL = \bar{X} + tS/N^{1/2}$ $= 1051.25 + 2.353 * 104.911/4^{1/2}$ $= 1174.655$	Compute upper confidence limit for the mean of the last 4 measurements.
5	$N' = N * (N-1) / 2$ $= 14 * (14-1) / 2$ $= 91$	Number of sample pairs during trend detection period.
6	$S = 8.521$	Sen's estimator of trend.
7	$\text{var}(S) = 328.0$	Variance estimate for slope.
8	$M(S) = (N' \pm Z_{.995} * \text{var}(S)^{1/2}) / 2$ $= (91 \pm 2.576 * 328.0^{1/2}) / 2$ $= [22.173, 68.827]$	Ordinal positions for two-sided lower confidence limits for slope. The LCL and UCL are the M th largest slope estimates for the values shown. When the values are not integers, interpolation is used.
9	$CL(S) = [-22.056, 26.775]$	Two-sided confidence interval for slope.
10	the interval includes 0	There is no significant trend.

Worksheet 6 - Assessment Monitoring
cis-1,2-Dichloroethylene (ug/L) at MW-1

<u>Step</u>	<u>Equation</u>	<u>Description</u>
1	$\bar{X} = \text{sum}[X] / N$ $= 7.5 / 4$ $= 1.875$	Compute the mean of the last 4 measurements.
2	$S = ((\text{sum}[X^2] - \text{sum}[X]^2/N) / (N-1))^{1/2}$ $= ((15.17 - 56.25/4) / (4-1))^{1/2}$ $= 0.608$	Compute sd of the last 4 measurements.
3	$\text{LCL} = \bar{X} - tS/N^{1/2}$ $= 1.875 - 2.353 * 0.608/4^{1/2}$ $= 1.16$	Compute lower confidence limit for the mean of the last 4 measurements.
4	$\text{UCL} = \bar{X} + tS/N^{1/2}$ $= 1.875 + 2.353 * 0.608/4^{1/2}$ $= 2.59$	Compute upper confidence limit for the mean of the last 4 measurements.
5	$N' = N * (N-1) / 2$ $= 5 * (5-1) / 2$ $= 10$	Number of sample pairs during trend detection period.
6	$S = -0.525$	Sen's estimator of trend.
7	$\text{var}(S) = 16.667$	Variance estimate for slope.
8	$M(S) = (N' \pm Z_{.995} * \text{var}(S)^{1/2}) / 2$ $= (10 \pm 2.576 * 16.667^{1/2}) / 2$ $= [-0.258, 10.258]$	Ordinal positions for two-sided lower confidence limits for slope. The LCL and UCL are the M th largest slope estimates for the values shown. When the values are not integers, interpolation is used.
9	$\text{CL}(S) = [-2.077, 1.981]$	Two-sided confidence interval for slope.
10	the interval includes 0	There is no significant trend.

Worksheet 6 - Assessment Monitoring
Nickel, total (ug/L) at MW-1

<u>Step</u>	<u>Equation</u>	<u>Description</u>
1	$\bar{X} = \text{sum}[X] / N$ $= 87.9 / 4$ $= 21.975$	Compute the mean of the last 4 measurements.
2	$S = ((\text{sum}[X^2] - \text{sum}[X]^2/N) / (N-1))^{1/2}$ $= ((1961.27 - 7726.41/4) / (4-1))^{1/2}$ $= 3.145$	Compute sd of the last 4 measurements.
3	$\text{LCL} = \bar{X} - tS/N^{1/2}$ $= 21.975 - 2.353 * 3.145/4^{1/2}$ $= 18.276$	Compute lower confidence limit for the mean of the last 4 measurements.
4	$\text{UCL} = \bar{X} + tS/N^{1/2}$ $= 21.975 + 2.353 * 3.145/4^{1/2}$ $= 25.674$	Compute upper confidence limit for the mean of the last 4 measurements.
5	$N' = N * (N-1) / 2$ $= 6 * (6-1) / 2$ $= 15$	Number of sample pairs during trend detection period.
6	$S = -1.855$	Sen's estimator of trend.
7	$\text{var}(S) = 27.333$	Variance estimate for slope.
8	$M(S) = (N' \pm Z_{.995} * \text{var}(S)^{1/2}) / 2$ $= (15 \pm 2.576 * 27.333^{1/2}) / 2$ $= [0.766, 14.234]$	Ordinal positions for two-sided lower confidence limits for slope. The LCL and UCL are the M th largest slope estimates for the values shown. When the values are not integers, interpolation is used.
9	$\text{CL}(S) = [-8.146, 5.164]$	Two-sided confidence interval for slope.
10	the interval includes 0	There is no significant trend.

Table 1

Historical Volatile Organic Compound Detections

Constituent	Well	Date	Identifier	Result	Limit	Units
cis-1,2-Dichloroethylene	MW-1	4/19/2023		2.3	1.0	ug/L
cis-1,2-Dichloroethylene	MW-1	10/25/2023		2.6	1.0	ug/L
cis-1,2-Dichloroethylene	MW-1	4/18/2024		1.6	1.0	ug/L
cis-1,2-Dichloroethylene	MW-1	10/17/2024		1.2	1.0	ug/L
cis-1,2-Dichloroethylene	MW-1	4/01/2025		2.1	1.0	ug/L

Detections are shown for the constituents and sample points selected for the analysis
The Limit column refers to the laboratory reporting limit

Appendix C.2 – Fall Statistical Evaluation Report

Results of the Ground Water Statistics for Monona County Sanitary Landfill

Second Semi-Annual Monitoring Event in 2025

Prepared for:
Monona County Sanitary Landfill
31342 Hwy 37
Turin, IA

Prepared by:
Jeffrey A. Holmgren
Otter Creek Environmental Services, L.L.C.
Elgin, IL
(847) 464-1355

October 2025

INTRODUCTION

This report contains the results of the statistical analyses used to evaluate the ground water data obtained during the second semi-annual monitoring event in 2025 at Monona County Sanitary Landfill. The ground water at Monona County Sanitary Landfill is monitored by a network of wells including MW-1, MW-3R (upgradient), MW-4 (upgradient), MW-5 (upgradient), and MW-7. Monitoring wells MW-1, MW-3R, MW-4, MW-5, and MW-7 were sampled on October 10, 2025 and analyzed for the parameters required by permit. The statistical plan is designed to detect a release from the facility at the earliest indication so that it is protective of human health and the environment. The interwell methodology is described and then applied to the Monona County Sanitary Landfill data. The statistical plan conforms with IAC 567, Chapter 113.10, USEPA Guidance document (*“Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Unified Guidance”*, March 2009), and the American Society for Testing and Materials (ASTM) standard D6312-98, *Developing Appropriate Statistical Approaches for Ground-Water Detection Monitoring Programs*.

Ground Water Monitoring Program

The groundwater monitoring network for Monona County Sanitary Landfill includes MW-1, MW-3R, MW-4, MW-5, and MW-7. Each of the groundwater monitoring wells is to be sampled at least semiannually and analyzed for the trace metals including antimony, arsenic, barium, cadmium, chromium, cobalt, copper, lead, nickel, selenium, vanadium, and zinc. The ground water data obtained during the second semi-annual monitoring event in 2025 are summarized in Attachment A.

STATISTICAL METHODOLOGIES FOR DETECTION MONITORING

IAC 567, Chapter 113.10(4) provides several options for statistically evaluating the ground water data at those wells that monitor the open cells or contiguous MSWLF units. The preferred methods for comparing ground water data are using either prediction limits or using control charts. The site prediction limit method was applied to the Monona County Sanitary Landfill data using the DUMPStat[®] statistical program. DUMPStat[®] is a program for the statistical analysis of groundwater monitoring data using methods described in *“Statistical Methods for Groundwater Monitoring”* by Dr. Robert D. Gibbons. The DUMPStat program is completely consistent with all USEPA regulations and guidance and the ASTM D6312-98 guidance.

Interwell Statistics: Upgradient versus Downgradient Comparisons

Interwell statistics are appropriate when the upgradient and downgradient wells monitor the same ground water formation and there is similar variability in the upgradient and downgradient zones. Site prediction limits are determined by pooling the historical ground water data from hydraulically upgradient wells. This statistical method compares the current downgradient determinations to site prediction limits and checks for exceedances. The type of prediction limit utilized (e.g., parametric or nonparametric) is based on the detection frequency and the data distribution of each parameter in the background data. The distribution of the background data is tested for normality using the Shapiro-Wilk test (Gibbons, 1994 and USEPA 1992). If the constituent is normally distributed, a normal prediction limit is used. If normality is rejected by the Shapiro-Wilk test, the background data is transformed by taking the natural logarithm. The Shapiro-Wilk

test is then reapplied on the transformed data. If it is not rejected, lognormal prediction limits are used. If after transforming the data, normality is still rejected, nonparametric prediction limits are used for that analyte. The nonparametric prediction limit is the largest determination in the background measurements. For constituents where the background detection frequency is greater than 0% but less than 50%, nonparametric prediction limits will be used. If the detection frequency is 0% after thirteen samples have been collected, the practical quantitation limit (PQL) becomes the nonparametric prediction limit.

Results of the Interwell Statistics – Trace Metals

The background data used in this statistical analysis includes the ground water data collected from ground water wells MW-3R, MW-4, and MW-5 during the period from October 2018 through the current data. A summary of the background data from monitoring wells MW-3R, MW-4, and MW-5 is listed in Attachment B, Table 1 “Upgradient Data”. This statistical method compares the current downgradient determinations to site prediction limits and checks for exceedances.

Table 2 “Most Current Downgradient Monitoring Data”, summarizes the current data from downgradient wells MW-1 and MW-7, compared to the site prediction limits. Prediction limit exceedances are flagged with asterisks. . For the most current data, the site prediction limit exceedances detected are summarized in the table below.

Prediction Limit Exceedances during the Second Semi-Annual Monitoring Event in 2025

Well	Parameter	Result	Prediction Limit	Prediction Limit Type	Verified/ Awaiting verification
MW-1	Barium, µg/L	1110	951.0368	Lognormal	Verified
	Nickel, µg/L	20.5	19.6000	Nonparametric	Awaiting verification

The detection frequencies of the parameters in the up and down gradient monitoring wells are summarized in Table 3. Barium, chromium, cobalt, and nickel were detected at a frequency greater than or equal to 50% in the upgradient well so these metals were tested for normality. The remainder of the metals are rarely detected (less than 50%) in the upgradient wells so nonparametric prediction limits were be used in those cases.

Table 4 summarizes the results of the Shapiro-Wilk test. Table 5 is a summary of the statistics and prediction limits determined for the metals. Table 8 is a historical summary of the data at those wells that have indicated an exceedance. Time series graphs of each of the parameters at each well with the corresponding prediction limits are attached.

A statistical power curve indicates the expected false assessments for the site as a whole. The false positive rate for interwell analyses is the percentage of failures when the upgradient versus downgradient true mean difference equals zero. False negative rate indicates the chance of missing contamination at a single well for a single constituent. The statistical power is a function of the number of wells included, the number of constituents compared, the detection frequencies, and the data distributions involved. For interwell analysis, the site-wide false positive rate is 2% and the test becomes sensitive to 4 standard deviation unit increases over background.

Volatile Organic Compounds

Volatile Organic Compounds (VOCs) are generally man-made compounds not present in ambient ground water. If VOCs are detected above their statistical limit (i.e., the laboratory PQL or reporting limit), a verification resample will be conducted at the next scheduled sampling event. A statistical exceedance will be indicated if the VOC detection is confirmed by the subsequent monitoring.

Ground water well MW-1 was monitored for *cis*-1,2-dichloroethene during the second semi-annual monitoring event in 2025, because it was previously detected in 2023 and in 2024. There is a current detection of *cis*-1,2-Dichloroethene (1.3 µg/L) above the site-specific reporting limit at MW-1. The *cis*-1,2-dichloroethene detection is statistically since it confirms the April 2025 monitoring.

Exceedances

The current and previous verified exceedances were evaluated against the ground water protection standards (GWPS) using confidence limits calculated in accordance with the Statistical Analysis of Groundwater Monitoring Data at RCRA Facilities, USEPA, March 2009 (Attachment C). The analysis was conducted to evaluate whether verified concentrations are significantly above the water quality standard. The 95% lower confidence limit (LCL) for the mean of the historical data was used to evaluate whether the regulated unit is in compliance with the ground-water protection standards under 40 CFR 264 (e.g. whether the verified constituent is detected at a significant level above the GWPS). An exceedance is verified if the LCL is above the Regulatory GWPS.

The calculated 95% LCLs do not exceed the GWPS.

Attachment A

Ground Water Data obtained during the Second Semi-Annual Monitoring Event in 2025

Table 1**Analytical Data Summary for 10/10/2025**

Constituents	Units	MW-1	MW-3R	MW-4	MW-5	MW-7
Antimony, total	ug/L	<1.0	<1.0	1.1	1.4	<1.0
Arsenic, total	ug/L	2	<2	18	<2	<2
Barium, total	ug/L	1110	323	622	147	189
Cadmium, total	ug/L	<.2	<.2	.5	<.2	<.2
Chloride	mg/L	200				
Chromium, total	ug/L	1.0	12.7	5.3	6.6	<1.0
cis-1,2-Dichloroethylene	ug/L	1.3				
Cobalt, total	ug/L	3.0	<.5	4.2	<.5	<.5
Copper, total	ug/L	<5.0	<5.0	10.6	<5.0	<5.0
Lead, total	ug/L	<1.0	<1.0	4.5	<1.0	<1.0
Nickel, total	ug/L	20.5	<5.0	12.4	5.7	<5.0
Selenium, total	ug/L	<2	<2	<2	<2	<2
Vanadium, total	ug/L	<2.0	<2.0	6.5	<2.0	<2.0
Zinc, total	ug/L	<5.0	<5.0	24.9	14.2	<5.0

* - The displayed value is the arithmetic mean of multiple database matches.

Attachment B

Summary Tables and Graphs for the Interwell Comparisons

Table 1

Upgradient Data

Constituent	Units	Well	Date		Result	Adjusted	
Antimony, total	ug/L	MW-3R	10/25/2023	ND	2.0000		
Antimony, total	ug/L	MW-3R	04/18/2024	ND	2.0000		
Antimony, total	ug/L	MW-3R	10/17/2024	ND	2.0000		
Antimony, total	ug/L	MW-3R	04/01/2025	ND	1.0000	2.0000	**
Antimony, total	ug/L	MW-3R	10/10/2025	ND	1.0000	2.0000	**
Antimony, total	ug/L	MW-4	10/25/2023	ND	2.0000		
Antimony, total	ug/L	MW-4	04/18/2024	ND	2.0000		
Antimony, total	ug/L	MW-4	04/01/2025	ND	1.0000	2.0000	**
Antimony, total	ug/L	MW-4	10/10/2025		1.1000		
Antimony, total	ug/L	MW-5	10/25/2023	ND	2.0000		
Antimony, total	ug/L	MW-5	04/18/2024	ND	2.0000		
Antimony, total	ug/L	MW-5	10/17/2024	ND	2.0000		
Antimony, total	ug/L	MW-5	04/01/2025		1.1000		
Antimony, total	ug/L	MW-5	10/10/2025		1.4000		
Arsenic, total	ug/L	MW-3R	10/04/2018	ND	4.0000		
Arsenic, total	ug/L	MW-3R	04/15/2019	ND	4.0000		
Arsenic, total	ug/L	MW-3R	10/08/2019	ND	4.0000		
Arsenic, total	ug/L	MW-3R	04/08/2020	ND	4.0000		
Arsenic, total	ug/L	MW-3R	10/02/2020	ND	4.0000		
Arsenic, total	ug/L	MW-3R	04/12/2021	ND	4.0000		
Arsenic, total	ug/L	MW-3R	10/26/2021	ND	4.0000		
Arsenic, total	ug/L	MW-3R	04/12/2022	ND	4.0000		
Arsenic, total	ug/L	MW-3R	10/07/2022	ND	4.0000		
Arsenic, total	ug/L	MW-3R	04/19/2023	ND	4.0000		
Arsenic, total	ug/L	MW-3R	10/25/2023	ND	4.0000		
Arsenic, total	ug/L	MW-3R	04/18/2024	ND	4.0000		
Arsenic, total	ug/L	MW-3R	10/17/2024	ND	4.0000		
Arsenic, total	ug/L	MW-3R	04/01/2025	ND	2.0000	4.0000	**
Arsenic, total	ug/L	MW-3R	10/10/2025	ND	2.0000	4.0000	**
Arsenic, total	ug/L	MW-4	10/04/2018		57.3000		
Arsenic, total	ug/L	MW-4	04/15/2019	ND	4.0000		
Arsenic, total	ug/L	MW-4	10/08/2019		49.0000		
Arsenic, total	ug/L	MW-4	04/08/2020		16.7000		
Arsenic, total	ug/L	MW-4	10/02/2020		36.3000		
Arsenic, total	ug/L	MW-4	04/12/2021		31.2000		
Arsenic, total	ug/L	MW-4	10/26/2021		20.8000		
Arsenic, total	ug/L	MW-4	04/12/2022		20.4000		
Arsenic, total	ug/L	MW-4	10/07/2022		19.8000		
Arsenic, total	ug/L	MW-4	04/19/2023		23.9000		
Arsenic, total	ug/L	MW-4	10/25/2023		21.4000		
Arsenic, total	ug/L	MW-4	04/18/2024		26.9000		
Arsenic, total	ug/L	MW-4	04/01/2025		14.0000		
Arsenic, total	ug/L	MW-4	10/10/2025		18.0000		
Arsenic, total	ug/L	MW-5	10/04/2018		6.4000		
Arsenic, total	ug/L	MW-5	04/15/2019	ND	4.0000		
Arsenic, total	ug/L	MW-5	10/08/2019	ND	4.0000		
Arsenic, total	ug/L	MW-5	04/08/2020		6.0000		
Arsenic, total	ug/L	MW-5	10/02/2020	ND	4.0000		
Arsenic, total	ug/L	MW-5	04/12/2021		4.0000		
Arsenic, total	ug/L	MW-5	10/26/2021		5.6000		
Arsenic, total	ug/L	MW-5	04/12/2022	ND	4.0000		
Arsenic, total	ug/L	MW-5	10/07/2022	ND	4.0000		
Arsenic, total	ug/L	MW-5	04/19/2023	ND	4.0000		
Arsenic, total	ug/L	MW-5	10/25/2023		4.6000		
Arsenic, total	ug/L	MW-5	04/18/2024	ND	4.0000		
Arsenic, total	ug/L	MW-5	10/17/2024	ND	4.0000		
Arsenic, total	ug/L	MW-5	04/01/2025	ND	2.0000	4.0000	**
Arsenic, total	ug/L	MW-5	10/10/2025	ND	2.0000	4.0000	**
Barium, total	ug/L	MW-3R	10/04/2018		325.0000		
Barium, total	ug/L	MW-3R	04/15/2019		175.0000		
Barium, total	ug/L	MW-3R	10/08/2019		352.0000		
Barium, total	ug/L	MW-3R	04/08/2020		350.0000		
Barium, total	ug/L	MW-3R	10/02/2020		328.0000		
Barium, total	ug/L	MW-3R	04/12/2021		324.0000		
Barium, total	ug/L	MW-3R	10/26/2021		302.0000		
Barium, total	ug/L	MW-3R	04/12/2022		332.0000		
Barium, total	ug/L	MW-3R	10/07/2022		307.0000		
Barium, total	ug/L	MW-3R	04/19/2023		324.0000		
Barium, total	ug/L	MW-3R	10/25/2023		306.0000		
Barium, total	ug/L	MW-3R	04/18/2024		336.0000		
Barium, total	ug/L	MW-3R	10/17/2024		319.0000		
Barium, total	ug/L	MW-3R	04/01/2025		350.0000		
Barium, total	ug/L	MW-3R	10/10/2025		323.0000		
Barium, total	ug/L	MW-4	10/04/2018		228.0000		

* - Outlier for that well and constituent.

** - ND value replaced with median RL.

*** - ND value replaced with manual RL.

ND = Not detected, Result = detection limit.

Table 1

Upgradient Data

Constituent	Units	Well	Date		Result	Adjusted	
Barium, total	ug/L	MW-4	04/15/2019		154.0000		
Barium, total	ug/L	MW-4	10/08/2019		218.0000		
Barium, total	ug/L	MW-4	04/08/2020		295.0000		
Barium, total	ug/L	MW-4	10/02/2020		922.0000		
Barium, total	ug/L	MW-4	04/12/2021		744.0000		
Barium, total	ug/L	MW-4	10/26/2021		251.0000		
Barium, total	ug/L	MW-4	04/12/2022		442.0000		
Barium, total	ug/L	MW-4	10/07/2022		395.0000		
Barium, total	ug/L	MW-4	04/19/2023		445.0000		
Barium, total	ug/L	MW-4	10/25/2023		347.0000		
Barium, total	ug/L	MW-4	04/18/2024		490.0000		
Barium, total	ug/L	MW-4	04/01/2025		648.0000		
Barium, total	ug/L	MW-4	10/10/2025		622.0000		
Barium, total	ug/L	MW-5	10/04/2018		317.0000		
Barium, total	ug/L	MW-5	04/15/2019		80.7000		
Barium, total	ug/L	MW-5	10/08/2019		166.0000		
Barium, total	ug/L	MW-5	04/08/2020		484.0000		
Barium, total	ug/L	MW-5	10/02/2020		177.0000		
Barium, total	ug/L	MW-5	04/12/2021		254.0000		
Barium, total	ug/L	MW-5	10/26/2021		341.0000		
Barium, total	ug/L	MW-5	04/12/2022		195.0000		
Barium, total	ug/L	MW-5	10/07/2022		155.0000		
Barium, total	ug/L	MW-5	04/19/2023		146.0000		
Barium, total	ug/L	MW-5	10/25/2023		243.0000		
Barium, total	ug/L	MW-5	04/18/2024		175.0000		
Barium, total	ug/L	MW-5	10/17/2024		150.0000		
Barium, total	ug/L	MW-5	04/01/2025		145.0000		
Barium, total	ug/L	MW-5	10/10/2025		147.0000		
Cadmium, total	ug/L	MW-3R	10/04/2018	ND	0.8000		
Cadmium, total	ug/L	MW-3R	04/15/2019	ND	0.8000		
Cadmium, total	ug/L	MW-3R	10/08/2019	ND	0.8000		
Cadmium, total	ug/L	MW-3R	04/08/2020	ND	0.8000		
Cadmium, total	ug/L	MW-3R	10/02/2020	ND	0.8000		
Cadmium, total	ug/L	MW-3R	04/12/2021	ND	0.8000		
Cadmium, total	ug/L	MW-3R	10/26/2021	ND	0.8000		
Cadmium, total	ug/L	MW-3R	04/12/2022	ND	0.8000		
Cadmium, total	ug/L	MW-3R	10/07/2022	ND	0.8000		
Cadmium, total	ug/L	MW-3R	04/19/2023	ND	0.8000		
Cadmium, total	ug/L	MW-3R	10/25/2023	ND	0.8000		
Cadmium, total	ug/L	MW-3R	04/18/2024	ND	0.8000		
Cadmium, total	ug/L	MW-3R	10/17/2024	ND	0.8000		
Cadmium, total	ug/L	MW-3R	04/01/2025	ND	0.2000	0.8000	**
Cadmium, total	ug/L	MW-3R	10/10/2025	ND	0.2000	0.8000	**
Cadmium, total	ug/L	MW-4	10/04/2018	ND	0.8000		
Cadmium, total	ug/L	MW-4	04/15/2019	ND	0.8000		
Cadmium, total	ug/L	MW-4	10/08/2019	ND	0.8000		
Cadmium, total	ug/L	MW-4	04/08/2020	ND	0.8000		
Cadmium, total	ug/L	MW-4	10/02/2020	ND	0.8000		
Cadmium, total	ug/L	MW-4	04/12/2021	ND	0.8000		
Cadmium, total	ug/L	MW-4	10/26/2021	ND	0.8000		
Cadmium, total	ug/L	MW-4	04/12/2022	ND	0.8000		
Cadmium, total	ug/L	MW-4	10/07/2022	ND	0.8000		
Cadmium, total	ug/L	MW-4	04/19/2023	ND	0.8000		
Cadmium, total	ug/L	MW-4	10/25/2023	ND	0.8000		
Cadmium, total	ug/L	MW-4	04/18/2024	ND	0.8000		
Cadmium, total	ug/L	MW-4	04/01/2025	ND	0.2000		
Cadmium, total	ug/L	MW-4	10/10/2025	ND	0.5000		
Cadmium, total	ug/L	MW-5	10/04/2018	ND	0.8000		
Cadmium, total	ug/L	MW-5	04/15/2019	ND	0.8000		
Cadmium, total	ug/L	MW-5	10/08/2019	ND	0.8000		
Cadmium, total	ug/L	MW-5	04/08/2020	ND	0.8000		
Cadmium, total	ug/L	MW-5	10/02/2020	ND	0.8000		
Cadmium, total	ug/L	MW-5	04/12/2021	ND	0.8000		
Cadmium, total	ug/L	MW-5	10/26/2021	ND	2.2000		
Cadmium, total	ug/L	MW-5	04/12/2022	ND	0.8000		
Cadmium, total	ug/L	MW-5	10/07/2022	ND	0.8000		
Cadmium, total	ug/L	MW-5	04/19/2023	ND	0.8000		
Cadmium, total	ug/L	MW-5	10/25/2023	ND	0.8000		
Cadmium, total	ug/L	MW-5	04/18/2024	ND	0.8000		
Cadmium, total	ug/L	MW-5	10/17/2024	ND	0.8000		
Cadmium, total	ug/L	MW-5	04/01/2025	ND	0.2000	0.8000	**
Cadmium, total	ug/L	MW-5	10/10/2025	ND	0.2000	0.8000	**
Chromium, total	ug/L	MW-3R	04/15/2019	ND	8.0000		
Chromium, total	ug/L	MW-3R	10/08/2019		10.4000		

* - Outlier for that well and constituent.

** - ND value replaced with median RL.

*** - ND value replaced with manual RL.

ND = Not detected, Result = detection limit.

Table 1

Upgradient Data

Constituent	Units	Well	Date		Result	Adjusted	
Chromium, total	ug/L	MW-3R	04/08/2020		11.2000		
Chromium, total	ug/L	MW-3R	10/02/2020		10.7000		
Chromium, total	ug/L	MW-3R	04/12/2021		11.1000		
Chromium, total	ug/L	MW-3R	10/26/2021		10.6000		
Chromium, total	ug/L	MW-3R	04/12/2022		11.6000		
Chromium, total	ug/L	MW-3R	10/07/2022		11.0000		
Chromium, total	ug/L	MW-3R	04/19/2023		11.5000		
Chromium, total	ug/L	MW-3R	10/25/2023		11.8000		
Chromium, total	ug/L	MW-3R	04/18/2024		11.8000		
Chromium, total	ug/L	MW-3R	10/17/2024		12.5000		
Chromium, total	ug/L	MW-3R	04/01/2025		14.0000		
Chromium, total	ug/L	MW-3R	10/10/2025		12.7000		
Chromium, total	ug/L	MW-4	04/15/2019	ND	8.0000		
Chromium, total	ug/L	MW-4	10/08/2019	ND	8.0000		
Chromium, total	ug/L	MW-4	04/08/2020	ND	8.0000		
Chromium, total	ug/L	MW-4	10/02/2020	ND	8.0000		
Chromium, total	ug/L	MW-4	04/12/2021		9.0000		
Chromium, total	ug/L	MW-4	10/26/2021	ND	8.0000		
Chromium, total	ug/L	MW-4	04/12/2022	ND	8.0000		
Chromium, total	ug/L	MW-4	10/07/2022	ND	8.0000		
Chromium, total	ug/L	MW-4	04/19/2023	ND	8.0000		
Chromium, total	ug/L	MW-4	10/25/2023		10.4000		
Chromium, total	ug/L	MW-4	04/18/2024		13.1000		
Chromium, total	ug/L	MW-4	04/01/2025		3.6000		
Chromium, total	ug/L	MW-4	10/10/2025		5.3000		
Chromium, total	ug/L	MW-5	04/15/2019	ND	8.0000		
Chromium, total	ug/L	MW-5	10/08/2019	ND	8.0000		
Chromium, total	ug/L	MW-5	04/08/2020		13.4000		
Chromium, total	ug/L	MW-5	10/02/2020	ND	8.0000		
Chromium, total	ug/L	MW-5	04/12/2021		14.3000		
Chromium, total	ug/L	MW-5	10/26/2021		10.8000		
Chromium, total	ug/L	MW-5	04/12/2022		16.8000		
Chromium, total	ug/L	MW-5	10/07/2022	ND	8.0000		
Chromium, total	ug/L	MW-5	04/19/2023	ND	8.0000		
Chromium, total	ug/L	MW-5	10/25/2023		19.5000		
Chromium, total	ug/L	MW-5	04/18/2024	ND	8.0000		
Chromium, total	ug/L	MW-5	10/17/2024	ND	8.0000		
Chromium, total	ug/L	MW-5	04/01/2025		6.5000		
Chromium, total	ug/L	MW-5	10/10/2025		6.6000		
Cobalt, total	ug/L	MW-3R	10/04/2018	ND	0.8000	0.5000	**
Cobalt, total	ug/L	MW-3R	10/25/2023	ND	0.4000	0.5000	**
Cobalt, total	ug/L	MW-3R	04/18/2024	ND	0.4000	0.5000	**
Cobalt, total	ug/L	MW-3R	10/17/2024	ND	0.4000	0.5000	**
Cobalt, total	ug/L	MW-3R	04/01/2025	ND	0.5000		
Cobalt, total	ug/L	MW-3R	10/10/2025	ND	0.5000		
Cobalt, total	ug/L	MW-4	10/04/2018		1.4000		
Cobalt, total	ug/L	MW-4	10/25/2023		0.4000		
Cobalt, total	ug/L	MW-4	04/18/2024		1.0000		
Cobalt, total	ug/L	MW-4	04/01/2025		1.2000		
Cobalt, total	ug/L	MW-4	10/10/2025		4.2000		
Cobalt, total	ug/L	MW-5	10/04/2018		6.3000		
Cobalt, total	ug/L	MW-5	10/25/2023		3.5000		
Cobalt, total	ug/L	MW-5	04/18/2024		0.5000		
Cobalt, total	ug/L	MW-5	10/17/2024		0.5000		
Cobalt, total	ug/L	MW-5	04/01/2025	ND	0.5000		
Cobalt, total	ug/L	MW-5	10/10/2025	ND	0.5000		
Copper, total	ug/L	MW-3R	10/04/2018	ND	4.0000		
Copper, total	ug/L	MW-3R	04/15/2019		15.4000		
Copper, total	ug/L	MW-3R	10/08/2019	ND	4.0000		
Copper, total	ug/L	MW-3R	04/08/2020	ND	4.0000		
Copper, total	ug/L	MW-3R	10/02/2020	ND	4.0000		
Copper, total	ug/L	MW-3R	04/12/2021	ND	4.0000		
Copper, total	ug/L	MW-3R	10/26/2021	ND	4.0000		
Copper, total	ug/L	MW-3R	04/12/2022	ND	4.0000		
Copper, total	ug/L	MW-3R	10/07/2022	ND	4.0000		
Copper, total	ug/L	MW-3R	04/19/2023	ND	4.0000		
Copper, total	ug/L	MW-3R	10/25/2023	ND	4.0000		
Copper, total	ug/L	MW-3R	04/18/2024	ND	4.0000		
Copper, total	ug/L	MW-3R	10/17/2024	ND	4.0000		
Copper, total	ug/L	MW-3R	04/01/2025	ND	5.0000	4.0000	**
Copper, total	ug/L	MW-3R	10/10/2025	ND	5.0000	4.0000	**
Copper, total	ug/L	MW-4	10/04/2018		6.9000		
Copper, total	ug/L	MW-4	04/15/2019	ND	4.0000		
Copper, total	ug/L	MW-4	10/08/2019		6.9000		

* - Outlier for that well and constituent.

** - ND value replaced with median RL.

*** - ND value replaced with manual RL.

ND = Not detected, Result = detection limit.

Table 1

Upgradient Data

Constituent	Units	Well	Date		Result	Adjusted	
Copper, total	ug/L	MW-4	04/08/2020		4.1000		
Copper, total	ug/L	MW-4	10/02/2020		15.1000		
Copper, total	ug/L	MW-4	04/12/2021		16.7000		
Copper, total	ug/L	MW-4	10/26/2021		4.3000		
Copper, total	ug/L	MW-4	04/12/2022		7.0000		
Copper, total	ug/L	MW-4	10/07/2022		5.6000		
Copper, total	ug/L	MW-4	04/19/2023		4.8000		
Copper, total	ug/L	MW-4	10/25/2023	ND	4.0000		
Copper, total	ug/L	MW-4	04/18/2024		6.5000		
Copper, total	ug/L	MW-4	04/01/2025	ND	5.0000	4.0000	**
Copper, total	ug/L	MW-4	10/10/2025		10.6000		
Copper, total	ug/L	MW-5	10/04/2018		16.4000		
Copper, total	ug/L	MW-5	04/15/2019	ND	4.0000		
Copper, total	ug/L	MW-5	10/08/2019	ND	4.0000		
Copper, total	ug/L	MW-5	04/08/2020		26.5000		
Copper, total	ug/L	MW-5	10/02/2020	ND	4.0000		
Copper, total	ug/L	MW-5	04/12/2021		8.4000		
Copper, total	ug/L	MW-5	10/26/2021		14.7000		
Copper, total	ug/L	MW-5	04/12/2022		4.6000		
Copper, total	ug/L	MW-5	10/07/2022	ND	4.0000		
Copper, total	ug/L	MW-5	04/19/2023	ND	4.0000		
Copper, total	ug/L	MW-5	10/25/2023		8.9000		
Copper, total	ug/L	MW-5	04/18/2024	ND	4.0000		
Copper, total	ug/L	MW-5	10/17/2024	ND	4.0000		
Copper, total	ug/L	MW-5	04/01/2025	ND	5.0000	4.0000	**
Copper, total	ug/L	MW-5	10/10/2025	ND	5.0000	4.0000	**
Lead, total	ug/L	MW-3R	04/15/2019		5.6000		
Lead, total	ug/L	MW-3R	10/08/2019	ND	4.0000		
Lead, total	ug/L	MW-3R	04/08/2020	ND	4.0000		
Lead, total	ug/L	MW-3R	10/02/2020	ND	4.0000		
Lead, total	ug/L	MW-3R	04/12/2021	ND	4.0000		
Lead, total	ug/L	MW-3R	10/26/2021	ND	4.0000		
Lead, total	ug/L	MW-3R	04/12/2022	ND	4.0000		
Lead, total	ug/L	MW-3R	10/07/2022	ND	4.0000		
Lead, total	ug/L	MW-3R	04/19/2023	ND	4.0000		
Lead, total	ug/L	MW-3R	10/25/2023	ND	4.0000		
Lead, total	ug/L	MW-3R	04/18/2024	ND	4.0000		
Lead, total	ug/L	MW-3R	10/17/2024	ND	4.0000		
Lead, total	ug/L	MW-3R	04/01/2025	ND	1.0000	4.0000	**
Lead, total	ug/L	MW-3R	10/10/2025	ND	1.0000	4.0000	**
Lead, total	ug/L	MW-4	04/15/2019	ND	4.0000		
Lead, total	ug/L	MW-4	10/08/2019	ND	4.0000		
Lead, total	ug/L	MW-4	04/08/2020	ND	4.0000		
Lead, total	ug/L	MW-4	10/02/2020	ND	4.0000		
Lead, total	ug/L	MW-4	04/12/2021		4.2000		
Lead, total	ug/L	MW-4	10/26/2021	ND	4.0000		
Lead, total	ug/L	MW-4	04/12/2022	ND	4.0000		
Lead, total	ug/L	MW-4	10/07/2022	ND	4.0000		
Lead, total	ug/L	MW-4	04/19/2023	ND	4.0000		
Lead, total	ug/L	MW-4	10/25/2023	ND	4.0000		
Lead, total	ug/L	MW-4	04/18/2024	ND	4.0000		
Lead, total	ug/L	MW-4	04/01/2025		1.0000		
Lead, total	ug/L	MW-4	10/10/2025		4.5000		
Lead, total	ug/L	MW-5	04/15/2019	ND	4.0000		
Lead, total	ug/L	MW-5	10/08/2019	ND	4.0000		
Lead, total	ug/L	MW-5	04/08/2020		15.5000		*
Lead, total	ug/L	MW-5	10/02/2020	ND	4.0000		
Lead, total	ug/L	MW-5	04/12/2021		4.9000		
Lead, total	ug/L	MW-5	10/26/2021		7.6000		
Lead, total	ug/L	MW-5	04/12/2022	ND	4.0000		
Lead, total	ug/L	MW-5	10/07/2022	ND	4.0000		
Lead, total	ug/L	MW-5	04/19/2023	ND	4.0000		
Lead, total	ug/L	MW-5	10/25/2023		4.6000		
Lead, total	ug/L	MW-5	04/18/2024	ND	4.0000		
Lead, total	ug/L	MW-5	10/17/2024	ND	4.0000		
Lead, total	ug/L	MW-5	04/01/2025	ND	1.0000	4.0000	**
Lead, total	ug/L	MW-5	10/10/2025	ND	1.0000	4.0000	**
Nickel, total	ug/L	MW-3R	10/04/2018	ND	4.0000		
Nickel, total	ug/L	MW-3R	10/25/2023	ND	4.0000		
Nickel, total	ug/L	MW-3R	04/18/2024	ND	4.0000		
Nickel, total	ug/L	MW-3R	10/17/2024	ND	4.0000		
Nickel, total	ug/L	MW-3R	04/01/2025	ND	5.0000	4.0000	**
Nickel, total	ug/L	MW-3R	10/10/2025	ND	5.0000	4.0000	**
Nickel, total	ug/L	MW-4	10/04/2018	ND	4.0000		

* - Outlier for that well and constituent.

** - ND value replaced with median RL.

*** - ND value replaced with manual RL.

ND = Not detected, Result = detection limit.

Table 1

Upgradient Data

Constituent	Units	Well	Date		Result	Adjusted	
Nickel, total	ug/L	MW-4	10/25/2023		9.7000		
Nickel, total	ug/L	MW-4	04/18/2024		10.1000		
Nickel, total	ug/L	MW-4	04/01/2025		5.4000		
Nickel, total	ug/L	MW-4	10/10/2025		12.4000		
Nickel, total	ug/L	MW-5	10/04/2018		19.5000		
Nickel, total	ug/L	MW-5	10/25/2023		19.6000		
Nickel, total	ug/L	MW-5	04/18/2024		5.8000		
Nickel, total	ug/L	MW-5	10/17/2024		4.0000		
Nickel, total	ug/L	MW-5	04/01/2025	ND	5.0000	4.0000	**
Nickel, total	ug/L	MW-5	10/10/2025		5.7000		
Selenium, total	ug/L	MW-3R	10/04/2018	ND	4.0000		
Selenium, total	ug/L	MW-3R	10/25/2023	ND	4.0000		
Selenium, total	ug/L	MW-3R	04/18/2024	ND	4.0000		
Selenium, total	ug/L	MW-3R	10/17/2024	ND	4.0000		
Selenium, total	ug/L	MW-3R	04/01/2025	ND	2.0000	4.0000	**
Selenium, total	ug/L	MW-3R	10/10/2025	ND	2.0000	4.0000	**
Selenium, total	ug/L	MW-4	10/04/2018	ND	4.0000		
Selenium, total	ug/L	MW-4	10/25/2023	ND	4.0000		
Selenium, total	ug/L	MW-4	04/18/2024	ND	4.0000		
Selenium, total	ug/L	MW-4	04/01/2025	ND	2.0000	4.0000	**
Selenium, total	ug/L	MW-4	10/10/2025	ND	2.0000	4.0000	**
Selenium, total	ug/L	MW-5	10/04/2018	ND	4.0000		
Selenium, total	ug/L	MW-5	10/25/2023	ND	4.0000		
Selenium, total	ug/L	MW-5	04/18/2024	ND	4.0000		
Selenium, total	ug/L	MW-5	10/17/2024	ND	4.0000		
Selenium, total	ug/L	MW-5	04/01/2025	ND	2.0000	4.0000	**
Selenium, total	ug/L	MW-5	10/10/2025	ND	2.0000	4.0000	**
Vanadium, total	ug/L	MW-3R	10/25/2023	ND	20.0000		
Vanadium, total	ug/L	MW-3R	04/18/2024	ND	20.0000		
Vanadium, total	ug/L	MW-3R	10/17/2024	ND	20.0000		
Vanadium, total	ug/L	MW-3R	04/01/2025	ND	2.0000	20.0000	**
Vanadium, total	ug/L	MW-3R	10/10/2025	ND	2.0000	20.0000	**
Vanadium, total	ug/L	MW-4	10/25/2023	ND	20.0000		
Vanadium, total	ug/L	MW-4	04/18/2024	ND	20.0000		
Vanadium, total	ug/L	MW-4	04/01/2025		3.3000		
Vanadium, total	ug/L	MW-4	10/10/2025		6.5000		
Vanadium, total	ug/L	MW-5	10/25/2023	ND	20.0000		
Vanadium, total	ug/L	MW-5	04/18/2024	ND	20.0000		
Vanadium, total	ug/L	MW-5	10/17/2024	ND	20.0000		
Vanadium, total	ug/L	MW-5	04/01/2025	ND	2.0000	20.0000	**
Vanadium, total	ug/L	MW-5	10/10/2025	ND	2.0000	20.0000	**
Zinc, total	ug/L	MW-3R	10/04/2018	ND	20.0000		
Zinc, total	ug/L	MW-3R	04/15/2019		59.3000		
Zinc, total	ug/L	MW-3R	10/08/2019		14.1000		
Zinc, total	ug/L	MW-3R	04/08/2020	ND	20.0000		
Zinc, total	ug/L	MW-3R	10/02/2020	ND	20.0000		
Zinc, total	ug/L	MW-3R	04/12/2021	ND	20.0000		
Zinc, total	ug/L	MW-3R	10/26/2021	ND	20.0000		
Zinc, total	ug/L	MW-3R	04/12/2022	ND	20.0000		
Zinc, total	ug/L	MW-3R	10/07/2022	ND	20.0000		
Zinc, total	ug/L	MW-3R	04/19/2023	ND	20.0000		
Zinc, total	ug/L	MW-3R	10/25/2023	ND	20.0000		
Zinc, total	ug/L	MW-3R	04/18/2024	ND	20.0000		
Zinc, total	ug/L	MW-3R	10/17/2024	ND	20.0000		
Zinc, total	ug/L	MW-3R	04/01/2025	ND	5.0000	20.0000	**
Zinc, total	ug/L	MW-3R	10/10/2025	ND	5.0000	20.0000	**
Zinc, total	ug/L	MW-4	10/04/2018		31.9000		
Zinc, total	ug/L	MW-4	04/15/2019	ND	20.0000		
Zinc, total	ug/L	MW-4	10/08/2019		24.6000		
Zinc, total	ug/L	MW-4	04/08/2020	ND	20.0000		
Zinc, total	ug/L	MW-4	10/02/2020		32.5000		
Zinc, total	ug/L	MW-4	04/12/2021		40.9000		
Zinc, total	ug/L	MW-4	10/26/2021	ND	20.0000		
Zinc, total	ug/L	MW-4	04/12/2022	ND	20.0000		
Zinc, total	ug/L	MW-4	10/07/2022		22.0000		
Zinc, total	ug/L	MW-4	04/19/2023	ND	20.0000		
Zinc, total	ug/L	MW-4	10/25/2023	ND	20.0000		
Zinc, total	ug/L	MW-4	04/18/2024	ND	20.0000		
Zinc, total	ug/L	MW-4	04/01/2025		8.6000		
Zinc, total	ug/L	MW-4	10/10/2025		24.9000		
Zinc, total	ug/L	MW-5	10/04/2018		67.9000		
Zinc, total	ug/L	MW-5	04/15/2019	ND	20.0000		
Zinc, total	ug/L	MW-5	10/08/2019		44.6000		
Zinc, total	ug/L	MW-5	04/08/2020		65.8000		

* - Outlier for that well and constituent.

** - ND value replaced with median RL.

*** - ND value replaced with manual RL.

ND = Not detected, Result = detection limit.

Table 1

Upgradient Data

Constituent	Units	Well	Date		Result	Adjusted	
Zinc, total	ug/L	MW-5	10/02/2020	ND	20.0000		
Zinc, total	ug/L	MW-5	04/12/2021		24.5000		
Zinc, total	ug/L	MW-5	10/26/2021		46.4000		
Zinc, total	ug/L	MW-5	04/12/2022	ND	20.0000		
Zinc, total	ug/L	MW-5	10/07/2022	ND	20.0000		
Zinc, total	ug/L	MW-5	04/19/2023	ND	20.0000		
Zinc, total	ug/L	MW-5	10/25/2023		36.5000		
Zinc, total	ug/L	MW-5	04/18/2024	ND	20.0000		
Zinc, total	ug/L	MW-5	10/17/2024	ND	20.0000		
Zinc, total	ug/L	MW-5	04/01/2025	ND	5.0000	20.0000	**
Zinc, total	ug/L	MW-5	10/10/2025		14.2000		

* - Outlier for that well and constituent.

** - ND value replaced with median RL.

*** - ND value replaced with manual RL.

ND = Not detected, Result = detection limit.

Table 2

Most Current Downgradient Monitoring Data

Constituent	Units	Well	Date		Result		Pred. Limit
Antimony, total	ug/L	MW-1	10/10/2025	ND	1.0000		2.0000
Antimony, total	ug/L	MW-7	10/10/2025	ND	1.0000		2.0000
Arsenic, total	ug/L	MW-1	10/10/2025		2.0000		57.3000
Arsenic, total	ug/L	MW-7	10/10/2025	ND	2.0000		57.3000
Barium, total	ug/L	MW-1	10/10/2025		1110.0000	***	951.0368
Barium, total	ug/L	MW-7	10/10/2025		189.0000		951.0368
Cadmium, total	ug/L	MW-1	10/10/2025	ND	0.2000		2.2000
Cadmium, total	ug/L	MW-7	10/10/2025	ND	0.2000		2.2000
Chromium, total	ug/L	MW-1	10/10/2025		1.0000		19.5000
Chromium, total	ug/L	MW-7	10/10/2025	ND	1.0000		19.5000
Cobalt, total	ug/L	MW-1	10/10/2025		3.0000		8.6169
Cobalt, total	ug/L	MW-7	10/10/2025	ND	0.5000		8.6169
Copper, total	ug/L	MW-1	10/10/2025	ND	5.0000		26.5000
Copper, total	ug/L	MW-7	10/10/2025	ND	5.0000		26.5000
Lead, total	ug/L	MW-1	10/10/2025	ND	1.0000		7.6000
Lead, total	ug/L	MW-7	10/10/2025	ND	1.0000		7.6000
Nickel, total	ug/L	MW-1	10/10/2025		20.5000	*	19.6000
Nickel, total	ug/L	MW-7	10/10/2025	ND	5.0000		19.6000
Selenium, total	ug/L	MW-1	10/10/2025	ND	2.0000		4.0000
Selenium, total	ug/L	MW-7	10/10/2025	ND	2.0000		4.0000
Vanadium, total	ug/L	MW-1	10/10/2025	ND	2.0000		20.0000
Vanadium, total	ug/L	MW-7	10/10/2025	ND	2.0000		20.0000
Zinc, total	ug/L	MW-1	10/10/2025	ND	5.0000		67.9000
Zinc, total	ug/L	MW-7	10/10/2025	ND	5.0000		67.9000

* - Current value failed - awaiting verification.

** - Current value passed - previous exceedance not verified.

*** - Current value failed - exceedance verified.

**** - Current value passed - awaiting one more verification.

***** - Insufficient background data to compute prediction limit.

ND = Not Detected, Result = detection limit.

Table 3**Detection Frequencies in Upgradient and Downgradient Wells**

Constituent	Detect	Upgradient N	Proportion	Detect	Downgradient N	Proportion
Antimony, total	3	14	0.214	0	11	0.000
Arsenic, total	18	44	0.409	3	30	0.100
Barium, total	44	44	1.000	30	30	1.000
Cadmium, total	4	44	0.091	3	30	0.100
Chromium, total	25	41	0.610	3	28	0.107
Cobalt, total	9	17	0.529	7	13	0.538
Copper, total	18	44	0.409	1	30	0.033
Lead, total	7	40	0.175	0	28	0.000
Nickel, total	9	17	0.529	8	13	0.615
Selenium, total	0	17	0.000	0	13	0.000
Vanadium, total	2	14	0.143	0	11	0.000
Zinc, total	16	44	0.364	5	30	0.167

N = Total number of measurements in all wells.

Detect = Total number of detections in all wells.

Proportion = Detect/N.

Table 4

Shapiro-Wilk Multiple Group Test of Normality

Constituent	Detect	N	Detect Freq	G raw	G log	G cbrt	G sqrt	G sqr	G cub	Crit Value	Dist Form	Model Type
Antimony, total	3	14	0.214	2.557	2.526					2.326	non-norm	nonpar
Arsenic, total	18	44	0.409	5.948	6.110					2.326	non-norm	nonpar
Barium, total	44	44	1.000	3.957	2.209					2.326	lognor	lognor
Cadmium, total	4	44	0.091	8.766	9.007					2.326	non-norm	nonpar
Chromium, total	25	41	0.610	3.116	3.592					2.326	non-norm	nonpar
Cobalt, total	9	17	0.529	3.524	2.313					2.326	lognor	lognor
Copper, total	18	44	0.409	6.785	5.806					2.326	non-norm	nonpar
Lead, total	7	40	0.175	18.960	19.399					2.326	non-norm	nonpar
Nickel, total	9	17	0.529	2.500	2.378					2.326	non-norm	nonpar
Selenium, total	0	17	0.000	3.308	3.308					2.326	non-norm	nonpar
Vanadium, total	2	14	0.143	2.538	2.249					2.326	lognor	nonpar
Zinc, total	16	44	0.364	7.661	6.747					2.326	non-norm	nonpar

* - Distribution override for that constituent.

Fit to distribution is confirmed if $G \leq$ critical value.

Model type may not match distributional form when detection frequency < 50%.

Table 5

Summary Statistics and Prediction Limits

Constituent	Units	Detect	N	Mean	SD	alpha	Factor	Pred Limit	Type		Conf
Antimony, total	ug/L	3	14					2.0000	nonpar	***	0.98
Arsenic, total	ug/L	18	44					57.3000	nonpar		0.99
Barium, total	ug/L	44	44	5.6535	0.4928	0.0100	2.4435	951.0368	lognor		
Cadmium, total	ug/L	4	44					2.2000	nonpar		0.99
Chromium, total	ug/L	25	41					19.5000	nonpar		0.99
Cobalt, total	ug/L	9	17	0.1614	0.7499	0.0100	2.6566	8.6169	lognor		
Copper, total	ug/L	18	44					26.5000	nonpar		0.99
Lead, total	ug/L	7	40					7.6000	nonpar		0.99
Nickel, total	ug/L	9	17					19.6000	nonpar		0.99
Selenium, total	ug/L	0	17					4.0000	nonpar	***	0.99
Vanadium, total	ug/L	2	14					20.0000	nonpar	***	0.98
Zinc, total	ug/L	16	44					67.9000	nonpar		0.99

Conf = confidence level for passing initial test or one verification resample at all downgradient wells for a single constituent (nonparametric test only).

* - Insufficient Data.

** - Calculated limit raised to Manual Reporting Limit.

*** - Nonparametric limit based on ND value.

For transformed data, mean and SD in transformed units and prediction limit in original units.

All sample sizes and statistics are based on outlier free data.

For nonparametric limits, median reporting limits are substituted for extreme reporting limit values.

Table 8

**Historical Downgradient Data for Constituent-Well Combinations
that Failed the Current Statistical Evaluation or
are in Verification Resampling Mode**

Constituent	Units	Well	Date	Result		Pred. Limit
Barium, total	ug/L	MW-1	10/04/2018	1000.0000	*	951.0368
Barium, total	ug/L	MW-1	04/15/2019	1060.0000	*	951.0368
Barium, total	ug/L	MW-1	10/08/2019	1020.0000	*	951.0368
Barium, total	ug/L	MW-1	04/08/2020	995.0000	*	951.0368
Barium, total	ug/L	MW-1	10/02/2020	1000.0000	*	951.0368
Barium, total	ug/L	MW-1	04/12/2021	1060.0000	*	951.0368
Barium, total	ug/L	MW-1	10/26/2021	960.0000	*	951.0368
Barium, total	ug/L	MW-1	04/12/2022	1030.0000	*	951.0368
Barium, total	ug/L	MW-1	10/07/2022	1000.0000	*	951.0368
Barium, total	ug/L	MW-1	04/19/2023	1020.0000	*	951.0368
Barium, total	ug/L	MW-1	10/25/2023	1090.0000	*	951.0368
Barium, total	ug/L	MW-1	04/18/2024	1100.0000	*	951.0368
Barium, total	ug/L	MW-1	10/17/2024	895.0000	*	951.0368
Barium, total	ug/L	MW-1	04/01/2025	1120.0000	*	951.0368
Barium, total	ug/L	MW-1	10/10/2025	1110.0000	*	951.0368
Nickel, total	ug/L	MW-1	10/04/2018	33.1000	*	19.6000
Nickel, total	ug/L	MW-1	04/19/2023	21.7000	*	19.6000
Nickel, total	ug/L	MW-1	10/25/2023	21.9000	*	19.6000
Nickel, total	ug/L	MW-1	04/18/2024	25.9000	*	19.6000
Nickel, total	ug/L	MW-1	10/17/2024	21.9000	*	19.6000
Nickel, total	ug/L	MW-1	04/01/2025	18.2000	*	19.6000
Nickel, total	ug/L	MW-1	10/10/2025	20.5000	*	19.6000


* - Significantly increased over background.

** - Detect at limit for 100% NDs in background (NPPL only).


*** - Manual exclusion.

ND = Not Detected, Result = detection limit.


Up vs. Down Prediction Limits




Graph 1




Graph 2




Graph 3



Graph 4




Graph 5




Graph 6


Up vs. Down Prediction Limits




Graph 7




Graph 8




Graph 9



Graph 10




Graph 11




Graph 12


Up vs. Down Prediction Limits




Graph 13




Graph 14




Graph 15



Graph 16




Graph 17




Graph 18


Up vs. Down Prediction Limits




Graph 19




Graph 20




Graph 21



Graph 22




Graph 23



Graph 24

False Positive and False Negative Rates for Current Upgradient vs. Downgradient Monitoring Program



Worksheet 1 - Upgradient vs. Downgradient Comparisons**Antimony, total (ug/L)****Nonparametric Prediction Limit**

<u>Step</u>	<u>Equation</u>	<u>Description</u>
1	PL = max(X) = 2.0	Compute nonparametric prediction limit as largest background measurement.
2	Conf = 0.984	Confidence level is based on N, K and resampling strategy (see Gibbons 1994).

Worksheet 1 - Upgradient vs. Downgradient Comparisons**Arsenic, total (ug/L)****Nonparametric Prediction Limit**

<u>Step</u>	<u>Equation</u>	<u>Description</u>
1	PL = max(X) = 57.3	Compute nonparametric prediction limit as largest background measurement.
2	Conf = 0.99	Confidence level is based on N, K and resampling strategy (see Gibbons 1994).

Worksheet 1 - Upgradient vs. Downgradient Comparisons**Barium, total (ug/L)****Lognormal Prediction Limit**

<u>Step</u>	<u>Equation</u>	<u>Description</u>
1	$Y = \log_e(X)$	Transform to natural logarithmic scale.
2	$\bar{Y} = \text{sum}[Y] / N$ = 248.754 / 44 = 5.653	Compute mean on a natural log scale.
3	$S_Y = ((\text{sum}[Y^2] - \text{sum}[Y]^2/N) / (N-1))^{1/2}$ = ((1416.771 - 61878.531/44) / (44-1)) ^{1/2} = 0.493	Compute sd on a natural log scale.
4	$\alpha = \min[(1-.95^{1/K})^{1/2}, .01]$ = min[(1-.95 ^{1/24}) ^{1/2} , .01] = 0.01	Adjusted per comparison false positive rate. Pass initial or 1 resample.
5	$PL = \exp[\bar{Y} + tS_Y(1+1/N)^{1/2}]$ = exp[5.653 + (2.416*0.493)(1+1/44) ^{1/2}] = 951.037	One-sided lognormal prediction limit (t is Student's t on N-1 degrees of freedom and 1-alpha confidence level).

Worksheet 1 - Upgradient vs. Downgradient Comparisons**Cadmium, total (ug/L)****Nonparametric Prediction Limit**

<u>Step</u>	<u>Equation</u>	<u>Description</u>
1	PL = max(X) = 2.2	Compute nonparametric prediction limit as largest background measurement.
2	Conf = 0.99	Confidence level is based on N, K and resampling strategy (see Gibbons 1994).

Worksheet 1 - Upgradient vs. Downgradient Comparisons**Chromium, total (ug/L)****Nonparametric Prediction Limit**

<u>Step</u>	<u>Equation</u>	<u>Description</u>
1	PL = max(X) = 19.5	Compute nonparametric prediction limit as largest background measurement.
2	Conf = 0.99	Confidence level is based on N, K and resampling strategy (see Gibbons 1994).

Worksheet 1 - Upgradient vs. Downgradient Comparisons**Cobalt, total (ug/L)****Lognormal Prediction Limit**

<u>Step</u>	<u>Equation</u>	<u>Description</u>
1	$Y = \log_e(X)$	Transform to natural logarithmic scale.
2	$\bar{Y}_1 = \text{sum}[Y_1] / N_1$ $= 2.745 / 9$ $= 0.305$	Compute mean of N_1 detected log transformed measurements.
3	$S_{Y_1} = ((\text{sum}[Y_1^2] - \text{sum}[Y_1]^2 / N_1) / (N_1 - 1))^{1/2}$ $= ((8.963 - 7.533/9) / (9 - 1))^{1/2}$ $= 1.008$	Compute sd of N_1 detected log transformed measurements.
4	$\bar{Y} = (1 - N_0/N) \bar{Y}_1$ $= (1 - 8/17) 0.305$ $= 0.161$	Use Aitchison's method to adjust mean for presence of nondetects (log scale).
5	$S_Y = [(1 - N_0/N) * S_{Y_1}^2 + (N_0/N) (1 - (N_0 - 1)/(N - 1)) \bar{Y}_1^2]^{1/2}$ $= [(1 - 8/17) * 1.008^2 + (8/17) (1 - (8 - 1)/(17 - 1)) 0.305^2]^{1/2}$ $= 0.75$	Use Aitchison's method to adjust sd for presence of nondetects (log scale).
6	$\alpha = \min[(1 - .95^{1/K})^{1/2}, .01]$ $= \min[(1 - .95^{1/24})^{1/2}, .01]$ $= 0.01$	Adjusted per comparison false positive rate. Pass initial or 1 resample.
7	$PL = \exp[\bar{Y} + t S_Y (1 + 1/N)^{1/2}]$ $= \exp[0.161 + (2.582 * 0.75)(1 + 1/17)^{1/2}]$ $= 8.617$	One-sided lognormal prediction limit (t is Student's t on N-1 degrees of freedom and 1-alpha confidence level).

Worksheet 1 - Upgradient vs. Downgradient Comparisons**Copper, total (ug/L)****Nonparametric Prediction Limit**

<u>Step</u>	<u>Equation</u>	<u>Description</u>
1	$PL = \max(X)$ $= 26.5$	Compute nonparametric prediction limit as largest background measurement.
2	Conf = 0.99	Confidence level is based on N, K and resampling strategy (see Gibbons 1994).

Worksheet 1 - Upgradient vs. Downgradient Comparisons**Lead, total (ug/L)****Nonparametric Prediction Limit**

<u>Step</u>	<u>Equation</u>	<u>Description</u>
1	PL = max(X) = 7.6	Compute nonparametric prediction limit as largest background measurement.
2	Conf = 0.99	Confidence level is based on N, K and resampling strategy (see Gibbons 1994).

Worksheet 1 - Upgradient vs. Downgradient Comparisons**Nickel, total (ug/L)****Nonparametric Prediction Limit**

<u>Step</u>	<u>Equation</u>	<u>Description</u>
1	PL = max(X) = 19.6	Compute nonparametric prediction limit as largest background measurement.
2	Conf = 0.988	Confidence level is based on N, K and resampling strategy (see Gibbons 1994).

Worksheet 1 - Upgradient vs. Downgradient Comparisons**Selenium, total (ug/L)****Nonparametric Prediction Limit**

<u>Step</u>	<u>Equation</u>	<u>Description</u>
1	PL = median(X) = 4.0	Compute nonparametric prediction limit as median reporting limit in background.
2	Conf = 0.988	Confidence level is based on N, K and resampling strategy (see Gibbons 1994).

Worksheet 1 - Upgradient vs. Downgradient Comparisons**Vanadium, total (ug/L)****Nonparametric Prediction Limit**

<u>Step</u>	<u>Equation</u>	<u>Description</u>
1	PL = max(X) = 20.0	Compute nonparametric prediction limit as largest background measurement.
2	Conf = 0.984	Confidence level is based on N, K and resampling strategy (see Gibbons 1994).

Worksheet 1 - Upgradient vs. Downgradient Comparisons**Zinc, total (ug/L)****Nonparametric Prediction Limit**

<u>Step</u>	<u>Equation</u>	<u>Description</u>
1	PL = max(X) = 67.9	Compute nonparametric prediction limit as largest background measurement.
2	Conf = 0.99	Confidence level is based on N, K and resampling strategy (see Gibbons 1994).

Attachment C

Assessment Statistics

Table 1

**Confidence Intervals for Comparing the Mean of the Last
4 Measurements to an Assessment Monitoring Standard**

Constituent	Units	Well	N	Mean	SD	Factor	95% LCL	95% UCL	Standard	Trend
Barium, total	ug/L	MW-1	4	1056.250	107.810	1.176	929.435	1183.065	2000.000	
cis-1,2-Dichloroethylene	ug/L	MW-1	4	1.550	0.404	1.176	1.075	2.025	70.000	
Nickel, total	ug/L	MW-1	4	21.625	3.233	1.176	17.823	25.427	100.000	




* - Insufficient Data

** - Significant Exceedance

LCL = Lower Confidence Limit

UCL = Upper Confidence Limit

Confidence Limits (Assessment)



Worksheet 6 - Assessment Monitoring
Barium, total (ug/L) at MW-1

<u>Step</u>	<u>Equation</u>	<u>Description</u>
1	$\bar{X} = \text{sum}[X] / N$ $= 4225.0 / 4$ $= 1056.25$	Compute the mean of the last 4 measurements.
2	$S = ((\text{sum}[X^2] - \text{sum}[X]^2/N) / (N-1))^{1/2}$ $= ((4.50 \times 10^6 - 1.79 \times 10^7 / 4) / (4-1))^{1/2}$ $= 107.81$	Compute sd of the last 4 measurements.
3	$LCL = \bar{X} - tS/N^{1/2}$ $= 1056.25 - 2.353 * 107.81/4^{1/2}$ $= 929.435$	Compute lower confidence limit for the mean of the last 4 measurements.
4	$UCL = \bar{X} + tS/N^{1/2}$ $= 1056.25 + 2.353 * 107.81/4^{1/2}$ $= 1183.065$	Compute upper confidence limit for the mean of the last 4 measurements.
5	$N' = N * (N-1) / 2$ $= 15 * (15-1) / 2$ $= 105$	Number of sample pairs during trend detection period.
6	$S = 11.121$	Sen's estimator of trend.
7	$\text{var}(S) = 402.667$	Variance estimate for slope.
8	$M(S) = (N' \pm Z_{.995} * \text{var}(S)^{1/2}) / 2$ $= (105 \pm 2.576 * 402.667^{1/2}) / 2$ $= [26.654, 78.346]$	Ordinal positions for two-sided lower confidence limits for slope. The LCL and UCL are the M th largest slope estimates for the values shown. When the values are not integers, interpolation is used.
9	$CL(S) = [-17.954, 26.728]$	Two-sided confidence interval for slope.
10	the interval includes 0	There is no significant trend.

Worksheet 6 - Assessment Monitoring
cis-1,2-Dichloroethylene (ug/L) at MW-1

<u>Step</u>	<u>Equation</u>	<u>Description</u>
1	$\bar{X} = \text{sum}[X] / N$ $= 6.2 / 4$ $= 1.55$	Compute the mean of the last 4 measurements.
2	$S = ((\text{sum}[X^2] - \text{sum}[X]^2/N) / (N-1))^{1/2}$ $= ((10.1 - 38.44/4) / (4-1))^{1/2}$ $= 0.404$	Compute sd of the last 4 measurements.
3	$\text{LCL} = \bar{X} - tS/N^{1/2}$ $= 1.55 - 2.353 * 0.404/4^{1/2}$ $= 1.075$	Compute lower confidence limit for the mean of the last 4 measurements.
4	$\text{UCL} = \bar{X} + tS/N^{1/2}$ $= 1.55 + 2.353 * 0.404/4^{1/2}$ $= 2.025$	Compute upper confidence limit for the mean of the last 4 measurements.
5	$N' = N * (N-1) / 2$ $= 6 * (6-1) / 2$ $= 15$	Number of sample pairs during trend detection period.
6	$S = -0.404$	Sen's estimator of trend.
7	$\text{var}(S) = 28.333$	Variance estimate for slope.
8	$M(S) = (N' \pm Z_{.995} * \text{var}(S)^{1/2}) / 2$ $= (15 \pm 2.576 * 28.333^{1/2}) / 2$ $= [0.644, 14.356]$	Ordinal positions for two-sided lower confidence limits for slope. The LCL and UCL are the M th largest slope estimates for the values shown. When the values are not integers, interpolation is used.
9	$\text{CL}(S) = [-2.077, 1.078]$	Two-sided confidence interval for slope.
10	the interval includes 0	There is no significant trend.

Worksheet 6 - Assessment Monitoring
Nickel, total (ug/L) at MW-1

<u>Step</u>	<u>Equation</u>	<u>Description</u>
1	$\bar{X} = \text{sum}[X] / N$ $= 86.5 / 4$ $= 21.625$	Compute the mean of the last 4 measurements.
2	$S = ((\text{sum}[X^2] - \text{sum}[X]^2/N) / (N-1))^{1/2}$ $= ((1901.91 - 7482.25/4) / (4-1))^{1/2}$ $= 3.233$	Compute sd of the last 4 measurements.
3	$\text{LCL} = \bar{X} - tS/N^{1/2}$ $= 21.625 - 2.353 * 3.233/4^{1/2}$ $= 17.823$	Compute lower confidence limit for the mean of the last 4 measurements.
4	$\text{UCL} = \bar{X} + tS/N^{1/2}$ $= 21.625 + 2.353 * 3.233/4^{1/2}$ $= 25.427$	Compute upper confidence limit for the mean of the last 4 measurements.
5	$N' = N * (N-1) / 2$ $= 7 * (7-1) / 2$ $= 21$	Number of sample pairs during trend detection period.
6	$S = -1.794$	Sen's estimator of trend.
7	$\text{var}(S) = 43.333$	Variance estimate for slope.
8	$M(S) = (N' \pm Z_{.995} * \text{var}(S)^{1/2}) / 2$ $= (21 \pm 2.576 * 43.333^{1/2}) / 2$ $= [2.021, 18.979]$	Ordinal positions for two-sided lower confidence limits for slope. The LCL and UCL are the M th largest slope estimates for the values shown. When the values are not integers, interpolation is used.
9	$\text{CL}(S) = [-8.092, 4.122]$	Two-sided confidence interval for slope.
10	the interval includes 0	There is no significant trend.

Table 1**Historical Volatile Organic Compound Detections**


Constituent	Well	Date	Identifier	Result	Limit	Units
cis-1,2-Dichloroethylene	MW-1	4/19/2023		2.3	1.0	ug/L
cis-1,2-Dichloroethylene	MW-1	10/25/2023		2.6	1.0	ug/L
cis-1,2-Dichloroethylene	MW-1	4/18/2024		1.6	1.0	ug/L
cis-1,2-Dichloroethylene	MW-1	10/17/2024		1.2	1.0	ug/L
cis-1,2-Dichloroethylene	MW-1	4/01/2025		2.1	1.0	ug/L
cis-1,2-Dichloroethylene	MW-1	10/10/2025		1.3	1.0	ug/L

Detections are shown for the constituents and sample points selected for the analysis
The Limit column refers to the laboratory reporting limit

Appendix C.3 – Time Series Plots for Supplemental Compounds Chloride & cis-1,2-dichloroethylene

Monona County

Time Series Plot for MW-1



Appendix D

Laboratory Reports for Reporting Period *With Chain of Custody*



Microbac Laboratories, Inc., Newton

CERTIFICATE OF ANALYSIS

1ID0675

Project Description

6036

For:

Todd Whipple

HLW Engineering

204 West Broad St

Story City, IA 50248

Heather Murphy

Customer Relationship Specialist

Wednesday, June 25, 2025

Please find enclosed the analytical results for the samples you submitted to Microbac Laboratories. Review and compilation of your report was completed by Microbac Laboratories, Inc., Newton. If you have any questions, comments, or require further assistance regarding this report, please contact your service representative listed above.

I certify that all test results meet all of the requirements of the accrediting authority listed within this report. Analytical results are reported on a 'as received' basis unless specified otherwise. Analytical results for solids with units ending in (dry) are reported on a dry weight basis. A statement of uncertainty for each analysis is available upon request. This laboratory report shall not be reproduced, except in full, without the written approval of Microbac Laboratories. The reported results are related only to the samples analyzed as received.

Microbac Laboratories, Inc.

600 East 17th Street South | Newton, IA 50208 | 641-792-8451 p | www.microbac.com



Microbac Laboratories, Inc., Newton

CERTIFICATE OF ANALYSIS

1ID0675

HLW Engineering

Todd Whipple
204 West Broad St
Story City, IA 50248

Project Name: 6036

Project / PO Number: N/A
Received: 04/03/2025
Reported: 06/25/2025

Sample Summary Report

<u>Sample Name</u>	<u>Laboratory ID</u>	<u>Client Matrix</u>	<u>Sample Type</u>	<u>Sample Begin</u>	<u>Sample Taken</u>	<u>Lab Received</u>
MW-1	1ID0675-01	Aqueous	GRAB		04/01/25 10:00	04/03/25 10:18
MW-3R	1ID0675-02	Aqueous	GRAB		04/01/25 10:28	04/03/25 10:18
MW-4	1ID0675-03	Aqueous	GRAB		04/01/25 09:36	04/03/25 10:18
MW-5	1ID0675-04	Aqueous	GRAB		04/01/25 09:36	04/03/25 10:18
MW-7	1ID0675-05	Aqueous	GRAB		04/01/25 10:14	04/03/25 10:18
Duplicate	1ID0675-06	Aqueous	GRAB		04/01/25 09:36	04/03/25 10:18



Microbac Laboratories, Inc., Newton

CERTIFICATE OF ANALYSIS

11D0675

Analytical Testing Parameters

Client Sample ID:	MW-1	Collected By:	JGH
Sample Matrix:	Aqueous	Collection Date:	04/01/2025 10:00
Lab Sample ID:	11D0675-01		

Determination of Volatile Organic Compounds	Result	RL	Units	Note	Prepared	Analyzed	Analyst
---	--------	----	-------	------	----------	----------	---------

EPA 5030B/EPA 8260D

cis-1,2-Dichloroethylene	2.1	1.0	ug/L		04/04/25 0000	04/04/25 1417	CSM
Surrogate: Dibromofluoromethane	92.8	Limit: 57-134	% Rec		04/04/25 0000	04/04/25 1417	CSM
Surrogate: 1,2-Dichloroethane-d4	85.0	Limit: 53-140	% Rec		04/04/25 0000	04/04/25 1417	CSM
Surrogate: Toluene-d8	103	Limit: 86-114	% Rec		04/04/25 0000	04/04/25 1417	CSM
Surrogate: 4-Bromofluorobenzene	91.2	Limit: 78-121	% Rec		04/04/25 0000	04/04/25 1417	CSM

Determination of Inorganic Anions	Result	RL	Units	Note	Prepared	Analyzed	Analyst
-----------------------------------	--------	----	-------	------	----------	----------	---------

EPA 9056A

Chloride	236	5.0	mg/L			04/15/25 0348	MID
----------	-----	-----	------	--	--	---------------	-----

Determination of Total Metals	Result	RL	Units	Note	Prepared	Analyzed	Analyst
-------------------------------	--------	----	-------	------	----------	----------	---------

EPA 3005A/EPA 6020A

Antimony, total	<0.0010	0.0010	mg/L		04/17/25 1607	06/18/25 1721	RVV
Arsenic, total	<0.0020	0.0020	mg/L		04/17/25 1607	06/18/25 1721	RVV
Barium, total	1.12	0.0010	mg/L		04/17/25 1607	06/18/25 1721	RVV
Cadmium, total	<0.0002	0.0002	mg/L		04/17/25 1607	06/18/25 1721	RVV
Chromium, total	0.0011	0.0010	mg/L		04/17/25 1607	06/18/25 1721	RVV
Cobalt, total	0.0031	0.0005	mg/L		04/17/25 1607	06/18/25 1721	RVV
Copper, total	<0.0050	0.0050	mg/L		04/17/25 1607	06/18/25 1721	RVV
Lead, total	<0.0010	0.0010	mg/L		04/17/25 1607	06/18/25 1721	RVV
Nickel, total	0.0182	0.0050	mg/L		04/17/25 1607	06/18/25 1721	RVV
Selenium, total	<0.0020	0.0020	mg/L		04/17/25 1607	06/18/25 1721	RVV
Vanadium, total	<0.0020	0.0020	mg/L		04/17/25 1607	06/18/25 1721	RVV
Zinc, total	<0.0050	0.0050	mg/L		04/17/25 1607	06/18/25 1721	RVV

Microbac Laboratories, Inc., Newton

600 East 17th Street South | Newton, IA 50208 | 641-792-8451 p | www.microbac.com



Microbac Laboratories, Inc., Newton

CERTIFICATE OF ANALYSIS

11D0675

Client Sample ID: MW-3R
Sample Matrix: Aqueous
Lab Sample ID: 11D0675-02

Collected By: JGH
Collection Date: 04/01/2025 10:28

Determination of Total Metals	Result	RL	Units	Note	Prepared	Analyzed	Analyst
EPA 3005A/EPA 6020A							
Antimony, total	<0.0010	0.0010	mg/L		04/17/25 1607	06/18/25 1723	RVV
Arsenic, total	<0.0020	0.0020	mg/L		04/17/25 1607	06/18/25 1723	RVV
Barium, total	0.350	0.0010	mg/L		04/17/25 1607	06/18/25 1723	RVV
Cadmium, total	<0.0002	0.0002	mg/L		04/17/25 1607	06/18/25 1723	RVV
Chromium, total	0.0140	0.0010	mg/L		04/17/25 1607	06/18/25 1723	RVV
Cobalt, total	<0.0005	0.0005	mg/L		04/17/25 1607	06/18/25 1723	RVV
Copper, total	<0.0050	0.0050	mg/L		04/17/25 1607	06/18/25 1723	RVV
Lead, total	<0.0010	0.0010	mg/L		04/17/25 1607	06/18/25 1723	RVV
Nickel, total	<0.0050	0.0050	mg/L		04/17/25 1607	06/18/25 1723	RVV
Selenium, total	<0.0020	0.0020	mg/L		04/17/25 1607	06/18/25 1723	RVV
Vanadium, total	<0.0020	0.0020	mg/L		04/17/25 1607	06/18/25 1723	RVV
Zinc, total	<0.0050	0.0050	mg/L		04/17/25 1607	06/18/25 1723	RVV

Client Sample ID: MW-4
Sample Matrix: Aqueous
Lab Sample ID: 11D0675-03

Collected By: JGH
Collection Date: 04/01/2025 9:36

Determination of Total Metals	Result	RL	Units	Note	Prepared	Analyzed	Analyst
EPA 3005A/EPA 6020A							
Antimony, total	<0.0010	0.0010	mg/L		04/17/25 1607	06/18/25 1726	RVV
Arsenic, total	0.0140	0.0020	mg/L		04/17/25 1607	06/18/25 1726	RVV
Barium, total	0.648	0.0010	mg/L		04/17/25 1607	06/18/25 1726	RVV
Cadmium, total	0.0002	0.0002	mg/L		04/17/25 1607	06/18/25 1726	RVV
Chromium, total	0.0036	0.0010	mg/L		04/17/25 1607	06/18/25 1726	RVV
Cobalt, total	0.0012	0.0005	mg/L		04/17/25 1607	06/18/25 1726	RVV
Copper, total	<0.0050	0.0050	mg/L		04/17/25 1607	06/18/25 1726	RVV
Lead, total	0.0010	0.0010	mg/L		04/17/25 1607	06/18/25 1726	RVV
Nickel, total	0.0054	0.0050	mg/L		04/17/25 1607	06/18/25 1726	RVV
Selenium, total	<0.0020	0.0020	mg/L		04/17/25 1607	06/18/25 1726	RVV
Vanadium, total	0.0033	0.0020	mg/L		04/17/25 1607	06/18/25 1726	RVV
Zinc, total	0.0086	0.0050	mg/L		04/17/25 1607	06/18/25 1726	RVV



Microbac Laboratories, Inc., Newton

CERTIFICATE OF ANALYSIS

11D0675

Client Sample ID:	MW-5	Collected By:	JGH
Sample Matrix:	Aqueous	Collection Date:	04/01/2025 9:36
Lab Sample ID:	11D0675-04		

Determination of Total Metals	Result	RL	Units	Note	Prepared	Analyzed	Analyst
EPA 3005A/EPA 6020A							
Antimony, total	0.0011	0.0010	mg/L		04/17/25 1607	06/18/25 1728	RVV
Arsenic, total	<0.0020	0.0020	mg/L		04/17/25 1607	06/18/25 1728	RVV
Barium, total	0.145	0.0010	mg/L		04/17/25 1607	06/18/25 1728	RVV
Cadmium, total	<0.0002	0.0002	mg/L		04/17/25 1607	06/18/25 1728	RVV
Chromium, total	0.0065	0.0010	mg/L		04/17/25 1607	06/18/25 1728	RVV
Cobalt, total	<0.0005	0.0005	mg/L		04/17/25 1607	06/18/25 1728	RVV
Copper, total	<0.0050	0.0050	mg/L		04/17/25 1607	06/18/25 1728	RVV
Lead, total	<0.0010	0.0010	mg/L		04/17/25 1607	06/18/25 1728	RVV
Nickel, total	<0.0050	0.0050	mg/L		04/17/25 1607	06/18/25 1728	RVV
Selenium, total	<0.0020	0.0020	mg/L		04/17/25 1607	06/18/25 1728	RVV
Vanadium, total	<0.0020	0.0020	mg/L		04/17/25 1607	06/18/25 1728	RVV
Zinc, total	<0.0050	0.0050	mg/L		04/17/25 1607	06/18/25 1728	RVV

Client Sample ID:	MW-7	Collected By:	JGH
Sample Matrix:	Aqueous	Collection Date:	04/01/2025 10:14
Lab Sample ID:	11D0675-05		

Determination of Total Metals	Result	RL	Units	Note	Prepared	Analyzed	Analyst
EPA 3005A/EPA 6020A							
Antimony, total	<0.0010	0.0010	mg/L		04/17/25 1607	06/21/25 1054	RVV
Arsenic, total	<0.0020	0.0020	mg/L		04/17/25 1607	06/21/25 1054	RVV
Barium, total	0.190	0.0010	mg/L		04/17/25 1607	06/21/25 1054	RVV
Cadmium, total	0.0002	0.0002	mg/L		04/17/25 1607	06/21/25 1054	RVV
Chromium, total	0.0010	0.0010	mg/L		04/17/25 1607	06/21/25 1054	RVV
Cobalt, total	<0.0005	0.0005	mg/L		04/17/25 1607	06/21/25 1054	RVV
Copper, total	<0.0050	0.0050	mg/L		04/17/25 1607	06/21/25 1054	RVV
Lead, total	<0.0010	0.0010	mg/L		04/17/25 1607	06/21/25 1054	RVV
Nickel, total	<0.0050	0.0050	mg/L		04/17/25 1607	06/21/25 1054	RVV
Selenium, total	<0.0020	0.0020	mg/L		04/17/25 1607	06/21/25 1054	RVV
Vanadium, total	<0.0020	0.0020	mg/L		04/17/25 1607	06/21/25 1054	RVV
Zinc, total	<0.0050	0.0050	mg/L		04/17/25 1607	06/21/25 1054	RVV

Microbac Laboratories, Inc., Newton

600 East 17th Street South | Newton, IA 50208 | 641-792-8451 p | www.microbac.com



Microbac Laboratories, Inc., Newton

CERTIFICATE OF ANALYSIS

1ID0675

Client Sample ID: Duplicate
Sample Matrix: Aqueous
Lab Sample ID: 1ID0675-06

Collected By: JGH
Collection Date: 04/01/2025 9:36

Determination of Total Metals	Result	RL	Units	Note	Prepared	Analyzed	Analyst
EPA 3005A/EPA 6020A							
Antimony, total	<0.0010	0.0010	mg/L		04/17/25 1607	06/19/25 0933	RVV
Arsenic, total	<0.0020	0.0020	mg/L		04/17/25 1607	06/19/25 0933	RVV
Barium, total	0.180	0.0010	mg/L		04/17/25 1607	06/19/25 0933	RVV
Cadmium, total	0.0002	0.0002	mg/L		04/17/25 1607	06/19/25 0933	RVV
Chromium, total	0.0016	0.0010	mg/L		04/17/25 1607	06/19/25 0933	RVV
Cobalt, total	<0.0005	0.0005	mg/L		04/17/25 1607	06/19/25 0933	RVV
Copper, total	<0.0050	0.0050	mg/L		04/17/25 1607	06/19/25 0933	RVV
Lead, total	<0.0010	0.0010	mg/L		04/17/25 1607	06/19/25 0933	RVV
Nickel, total	<0.0050	0.0050	mg/L		04/17/25 1607	06/19/25 0933	RVV
Selenium, total	<0.0020	0.0020	mg/L		04/17/25 1607	06/19/25 0933	RVV
Vanadium, total	<0.0020	0.0020	mg/L		04/17/25 1607	06/19/25 0933	RVV
Zinc, total	<0.0050	0.0050	mg/L		04/17/25 1607	06/19/25 0933	RVV

Microbac Laboratories, Inc., Newton

600 East 17th Street South | Newton, IA 50208 | 641-792-8451 p | www.microbac.com

Page 6 of 14



Microbac Laboratories, Inc., Newton

CERTIFICATE OF ANALYSIS

1ID0675

Batch Log Summary

Method	Batch	Laboratory ID	Client / Source ID
EPA 8260D	1ID0256	1ID0256-BS1	
		1ID0256-BS1	
		1ID0256-BSD1	
		1ID0256-BSD1	
		1ID0256-BLK1	
		1ID0256-BLK1	
		1ID0675-01	MW-1
		1ID0675-01	MW-1
		1ID0256-MS1	1ID0650-01
		1ID0256-MS1	1ID0650-01
		1ID0256-MSD1	1ID0650-01
		1ID0256-MSD1	1ID0650-01
Method	Batch	Laboratory ID	Client / Source ID
EPA 6020A	1ID0775	1ID0775-BLK2	
		1ID0775-BS2	
		1ID0675-01	MW-1
		1ID0675-02	MW-3R
		1ID0675-03	MW-4
		1ID0675-04	MW-5
		1ID0775-MS2	3IC0116-01RE1
		1ID0775-MSD2	3IC0116-01RE1
		1ID0675-06	Duplicate
		1ID0775-PS2	3IC0116-01RE1
		1ID0775-BS2	
		1ID0675-05RE1	MW-7
		1ID0675-05RE1	MW-7
Method	Batch	Laboratory ID	Client / Source ID
EPA 9056A	1ID0801	1ID0801-BLK1	
		1ID0801-MRL1	
		1ID0801-BS1	
		1ID0801-BSD1	
		1ID0801-MS1	1ID0410-01
		1ID0801-MSD1	1ID0410-01
		1ID0801-BLK2	
		1ID0801-BLK3	
		1ID0801-BS2	
		1ID0801-BSD2	
		1ID0801-MS2	1ID0788-01

Microbac Laboratories, Inc., Newton

600 East 17th Street South | Newton, IA 50208 | 641-792-8451 p | www.microbac.com



Microbac Laboratories, Inc., Newton

CERTIFICATE OF ANALYSIS

11D0675

EPA 9056A

11D0801

11D0801-MSD2

11D0788-01

11D0801-BLK4

11D0675-01

MW-1

Batch Quality Control Summary: Microbac Laboratories, Inc., Newton

Determination of Volatile Organic Compounds	Result	RL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 11D0256 - EPA 5030B - EPA 8260D										
Blank (11D0256-BLK1)				Prepared: 04/04/25 00:00 Analyzed: 04/04/25 13:19						
cis-1,2-Dichloroethylene	<1.0	1.0	ug/L							
Surrogate: Dibromofluoromethane	43.8		ug/L	50.2		87.3	57-134			
Surrogate: 1,2-Dichloroethane-d4	42.0		ug/L	50.1		83.9	53-140			
Surrogate: Toluene-d8	52.6		ug/L	50.4		104	86-114			
Surrogate: 4-Bromofluorobenzene	45.7		ug/L	50.1		91.2	78-121			
LCS (11D0256-BS1)				Prepared: 04/04/25 00:00 Analyzed: 04/04/25 12:11						
cis-1,2-Dichloroethylene	53.03	1.0	ug/L	50.4		105	65-149			
Surrogate: Dibromofluoromethane	52.1		ug/L	50.2		104	57-134			
Surrogate: 1,2-Dichloroethane-d4	50.9		ug/L	50.1		102	53-140			
Surrogate: Toluene-d8	49.7		ug/L	50.4		98.7	86-114			
Surrogate: 4-Bromofluorobenzene	46.0		ug/L	50.1		91.7	78-121			
LCS Dup (11D0256-BSD1)				Prepared: 04/04/25 00:00 Analyzed: 04/04/25 12:34						
cis-1,2-Dichloroethylene	57.54	1.0	ug/L	50.4		114	65-149	8.16	30	
Surrogate: Dibromofluoromethane	55.5		ug/L	50.2		111	57-134			
Surrogate: 1,2-Dichloroethane-d4	56.3		ug/L	50.1		112	53-140			
Surrogate: Toluene-d8	49.6		ug/L	50.4		98.4	86-114			
Surrogate: 4-Bromofluorobenzene	50.1		ug/L	50.1		99.8	78-121			
Matrix Spike (11D0256-MS1)				Source: 11D0650-01		Prepared: 04/04/25 00:00 Analyzed: 04/04/25 14:39				
cis-1,2-Dichloroethylene	581.2	10.0	ug/L	504	ND	115	47-162			
Surrogate: Dibromofluoromethane	558		ug/L	502		111	57-134			
Surrogate: 1,2-Dichloroethane-d4	562		ug/L	501		112	53-140			
Surrogate: Toluene-d8	502		ug/L	504		99.7	86-114			
Surrogate: 4-Bromofluorobenzene	505		ug/L	501		101	78-121			
Matrix Spike Dup (11D0256-MSD1)				Source: 11D0650-01		Prepared: 04/04/25 00:00 Analyzed: 04/04/25 15:02				
cis-1,2-Dichloroethylene	606.3	10.0	ug/L	504	ND	120	47-162	4.23	22	
Surrogate: Dibromofluoromethane	568		ug/L	502		113	57-134			
Surrogate: 1,2-Dichloroethane-d4	566		ug/L	501		113	53-140			
Surrogate: Toluene-d8	507		ug/L	504		101	86-114			
Surrogate: 4-Bromofluorobenzene	490		ug/L	501		97.7	78-121			
Determination of Inorganic Anions	Result	RL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 11D0801 - General Prep HPLC/IC - EPA 9056A										

Microbac Laboratories, Inc., Newton

600 East 17th Street South | Newton, IA 50208 | 641-792-8451 p | www.microbac.com



Microbac Laboratories, Inc., Newton

CERTIFICATE OF ANALYSIS

1ID0675

Determination of Inorganic Anions	Result	RL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 1ID0801 - General Prep HPLC/IC - EPA 9056A										
Blank (1ID0801-BLK1)	Prepared & Analyzed: 04/14/25 10:33									
Chloride	<1.0	1.0	mg/L							
Blank (1ID0801-BLK2)	Prepared & Analyzed: 04/14/25 15:23									
Chloride	<1.0	1.0	mg/L							
Blank (1ID0801-BLK3)	Prepared & Analyzed: 04/14/25 20:14									
Chloride	<1.0	1.0	mg/L							
Blank (1ID0801-BLK4)	Prepared & Analyzed: 04/15/25 01:22									
Chloride	<1.0	1.0	mg/L							
LCS (1ID0801-BS1)	Prepared & Analyzed: 04/14/25 11:09									
Chloride	14.84	1.0	mg/L	15.7		94.6	80-120			
LCS (1ID0801-BS2)	Prepared & Analyzed: 04/14/25 21:08									
Chloride	15.33	1.0	mg/L	15.7		97.6	80-120			
LCS Dup (1ID0801-BSD1)	Prepared & Analyzed: 04/14/25 11:27									
Chloride	14.92	1.0	mg/L	15.7		95.1	80-120	0.564	10	
LCS Dup (1ID0801-BSD2)	Prepared & Analyzed: 04/14/25 21:26									
Chloride	15.41	1.0	mg/L	15.7		98.2	80-120	0.527	10	
Matrix Spike (1ID0801-MS1)	Source: 1ID0410-01	Prepared & Analyzed: 04/14/25 12:03								
Chloride	566.2	10.0	mg/L	157	411.0	98.9	81-116			
Matrix Spike (1ID0801-MS2)	Source: 1ID0788-01	Prepared & Analyzed: 04/15/25 00:28								
Chloride	247.3	10.0	mg/L	157	90.57	99.9	81-116			
Matrix Spike Dup (1ID0801-MSD1)	Source: 1ID0410-01	Prepared & Analyzed: 04/14/25 12:22								
Chloride	565.3	10.0	mg/L	157	411.0	98.3	81-116	0.166	10	
Matrix Spike Dup (1ID0801-MSD2)	Source: 1ID0788-01	Prepared & Analyzed: 04/15/25 00:46								
Chloride	245.1	10.0	mg/L	157	90.57	98.4	81-116	0.902	10	
Determination of Total Metals	Result	RL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 1ID0775 - EPA 3005A Total Recoverable Metals - EPA 6020A										
Blank (1ID0775-BLK2)	Prepared: 04/17/25 16:07 Analyzed: 06/18/25 17:13									
Antimony, total	<0.0010	0.0010	mg/L							
Arsenic, total	<0.0020	0.0020	mg/L							
Barium, total	<0.0010	0.0010	mg/L							
Cadmium, total	<0.0002	0.0002	mg/L							
Chromium, total	<0.0010	0.0010	mg/L							B
Cobalt, total	<0.0005	0.0005	mg/L							
Copper, total	<0.0050	0.0050	mg/L							
Lead, total	<0.0010	0.0010	mg/L							
Nickel, total	<0.0050	0.0050	mg/L							
Selenium, total	<0.0020	0.0020	mg/L							
Vanadium, total	<0.0020	0.0020	mg/L							

Microbac Laboratories, Inc., Newton

600 East 17th Street South | Newton, IA 50208 | 641-792-8451 p | www.microbac.com



Microbac Laboratories, Inc., Newton

CERTIFICATE OF ANALYSIS

11D0675

Determination of Total Metals	Result	RL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 11D0775 - EPA 3005A Total Recoverable Metals - EPA 6020A										
Blank (11D0775-BLK2)				Prepared: 04/17/25 16:07 Analyzed: 06/18/25 17:13						
Zinc, total	<0.0050	0.0050	mg/L							
LCS (11D0775-BS2)				Prepared: 04/17/25 16:07 Analyzed: 06/18/25 17:16						
Antimony, total	0.113	0.0010	mg/L	0.100		113	80-120			
Arsenic, total	0.0949	0.0020	mg/L	0.100		94.9	80-120			
Barium, total	0.114	0.0010	mg/L	0.100		114	80-120			
Cadmium, total	0.102	0.0002	mg/L	0.100		102	80-120			
Chromium, total	0.118	0.0010	mg/L	0.100		118	80-120			
Cobalt, total	0.116	0.0005	mg/L	0.100		116	80-120			
Copper, total	0.0915	0.0050	mg/L	0.100		91.5	80-120			
Lead, total	0.103	0.0010	mg/L	0.100		103	80-120			
Nickel, total	0.0890	0.0050	mg/L	0.100		89.0	80-120			
Selenium, total	0.0986	0.0020	mg/L	0.100		98.6	80-120			
Vanadium, total	0.121	0.0020	mg/L	0.100		121	80-120			Q1
Zinc, total	0.0939	0.0050	mg/L	0.100		93.9	80-120			
Matrix Spike (11D0775-MS2)				Source: 3IC0116-01RE1 Prepared: 04/17/25 16:07 Analyzed: 06/18/25 18:03						
Antimony, total	0.114	0.0010	mg/L	0.100	ND	114	75-125			
Arsenic, total	0.100	0.0020	mg/L	0.100	0.0073	92.7	75-125			
Barium, total	0.945	0.0010	mg/L	0.100	0.837	108	75-125			
Cadmium, total	0.101	0.0002	mg/L	0.100	0.0001	101	75-125			
Chromium, total	0.110	0.0010	mg/L	0.100	0.0016	108	75-125			
Cobalt, total	0.110	0.0005	mg/L	0.100	0.0054	104	75-125			
Copper, total	0.0869	0.0050	mg/L	0.100	0.0042	82.7	75-125			
Lead, total	0.101	0.0010	mg/L	0.100	ND	101	75-125			
Nickel, total	0.0968	0.0050	mg/L	0.100	0.0155	81.3	75-125			
Selenium, total	0.0959	0.0020	mg/L	0.100	ND	95.9	75-125			
Vanadium, total	0.116	0.0020	mg/L	0.100	0.0003	116	75-125			
Zinc, total	0.0964	0.0050	mg/L	0.100	0.0096	86.8	75-125			
Matrix Spike Dup (11D0775-MSD2)				Source: 3IC0116-01RE1 Prepared: 04/17/25 16:07 Analyzed: 06/18/25 18:06						
Antimony, total	0.116	0.0010	mg/L	0.100	ND	116	75-125	1.83	20	
Arsenic, total	0.101	0.0020	mg/L	0.100	0.0073	93.7	75-125	1.00	20	
Barium, total	0.966	0.0010	mg/L	0.100	0.837	129	75-125	2.21	20	M6
Cadmium, total	0.102	0.0002	mg/L	0.100	0.0001	102	75-125	1.48	20	
Chromium, total	0.108	0.0010	mg/L	0.100	0.0016	107	75-125	1.05	20	
Cobalt, total	0.109	0.0005	mg/L	0.100	0.0054	103	75-125	1.00	20	
Copper, total	0.0875	0.0050	mg/L	0.100	0.0042	83.3	75-125	0.675	20	
Lead, total	0.103	0.0010	mg/L	0.100	ND	103	75-125	1.92	20	
Nickel, total	0.0976	0.0050	mg/L	0.100	0.0155	82.1	75-125	0.845	20	
Selenium, total	0.0976	0.0020	mg/L	0.100	ND	97.6	75-125	1.75	20	
Vanadium, total	0.115	0.0020	mg/L	0.100	0.0003	115	75-125	1.22	20	
Zinc, total	0.0966	0.0050	mg/L	0.100	0.0096	87.0	75-125	0.167	20	
Post Spike (11D0775-PS2)				Source: 3IC0116-01RE1 Prepared: 04/17/25 16:07 Analyzed: 06/19/25 09:40						
Antimony, total	0.0210		mg/L	0.0200	0.0003	103	80-120			
Arsenic, total	0.0261		mg/L	0.0200	0.0072	94.6	80-120			

Microbac Laboratories, Inc., Newton

600 East 17th Street South | Newton, IA 50208 | 641-792-8451 p | www.microbac.com



Microbac Laboratories, Inc., Newton

CERTIFICATE OF ANALYSIS

11D0675

Determination of Total Metals	Result	RL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 11D0775 - EPA 3005A Total Recoverable Metals - EPA 6020A										
Post Spike (11D0775-PS2) Source: 3IC0116-01RE1 Prepared: 04/17/25 16:07 Analyzed: 06/19/25 09:40										
Barium, total	0.818		mg/L	0.0200	0.820	NR	80-120			M6
Cadmium, total	0.0198		mg/L	0.0200	0.0001	98.6	80-120			
Chromium, total	0.0226		mg/L	0.0200	0.0016	105	80-120			
Cobalt, total	0.0246		mg/L	0.0200	0.0053	96.7	80-120			
Copper, total	0.0207		mg/L	0.0200	0.0042	82.9	80-120			
Lead, total	0.0193		mg/L	0.0200	0.0001	95.7	80-120			
Nickel, total	0.0311		mg/L	0.0200	0.0152	79.4	80-120			M2
Selenium, total	0.0195		mg/L	0.0200	0.0004	95.3	80-120			
Vanadium, total	0.0220		mg/L	0.0200	0.0003	109	80-120			
Zinc, total	0.0271		mg/L	0.0200	0.0094	88.3	80-120			

Definitions

B:	The target analyte was detected in the blank at or above the method acceptance criteria.
M2:	Matrix spike recovery is below acceptance limits.
M6:	Matrix spike recovery is outside of acceptance limits. The analyte concentration is greater than 4X the spiking level.
Q1:	LCS recovery is above acceptance limits. The reported value is estimated.
RL:	Reporting Limit
RPD:	Relative Percent Difference

Cooler Receipt Log

Cooler ID: Default Cooler Temp: 4.0°C

Cooler Inspection Checklist

Custody Seals	No	Containers Intact	Yes
COC/Labels Agree	Yes	Preservation Confirmed	No
Received On Ice	Yes		

Report Comments

The data and information on this, and other accompanying documents, represents only the sample(s) analyzed. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included. The services were provided under and subject to Microbac's standard terms and conditions which can be located and reviewed at <https://www.microbac.com/standard-terms-conditions>.

Reviewed and Approved By:

Heather Murphy
Customer Relationship Specialist
heather.murphy@microbac.com
06/25/25 08:50



600 Eas
Newton,
641-792



HLW Engineering
PM: Heather Murphy

Page 1 of

Printed: 3/20/2025 11:31:39A

www.keystonelabs.com

Page 12 of 14

SITE INFORMATION

Sampler: JGH

Project: Monona Co
6036

SPECIAL INSTRUCTIONS

None

Turn Around Time

☒ Standard ☐ RUSH, need by ___/___/___

REPORT TO

Todd Whipple
HLW Engineering
204 West Broad St
Story City, IA 50248

INVOICE TO

Logan Persinger
Monona County Sanitary Landfill
31342 Hwy 37
Turin, IA 51040

LAB USE ONLY

Work Order ID 0675

Temperature 4.0

Turn-Cooler: No

☐ Custody Seal
☒ Containers Intact
☒ COC/Labels Agree
☐ Preservation Confirmed
☒ Received on Ice

Number	Sample Identification / Client ID	Matrix	Sample Type	Date	Time	Number of Containers	Analyses		Lab Sample Number
-001	MW-1	Aqueous	GRAB	4/1/25	10:00	5	8260@cis-1,2-dce as-i-6020 cd-i-6020 co-i-6020 cu-i-6020 pb-i-6020 se-i-6020 zn-i-6020	8260-base-analysis ba-i-6020 cl-9056-w cr-t-6020 ni-i-6020 sb-i-6020 v-t-6020	01
-001	MW-3R	Aqueous	GRAB	4/1/25	10:28	3	as-t-6020 cd-i-6020 cr-i-6020 ni-i-6020 sb-i-6020 v-t-6020	ba-t-6020 co-i-6020 cu-i-6020 pb-i-6020 se-i-6020 zn-i-6020	02

Relinquished By

Date/Time

Relinquished By

Date/Time

Received By

Date/Time

Received for Lab By

Date/Time

Original - Lab Copy Yellow - Sampler Copy

Remarks:



600 E
New
641-7



1 I D O 6 7 5

HLW Engineering
PM: Heather Murphy

Page 2 of

Printed: 3/20/2025 11:31:39A

www.keystonelabs.com

Page 13 of 14

SITE INFORMATION

Sampler: LGH
Project: Monona Co
9039

SPECIAL INSTRUCTIONS

None

Turn Around Time

☒ Standard ☐ RUSH, need by ___/___/___

REPORT TO

Todd Whipple
HLW Engineering
204 West Broad St
Story City, IA 50248

INVOICE TO

Logan Persinger
Monona County Sanitary Landfill
31342 Hwy 37
Turin, IA 51040

LAB USE ONLY

Work Order 1 ID0675

Temperature 4.6

Turn-Cooler: No

- ☐ Custody Seal
- ☐ Containers Intact
- ☐ COC/Labels Agree
- ☐ Preservation Confirmed
- ☒ Received on Ice

Number	Sample Identification / Client ID	Matrix	Sample Type	Date	Time	Number of Containers	Analyses		Lab Sample Number
-001	MW-4	Aqueous	GRAB	<u>4/1/25</u>	<u>9:36</u>	<u>1</u>	as-t-6020 cd-i-6020 cr-t-6020 ni-i-6020 sb-i-6020 v-t-6020	ba-t-6020 co-i-6020 cu-t-6020 pb-i-6020 se-i-6020 zn-t-6020	<u>03</u>
-001	MW-5	Aqueous	GRAB	<u>4/1/25</u>	<u>9:36</u>	<u>1</u>	as-t-6020 cd-i-6020 cr-t-6020 ni-i-6020 sb-i-6020 v-t-6020	ba-t-6020 co-i-6020 cu-t-6020 pb-i-6020 se-i-6020 zn-t-6020	<u>04</u>

J. O'Neil 4/3/25
Relinquished By Date/Time

Received By Date/Time

Relinquished By Date/Time

Schuler 4/3/25 10:18
Received for Lab By Date/Time

Original - Lab Copy Yellow - Sampler Copy

Remarks:



600 East 17th
Newton, IA 501
641-792-8451

CHA



1 I D O 6 7 5

HLW Engineering
PM: Heather Murphy

Page 3 of

Printed: 3/20/2025 11:31:39A

www.keystonelabs.com

Page 14 of 14

SITE INFORMATION

Sampler: Leid
Project: Monona Co
6036

REPORT TO

Todd Whipple
HLW Engineering
204 West Broad St
Story City, IA 50248

INVOICE TO

Logan Persinger
Monona County Sanitary Landfill
31342 Hwy 37
Turin, IA 51040

SPECIAL INSTRUCTIONS

None

Turn Around Time

☒ Standard ☐ RUSH, need by ___/___/___

LAB USE ONLY

Work Order 1 ID0675

Temperature 4.0

Turn-Cooler: No

☐ Custody Seal
☒ Containers Intact
☒ COC/Labels Agree
☒ Preservation Confirmed
☒ Received on Ice

Number	Sample Identification / Client ID	Matrix	Sample Type	Date	Time	Number of Containers	Analyses		Lab Sample Number
-001	MW-7	Aqueous	GRAB	<u>4/1/25</u>	<u>10:14</u>	<u>1</u>	as-t-6020	ba-t-6020	<u>05</u>
							cd-i-6020	co-i-6020	
							cr-t-6020	cu-t-6020	
							ni-i-6020	pb-i-6020	
							sb-i-6020	se-i-6020	
							v-t-6020	zn-t-6020	
-001	Duplicate	Aqueous	GRAB	<u>4/1/25</u>	<u>9:36</u>	<u>1</u>	as-t-6020	ba-t-6020	<u>06</u>
							cd-i-6020	co-i-6020	
							cr-t-6020	cu-t-6020	
							ni-i-6020	pb-i-6020	
							sb-i-6020	se-i-6020	
							v-t-6020	zn-t-6020	

g. COyle 4/3/25
Relinquished By Date/Time

Received By Date/Time

Relinquished By Date/Time
Schuler 4/3/25 10:18
Received for Lab By Date/Time

Original - Lab Copy Yellow - Sampler Copy

Remarks:



Microbac Laboratories, Inc., Newton

CERTIFICATE OF ANALYSIS

1IJ1229

Project Description

6036

For:

Todd Whipple

HLW Engineering

204 West Broad St

Story City, IA 50248

Heather Murphy

Customer Relationship Specialist

Wednesday, October 22, 2025

Please find enclosed the analytical results for the samples you submitted to Microbac Laboratories. Review and compilation of your report was completed by Microbac Laboratories, Inc., Newton. If you have any questions, comments, or require further assistance regarding this report, please contact your service representative listed above.

I certify that all test results meet all of the requirements of the accrediting authority listed within this report. Analytical results are reported on a 'as received' basis unless specified otherwise. Analytical results for solids with units ending in (dry) are reported on a dry weight basis. A statement of uncertainty for each analysis is available upon request. This laboratory report shall not be reproduced, except in full, without the written approval of Microbac Laboratories. The reported results are related only to the samples analyzed as received.

Microbac Laboratories, Inc.

600 East 17th Street South | Newton, IA 50208 | 641-792-8451 p | www.microbac.com



Microbac Laboratories, Inc., Newton

CERTIFICATE OF ANALYSIS

1IJ1229

HLW Engineering

Todd Whipple
204 West Broad St
Story City, IA 50248

Project Name: 6036

Project / PO Number: N/A
Received: 10/13/2025
Reported: 10/22/2025

Sample Summary Report

<u>Sample Name</u>	<u>Laboratory ID</u>	<u>Client Matrix</u>	<u>Sample Type</u>	<u>Sample Begin</u>	<u>Sample Taken</u>	<u>Lab Received</u>
MW-1	1IJ1229-01	Aqueous	GRAB		10/10/25 11:07	10/13/25 10:56
MW-3R	1IJ1229-02	Aqueous	GRAB		10/10/25 11:35	10/13/25 10:56
MW-4	1IJ1229-03	Aqueous	GRAB		10/10/25 10:48	10/13/25 10:56
MW-5	1IJ1229-04	Aqueous	GRAB		10/10/25 10:24	10/13/25 10:56
MW-7	1IJ1229-05	Aqueous	GRAB		10/10/25 11:22	10/13/25 10:56
Duplicate	1IJ1229-06	Aqueous	GRAB		10/10/25 11:35	10/13/25 10:56



Microbac Laboratories, Inc., Newton

CERTIFICATE OF ANALYSIS

1IJ1229

Analytical Testing Parameters

Client Sample ID: MW-1
Sample Matrix: Aqueous
Lab Sample ID: 1IJ1229-01

Collected By: JGH
Collection Date: 10/10/2025 11:07

Determination of Volatile Organic Compounds	Result	RL	Units	Note	Prepared	Analyzed	Analyst
EPA 5030B/EPA 8260D							
cis-1,2-Dichloroethylene	1.3	1.0	ug/L		10/20/25 0000	10/20/25 1406	RAF
Surrogate: Dibromofluoromethane	84.9	Limit: 57-128	% Rec		10/20/25 0000	10/20/25 1406	RAF
Surrogate: 1,2-Dichloroethane-d4	70.4	Limit: 49-135	% Rec		10/20/25 0000	10/20/25 1406	RAF
Surrogate: Toluene-d8	93.1	Limit: 82-116	% Rec		10/20/25 0000	10/20/25 1406	RAF
Surrogate: 4-Bromofluorobenzene	92.3	Limit: 77-114	% Rec		10/20/25 0000	10/20/25 1406	RAF
Determination of Inorganic Anions	Result	RL	Units	Note	Prepared	Analyzed	Analyst
EPA 9056A							
Chloride	200	10.0	mg/L			10/14/25 1500	BMS
Determination of Total Metals	Result	RL	Units	Note	Prepared	Analyzed	Analyst
EPA 3005A/EPA 6020A							
Antimony	<0.0010	0.0010	mg/L		10/14/25 1329	10/15/25 1821	RVV
Arsenic	0.0020	0.0020	mg/L		10/14/25 1329	10/15/25 1821	RVV
Barium	1.11	0.0010	mg/L		10/14/25 1329	10/15/25 1821	RVV
Cadmium	<0.0002	0.0002	mg/L		10/14/25 1329	10/15/25 1821	RVV
Chromium	0.0010	0.0010	mg/L		10/14/25 1329	10/15/25 1821	RVV
Cobalt	0.0030	0.0005	mg/L		10/14/25 1329	10/15/25 1821	RVV
Copper	<0.0050	0.0050	mg/L		10/14/25 1329	10/15/25 1821	RVV
Lead	<0.0010	0.0010	mg/L		10/14/25 1329	10/15/25 1821	RVV
Nickel	0.0205	0.0050	mg/L		10/14/25 1329	10/15/25 1821	RVV
Selenium	<0.0020	0.0020	mg/L		10/14/25 1329	10/15/25 1821	RVV
Vanadium	<0.0020	0.0020	mg/L		10/14/25 1329	10/15/25 1821	RVV
Zinc	<0.0050	0.0050	mg/L		10/14/25 1329	10/15/25 1821	RVV



Microbac Laboratories, Inc., Newton

CERTIFICATE OF ANALYSIS

1IJ1229

Client Sample ID: MW-3R
Sample Matrix: Aqueous
Lab Sample ID: 1IJ1229-02

Collected By: JGH
Collection Date: 10/10/2025 11:35

Determination of Total Metals	Result	RL	Units	Note	Prepared	Analyzed	Analyst
EPA 3005A/EPA 6020A							
Antimony	<0.0010	0.0010	mg/L		10/14/25 1329	10/15/25 1824	RVV
Arsenic	<0.0020	0.0020	mg/L		10/14/25 1329	10/15/25 1824	RVV
Barium	0.323	0.0010	mg/L		10/14/25 1329	10/15/25 1824	RVV
Cadmium	<0.0002	0.0002	mg/L		10/14/25 1329	10/15/25 1824	RVV
Chromium	0.0127	0.0010	mg/L		10/14/25 1329	10/15/25 1824	RVV
Cobalt	<0.0005	0.0005	mg/L		10/14/25 1329	10/15/25 1824	RVV
Copper	<0.0050	0.0050	mg/L		10/14/25 1329	10/15/25 1824	RVV
Lead	<0.0010	0.0010	mg/L		10/14/25 1329	10/15/25 1824	RVV
Nickel	<0.0050	0.0050	mg/L		10/14/25 1329	10/15/25 1824	RVV
Selenium	<0.0020	0.0020	mg/L		10/14/25 1329	10/15/25 1824	RVV
Vanadium	<0.0020	0.0020	mg/L		10/14/25 1329	10/15/25 1824	RVV
Zinc	<0.0050	0.0050	mg/L		10/14/25 1329	10/15/25 1824	RVV

Client Sample ID: MW-4
Sample Matrix: Aqueous
Lab Sample ID: 1IJ1229-03

Collected By: JGH
Collection Date: 10/10/2025 10:48

Determination of Total Metals	Result	RL	Units	Note	Prepared	Analyzed	Analyst
EPA 3005A/EPA 6020A							
Antimony	0.0011	0.0010	mg/L		10/14/25 1329	10/15/25 1826	RVV
Arsenic	0.0180	0.0020	mg/L		10/14/25 1329	10/15/25 1826	RVV
Barium	0.622	0.0010	mg/L		10/14/25 1329	10/15/25 1826	RVV
Cadmium	0.0005	0.0002	mg/L		10/14/25 1329	10/15/25 1826	RVV
Chromium	0.0053	0.0010	mg/L		10/14/25 1329	10/15/25 1826	RVV
Cobalt	0.0042	0.0005	mg/L		10/14/25 1329	10/15/25 1826	RVV
Copper	0.0106	0.0050	mg/L		10/14/25 1329	10/15/25 1826	RVV
Lead	0.0045	0.0010	mg/L		10/14/25 1329	10/15/25 1826	RVV
Nickel	0.0124	0.0050	mg/L		10/14/25 1329	10/15/25 1826	RVV
Selenium	<0.0020	0.0020	mg/L		10/14/25 1329	10/15/25 1826	RVV
Vanadium	0.0065	0.0020	mg/L		10/14/25 1329	10/15/25 1826	RVV
Zinc	0.0249	0.0050	mg/L		10/14/25 1329	10/15/25 1826	RVV



Microbac Laboratories, Inc., Newton

CERTIFICATE OF ANALYSIS

1IJ1229

Client Sample ID: MW-5
Sample Matrix: Aqueous
Lab Sample ID: 1IJ1229-04

Collected By: JGH
Collection Date: 10/10/2025 10:24

Determination of Total Metals	Result	RL	Units	Note	Prepared	Analyzed	Analyst
EPA 3005A/EPA 6020A							
Antimony	0.0014	0.0010	mg/L		10/14/25 1329	10/15/25 1829	RVV
Arsenic	<0.0020	0.0020	mg/L		10/14/25 1329	10/15/25 1829	RVV
Barium	0.147	0.0010	mg/L		10/14/25 1329	10/15/25 1829	RVV
Cadmium	<0.0002	0.0002	mg/L		10/14/25 1329	10/15/25 1829	RVV
Chromium	0.0066	0.0010	mg/L		10/14/25 1329	10/15/25 1829	RVV
Cobalt	<0.0005	0.0005	mg/L		10/14/25 1329	10/15/25 1829	RVV
Copper	<0.0050	0.0050	mg/L		10/14/25 1329	10/15/25 1829	RVV
Lead	<0.0010	0.0010	mg/L		10/14/25 1329	10/15/25 1829	RVV
Nickel	0.0057	0.0050	mg/L		10/14/25 1329	10/15/25 1829	RVV
Selenium	<0.0020	0.0020	mg/L		10/14/25 1329	10/15/25 1829	RVV
Vanadium	<0.0020	0.0020	mg/L		10/14/25 1329	10/15/25 1829	RVV
Zinc	0.0142	0.0050	mg/L		10/14/25 1329	10/15/25 1829	RVV

Client Sample ID: MW-7
Sample Matrix: Aqueous
Lab Sample ID: 1IJ1229-05

Collected By: JGH
Collection Date: 10/10/2025 11:22

Determination of Total Metals	Result	RL	Units	Note	Prepared	Analyzed	Analyst
EPA 3005A/EPA 6020A							
Antimony	<0.0010	0.0010	mg/L		10/14/25 1329	10/15/25 1831	RVV
Arsenic	<0.0020	0.0020	mg/L		10/14/25 1329	10/15/25 1831	RVV
Barium	0.189	0.0010	mg/L		10/14/25 1329	10/15/25 1831	RVV
Cadmium	<0.0002	0.0002	mg/L		10/14/25 1329	10/15/25 1831	RVV
Chromium	<0.0010	0.0010	mg/L		10/14/25 1329	10/15/25 1831	RVV
Cobalt	<0.0005	0.0005	mg/L		10/14/25 1329	10/15/25 1831	RVV
Copper	<0.0050	0.0050	mg/L		10/14/25 1329	10/15/25 1831	RVV
Lead	<0.0010	0.0010	mg/L		10/14/25 1329	10/15/25 1831	RVV
Nickel	<0.0050	0.0050	mg/L		10/14/25 1329	10/15/25 1831	RVV
Selenium	<0.0020	0.0020	mg/L		10/14/25 1329	10/15/25 1831	RVV
Vanadium	<0.0020	0.0020	mg/L		10/14/25 1329	10/15/25 1831	RVV
Zinc	<0.0050	0.0050	mg/L		10/14/25 1329	10/15/25 1831	RVV

Microbac Laboratories, Inc., Newton

600 East 17th Street South | Newton, IA 50208 | 641-792-8451 p | www.microbac.com

Page 5 of 13



Microbac Laboratories, Inc., Newton

CERTIFICATE OF ANALYSIS

1IJ1229

Client Sample ID: Duplicate
Sample Matrix: Aqueous
Lab Sample ID: 1IJ1229-06

Collected By: JGH
Collection Date: 10/10/2025 11:35

Determination of Total Metals	Result	RL	Units	Note	Prepared	Analyzed	Analyst
EPA 3005A/EPA 6020A							
Antimony	<0.0010	0.0010	mg/L		10/14/25 1329	10/15/25 1834	RVV
Arsenic	<0.0020	0.0020	mg/L		10/14/25 1329	10/15/25 1834	RVV
Barium	0.307	0.0010	mg/L		10/14/25 1329	10/15/25 1834	RVV
Cadmium	<0.0002	0.0002	mg/L		10/14/25 1329	10/15/25 1834	RVV
Chromium	0.0126	0.0010	mg/L		10/14/25 1329	10/15/25 1834	RVV
Cobalt	<0.0005	0.0005	mg/L		10/14/25 1329	10/15/25 1834	RVV
Copper	<0.0050	0.0050	mg/L		10/14/25 1329	10/15/25 1834	RVV
Lead	<0.0010	0.0010	mg/L		10/14/25 1329	10/15/25 1834	RVV
Nickel	<0.0050	0.0050	mg/L		10/14/25 1329	10/15/25 1834	RVV
Selenium	<0.0020	0.0020	mg/L		10/14/25 1329	10/15/25 1834	RVV
Vanadium	<0.0020	0.0020	mg/L		10/14/25 1329	10/15/25 1834	RVV
Zinc	<0.0050	0.0050	mg/L		10/14/25 1329	10/15/25 1834	RVV

Microbac Laboratories, Inc., Newton

600 East 17th Street South | Newton, IA 50208 | 641-792-8451 p | www.microbac.com

Page 6 of 13



Microbac Laboratories, Inc., Newton

CERTIFICATE OF ANALYSIS

1IJ1229

Batch Log Summary

Method	Batch	Laboratory ID	Client / Source ID
EPA 6020A	1IJ0809	1IJ0809-BLK1	
		1IJ0809-BS1	
		1IJ0809-MS1	1IJ1227-01
		1IJ0809-MSD1	1IJ1227-01
		1IJ0809-PS1	1IJ1227-01
		1IJ1229-01	MW-1
		1IJ1229-02	MW-3R
		1IJ1229-03	MW-4
		1IJ1229-04	MW-5
		1IJ1229-05	MW-7
		1IJ1229-06	Duplicate
Method	Batch	Laboratory ID	Client / Source ID
EPA 9056A	1IJ0817	1IJ1229-01	MW-1
		1IJ0817-MS1	1IJ1215-03
		1IJ0817-MSD1	1IJ1215-03
		1IJ0817-BLK1	
		1IJ0817-BS1	
		1IJ0817-BSD1	
Method	Batch	Laboratory ID	Client / Source ID
EPA 8260D	1IJ1167	1IJ1167-BS1	
		1IJ1167-BS1	
		1IJ1167-BSD1	
		1IJ1167-BSD1	
		1IJ1167-BLK1	
		1IJ1167-BLK1	
		1IJ1229-01	MW-1
		1IJ1229-01	MW-1
		1IJ1167-MS1	1IJ1317-01
		1IJ1167-MS1	1IJ1317-01
		1IJ1167-MSD1	1IJ1317-01
		1IJ1167-MSD1	1IJ1317-01

Batch Quality Control Summary: Microbac Laboratories, Inc., Newton

Determination of Volatile Organic Compounds	Result	RL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 1IJ1167 - EPA 5030B - EPA 8260D										
Blank (1IJ1167-BLK1)				Prepared: 10/20/25 00:00 Analyzed: 10/20/25 11:12						
cis-1,2-Dichloroethylene	<1.0	1.0	ug/L							
Surrogate: Dibromofluoromethane	42.6		ug/L	50.2		84.8	57-128			
Surrogate: 1,2-Dichloroethane-d4	33.9		ug/L	50.4		67.3	49-135			
Surrogate: Toluene-d8	47.9		ug/L	50.5		94.9	82-116			
Surrogate: 4-Bromofluorobenzene	46.4		ug/L	50.2		92.6	77-114			
LCS (1IJ1167-BS1)				Prepared: 10/20/25 00:00 Analyzed: 10/20/25 09:57						
cis-1,2-Dichloroethylene	41.02	1.0	ug/L	50.4		81.5	70-132			



Microbac Laboratories, Inc., Newton

CERTIFICATE OF ANALYSIS

1IJ1229

Determination of Volatile Organic Compounds	Result	RL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 1IJ1167 - EPA 5030B - EPA 8260D										
LCS (1IJ1167-BS1)				Prepared: 10/20/25 00:00 Analyzed: 10/20/25 09:57						
Surrogate: Dibromofluoromethane	40.7		ug/L	50.2		81.0	57-128			
Surrogate: 1,2-Dichloroethane-d4	32.8		ug/L	50.4		65.2	49-135			
Surrogate: Toluene-d8	46.7		ug/L	50.5		92.5	82-116			
Surrogate: 4-Bromofluorobenzene	46.6		ug/L	50.2		93.0	77-114			
LCS Dup (1IJ1167-BSD1)				Prepared: 10/20/25 00:00 Analyzed: 10/20/25 10:22						
cis-1,2-Dichloroethylene	40.55	1.0	ug/L	50.4		80.5	70-132	1.15	13	
Surrogate: Dibromofluoromethane	40.4		ug/L	50.2		80.5	57-128			
Surrogate: 1,2-Dichloroethane-d4	32.7		ug/L	50.4		64.9	49-135			
Surrogate: Toluene-d8	46.7		ug/L	50.5		92.6	82-116			
Surrogate: 4-Bromofluorobenzene	46.4		ug/L	50.2		92.4	77-114			
Matrix Spike (1IJ1167-MS1)				Source: 1IJ1317-01	Prepared: 10/20/25 00:00 Analyzed: 10/20/25 15:45					
cis-1,2-Dichloroethylene	419.7	10.0	ug/L	504	ND	83.4	65-136			
Surrogate: Dibromofluoromethane	425		ug/L	502		84.7	57-128			
Surrogate: 1,2-Dichloroethane-d4	364		ug/L	504		72.3	49-135			
Surrogate: Toluene-d8	472		ug/L	505		93.6	82-116			
Surrogate: 4-Bromofluorobenzene	475		ug/L	502		94.6	77-114			
Matrix Spike Dup (1IJ1167-MSD1)				Source: 1IJ1317-01	Prepared: 10/20/25 00:00 Analyzed: 10/20/25 16:10					
cis-1,2-Dichloroethylene	414.9	10.0	ug/L	504	ND	82.4	65-136	1.15	16	
Surrogate: Dibromofluoromethane	423		ug/L	502		84.2	57-128			
Surrogate: 1,2-Dichloroethane-d4	358		ug/L	504		71.1	49-135			
Surrogate: Toluene-d8	478		ug/L	505		94.7	82-116			
Surrogate: 4-Bromofluorobenzene	472		ug/L	502		94.0	77-114			
Determination of Inorganic Anions	Result	RL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 1IJ0817 - General Prep HPLC/IC - EPA 9056A										
Blank (1IJ0817-BLK1)				Prepared & Analyzed: 10/14/25 23:12						
Chloride	<1.0	1.0	mg/L							
LCS (1IJ0817-BS1)				Prepared & Analyzed: 10/14/25 23:34						
Chloride	15.97	1.0	mg/L	15.5		103	80-120			
LCS Dup (1IJ0817-BSD1)				Prepared & Analyzed: 10/14/25 23:57						
Chloride	15.96	1.0	mg/L	15.5		103	80-120	0.0407	10	
Matrix Spike (1IJ0817-MS1)				Source: 1IJ1215-03	Prepared & Analyzed: 10/14/25 20:35					
Chloride	496.3	5.0	mg/L	77.7	394.0	132	81-116			M1
Matrix Spike Dup (1IJ0817-MSD1)				Source: 1IJ1215-03	Prepared & Analyzed: 10/14/25 20:58					
Chloride	517.2	5.0	mg/L	77.7	394.0	159	81-116	4.13	10	M1



Microbac Laboratories, Inc., Newton

CERTIFICATE OF ANALYSIS

11J1229

Determination of Total Metals	Result	RL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 11J0809 - EPA 3005A Total Recoverable Metals - EPA 6020A										
Blank (11J0809-BLK1) Prepared: 10/14/25 13:29 Analyzed: 10/15/25 17:28										
Antimony	<0.0010	0.0010	mg/L							
Arsenic	<0.0020	0.0020	mg/L							
Barium	<0.0010	0.0010	mg/L							
Cadmium	<0.0002	0.0002	mg/L							
Chromium	<0.0010	0.0010	mg/L							
Cobalt	<0.0005	0.0005	mg/L							
Copper	<0.0050	0.0050	mg/L							
Lead	<0.0010	0.0010	mg/L							
Nickel	<0.0050	0.0050	mg/L							
Selenium	<0.0020	0.0020	mg/L							
Vanadium	<0.0020	0.0020	mg/L							
Zinc	<0.0050	0.0050	mg/L							
LCS (11J0809-BS1) Prepared: 10/14/25 13:29 Analyzed: 10/15/25 17:31										
Antimony	0.0982	0.0040	mg/L	0.100		98.2	80-120			
Arsenic	0.0949	0.0080	mg/L	0.100		94.9	80-120			
Barium	0.0998	0.0040	mg/L	0.100		99.8	80-120			
Cadmium	0.0947	0.0008	mg/L	0.100		94.7	80-120			
Chromium	0.0933	0.0040	mg/L	0.100		93.3	80-120			
Cobalt	0.0948	0.0020	mg/L	0.100		94.8	80-120			
Copper	0.0956	0.0200	mg/L	0.100		95.6	80-120			
Lead	0.0934	0.0040	mg/L	0.100		93.4	80-120			
Nickel	0.0942	0.0200	mg/L	0.100		94.2	80-120			
Selenium	0.0980	0.0080	mg/L	0.100		98.0	80-120			
Vanadium	0.0927	0.0080	mg/L	0.100		92.7	80-120			
Zinc	0.0957	0.0200	mg/L	0.100		95.7	80-120			
Matrix Spike (11J0809-MS1) Source: 11J1227-01 Prepared: 10/14/25 13:29 Analyzed: 10/15/25 17:36										
Antimony	0.0973	0.0040	mg/L	0.100	ND	97.3	75-125			
Arsenic	0.0930	0.0080	mg/L	0.100	ND	93.0	75-125			
Barium	0.305	0.0040	mg/L	0.100	0.217	87.7	75-125			
Cadmium	0.0931	0.0008	mg/L	0.100	ND	93.1	75-125			
Chromium	0.0952	0.0040	mg/L	0.100	ND	95.2	75-125			
Cobalt	0.0951	0.0020	mg/L	0.100	0.0003	94.8	75-125			
Copper	0.0964	0.0200	mg/L	0.100	ND	96.4	75-125			
Lead	0.0943	0.0040	mg/L	0.100	0.0006	94.3	75-125			
Nickel	0.0943	0.0200	mg/L	0.100	0.0024	91.9	75-125			
Selenium	0.0967	0.0080	mg/L	0.100	ND	96.7	75-125			
Vanadium	0.0942	0.0080	mg/L	0.100	ND	94.2	75-125			
Zinc	0.100	0.0200	mg/L	0.100	ND	100	75-125			
Matrix Spike Dup (11J0809-MSD1) Source: 11J1227-01 Prepared: 10/14/25 13:29 Analyzed: 10/15/25 17:44										
Antimony	0.0987	0.0040	mg/L	0.100	ND	98.7	75-125	1.46	20	
Arsenic	0.0979	0.0080	mg/L	0.100	ND	97.9	75-125	5.05	20	
Barium	0.318	0.0040	mg/L	0.100	0.217	101	75-125	4.35	20	
Cadmium	0.0957	0.0008	mg/L	0.100	ND	95.7	75-125	2.75	20	

Microbac Laboratories, Inc., Newton

600 East 17th Street South | Newton, IA 50208 | 641-792-8451 p | www.microbac.com



Microbac Laboratories, Inc., Newton

CERTIFICATE OF ANALYSIS

1IJ1229

Determination of Total Metals	Result	RL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 1IJ0809 - EPA 3005A Total Recoverable Metals - EPA 6020A										
Matrix Spike Dup (1IJ0809-MSD1) Source: 1IJ1227-01 Prepared: 10/14/25 13:29 Analyzed: 10/15/25 17:44										
Chromium	0.0962	0.0040	mg/L	0.100	ND	96.2	75-125	1.07	20	
Cobalt	0.0963	0.0020	mg/L	0.100	0.0003	95.9	75-125	1.20	20	
Copper	0.101	0.0200	mg/L	0.100	ND	101	75-125	4.46	20	
Lead	0.0983	0.0040	mg/L	0.100	0.0006	98.3	75-125	4.12	20	
Nickel	0.0984	0.0200	mg/L	0.100	0.0024	96.0	75-125	4.22	20	
Selenium	0.0999	0.0080	mg/L	0.100	ND	99.9	75-125	3.27	20	
Vanadium	0.0956	0.0080	mg/L	0.100	ND	95.6	75-125	1.54	20	
Zinc	0.106	0.0200	mg/L	0.100	ND	106	75-125	5.36	20	
Post Spike (1IJ0809-PS1) Source: 1IJ1227-01 Prepared: 10/14/25 13:29 Analyzed: 10/15/25 17:46										
Antimony	0.0216		mg/L	0.0200	0.0010	103	80-120			
Arsenic	0.0206		mg/L	0.0200	0.0004	101	80-120			
Barium	0.226		mg/L	0.0200	0.217	47.4	80-120			M2
Cadmium	0.0195		mg/L	0.0200	0.0002	96.6	80-120			
Chromium	0.0209		mg/L	0.0200	0.0015	96.8	80-120			
Cobalt	0.0192		mg/L	0.0200	0.0003	94.2	80-120			
Copper	0.0228		mg/L	0.0200	0.0036	96.0	80-120			
Lead	0.0204		mg/L	0.0200	0.0006	98.9	80-120			
Nickel	0.0214		mg/L	0.0200	0.0024	94.8	80-120			
Selenium	0.0202		mg/L	0.0200	-0.0002	101	80-120			
Vanadium	0.0205		mg/L	0.0200	0.0010	97.7	80-120			
Zinc	0.0260		mg/L	0.0200	0.0064	98.2	80-120			

Definitions

M1:	Matrix spike recovery is above acceptance limits.
M2:	Matrix spike recovery is below acceptance limits.
RL:	Reporting Limit
RPD:	Relative Percent Difference

Cooler Receipt Log

Cooler ID: Default Cooler Temp: 8.9°C

Cooler Inspection Checklist

Custody Seals	No	Containers Intact	Yes
COC/Labels Agree	Yes	Preservation Confirmed	No
Received On Ice	Yes		



Microbac Laboratories, Inc., Newton

CERTIFICATE OF ANALYSIS

1IJ1229

Report Comments

*The data and information on this, and other accompanying documents, represents only the sample(s) analyzed. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included. **The services were provided under and subject to Microbac's standard terms and conditions which can be located and reviewed at <https://www.microbac.com/standard-terms-conditions>.***

Reviewed and Approved By:

Heather Murphy

Customer Relationship Specialist

heather.murphy@microbac.com

10/22/25 13:55

CHAIN OF CUSTODY RECORD



600 East 17th Street South
Newton, IA 50208
Phone: 641-792-8451

Page 1 of 3
Printed: 9/24/2025 11:03:32AM

Page 12 of 13

SITE INFORMATION

Sampler: *JGH*

Project: Monona Co
6036

REPORT TO

Todd Whipple
HLW Engineering
204 West Broad St
Story City, IA 50248

INVOICE TO

Logan Persinger
Monona County Sanitary Landfill
31342 Hwy 37
Turin, IA 51040

SPECIAL INSTRUCTIONS

None

Turn Around Time

☒ Standard ☐ RUSH, need by ___/___/___

LAB USE ONLY



1 I J 1 2 2 9

HLW Engineering
PM: Heather Murphy

Temperature: *8.9* °C *vice*

Number	Sample Identification / Client ID	Matrix	Sample Type	Date	Time	# Containers	Analyses		Lab Sample Number
01-001	MW-1	Aqueous	GRAB	<i>10/10/25</i>	<i>11:07</i>	<i>5</i>	cl-9056-w ba-t-6020 co-t-6020 cu-t-6020 pb-t-6020 se-t-6020 zn-t-6020 8260@cis-1,2-dce	as-t-6020 cd-t-6020 cr-t-6020 ni-t-6020 sb-t-6020 v-t-6020 8260-base-analysis	<i>01</i>
02-001	MW-3R	Aqueous	GRAB	<i>10/10/25</i>	<i>11:35</i>	<i>1</i>	as-t-6020 cd-t-6020 cr-t-6020 ni-t-6020 sb-t-6020 v-t-6020	ba-t-6020 co-t-6020 cu-t-6020 pb-t-6020 se-t-6020 zn-t-6020	<i>02</i>
03-001	MW-4	Aqueous	GRAB	<i>10/10/25</i>	<i>10:48</i>	<i>1</i>	as-t-6020 cd-t-6020 cr-t-6020 ni-t-6020 sb-t-6020 v-t-6020	ba-t-6020 co-t-6020 cu-t-6020 pb-t-6020 se-t-6020 zn-t-6020	<i>03</i>

J. O. [Signature]
Relinquished By

10/13/25
Date/Time

Relinquished By

Date/Time

Received By

Date/Time

Received for Lab By

Date/Time

Remarks:

CHAIN OF CUSTODY RECORD



600 East 17th Street South
Newton, IA 50208
Phone: 641-792-8451

Page 2 of 3
Printed: 9/24/2025 11:03:32AM

Page 13 of 13

SITE INFORMATION

Sampler: JEH

Project: Monona Co
6036

SPECIAL INSTRUCTIONS

None

Turn Around Time

☒ Standard ☐ RUSH, need by ___/___/___

REPORT TO

Todd Whipple
HLW Engineering
204 West Broad St
Story City, IA 50248

INVOICE TO

Logan Persinger
Monona County Sanitary Landfill
31342 Hwy 37
Turin, IA 51040

LAB USE ONLY



HLW Engineering
PM: Heather Murphy

Temperature: _____ °C

Number	Sample Identification / Client ID	Matrix	Type	Date	Time	# Containers	Analyses		Lab Sample Number
04-001	MW-5	Aqueous	GRAB	10/10/25	10:24	1	as-t-6020 cd-t-6020 cr-t-6020 ni-t-6020 sb-t-6020 v-t-6020	ba-t-6020 co-t-6020 cu-t-6020 pb-t-6020 se-t-6020 zn-t-6020	04
05-001	MW-7	Aqueous	GRAB	10/10/25	10:22	1	as-t-6020 cd-t-6020 cr-t-6020 ni-t-6020 sb-t-6020 v-t-6020	ba-t-6020 co-t-6020 cu-t-6020 pb-t-6020 se-t-6020 zn-t-6020	05
06-001	Duplicate	Aqueous	GRAB	10/10/25	11:35	1	as-t-6020 cd-t-6020 cr-t-6020 ni-t-6020 sb-t-6020 v-t-6020	ba-t-6020 co-t-6020 cu-t-6020 pb-t-6020 se-t-6020 zn-t-6020	04

Relinquished By [Signature] Date/Time 10/13/25

Received By _____ Date/Time _____

Relinquished By _____ Date/Time _____

Received for Lab By [Signature] Date/Time 10/13/25 10:51

Remarks:

Appendix E

Summary of Field Turbidity

Monona County Sanitary Landfill

Field Turbidity Over Time

	No-Purge Sampling															Max	Min	Ave	Std Dev
	10/4/18	4/15/19	10/8/19	4/8/20	10/2/20	4/12/21	10/26/21	4/12/22	10/7/22	4/19/23	10/25/23	4/18/24	10/17/24	4/1/25	10/10/25				
<u>Well</u>	<u>NTU</u>	<u>NTU</u>	<u>NTU</u>	<u>NTU</u>	<u>NTU</u>	<u>NTU</u>	<u>NTU</u>	<u>NTU</u>	<u>NTU</u>	<u>NTU</u>	<u>NTU</u>	<u>NTU</u>	<u>NTU</u>	<u>NTU</u>	<u>NTU</u>				
MW-1	2.03	2.79	2.36	1.08	12.9	1.46	1.34	1.14	5.71	1.26	4.18	1.67	2.95	2.53	1.36	12.90	1.08	2.98	3.03
MW-3R	1.07	2.49	2.46	1.82	3.07	1	2.53	3.63	5.7	2.25	2.92	2.05	2.26	1.35	11.1	11.10	1.00	3.05	2.51
MW-4	16.1	42.4	69.6	37.9	101	151	17.63	30.3	10.5	13.3	5.07	33.7		49.8	250	250.00	5.07	59.16	67.93
MW-5	1.04	39.5	18.1	426	29.5	88.7	207.8	46	12.1	11.3	99.26	7.76	58.93	4.53	3.34	426.00	1.04	70.26	112.46
MW-7	1.25	1.6	1.06	0.66	0.86	0.92	1.33	2.07	1.55	1.11	2.37	2.03	2.38	1.96	0.97	2.38	0.66	1.47	0.57
Max	16.10	42.40	69.60	426.00	101.00	151.00	207.80	46.00	12.10	13.30	99.26	33.70	58.93	49.80	250.00				
Min	1.04	1.60	1.06	0.66	0.86	0.92	1.33	1.14	1.55	1.11	2.37	1.67	2.26	1.35	0.97				
Median	1.25	2.79	2.46	1.82	12.90	1.46	2.53	3.63	5.71	2.25	4.18	2.05	2.67	2.53	3.34				
Average	4.30	17.76	18.72	93.49	29.47	48.62	46.13	16.63	7.11	5.84	22.76	9.44	16.63	12.03	53.35				