

# APPLIANCE DEMANUFACTURING ANNUAL REPORT

January 1, 2025 – December 31, 2025

20-ADP-02-13

Please make address corrections as necessary

REPORT IS DUE ON OR BEFORE  
January 31, 2026

PAUL PALMER, JR.  
P&L RECYCLING, LLC  
2261 CHURCH STREET  
WELDON IA 50264

Send completed form to:  
Iowa Department of Natural Resources  
Land Quality Bureau  
6200 Park Avenue, Ste 200  
Des Moines, Iowa 50321  
Or Email: [Becky.jolly@dnr.iowa.gov](mailto:Becky.jolly@dnr.iowa.gov)  
Or Fax: 515-725-8201, Attn: Becky Jolly

Attach additional pages if necessary.

Are appliances containing refrigerants accepted at this facility?  Yes  No

Are appliances containing mercury accepted at this facility?  Yes  No

Are appliances containing sodium chromate accepted at this facility?  Yes  No

Are appliances containing PCB capacitors and ballasts accepted at this facility?  Yes  No

## Number of Appliances Demanufactured in each category

TYPE OF APPLIANCE	NUMBER	TYPE OF APPLIANCE	NUMBER
Refrigerators and freezers	15	Furnaces	6
Commercial coolers		Clothes washers and dryers	93
Air-conditioning units	13	Dishwashers	6
Dehumidifiers		Microwave Ovens	3
Gas Water Heaters	9	Stoves/ Ovens or Other items containing Mercury, refrigerant or PCB-containing articles.	57

## Storage Dates

Date the first item was placed in the mercury storage drum that is in use on December 31.	None	Date the first PCB-containing item was placed in the storage drum that is in use on December 31.	5-24-25
---	------	--	---------

Questions? Call or email: Theresa Stiner, [theresa.stiner@dnr.iowa.gov](mailto:theresa.stiner@dnr.iowa.gov), 515-721-7979

Please mail completed form to: Land Quality Bureau, 6200 Park Avenue, Ste 200, Des Moines, IA 50321

## Component Removal

TYPE OF COMPONENT	NUMBER	TYPE OF COMPONENT	NUMBER
Number of mercury switches removed. (Not in lbs)	0	Amount of Refrigerant Removed	125 1b
Number of mercury thermocouples removed. (Not in lbs)	0	Number of PCB capacitors removed. (Not in lbs)	0
Number of fluorescent tubes removed. (Not in lbs)	0	Number of PCB ballasts removed. (Not in lbs)	6


## Sodium Chromate Appliances

Number of sodium chromate containing appliances shipped to another demanufacturer

none

### <sup>16</sup>Certification

I certify under penalty of law that I am the owner, operator, or authorized representative of the owner or operator and that I have examined and am familiar with the information reported above, and that I believe the information is true, accurate and complete.

Signature: 	Name & Agency of Person Certifying (please type or print)  Laura Palmer PTL Recycling LLC	Date: 1-6-26	Telephone Number: 641-342-6459
Email: lauraloo@hotmail.com			Fax Number: none

### Additional Comments:

In accordance with Iowa Administrative Code 567 Chapter 118.13(1) – Annual reports with the information required in subrule 118.13(2) are due January 31 each year for the activities of the previous calendar year shall be retained at the facility for at least three years.

Prairie Solid Waste Agency  
1774 Lark Avenue/PO Box 227  
Creston, IA 50801

000000 CASH CUSTOMER

INBOUND CASH

Dennis Brown

ROLL OFF

01 00159869

DATE IN DATE OUT TIME IN TIME OUT VEHICLE

07/09/25 07/09/25 14:11 14:11

REFERENCE ORIGIN

CLARKE COUNTY

P&L

Manual Gross Wt.	39000 LB
Manual Tare Wt.	34700 LB
Net Weight QTY.	4300 LB

QTY.	UNIT	DESCRIPTION	RATE	EXTENSION	FEES	TOTAL
2.15	TON	MUNICIPAL SOLID WAST	88.000	189.20	0.00	189.20
6.00	unit	FLORESCENT BALLAST	2.000	12.00	0.00	12.00

Monday-Friday 8AM-4PM Saturday 8AM-11:30AM  
Last load taken 15 minutes prior to closing time.  
This is to certify that this load does not contain any  
hazardous materials, medical waste or liquids of any type.

NET AMOUNT

201.20

TENDERED

201.20

CHANGE

0.00

CHECK NO.

201.20