

APPLIANCE DEMANUFACTURING ANNUAL REPORT
January 1, 2025 – December 31, 2025

28-ADP-03-21

Please make address corrections as necessary

AARON SUPPLE
SUPPLE SCRAP
523 ANDREW STREET
HOPKINTON IA 52237

REPORT IS DUE ON OR BEFORE
January 31, 2026

Send completed form to:
Iowa Department of Natural Resources
Land Quality Bureau
6200 Park Avenue, Ste 200
Des Moines, Iowa 50321
Or Email: Becky.jolly@dnr.iowa.gov
Or Fax: 515-725-8201, Attn: Becky Jolly

Attach additional pages if necessary.

- Are appliances containing refrigerants accepted at this facility? ☒ Yes ☐ No
- Are appliances containing mercury accepted at this facility? ☒ Yes ☐ No
- Are appliances containing sodium chromate accepted at this facility? ☐ Yes ☒ No
- Are appliances containing PCB capacitors and ballasts accepted at this facility? ☒ Yes ☐ No

Number of Appliances Demanufactured in each category

TYPE OF APPLIANCE	NUMBER	TYPE OF APPLIANCE	NUMBER
Refrigerators and freezers	0	Furnaces	15
Commercial coolers	0	Clothes washers and dryers	3
Air-conditioning units	22	Dishwashers	0
Dehumidifiers	0	Microwave Ovens	0
Gas Water Heaters	57	Stoves/ Ovens or Other items containing Mercury, refrigerant or PCB-containing articles.	0

Storage Dates

Date the first item was placed in the mercury storage drum that is in use on December 31.	N/A	Date the first PCB-containing item was placed in the storage drum that is in use on December 31.	N/A
---	-----	--	-----

Component Removal			
TYPE OF COMPONENT	NUMBER	TYPE OF COMPONENT	NUMBER
Number of mercury switches removed. (Not in lbs)	0	Amount of Refrigerant Removed	None
Number of mercury thermocouples removed. (Not in lbs)	0	Number of PCB capacitors removed. (Not in lbs)	0
Number of fluorescent tubes removed. (Not in lbs)	0	Number of PCB ballasts removed. (Not in lbs)	0

Sodium Chromate Appliances	
Number of sodium chromate containing appliances shipped to another demanufacturer	None

27 Certification			
I certify under penalty of law that I am the owner, operator, or authorized representative of the owner or operator and that I have examined and am familiar with the information reported above, and that I believe the information is true, accurate and complete.			
Signature: <i>Aaron Supple</i>	Name & Agency of Person Certifying (please type or print) <i>Supple Scrap</i> <i>Aaron Supple</i>	Date: <i>1/30/26</i>	Telephone Number: <i>563-920-7756</i>
Email: <i>aaronssupple92@gmail.com</i>			Fax Number:

Additional Comments:

As in previously years my plumbers drain the refrigerant as they commonly keep the copper out of units. Picked up a couple washers this year that were dismantled.

In accordance with Iowa Administrative Code 567 Chapter 118.13(1) – Annual reports with the information required in subrule 118.13(2) are due January 31 each year for the activities of the previous calendar year shall be retained at the facility for at least three years.