



Environmental Engineering,
Management and Consulting

23210 Greater Mack Ave
#174
Saint Clair Shores
Michigan 48080

(313) 999 4071

www.CJFassociates.com

February 16, 2026

Ms. Becky Jolly
Iowa Department of Natural Resources
Land Quality Bureau
502 E. 9th Street
Des Moines, Iowa 50319

Dear Ms. Jolly:

Re: Fluff Quarterly Sampling Results
Alter Metal Recycling - Council Bluffs, Iowa
1st Quarter 2026

CJF Associates, LLC (CJF) is pleased to submit this report on behalf of Alter Trading Corporation, Council Bluffs, Iowa (Alter). This report presents the quarterly fluff sampling results as identified above.

Summary

- PCBs concentration this quarter: 20 mg/kg;
- Ten-Sample Rolling PCBs Average: 15.07 mg/kg;
- PCBs TCLP result this quarter is non-detect; and
- All TCLP metal results are below regulatory criteria.

Based on the analytical results; the fluff may be landfilled in Iowa per IAC 567, Chapter 118.


Details

In order to characterize the fluff, samples were collected and analyzed from the bulk seven-day composite sample. The composite sample was collected from January 12 through January 20, 2025 in accordance with IAC 567, Chapter 118. Samples were analyzed for total Polychlorinated Biphenyls (PCBs), Toxic Characteristic Leaching Procedure (TCLP) PCBs, TCLP Resource Conservation and Recovery Act (RCRA) metals, and Ignitability.

Total PCBs results for the sampling period totaled 20 mg/kg. TCLP PCBs were not detected above the laboratory reporting limit. Arsenic, barium, cadmium and lead were the only RCRA metals identified above the laboratory reporting limits but below regulatory TCLP concentrations. Lead was detected at a concentration of 0.047 mg/L which does not exceed the regulatory TCLP concentration of 5.0 mg/L. The present ten-sample rolling average for PCBs is 15.07 mg/kg. Rolling averages of the ten-sampling period results for total PCBs are presented below:



February 16, 2026



First quarter analytical results are summarized as follows:

Sample ID	Analyte										Ignitability ²
	Total PCBs ¹	TCLP PCBs	TCLP Arsenic	TCLP Barium	TCLP Cad	TCLP Chrom	TCLP Lead	TCLP Sel	TCLP Silver	TCLP Mercury	
ZCSF-012926-001	20	ND	0.0010	0.23	0.16	ND	0.047	ND	ND	ND	>202

Notes: All TCLP results are reported in mg/L ND = Not Detected Above Laboratory Detection Limits
 (1) Results reported in mg/kg NA = Not Analyzed
 (2) Results reported in degrees Fahrenheit

Laboratory analytical results and chain of custody forms are presented in Attachment A.

If you have any questions, please contact Frank W. Ring at (313) 999-4071.

Sincerely,
CJF Associates, LLC

Frank W. Ring, P.E.

Encl.
CC: Ryan Carpenter, Alter
Ryan Mitchell, Iowa Waste Systems Inc.

ATTACHMENT A

LABORATORY ANALYTICAL RESULTS



ANALYTICAL REPORT

PREPARED FOR

Attn: Charles Ring
CJF Associates, LLC
PO BOX 80815
St. Claire Shores, Michigan 48080

Generated 2/13/2026 1:43:27 PM

JOB DESCRIPTION

Alter Council Bluffs, 1216-01

JOB NUMBER

240-242383-1

Eurofins Cleveland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
2/13/2026 1:43:27 PM

Authorized for release by
Denise Heckler, Project Manager II
Denise.Heckler@et.eurofinsus.com
(330)966-9477



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Method Summary	6
Sample Summary	7
Detection Summary	8
Client Sample Results	9
Surrogate Summary	11
QC Sample Results	12
QC Association Summary	15
Lab Chronicle	17
Certification Summary	18
Chain of Custody	19
Receipt Checklists	24

Definitions/Glossary

Client: CJF Associates, LLC
Project/Site: Alter Council Bluffs, 1216-01

Job ID: 240-242383-1

Qualifiers

Metals

Qualifier	Qualifier Description
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: CJF Associates, LLC
Project: Alter Council Bluffs, 1216-01

Job ID: 240-242383-1

Job ID: 240-242383-1

Eurofins Cleveland

Job Narrative 240-242383-1

Receipt

The samples were received on 1/30/2026 12:30 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 4.0°C.

PCBs

Method 8082A: The following sample required a tetrabutylammonium sulfite (TBA) clean-up to reduce matrix interferences caused by sulfur: ZCSF-012926-001 (240-242383-1).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Metals

Method 6020B/7470 - TCLP: Insufficient sample was provided to perform the leaching procedure with the required 100g for the following sample: ZCSF-012926-001 (240-242383-1). The volume of leaching fluid was adjusted proportionally to maintain a 20:1 ratio of leaching fluid to weight of sample. Reporting limits (RLs) are not affected.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

General Chemistry

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cleveland



Method Summary

Client: CJF Associates, LLC
Project/Site: Alter Council Bluffs, 1216-01

Job ID: 240-242383-1

Method	Method Description	Protocol	Laboratory
8082A	Polychlorinated Biphenyls (PCBs) by Gas Chromatography	SW846	EET CF
8082A	Polychlorinated Biphenyls (PCBs) by Gas Chromatography	SW846	EET CLE
6020B	Metals (ICP/MS)	SW846	EET CLE
7470A	Mercury (CVAA)	SW846	EET CLE
D92	Flashpoint	ASTM	EET CF
Moisture	Percent Moisture	EPA	EET CLE
1311	TCLP Extraction	SW846	EET CF
1311	TCLP Extraction	SW846	EET CLE
3010A	Preparation, Total Metals	SW846	EET CLE
3511	Microextraction of Organic Compounds	SW846	EET CF
3546	Microwave Extraction	SW846	EET CLE
7470A	Preparation, Mercury	SW846	EET CLE

Protocol References:

ASTM = ASTM International

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CF = Eurofins Cedar Falls, 3019 Venture Way, Cedar Falls, IA 50613, TEL (319)277-2401

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Sample Summary

Client: CJF Associates, LLC
Project/Site: Alter Council Bluffs, 1216-01

Job ID: 240-242383-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
240-242383-1	ZCSF-012926-001	Solid	01/29/26 16:00	01/30/26 12:30	Iowa

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Detection Summary

Client: CJF Associates, LLC
Project/Site: Alter Council Bluffs, 1216-01

Job ID: 240-242383-1

Client Sample ID: ZCSF-012926-001

Lab Sample ID: 240-242383-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Aroclor-1242	17		1.9	0.71	mg/Kg	5	✳	8082A	Total/NA
Aroclor-1254	2.8		1.9	0.79	mg/Kg	5	✳	8082A	Total/NA
Polychlorinated biphenyls, Total	20		1.9	1.1	mg/Kg	5	✳	8082A	Total/NA
Arsenic	0.0010	J	0.050	0.00075	mg/L	1		6020B	TCLP
Barium	0.23	J B	0.50	0.00077	mg/L	1		6020B	TCLP
Cadmium	0.16	B	0.050	0.000077	mg/L	1		6020B	TCLP
Lead	0.047	J	0.050	0.00045	mg/L	1		6020B	TCLP
Flashpoint	>202		65.0	65.0	Degrees F	1		D92	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

Client Sample Results

Client: CJF Associates, LLC
 Project/Site: Alter Council Bluffs, 1216-01

Job ID: 240-242383-1

Client Sample ID: ZCSF-012926-001

Lab Sample ID: 240-242383-1

Date Collected: 01/29/26 16:00

Matrix: Solid

Date Received: 01/30/26 12:30

Method: SW846 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	ND		1.9	1.6	ug/L		02/09/26 09:49	02/12/26 14:22	1
PCB-1221	ND		1.9	1.6	ug/L		02/09/26 09:49	02/12/26 14:22	1
PCB-1232	ND		1.9	1.6	ug/L		02/09/26 09:49	02/12/26 14:22	1
PCB-1242	ND		1.9	1.6	ug/L		02/09/26 09:49	02/12/26 14:22	1
PCB-1248	ND		1.9	0.66	ug/L		02/09/26 09:49	02/12/26 14:22	1
PCB-1254	ND		1.9	0.66	ug/L		02/09/26 09:49	02/12/26 14:22	1
PCB-1260	ND		1.9	0.66	ug/L		02/09/26 09:49	02/12/26 14:22	1
PCB-1268	ND		1.9	0.66	ug/L		02/09/26 09:49	02/12/26 14:22	1
Polychlorinated biphenyls, Total	ND		1.9	1.6	ug/L		02/09/26 09:49	02/12/26 14:22	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	36		10 - 150	02/09/26 09:49	02/12/26 14:22	1
Tetrachloro-m-xylene	83		17 - 150	02/09/26 09:49	02/12/26 14:22	1

Method: SW846 6020B - Metals (ICP/MS) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Silver	ND		0.050	0.000053	mg/L		02/02/26 14:00	02/04/26 00:09	1
Arsenic	0.0010	J	0.050	0.00075	mg/L		02/02/26 14:00	02/04/26 00:09	1
Barium	0.23	J B	0.50	0.00077	mg/L		02/02/26 14:00	02/04/26 00:09	1
Cadmium	0.16	B	0.050	0.000077	mg/L		02/02/26 14:00	02/04/26 00:09	1
Chromium	ND		0.050	0.0012	mg/L		02/02/26 14:00	02/04/26 00:09	1
Lead	0.047	J	0.050	0.00045	mg/L		02/02/26 14:00	02/04/26 00:09	1
Selenium	ND		0.050	0.00089	mg/L		02/02/26 14:00	02/04/26 00:09	1

Method: SW846 7470A - Mercury (CVAA) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.0020	0.00013	mg/L		02/02/26 14:00	02/03/26 10:11	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Flashpoint (ASTM D92)	>202		65.0	65.0	Degrees F			02/05/26 15:24	1
Percent Solids (EPA Moisture)	89.7		0.1	0.1	%			02/02/26 11:09	1
Percent Moisture (EPA Moisture)	10.3		0.1	0.1	%			02/02/26 11:09	1

Client Sample Results

Client: CJF Associates, LLC
 Project/Site: Alter Council Bluffs, 1216-01

Job ID: 240-242383-1

Client Sample ID: ZCSF-012926-001

Lab Sample ID: 240-242383-1

Date Collected: 01/29/26 16:00

Matrix: Solid

Date Received: 01/30/26 12:30

Percent Solids: 89.7

Method: SW846 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor-1016	ND		1.9	0.94	mg/Kg	☼	02/02/26 10:06	02/03/26 09:37	5
Aroclor-1221	ND		1.9	1.1	mg/Kg	☼	02/02/26 10:06	02/03/26 09:37	5
Aroclor-1232	ND		1.9	0.79	mg/Kg	☼	02/02/26 10:06	02/03/26 09:37	5
Aroclor-1242	17		1.9	0.71	mg/Kg	☼	02/02/26 10:06	02/03/26 09:37	5
Aroclor-1248	ND		1.9	0.64	mg/Kg	☼	02/02/26 10:06	02/03/26 09:37	5
Aroclor-1254	2.8		1.9	0.79	mg/Kg	☼	02/02/26 10:06	02/03/26 09:37	5
Aroclor-1260	ND		1.9	0.79	mg/Kg	☼	02/02/26 10:06	02/03/26 09:37	5
Aroclor-1262	ND		1.9	0.82	mg/Kg	☼	02/02/26 10:06	02/03/26 09:37	5
Aroclor-1268	ND		1.9	0.60	mg/Kg	☼	02/02/26 10:06	02/03/26 09:37	5
Polychlorinated biphenyls, Total	20		1.9	1.1	mg/Kg	☼	02/02/26 10:06	02/03/26 09:37	5

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	72		17 - 121	02/02/26 10:06	02/03/26 09:37	5
DCB Decachlorobiphenyl	96		10 - 137	02/02/26 10:06	02/03/26 09:37	5

Surrogate Summary

Client: CJF Associates, LLC
Project/Site: Alter Council Bluffs, 1216-01

Job ID: 240-242383-1

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Matrix: Solid

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	TCX2 (17-121)	DCBP2 (10-137)
240-242383-1	ZCSF-012926-001	72	96
LCS 240-689211/2-A	Lab Control Sample	38	79
MB 240-689211/1-A	Method Blank	79	100

Surrogate Legend

TCX = Tetrachloro-m-xylene

DCBP = DCB Decachlorobiphenyl

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Matrix: Solid

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCB1 (10-150)	TCX1 (17-150)
LCS 310-480315/2-A	Lab Control Sample	55	68
MB 310-480315/1-A	Method Blank	59	68

Surrogate Legend

DCB = DCB Decachlorobiphenyl (Surr)

TCX = Tetrachloro-m-xylene

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Matrix: Solid

Prep Type: TCLP

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCB1 (10-150)	TCX1 (17-150)
240-242383-1	ZCSF-012926-001	36	83
LB 310-479937/1-E	Method Blank	54	96

Surrogate Legend

DCB = DCB Decachlorobiphenyl (Surr)

TCX = Tetrachloro-m-xylene

QC Sample Results

Client: CJF Associates, LLC
 Project/Site: Alter Council Bluffs, 1216-01

Job ID: 240-242383-1

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Lab Sample ID: MB 310-480315/1-A
Matrix: Solid
Analysis Batch: 480340

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 480315

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
PCB-1016	ND		2.0	1.7	ug/L		02/09/26 09:48	02/09/26 15:14	1
PCB-1221	ND		2.0	1.7	ug/L		02/09/26 09:48	02/09/26 15:14	1
PCB-1232	ND		2.0	1.7	ug/L		02/09/26 09:48	02/09/26 15:14	1
PCB-1242	ND		2.0	1.7	ug/L		02/09/26 09:48	02/09/26 15:14	1
PCB-1248	ND		2.0	0.68	ug/L		02/09/26 09:48	02/09/26 15:14	1
PCB-1254	ND		2.0	0.68	ug/L		02/09/26 09:48	02/09/26 15:14	1
PCB-1260	ND		2.0	0.68	ug/L		02/09/26 09:48	02/09/26 15:14	1
PCB-1268	ND		2.0	0.68	ug/L		02/09/26 09:48	02/09/26 15:14	1
Polychlorinated biphenyls, Total	ND		2.0	1.7	ug/L		02/09/26 09:48	02/09/26 15:14	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
DCB Decachlorobiphenyl (Surr)	59		10 - 150	02/09/26 09:48	02/09/26 15:14	1
Tetrachloro-m-xylene	68		17 - 150	02/09/26 09:48	02/09/26 15:14	1

Lab Sample ID: LCS 310-480315/2-A
Matrix: Solid
Analysis Batch: 480340

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 480315

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
PCB-1016	27.8	23.8		ug/L		86	25 - 150
PCB-1260	27.8	22.5		ug/L		81	14 - 150

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
DCB Decachlorobiphenyl (Surr)	55		10 - 150
Tetrachloro-m-xylene	68		17 - 150

Lab Sample ID: MB 240-689211/1-A
Matrix: Solid
Analysis Batch: 689186

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 689211

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Aroclor-1016	ND		0.050	0.025	mg/Kg		02/02/26 10:06	02/02/26 15:54	1
Aroclor-1221	ND		0.050	0.030	mg/Kg		02/02/26 10:06	02/02/26 15:54	1
Aroclor-1232	ND		0.050	0.021	mg/Kg		02/02/26 10:06	02/02/26 15:54	1
Aroclor-1242	ND		0.050	0.019	mg/Kg		02/02/26 10:06	02/02/26 15:54	1
Aroclor-1248	ND		0.050	0.017	mg/Kg		02/02/26 10:06	02/02/26 15:54	1
Aroclor-1254	ND		0.050	0.021	mg/Kg		02/02/26 10:06	02/02/26 15:54	1
Aroclor-1260	ND		0.050	0.021	mg/Kg		02/02/26 10:06	02/02/26 15:54	1
Aroclor-1262	ND		0.050	0.022	mg/Kg		02/02/26 10:06	02/02/26 15:54	1
Aroclor-1268	ND		0.050	0.016	mg/Kg		02/02/26 10:06	02/02/26 15:54	1
Polychlorinated biphenyls, Total	ND		0.050	0.030	mg/Kg		02/02/26 10:06	02/02/26 15:54	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
Tetrachloro-m-xylene	79		17 - 121	02/02/26 10:06	02/02/26 15:54	1
DCB Decachlorobiphenyl	100		10 - 137	02/02/26 10:06	02/02/26 15:54	1

Eurofins Cleveland

QC Sample Results

Client: CJF Associates, LLC
 Project/Site: Alter Council Bluffs, 1216-01

Job ID: 240-242383-1

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography (Continued)

Lab Sample ID: LCS 240-689211/2-A
Matrix: Solid
Analysis Batch: 689186

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 689211

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Aroclor-1016	1.00	0.405		mg/Kg		41	22 - 120
Aroclor-1260	1.00	0.534		mg/Kg		53	29 - 124

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Tetrachloro-m-xylene	38		17 - 121
DCB Decachlorobiphenyl	79		10 - 137

Lab Sample ID: LB 310-479937/1-E
Matrix: Solid
Analysis Batch: 480708

Client Sample ID: Method Blank
Prep Type: TCLP
Prep Batch: 480315

Analyte	LB Result	LB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	ND		1.8	1.6	ug/L		02/09/26 09:49	02/12/26 14:08	1
PCB-1221	ND		1.8	1.6	ug/L		02/09/26 09:49	02/12/26 14:08	1
PCB-1232	ND		1.8	1.6	ug/L		02/09/26 09:49	02/12/26 14:08	1
PCB-1242	ND		1.8	1.6	ug/L		02/09/26 09:49	02/12/26 14:08	1
PCB-1248	ND		1.8	0.64	ug/L		02/09/26 09:49	02/12/26 14:08	1
PCB-1254	ND		1.8	0.64	ug/L		02/09/26 09:49	02/12/26 14:08	1
PCB-1260	ND		1.8	0.64	ug/L		02/09/26 09:49	02/12/26 14:08	1
PCB-1268	ND		1.8	0.64	ug/L		02/09/26 09:49	02/12/26 14:08	1
Polychlorinated biphenyls, Total	ND		1.8	1.6	ug/L		02/09/26 09:49	02/12/26 14:08	1

Surrogate	LB %Recovery	LB Qualifier	Limits	Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	54		10 - 150	02/09/26 09:49	02/12/26 14:08	1
Tetrachloro-m-xylene	96		17 - 150	02/09/26 09:49	02/12/26 14:08	1

Method: 6020B - Metals (ICP/MS)

Lab Sample ID: MB 240-689169/2-A
Matrix: Solid
Analysis Batch: 689377

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 689169

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Silver	ND		0.050	0.000053	mg/L		02/02/26 14:00	02/03/26 23:45	1
Arsenic	ND		0.050	0.00075	mg/L		02/02/26 14:00	02/03/26 23:45	1
Barium	ND		0.50	0.00077	mg/L		02/02/26 14:00	02/03/26 23:45	1
Cadmium	ND		0.050	0.000077	mg/L		02/02/26 14:00	02/03/26 23:45	1
Chromium	ND		0.050	0.0012	mg/L		02/02/26 14:00	02/03/26 23:45	1
Lead	ND		0.050	0.00045	mg/L		02/02/26 14:00	02/03/26 23:45	1
Selenium	ND		0.050	0.00089	mg/L		02/02/26 14:00	02/03/26 23:45	1

Lab Sample ID: LCS 240-689169/3-A
Matrix: Solid
Analysis Batch: 689377

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 689169

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Silver	0.100	0.0974		mg/L		97	80 - 120
Arsenic	1.00	1.06		mg/L		106	80 - 120

Eurofins Cleveland

QC Sample Results

Client: CJF Associates, LLC
 Project/Site: Alter Council Bluffs, 1216-01

Job ID: 240-242383-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: LCS 240-689169/3-A
Matrix: Solid
Analysis Batch: 689377

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 689169

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Barium	1.00	1.01		mg/L		101	80 - 120
Cadmium	0.500	0.480		mg/L		96	80 - 120
Chromium	0.500	0.522		mg/L		104	80 - 120
Lead	0.500	0.487		mg/L		97	80 - 120
Selenium	1.00	0.988		mg/L		99	80 - 120

Lab Sample ID: LB 240-689155/1-B
Matrix: Solid
Analysis Batch: 689377

Client Sample ID: Method Blank
Prep Type: TCLP
Prep Batch: 689169

Analyte	LB Result	LB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Silver	ND		0.050	0.000053	mg/L		02/02/26 14:00	02/03/26 23:36	1
Arsenic	ND		0.050	0.00075	mg/L		02/02/26 14:00	02/03/26 23:36	1
Barium	0.00515	J	0.50	0.00077	mg/L		02/02/26 14:00	02/03/26 23:36	1
Cadmium	0.000107	J	0.050	0.000077	mg/L		02/02/26 14:00	02/03/26 23:36	1
Chromium	0.00148	J	0.050	0.0012	mg/L		02/02/26 14:00	02/03/26 23:36	1
Lead	ND		0.050	0.00045	mg/L		02/02/26 14:00	02/03/26 23:36	1
Selenium	ND		0.050	0.00089	mg/L		02/02/26 14:00	02/03/26 23:36	1

Method: 7470A - Mercury (CVAA)

Lab Sample ID: MB 240-689178/2-A
Matrix: Solid
Analysis Batch: 689365

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 689178

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.0020	0.00013	mg/L		02/02/26 14:00	02/03/26 10:00	1

Lab Sample ID: LCS 240-689178/3-A
Matrix: Solid
Analysis Batch: 689365

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 689178

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Mercury	0.00500	0.00486		mg/L		97	80 - 120

Lab Sample ID: LB 240-689155/1-C
Matrix: Solid
Analysis Batch: 689365

Client Sample ID: Method Blank
Prep Type: TCLP
Prep Batch: 689178

Analyte	LB Result	LB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.0020	0.00013	mg/L		02/02/26 14:00	02/03/26 09:58	1

QC Association Summary

Client: CJF Associates, LLC
 Project/Site: Alter Council Bluffs, 1216-01

Job ID: 240-242383-1

GC Semi VOA

Leach Batch: 479937

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-242383-1	ZCSF-012926-001	TCLP	Solid	1311	
LB 310-479937/1-E	Method Blank	TCLP	Solid	1311	

Prep Batch: 480315

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-242383-1	ZCSF-012926-001	TCLP	Solid	3511	479937
LB 310-479937/1-E	Method Blank	TCLP	Solid	3511	479937
MB 310-480315/1-A	Method Blank	Total/NA	Solid	3511	
LCS 310-480315/2-A	Lab Control Sample	Total/NA	Solid	3511	

Analysis Batch: 480340

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 310-480315/1-A	Method Blank	Total/NA	Solid	8082A	480315
LCS 310-480315/2-A	Lab Control Sample	Total/NA	Solid	8082A	480315

Analysis Batch: 480708

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-242383-1	ZCSF-012926-001	TCLP	Solid	8082A	480315
LB 310-479937/1-E	Method Blank	TCLP	Solid	8082A	480315

Analysis Batch: 689186

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 240-689211/1-A	Method Blank	Total/NA	Solid	8082A	689211
LCS 240-689211/2-A	Lab Control Sample	Total/NA	Solid	8082A	689211

Prep Batch: 689211

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-242383-1	ZCSF-012926-001	Total/NA	Solid	3546	
MB 240-689211/1-A	Method Blank	Total/NA	Solid	3546	
LCS 240-689211/2-A	Lab Control Sample	Total/NA	Solid	3546	

Analysis Batch: 689287

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-242383-1	ZCSF-012926-001	Total/NA	Solid	8082A	689211

Metals

Leach Batch: 689155

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-242383-1	ZCSF-012926-001	TCLP	Solid	1311	
LB 240-689155/1-B	Method Blank	TCLP	Solid	1311	
LB 240-689155/1-C	Method Blank	TCLP	Solid	1311	

Prep Batch: 689169

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-242383-1	ZCSF-012926-001	TCLP	Solid	3010A	689155
LB 240-689155/1-B	Method Blank	TCLP	Solid	3010A	689155
MB 240-689169/2-A	Method Blank	Total/NA	Solid	3010A	
LCS 240-689169/3-A	Lab Control Sample	Total/NA	Solid	3010A	

Eurofins Cleveland

QC Association Summary

Client: CJF Associates, LLC
 Project/Site: Alter Council Bluffs, 1216-01

Job ID: 240-242383-1

Metals

Prep Batch: 689178

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-242383-1	ZCSF-012926-001	TCLP	Solid	7470A	689155
LB 240-689155/1-C	Method Blank	TCLP	Solid	7470A	689155
MB 240-689178/2-A	Method Blank	Total/NA	Solid	7470A	
LCS 240-689178/3-A	Lab Control Sample	Total/NA	Solid	7470A	

Analysis Batch: 689365

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-242383-1	ZCSF-012926-001	TCLP	Solid	7470A	689178
LB 240-689155/1-C	Method Blank	TCLP	Solid	7470A	689178
MB 240-689178/2-A	Method Blank	Total/NA	Solid	7470A	689178
LCS 240-689178/3-A	Lab Control Sample	Total/NA	Solid	7470A	689178

Analysis Batch: 689377

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-242383-1	ZCSF-012926-001	TCLP	Solid	6020B	689169
LB 240-689155/1-B	Method Blank	TCLP	Solid	6020B	689169
MB 240-689169/2-A	Method Blank	Total/NA	Solid	6020B	689169
LCS 240-689169/3-A	Lab Control Sample	Total/NA	Solid	6020B	689169

General Chemistry

Analysis Batch: 480173

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-242383-1	ZCSF-012926-001	Total/NA	Solid	D92	

Analysis Batch: 689232

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-242383-1	ZCSF-012926-001	Total/NA	Solid	Moisture	

Lab Chronicle

Client: CJF Associates, LLC
 Project/Site: Alter Council Bluffs, 1216-01

Job ID: 240-242383-1

Client Sample ID: ZCSF-012926-001
Date Collected: 01/29/26 16:00
Date Received: 01/30/26 12:30

Lab Sample ID: 240-242383-1
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
TCLP	Leach	1311			479937	U8FK	EET CF	02/03/26 15:56 - 02/04/26 08:00 ¹
TCLP	Prep	3511			480315	BW2O	EET CF	02/09/26 09:49
TCLP	Analysis	8082A		1	480708	BW2O	EET CF	02/12/26 14:22
TCLP	Leach	1311			689155	KLE	EET CLE	02/01/26 14:10 - 02/02/26 06:40 ¹
TCLP	Prep	3010A			689169	F3PF	EET CLE	02/02/26 14:00
TCLP	Analysis	6020B		1	689377	S4FJ	EET CLE	02/04/26 00:09
TCLP	Leach	1311			689155	KLE	EET CLE	02/01/26 14:10 - 02/02/26 06:40 ¹
TCLP	Prep	7470A			689178	F3PF	EET CLE	02/02/26 14:00
TCLP	Analysis	7470A		1	689365	GEV	EET CLE	02/03/26 10:11
Total/NA	Analysis	D92		1	480173	ENB7	EET CF	02/05/26 15:24
Total/NA	Analysis	Moisture		1	689232	PQD2	EET CLE	02/02/26 11:09

Client Sample ID: ZCSF-012926-001
Date Collected: 01/29/26 16:00
Date Received: 01/30/26 12:30

Lab Sample ID: 240-242383-1
Matrix: Solid
Percent Solids: 89.7

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	3546			689211	L6TL	EET CLE	02/02/26 10:06
Total/NA	Analysis	8082A		5	689287	LSH	EET CLE	02/03/26 09:37

¹ This procedure uses a method stipulated length of time for the process. Both start and end times are displayed.

Laboratory References:

EET CF = Eurofins Cedar Falls, 3019 Venture Way, Cedar Falls, IA 50613, TEL (319)277-2401
 EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: CJF Associates, LLC
 Project/Site: Alter Council Bluffs, 1216-01

Job ID: 240-242383-1

Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Connecticut	State	PH-0806	09-30-26
Georgia	State	4062	02-27-26
Illinois	NELAP	200004	08-31-26
Iowa	State	421	06-01-27
Kentucky (UST)	State	112225	02-27-26
Kentucky (WW)	State	KY98016	12-31-26
Minnesota	NELAP	039-999-348	12-31-26
New Hampshire	NELAP	2250	09-30-26
New Jersey	NELAP	OH001	06-30-26
New York	NELAP	10975	04-01-26
North Dakota	State	R-244	02-27-26
Ohio	State	8303	02-27-26
Ohio VAP	State	ORELAP 4062	02-27-26
Oregon	NELAP	4062	02-27-26
Pennsylvania	NELAP	68-00340	08-31-26
Texas	NELAP	T104704517	08-31-26
US Fish & Wildlife	US Federal Programs	A26406	02-28-26
USDA	US Federal Programs	525-24-5-34740	01-05-27
Virginia	NELAP	460175	09-30-26
West Virginia DEP	State	210	12-31-25 *
Wisconsin	State	399167560	08-31-26

Laboratory: Eurofins Cedar Falls

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Colorado	Petroleum Storage Tank Program	IA100001 (OR)	09-29-26
Georgia	State	IA100001 (OR)	09-29-26
Illinois	NELAP	200024	11-30-26
Iowa	State	007	12-01-27
Kansas	NELAP	E-10341	01-31-27
Minnesota	NELAP	019-999-319	12-31-26
Minnesota (Petrofund)	State	3349	01-18-28
North Dakota	State	R-186	09-29-24 *
Oregon	NELAP	IA100001	09-29-26

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins - Cleveland Sample Receipt Form/Narrative

Login #

Barberton Facility

Client CDF Associates

Site Name

Cooler unpacked by: JC

Cooler Received on 01/30/26

Opened on 1-30-26

FedEx: 1st Grd Exp

UPS FAS Waypoint

Client Drop Off

Eurofins Courier

Other

Receipt After-hours Drop-off Date/Time

Storage Location

Eurofins Cooler #

Foam Box

Client Cooler

Box

Other

Packing material used

Bubble Wrap

Foam Plastic Bag

None

Other

COOLANT

Wet Ice

Dry Ice

Water

None

1 Cooler temperature upon receipt

See Multiple Cooler Form

IR GUN # 17

CFD

0.7 °C

Observed Cooler Temp. 3.3 °C

Corrected Cooler Temp 4.0 °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1

-Were the seals on the outside of the cooler(s) signed & dated?

Yes No

-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?

Yes No NA

-Were tamper/custody seals intact and uncompromised?

Yes No NA

3 Shippers' packing slip attached to the cooler(s)?

Yes No

4 Did custody papers accompany the sample(s)?

Yes No

5 Were the custody papers relinquished & signed in the appropriate place?

Yes No

6 Was/were the person(s) who collected the samples clearly identified on the COC?

Yes No

7 Did all bottles arrive in good condition (Unbroken)?

Yes No

8 Could all bottle labels (ID/Date/Time) be reconciled with the COC?

Yes No

9 For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?

Yes No

10 Were correct bottle(s) used for the test(s) indicated?

Yes No

11 Sufficient quantity received to perform indicated analyses?

Yes No

12. Are these work share samples and all listed on the COC?

Yes No

If yes, Questions 13-17 have been checked at the originating laboratory

13 Were all preserved sample(s) at the correct pH upon receipt?

Yes No NA

14 Were VOAs on the COC?

Yes No

pH Strip Lot# HCS67196

15 Were air bubbles >6 mm in any VOA vials? Larger than this

Yes No NA

16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot #

Yes No

17 Was a LL Hg or Me Hg trip blank present?

Yes No

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____

Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES additional next page

Labeled by

Labels Verified by:

19. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired

Sample(s) _____ were received in a broken container

Sample(s) _____ were received with bubble >6 mm in diameter (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory

Time preserved _____ Preservative(s) added/Lot number(s) _____

VOA Sample Preservation - Date/Time VOAs Frozen _____



Temperature readings

<u>Client Sample ID</u>	<u>Lab ID</u>	<u>Container Type</u>	<u>Container pH</u>	<u>Temperature</u>	<u>Preservation Added</u>	<u>Preservation Lot Number</u>
ZCSF-110325-001	240-242383-A-1	SnapCap 1/2 ounce unpreserved				
ZCSF-110325-001	240-242383-B-1	Soil jar 4oz - clear glass				
ZCSF-110325-001	240-242383-C-1	Soil jar 4oz - clear glass				
ZCSF-110325-001	240-242383-D-1	Soil jar 16oz - clear glass				
ZCSF-110325-001	240-242383-E-1	Soil jar 16oz - clear glass				
ZCSF-110325-001 DUP	240-242383-A-2	Soil jar 4oz - clear glass				
ZCSF-110325-001 DUP	240-242383-B-2	Soil jar 4oz - clear glass				
ZCSF-110325-001 DUP	240-242383-C-2	Soil jar 16oz - clear glass				
ZCSF-110325-001 DUP	240-242383-D-2	Soil jar 16oz - clear glass				



Environment Testing
America



240-242383 Chain of Custody

Cooler/Sample Receipt and Temperature Log Form

Client Information			
Client <u>Euro Cleveland</u>			
City/State:	CITY	STATE	Project.
		<u>OH</u>	
Receipt Information			
Date/Time	DATE	TIME	Received By
Received.	<u>2-2-26</u>	<u>0930</u>	<u>BP</u>
Delivery Type. <input type="checkbox"/> UPS <input checked="" type="checkbox"/> FedEx <input type="checkbox"/> FedEx Ground <input type="checkbox"/> US Mail <input type="checkbox"/> Spee-Dee			
<input type="checkbox"/> Lab Courier <input type="checkbox"/> Lab Field Services <input type="checkbox"/> Client Drop-off <input type="checkbox"/> Other _____			
Condition of Cooler/Containers			
Sample(s) received in Cooler? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If yes: Cooler ID _____			
Multiple Coolers? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes: Cooler # _____ of _____			
Cooler Custody Seals Present? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes: Cooler custody seals intact? <input type="checkbox"/> Yes <input type="checkbox"/> No			
Sample Custody Seals Present? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes: Sample custody seals intact? <input type="checkbox"/> Yes <input type="checkbox"/> No			
Trip Blank Present? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes: Which VOA samples are in cooler? ↓			
Temperature Record			
Coolant <input checked="" type="checkbox"/> Wet ice <input type="checkbox"/> Blue ice <input type="checkbox"/> Dry ice <input type="checkbox"/> Other _____ <input type="checkbox"/> NONE			
Thermometer ID: <u>BB</u>		Correction Factor (°C): <u>±0</u>	
• Temp Blank Temperature – If no temp blank, or temp blank temperature above criteria, proceed to Sample Container Temperature			
Uncorrected Temp (°C):		Corrected Temp (°C):	
• Sample Container Temperature			
Container(s) used	CONTAINER 1	CONTAINER 2	
	<u>4oz soil jar</u>		
Uncorrected Temp (°C):	<u>3.1</u>		
Corrected Temp (°C):	<u>3.1</u>		
Exceptions Noted			
1) If temperature exceeds criteria, was sample(s) received same day of sampling? <input type="checkbox"/> Yes <input type="checkbox"/> No			
a) If yes: Is there evidence that the chilling process began? <input type="checkbox"/> Yes <input type="checkbox"/> No			
2) If temperature is <0°C, are there obvious signs that the integrity of sample containers is compromised? (e.g., bulging septa, broken/cracked bottles, frozen solid?) <input type="checkbox"/> Yes <input type="checkbox"/> No			
NOTE If yes, contact PM before proceeding If no, proceed with login			
Additional Comments			



Chain of Custody Record



Client Information (Sub Contract Lab)		Sampler: N/A	Lab PM: Heckler, Denise D	Carrier Tracking No(s): N/A	COC No: 240-213717 1
Shipping/Receiving		Phone: N/A	E-Mail: Denise Heckler@et.eurofins.com	State of Origin: Iowa	Page: Page 1 of 1
Eurofins Environment Testing North Cent		Accreditations Required (See note): N/A		Job #:	240-242383-1
Address: 3019 Venture Way,		Due Date Requested: 2/12/2026		Preservation Codes:	
City: Cedar Falls	TAT Requested (days): N/A	Analysis Requested			
State Zip: IA, 50613	PO #: N/A	Perform MS/MSD (Yes or No)	D9 Flashpoint	8082A1314_TPCBs	Total Number of Containers
Phone: 319-277-2401 (Tel) 319-277-2425 (Fax)	WO #: N/A	Field Filtered Sample (Yes or No)	X	X	2
Email: N/A	Project #: 24013819	Matrix (Water, Solid, Oil)	X	X	
Project Name: Alter Council Bluffs, 1216-01	SSOW#: N/A	Sample Type (C=Comp, G=grab)			
Site: N/A	Sample Date: 1/29/26	Sample Time: 16 00 Central			
Sample Identification - Client ID (Lab ID)		Sample Date	Sample Time	Sample Type	Matrix
ZCSF-012926-001 (240-242383-1)		1/29/26	16 00 Central	G	Solid
Special Instructions/Note:					
Note: Since laboratory accreditations are subject to change, Eurofins Environment Testing North Central, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed the samples must be shipped back to the Eurofins Environment Testing North Central, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Environment Testing North Central, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Environment Testing North Central, LLC.					
Possible Hazard Identification					
Unconfirmed <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For <input type="checkbox"/> Months					
Deliverable Requested 1, II, III, IV, Other (specify) Primary Deliverable Rank: 2					
Empty Kit Relinquished by _____ Date: _____ Method of Shipment: _____					
Relinquished by <u>JS</u>		Date/Time: <u>1/30/26</u>	Company: <u>EG</u>	Date/Time:	Company:
Relinquished by _____		Date/Time:	Company:	Date/Time:	Company:
Relinquished by _____		Date/Time:	Company:	Date/Time: <u>1-27-26 0930</u>	Company: <u>Eurofins</u>
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No		Cooler Temperature(s) °C and Other Remarks:	



Login Sample Receipt Checklist

Client: CJF Associates, LLC

Job Number: 240-242383-1

Login Number: 242383

List Number: 2

Creator: Patterson, Brody

List Source: Eurofins Cedar Falls

List Creation: 02/02/26 10:19 AM

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

