



101 West 5th Street • Spencer, IA 51301
Phone: 712.580.7200 • Fax: 712.580.7236
info@spenceriowacity.com
spenceriowacity.com

April 29, 2026

Michael Smith, P.E.
Environmental Engineer Senior
Solid Waste and Contaminated Sites Section
Iowa Department of Natural Resources
6200 Park Ave Ste 200, Des Moines IA 50321

Re: Northern Plains Regional Landfill
Permit #74-SDP-02-76P
ASR Test Results

Dear Mr. Smith,

Please find the enclosed 2026 Quarter 1 ASR test results provided by Spencer NF, Inc.

Respectfully,

A handwritten signature in blue ink that reads "Mark White". The signature is fluid and cursive.


Mark White
Public Works Director
City of Spencer

Cc: Eva Shine, Shine Bros. Corp.



ANALYTICAL REPORT

April 04, 2026



KPRG and Associates, Inc.

Sample Delivery Group: L1957949
 Samples Received: 03/27/2026
 Project Number: 13013
 Description: ASR

Report To: Frank Santella
 414 Plaza Drive, Suite 106
 Westmont, IL 60559

Entire Report Reviewed By: *John V Hawkins*
 John Hawkins
 Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.



Pace Analytical National

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 mydata.pacelabs.com

TABLE OF CONTENTS

Cp: Cover Page	1	
Tc: Table of Contents	2	
Ss: Sample Summary	3	
Cn: Case Narrative	4	
Sr: Sample Results	5	
COMP-ASR-055 L1957949-01	5	
COMP-ASR-055 L1957949-02	6	
Qc: Quality Control Summary	7	
Total Solids by Method 2540 G-2011	7	
Wet Chemistry by Method D93/1010A	8	
Mercury by Method 7470A	9	
Metals (ICP) by Method 6010D	10	
Polychlorinated Biphenyls (GC) by Method 8082 A	12	
Gl: Glossary of Terms	14	
Al: Accreditations & Locations	15	
Sc: Sample Chain of Custody	16	

SAMPLE SUMMARY

COMP-ASR-055 L1957949-01

Collected by: I Howieson
 Collected date/time: 03/26/26 15:00
 Received date/time: 03/27/26 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG2722955	1	03/31/26 09:20	03/31/26 09:29	MT	Mt. Juliet, TN
Wet Chemistry by Method D93/1010A	WG2722959	1	04/02/26 14:59	04/02/26 14:59	MRL	Mt. Juliet, TN
Polychlorinated Biphenyls (GC) by Method 8082 A	WG2722785	15	03/31/26 09:26	03/31/26 18:13	IKH	Mt. Juliet, TN

COMP-ASR-055 L1957949-02

Collected by: I Howieson
 Collected date/time: 03/26/26 15:00
 Received date/time: 03/27/26 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Preparation by Method 1311	WG2721133	1	03/28/26 03:30	03/28/26 03:30	PNK	Mt. Juliet, TN
Mercury by Method 7470A	WG2722399	1	03/29/26 14:02	03/30/26 22:49	NDL	Mt. Juliet, TN
Metals (ICP) by Method 6010D	WG2722446	1	03/31/26 21:11	04/01/26 03:01	MAP	Mt. Juliet, TN

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 5 Qc
- 7 Gl
- 8 Al
- 9 Sc

CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



John Hawkins
Project Manager

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

5 Qc

7 Gl

5 Al

9 Sc

COMP-ASR-055

Collected date/time: 03/26/26 15:00

SAMPLE RESULTS - 01

L1957949

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	98.2		1	03/31/2026 09:29	<u>WG2722955</u>

1 Cp

2 Tc

Wet Chemistry by Method D93/1010A

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Ignitability	DNI at 170		1	04/02/2026 14:59	<u>WG2722959</u>

3 Ss

4 Cn

Polychlorinated Biphenyls (GC) by Method 8082 A

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
PCB 1016	U		0.156	0.519	15	03/31/2026 18:13	<u>WG2722785</u>
PCB 1221	U		0.164	0.519	15	03/31/2026 18:13	<u>WG2722785</u>
PCB 1232	U		0.278	0.519	15	03/31/2026 18:13	<u>WG2722785</u>
PCB 1242	7.00		0.155	0.519	15	03/31/2026 18:13	<u>WG2722785</u>
PCB 1248	U		0.189	0.260	15	03/31/2026 18:13	<u>WG2722785</u>
PCB 1254	1.29	P	0.159	0.260	15	03/31/2026 18:13	<u>WG2722785</u>
PCB 1260	U		0.168	0.260	15	03/31/2026 18:13	<u>WG2722785</u>
Total PCBs	8.30		0.155	0.260	15	03/31/2026 18:13	<u>WG2722785</u>
(S) Decachlorobiphenyl	87.9			10.0-135		03/31/2026 18:13	<u>WG2722785</u>
(S) Tetrachloro-m-xylene	59.8			10.0-139		03/31/2026 18:13	<u>WG2722785</u>

5 Sr

6 Qc

7 GI

8 AI

9 Sc

Sample Narrative:

L1957949-01 WG2722785: Dilution due to matrix impact during extraction procedure

COMP-ASR-055

Collected date/time: 03/26/26 15:00

SAMPLE RESULTS - 02

L1957949

Preparation by Method 1311

Analyte	Result	Qualifier	Prep date / time	Batch
TCLP Extraction	-		3/28/2026 3:30:57 AM	WG2721133
Initial pH	5.68		3/28/2026 3:30:57 AM	WG2721133
Final pH	4.95		3/28/2026 3:30:57 AM	WG2721133

Cp

Tc

Ss

Mercury by Method 7470A

Analyte	Result	Qualifier	RDL	Limit	Dilution	Analysis date / time	Batch
Mercury	ND		0.0100	0.20	1	03/30/2026 22:49	WG2722399

Cn

Sr

Metals (ICP) by Method 6010D

Analyte	Result	Qualifier	RDL	Limit	Dilution	Analysis date / time	Batch
Arsenic	ND		0.100	5	1	04/01/2026 03:01	WG2722446
Barium	ND		0.100	100	1	04/01/2026 03:01	WG2722446
Cadmium	ND		0.100	1	1	04/01/2026 03:01	WG2722446
Chromium	ND		0.100	5	1	04/01/2026 03:01	WG2722446
Lead	ND		0.100	5	1	04/01/2026 03:01	WG2722446
Selenium	ND		0.100	1	1	04/01/2026 03:01	WG2722446
Silver	ND		0.100	5	1	04/01/2026 03:01	WG2722446

Qc

Gl

Al

Sc

WG2722955

Total Solids by Method 2540 G-2011

QUALITY CONTROL SUMMARY

L1957949-01

Method Blank (MB)

(MB) R4354359-1 03/31/26 09:29

Analyte	MB Result %	MB Qualifier	MB MDL %	MB RDL %
Total Solids	0.000			

L1957954-04 Original Sample (OS) • Duplicate (DUP)

(OS) L1957954-04 03/31/26 09:29 • (DUP) R4354359-3 03/31/26 09:29

Analyte	Original Result %	DUP Result %	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Total Solids	94.0	94.1	1	0.127		5

Laboratory Control Sample (LCS)

(LCS) R4354359-2 03/31/26 09:29

Analyte	Spike Amount %	LCS Result %	LCS Rec. %	Rec. Limits %	LCS Qualifier
Total Solids	50.0	50.0	100	90.0-110	

1 Cp	2 Tc	3 Ss	4 Cn	5 Sr	6 Qc	7 GI	8 Al	9 Sc
------	------	------	------	------	------	------	------	------

WG2722959

Wet Chemistry by Method D93/1010A

QUALITY CONTROL SUMMARY

L1957949-01

L1958051-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1958051-01 04/02/26 14:59 • (DUP) R4355566-3 04/02/26 14:59

Analyte	Original Result		DUP Result		Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
	Deg. F	DNI at 200	Deg. F	DNI at 200				
Ignitability	165	161	161	161	1	2.46		10

L1958254-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1958254-01 04/02/26 14:59 • (DUP) R4355566-4 04/02/26 14:59

Analyte	Original Result		DUP Result		Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
	Deg. F	DNI at 200	Deg. F	DNI at 200				
Ignitability					1	0.000		10

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R4355566-1 04/02/26 14:59 • (LCSD) R4355566-2 04/02/26 14:59

Analyte	Spike Amount Deg. F	LCS Result		LCSD Result		LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
		Deg. F	DNI at 200	Deg. F	DNI at 200							
Ignitability	126	129	129	129	129	102	102	96.5-103			0.000	10

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 GI
- 8 Al
- 9 Sc

WG2722399

Mercury by Method 7470A

QUALITY CONTROL SUMMARY

L1957949-02

Method Blank (MB)

(MB) R4353894-1 03/30/26 21:30

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Mercury	U	0.00333	0.0700	

Laboratory Control Sample (LCS)

(LCS) R4353894-2 03/30/26 21:33

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Mercury	0.0300	0.0308	103	80.0-120	

L1957604-03 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1957604-03 03/30/26 21:36 • (MS) R4353894-4 03/30/26 21:41 • (MSD) R4353894-5 03/30/26 21:44

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	MSD Result mg/l	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Mercury	0.0300	ND	0.0303	101	0.0305	102	1	75.0-125			0.754	20

L1957767-03 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1957767-03 03/30/26 21:47 • (MS) R4353894-6 03/30/26 21:49 • (MSD) R4353894-7 03/30/26 21:52

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	MSD Result mg/l	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Mercury	0.0300	ND	0.0290	96.8	0.0303	101	1	75.0-125			4.19	20

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Oc
- 7 GI
- 8 Al
- 9 Sc

WG2722446

Metals (ICP) by Method 6010D

QUALITY CONTROL SUMMARY

L1957949-02

Method Blank (MB)

(MB) R4354555-1 04/01/26 01:31

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Arsenic	U	0.0333	0.0333	0.100
Barium	U	0.0333	0.0333	0.100
Cadmium	U	0.0333	0.0333	0.100
Chromium	U	0.0333	0.0333	0.100
Lead	U	0.0333	0.0333	0.100
Selenium	0.0928	↓	0.0333	0.100
Silver	U	0.0333	0.0333	0.100

Laboratory Control Sample (LCS)

(LCS) R4354555-2 04/01/26 01:34

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Arsenic	10.0	10.2	102	80.0-120	
Barium	10.0	10.2	102	80.0-120	
Cadmium	10.0	10.0	100	80.0-120	
Chromium	10.0	10.5	105	80.0-120	
Lead	10.0	9.93	99.3	80.0-120	
Selenium	10.0	10.2	102	80.0-120	
Silver	2.00	1.91	95.4	80.0-120	

L1957604-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1957604-01 04/01/26 01:37 • (MS) R4354555-4 04/01/26 01:43 • (MSD) R4354555-5 04/01/26 01:46

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Arsenic	10.0	ND	10.3	10.1	103	101	1	75.0-125	1.81	1.77	20	20
Barium	10.0	0.185	10.5	10.3	103	101	1	75.0-125	1.63	1.63	20	20
Cadmium	10.0	ND	10.1	9.91	101	99.1	1	75.0-125	0.642	0.642	20	20
Chromium	10.0	ND	10.4	10.3	104	103	1	75.0-125	2.19	2.19	20	20
Lead	10.0	ND	10.0	9.78	100	97.8	1	75.0-125	1.71	1.71	20	20
Selenium	10.0	ND	10.2	10.1	102	101	1	75.0-125	0.976	0.976	20	20
Silver	2.00	ND	1.89	1.87	94.6	93.7	1	75.0-125				

WG2722446

Metals (ICP) by Method 6010D

QUALITY CONTROL SUMMARY

L1957949-02

L1957767-03 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1957767-03 04/01/26 01:49 • (MS) R4354555-6 04/01/26 01:51 • (MSD) R4354555-7 04/01/26 01:54

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Arsenic	10.0	ND	9.92	9.99	99.2	99.9	1	75.0-125			0.717	20
Barium	10.0	ND	10.2	10.3	102	103	1	75.0-125			0.796	20
Cadmium	10.0	ND	9.75	9.84	97.5	98.4	1	75.0-125			0.946	20
Chromium	10.0	1.84	11.9	12.0	101	101	1	75.0-125			0.578	20
Lead	10.0	ND	9.62	9.71	96.2	97.1	1	75.0-125			0.862	20
Selenium	10.0	ND	9.58	9.72	95.8	97.2	1	75.0-125			1.49	20
Silver	2.00	ND	1.82	1.83	91.2	91.5	1	75.0-125			0.372	20

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 GI

8 AI

9 Sc

WG2722785

Polychlorinated Biphenyls (GC) by Method 8082 A

QUALITY CONTROL SUMMARY

L1957949-01

Method Blank (MB)

(MB) R4354513-1 03/31/26 17:20

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
PCB 1016	U		0.0102	0.0340
PCB 1221	U		0.0107	0.0340
PCB 1232	U		0.0182	0.0340
PCB 1242	U		0.0101	0.0340
PCB 1248	U		0.0124	0.0170
PCB 1254	U		0.0104	0.0170
PCB 1260	U		0.0110	0.0170
Total PCBs	U		0.0101	0.0170
(S) Decachlorobiphenyl	77.3			10.0-135
(S) Tetrachloro-m-xylene	71.0			10.0-139

Method Blank (MB)

(MB) R4355123-1 04/01/26 14:19

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
PCB 1016	U		0.0102	0.0340
PCB 1221	U		0.0107	0.0340
PCB 1232	U		0.0182	0.0340
PCB 1242	U		0.0101	0.0340
PCB 1248	U		0.0124	0.0170
PCB 1254	U		0.0104	0.0170
PCB 1260	U		0.0110	0.0170
Total PCBs	U		0.0101	0.0170
(S) Decachlorobiphenyl	70.1			10.0-135
(S) Tetrachloro-m-xylene	70.4			10.0-139

Laboratory Control Sample (LCS)

(LCS) R4354513-2 03/31/26 17:30

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
PCB 1016	0.167	0.123	73.7	36.0-141	
PCB 1260	0.167	0.126	75.4	37.0-145	
(S) Decachlorobiphenyl			78.7	10.0-135	
(S) Tetrachloro-m-xylene			73.9	10.0-139	

WG2722785

Polychlorinated Biphenyls (GC) by Method 8082 A

QUALITY CONTROL SUMMARY

L1957949-01

L1958268-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1958268-02 04/01/26 18:08 • (MS) R4355123-2 04/01/26 18:19 • (MSD) R4355123-3 04/01/26 18:30

Analyte	Spike Amount (dry) mg/kg	Original Result (dry)	MS Result (dry)	MSD Result (dry)	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD	RPD Limits %
PCB 1016	0.182	U	0.130	0.0910	71.3	50.4	1	10.0-160			35.1	37
PCB 1260	0.182	U	0.147	0.137	81.1	76.1	1	10.0-160			7.00	38
(S) Decachlorobiphenyl					81.1	76.6		10.0-135				
(S) Tetrachloro- <i>m</i> -xylene					72.4	67.8		10.0-139				

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Cc
7 Gl
8 Al
9 Sc

GLOSSARY OF TERMS


Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions


(dry)	Results are reported based on the dry weight of the sample. [this will only be present on a dry report basis for soils].
MDL	Method Detection Limit.
MDL (dry)	Method Detection Limit.
ND	Not detected at the Reporting Limit (or MDL where applicable).
RDL	Reported Detection Limit.
RDL (dry)	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
U (Radiochemistry)	Result + Error < MDA.
J (Radiochemistry)	Result < MDA; Result + Error > MDA.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.
Qualifier	Description
J	The identification of the analyte is acceptable; the reported value is an estimate.
P	RPD between the primary and confirmatory analysis exceeded 40%.



ACCREDITATIONS & LOCATIONS

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-05-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey-NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio-VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1 5}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1 4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP, LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		



¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

