



IOWA DEPARTMENT OF NATURAL RESOURCES
REQUEST FOR SPECIAL WASTE
AUTHORIZATION



Check one of the following: ☒ **New Application** ☐ **Renewal, Existing SWA # _____**

The intent of a special waste authorization is to provide safe and proper management for disposal of wastes which present a threat to human health or the environment or a waste with inherent properties which make the disposal of the waste in a sanitary landfill difficult to manage. It is each landfill's responsibility to inform the waste generator if a waste should be handled as a special waste and to ensure that special wastes delivered to the landfill conform to the Special Waste Acceptance Criteria (SWAC) on file with the Department. It is the Department's responsibility to review each application for a special waste authorization to verify that the proposed waste can be landfilled under the current regulations in Iowa.

READ THE FOLLOWING INSTRUCTIONS BEFORE COMPLETING THIS APPLICATION

Waste Generator:

1. Complete Sections 1-3 of this application applicable to the waste characterization and disposal information.
2. Attach Toxicity Characteristic Leaching Procedure (TCLP) test results, material safety data sheet(s) (MSDS), or evidence of "processor knowledge" when appropriate that demonstrates the waste is not considered a characteristic hazardous waste exhibiting the properties of flammability, corrosivity, reactivity or toxicity or a listed hazardous waste as defined in 40 CFR Part 261, Subpart D.
3. Provide signature in Section 3 to verify that the information provided is true, accurate and complete.
4. Mail or deliver (2) copies of the completed application with attachments to the requested disposal destination (must be a landfill that is authorized to accept waste from the service area of where the waste was generated). Please contact Sue Johnson at (515) 281-7982 for a list of landfills authorized to accept waste from the service area in which your facility is located.

Receiving Landfill:

Prior review of this application by the receiving landfill allows the department to more quickly process and evaluate the application.

1. Complete Section 5 of this application applicable to the landfill.
2. Indicate by signing the application that the landfill is willing to accept the waste if a Special Waste Authorization is issued by the department and if instructions for disposal of the waste, as contained in the landfill's SWAC, are followed by the generator.
3. Attach SWAC procedures for disposal of the waste.
4. Keep 1 copy for your records and submit the remaining one copy of the completed application with attachments (TCLP, MSDS, SWAC, etc.) to the department at the following address:

Iowa Department of Natural Resources
Land Quality Bureau- Attn: Susan Johnson
502 East 9th Street
Des Moines, IA 50319-0034

Applications will be considered incomplete if not signed by both the waste generator and receiving landfill. The receiving landfill must attach a copy of the SWAC for the particular waste for which the application has been submitted.

Written notification of approval or rejection will be mailed or faxed to the generator and landfill. If approved, a copy of the authorization must accompany the waste hauler to the landfill.

For questions concerning this application contact Sue Johnson at (515) 281-7982 or susan.johnson@dnr.state.ia.us.

SECTION 1: WASTE GENERATOR INFORMATION**MPC Sample # MW7839**

Name of Primary Contact* Mike McNulty **Title** Environmental Manager
**SWA approvals will be sent to this person at the address provided below.*

Company Name ITC Midwest - Nevada North Substation

Mailing Address 27175 Energy Way

City Novi **State** MI **Zip Code** 48377

Telephone # 248-946-3392 **Fax #** 248-946-3378

Address or location of the point of generation of the waste, if different from the company address:

Address ITCM Nevada North Substation, 1430 5th Street

City Nevada **State** IA **Zip Code** 50201

All disposal shall be billed to MPC Environmental

SECTION 2: WASTE CHARACTERIZATION**8631 W. Jefferson Ave.****Detroit, MI 48209 313-849-2333**

Waste determined to be hazardous may not be landfilled in Iowa. Attach TCLP analysis that demonstrates the waste is not considered hazardous. For raw or virgin materials being disposed of, a MSDS that indicates the waste is not hazardous may be submitted in lieu of a TCLP analysis.

The generator may also apply knowledge of the hazardous characteristic(s) of the waste in light of the materials or the processes used ("knowledge of process"). In order to use knowledge to characterize the waste, the knowledge that is applied must be valid and verifiable and the generator must be able to demonstrate the basis for their claim by providing supporting information to justify that conclusion.

Name and description of waste:

Soil generated from construction activities at an electrical substation.

See MPC Sample # MW7839.

Has any pretreatment been utilized? If so, please describe the pretreatment process:

No

List the alternatives to disposal that were analyzed and reason not utilized (attach extra sheets if necessary):

Per ITC Policy - all soil from within substation fence lines must be disposed at a landfill. If soil exceeds total petroleum hydrocarbon criteria, ITC understands the soil may need to be land farmed at the landfill prior to landfill disposal. ITC Policy prohibits soil from electrical substations to be used for any beneficial re-use.

SECTION 2: WASTE CHARACTERIZATION (Continued)

Physical state at room temperature? ☒ Solid ☐ Semi-Solid ☐ Liquid	Percent (%) Solid: 100	pH: n/a	Flashpoint: n/a
Does this waste pass the paint filter liquids test? Free liquids are prohibited from landfill disposal. Free liquids are defined as the liquid produced when a 100-millimeter or 100-gram representative sample is placed on a standard mesh number 60 (fine mesh size) conical paint filter for five minutes.			☒ Yes ☐ No
Is this waste a listed hazardous waste as identified in 40 CFR 261, Subpart D? Refer to the following web link to find listed hazardous wastes: http://www.gpoaccess.gov/cfr/index.html			☐ Yes ☒ No
Does this waste exhibit the property of <i>ignitability</i> as defined in 40 CFR 261, Subpart C?			☐ Yes ☒ No
Does this waste exhibit the property of <i>corrosivity</i> as defined in 40 CFR 261, Subpart C?			☐ Yes ☒ No
Does this waste exhibit the property of <i>reactivity</i> as defined in 40 CFR 261, Subpart C?			☐ Yes ☒ No
Does this waste exhibit the property of <i>toxicity</i> as defined in 40 CFR 261, Subpart C?			☐ Yes ☒ No

SECTION 3: WASTE DISPOSAL INFORMATION

Indicate the proposed disposal location and if this is a request for an on going disposal of a special waste or a one-time disposal. If on going, indicate the approximate amount in pounds to be disposed of quarterly.

Landfill Name* <u>Boone County Landfill</u>
*List only a landfill that is authorized to accept waste from the service area of where the waste was generated. Sue Johnson at (515) 281-7982 or susan.johnson@dnr.state.ia.us for a list of landfills authorized to accept waste from your facility.
☐ On going (or intermittent) with an average disposal rate per quarter of _____ pounds Indicate the amount on hand to be disposed of immediately: _____ pounds ☒ One time only, with an estimated quantity of <u>150 tons</u> XXXXXX pounds

SECTION 4: WASTE GENERATOR CERTIFICATION

" I certify under penalty of law (§455B.417.1(c), Code of Iowa) that I have examined and am familiar with the information submitted in this document concerning hazardous waste, and all attachments, and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. "

Applicant Signature: Fenelon Ashley

Date: 09/01/2026

Printed Name: Fenelon Ashley, Agent for ITC, on behalf of MPC

Title: MPC Compliance Department

SECTION 5: LANDFILL INFORMATION

The following section is to be completed by the receiving landfill. By signing below, the landfill verifies that the application has been examined and if approved by the department, is willing to accept the waste described within, provided that instructions for disposal of the waste, as contained in the landfill's Special Waste Acceptance Criteria, are followed by the generator.

Prior review of this application by the receiving landfill will allow the department to more quickly process and evaluate the application. Please address the following:

Indicate the properties that lead you to believe this is a special waste:

This waste is not included in the definition of MSW or C&D waste

Indicate any special handling procedures that the waste generator must follow prior to delivery at the landfill:

Please contact the Boone County Landfill at 515-433-0591 prior to hauling for additional directions.

Name of Responsible Official*: John Roosa

**SWA approvals will be sent to this person at the address given below.*

Solid Waste Agency Name Boone County Landfill

Mailing Address 1268 224th Lane

City Boone State Iowa Zip Code 50036

Telephone # 515-433-0591 Fax # _____

Responsible Official Signature: John Roosa Date: 9/2/2026

ANALYTICAL REPORT

PREPARED FOR

Attn: Felix Obeng
Marine Pollution Control Corp
8631 W Jefferson Avenue
Detroit, Michigan 48209-2691

Generated 8/17/2026 10:13:27 AM

JOB DESCRIPTION

Nevada North

JOB NUMBER

310-337367-1

Eurofins Cedar Falls

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report was automatically generated by Eurofins Cedar Falls LIMS system, after peer review by each individual department. If you notice any issues please contact your project manager or call the lab at 319-277-2401.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
8/17/2026 10:13:27 AM

Authorized for release by
Samuel Miller, Project Management Assistant I
Samuel.Miller@et.eurofinsus.com
(319)595-2008

Table of Contents

Cover Page 1

Table of Contents 3

Case Narrative 4

Sample Summary 5

Detection Summary 6

Client Sample Results 7

Definitions 8

Surrogate Summary 9

QC Sample Results 10

QC Association 14

Chronicle 16

Certification Summary 17

Method Summary 18

Chain of Custody 19

Receipt Checklists 22



Case Narrative

Client: Marine Pollution Control Corp
Project: Nevada North

Job ID: 310-337367-1

Job ID: 310-337367-1

Eurofins Cedar Falls

Job Narrative 310-337367-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The sample was received on 7/27/2026 4:05 PM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 1.0°C.

Hydrocarbons

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

PCBs

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Metals

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cedar Falls

Sample Summary

Client: Marine Pollution Control Corp
Project/Site: Nevada North

Job ID: 310-337367-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
310-337367-1	MW7839	Solid	07/27/26 12:40	07/27/26 16:05	Iowa

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Detection Summary

Client: Marine Pollution Control Corp
Project/Site: Nevada North

Job ID: 310-337367-1

Client Sample ID: MW7839

Lab Sample ID: 310-337367-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Waste Oil	40.1		9.99		mg/Kg	1		OA-2	Total/NA
Total Extractable Hydrocarbons	42.0		15.0		mg/Kg	1		OA-2	Total/NA
Barium	0.571		0.500		mg/L	1		6020B	TCLP

This Detection Summary does not include radiochemical test results.

Eurofins Cedar Falls

Client Sample Results

Client: Marine Pollution Control Corp
Project/Site: Nevada North

Job ID: 310-337367-1

Client Sample ID: MW7839

Lab Sample ID: 310-337367-1

Date Collected: 07/27/26 12:40

Matrix: Solid

Date Received: 07/27/26 16:05

Method: Iowa DNR OA-1 (GC) - Volatile Petroleum Hydrocarbons (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.0947		0.0947		mg/Kg		07/29/26 10:50	07/30/26 02:11	1
Toluene	<0.0947		0.0947		mg/Kg		07/29/26 10:50	07/30/26 02:11	1
Ethylbenzene	<0.0947		0.0947		mg/Kg		07/29/26 10:50	07/30/26 02:11	1
Xylenes, Total	<0.284		0.284		mg/Kg		07/29/26 10:50	07/30/26 02:11	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	96		47 - 150				07/29/26 10:50	07/30/26 02:11	1

Method: SW846 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	<0.0475		0.0475		mg/Kg		07/30/26 21:09	08/04/26 20:05	1
PCB-1221	<0.0475		0.0475		mg/Kg		07/30/26 21:09	08/04/26 20:05	1
PCB-1232	<0.0475		0.0475		mg/Kg		07/30/26 21:09	08/04/26 20:05	1
PCB-1242	<0.0475		0.0475		mg/Kg		07/30/26 21:09	08/04/26 20:05	1
PCB-1248	<0.0475		0.0475		mg/Kg		07/30/26 21:09	08/04/26 20:05	1
PCB-1254	<0.0475		0.0475		mg/Kg		07/30/26 21:09	08/04/26 20:05	1
PCB-1260	<0.0475		0.0475		mg/Kg		07/30/26 21:09	08/04/26 20:05	1
PCB-1268	<0.0475		0.0475		mg/Kg		07/30/26 21:09	08/04/26 20:05	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	67		15 - 150				07/30/26 21:09	08/04/26 20:05	1
Tetrachloro-m-xylene (Surr)	66		24 - 150				07/30/26 21:09	08/04/26 20:05	1

Method: Iowa DNR OA-2 - Iowa - Extractable Petroleum Hydrocarbons (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline	<9.99		9.99		mg/Kg		08/03/26 15:02	08/04/26 14:45	1
Diesel	<9.99		9.99		mg/Kg		08/03/26 15:02	08/04/26 14:45	1
Waste Oil	40.1		9.99		mg/Kg		08/03/26 15:02	08/04/26 14:45	1
Total Extractable Hydrocarbons	42.0		15.0		mg/Kg		08/03/26 15:02	08/04/26 14:45	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
n-Octacosane	108		10 - 150				08/03/26 15:02	08/04/26 14:45	1

Method: SW846 6020B - Metals (ICP/MS) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Silver	<0.0250		0.0250		mg/L		08/04/26 07:30	08/13/26 20:35	1
Arsenic	<0.0500		0.0500		mg/L		08/04/26 07:30	08/13/26 20:35	1
Barium	0.571		0.500		mg/L		08/04/26 07:30	08/13/26 20:35	1
Cadmium	<0.00500		0.00500		mg/L		08/04/26 07:30	08/13/26 20:35	1
Chromium	<0.0250		0.0250		mg/L		08/04/26 07:30	08/13/26 20:35	1
Lead	<0.0500		0.0500		mg/L		08/04/26 07:30	08/13/26 20:35	1
Selenium	<0.0500		0.0500		mg/L		08/04/26 07:30	08/14/26 16:30	1

Method: SW846 7470A - Mercury (CVAA) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000200		0.000200		mg/L		08/03/26 12:55	08/04/26 11:16	1

Eurofins Cedar Falls

Definitions/Glossary

Client: Marine Pollution Control Corp
Project/Site: Nevada North

Job ID: 310-337367-1

Qualifiers

Metals

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Surrogate Summary

Client: Marine Pollution Control Corp
Project/Site: Nevada North

Job ID: 310-337367-1

Method: OA-1 (GC) - Volatile Petroleum Hydrocarbons (GC)

Matrix: Solid

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	BFB (47-150)
310-337367-1	MW7839	96
LCS 310-495969/2-A	Lab Control Sample	91
MB 310-495969/1-A	Method Blank	100

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Matrix: Solid

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCB1 (15-150)	TCX1 (24-150)
310-337367-1	MW7839	67	66
LCS 310-496183/2-A	Lab Control Sample	88	74
MB 310-496183/1-A	Method Blank	99	87

Surrogate Legend

DCB = DCB Decachlorobiphenyl (Surr)

TCX = Tetrachloro-m-xylene (Surr)

Method: OA-2 - Iowa - Extractable Petroleum Hydrocarbons (GC)

Matrix: Solid

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	OTCN (10-150)
310-337367-1	MW7839	108
310-337367-1 MS	MW7839	112
310-337367-1 MSD	MW7839	114
LCS 310-496422/2-A	Lab Control Sample	86
MB 310-496422/1-A	Method Blank	56

Surrogate Legend

OTCN = n-Octacosane

QC Sample Results

Client: Marine Pollution Control Corp
Project/Site: Nevada North

Job ID: 310-337367-1

Method: OA-1 (GC) - Volatile Petroleum Hydrocarbons (GC)

Lab Sample ID: MB 310-495969/1-A

Matrix: Solid

Analysis Batch: 495971

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 495969

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.0977		0.0977		mg/Kg		07/29/26 10:50	07/29/26 18:27	1
Toluene	<0.0977		0.0977		mg/Kg		07/29/26 10:50	07/29/26 18:27	1
Ethylbenzene	<0.0977		0.0977		mg/Kg		07/29/26 10:50	07/29/26 18:27	1
Xylenes, Total	<0.293		0.293		mg/Kg		07/29/26 10:50	07/29/26 18:27	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		47 - 150	07/29/26 10:50	07/29/26 18:27	1

Lab Sample ID: LCS 310-495969/2-A

Matrix: Solid

Analysis Batch: 495971

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 495969

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	1.93	1.989		mg/Kg		103	67 - 133
Toluene	1.93	1.969		mg/Kg		102	67 - 130
Ethylbenzene	1.93	1.774		mg/Kg		92	64 - 135
Xylenes, Total	5.78	5.349		mg/Kg		93	63 - 135

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	91		47 - 150

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Lab Sample ID: MB 310-496183/1-A

Matrix: Solid

Analysis Batch: 496470

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 496183

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
PCB-1016	<0.0496		0.0496		mg/Kg		07/30/26 21:09	08/04/26 14:36	1
PCB-1221	<0.0496		0.0496		mg/Kg		07/30/26 21:09	08/04/26 14:36	1
PCB-1232	<0.0496		0.0496		mg/Kg		07/30/26 21:09	08/04/26 14:36	1
PCB-1242	<0.0496		0.0496		mg/Kg		07/30/26 21:09	08/04/26 14:36	1
PCB-1248	<0.0496		0.0496		mg/Kg		07/30/26 21:09	08/04/26 14:36	1
PCB-1254	<0.0496		0.0496		mg/Kg		07/30/26 21:09	08/04/26 14:36	1
PCB-1260	<0.0496		0.0496		mg/Kg		07/30/26 21:09	08/04/26 14:36	1
PCB-1268	<0.0496		0.0496		mg/Kg		07/30/26 21:09	08/04/26 14:36	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl (Surr)	99		15 - 150	07/30/26 21:09	08/04/26 14:36	1
Tetrachloro-m-xylene (Surr)	87		24 - 150	07/30/26 21:09	08/04/26 14:36	1

Lab Sample ID: LCS 310-496183/2-A

Matrix: Solid

Analysis Batch: 496470

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 496183

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
PCB-1016	0.324	0.2422		mg/Kg		75	40 - 139
PCB-1260	0.324	0.2248		mg/Kg		69	39 - 142

Eurofins Cedar Falls

QC Sample Results

Client: Marine Pollution Control Corp
Project/Site: Nevada North

Job ID: 310-337367-1

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography (Continued)

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
DCB Decachlorobiphenyl (Surr)	88		15 - 150
Tetrachloro-m-xylene (Surr)	74		24 - 150

Method: OA-2 - Iowa - Extractable Petroleum Hydrocarbons (GC)

Lab Sample ID: MB 310-496422/1-A

Matrix: Solid

Analysis Batch: 496456

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 496422

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Result	Qualifier								
Gasoline	<9.78		9.78		mg/Kg		08/03/26 15:02	08/04/26 13:11	1
Diesel	<9.78		9.78		mg/Kg		08/03/26 15:02	08/04/26 13:11	1
Waste Oil	<9.78		9.78		mg/Kg		08/03/26 15:02	08/04/26 13:11	1
Total Extractable Hydrocarbons	<14.7		14.7		mg/Kg		08/03/26 15:02	08/04/26 13:11	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
%Recovery	Qualifier					
n-Octacosane	56		10 - 150	08/03/26 15:02	08/04/26 13:11	1

Lab Sample ID: LCS 310-496422/2-A

Matrix: Solid

Analysis Batch: 496456

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 496422

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec
Added	Result	Qualifier				Limits	
Diesel	125	118.5		mg/Kg		94	55 - 126

Surrogate	LCS	LCS	Limits
%Recovery	Qualifier		
n-Octacosane	86		10 - 150

Lab Sample ID: 310-337367-1 MS

Matrix: Solid

Analysis Batch: 496456

Client Sample ID: MW7839

Prep Type: Total/NA

Prep Batch: 496422

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec
Result	Qualifier	Added	Result	Qualifier				Limits	
Diesel	<9.99		127	151.3		mg/Kg		119	10 - 150

Surrogate	MS	MS	Limits
%Recovery	Qualifier		
n-Octacosane	112		10 - 150

Lab Sample ID: 310-337367-1 MSD

Matrix: Solid

Analysis Batch: 496456

Client Sample ID: MW7839

Prep Type: Total/NA

Prep Batch: 496422

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	RPD	RPD
Result	Qualifier	Added	Result	Qualifier				Limits		Limit	
Diesel	<9.99		127	155.6		mg/Kg		122	10 - 150	3	40

Surrogate	MSD	MSD	Limits
%Recovery	Qualifier		
n-Octacosane	114		10 - 150

Eurofins Cedar Falls

QC Sample Results

Client: Marine Pollution Control Corp
Project/Site: Nevada North

Job ID: 310-337367-1

Method: 6020B - Metals (ICP/MS)

Lab Sample ID: LCS 500-877923/2-A

Matrix: Solid

Analysis Batch: 879399

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 877923

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Silver	0.0500	0.05416		mg/L		108	80 - 120
Arsenic	0.100	0.09771		mg/L		98	80 - 120
Barium	0.500	0.4901	J	mg/L		98	80 - 120
Cadmium	0.0500	0.04996		mg/L		100	80 - 120
Chromium	0.200	0.1998		mg/L		100	80 - 120
Lead	0.100	0.09643		mg/L		96	80 - 120

Lab Sample ID: LCS 500-877923/2-A

Matrix: Solid

Analysis Batch: 879610

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 877923

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Selenium	0.100	0.1181		mg/L		118	80 - 120

Lab Sample ID: LB 500-877556/1-F

Matrix: Solid

Analysis Batch: 879399

Client Sample ID: Method Blank

Prep Type: TCLP

Prep Batch: 877923

Analyte	LB LB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Silver	<0.0250		0.0250		mg/L		08/04/26 07:30	08/13/26 20:30	1
Arsenic	<0.0500		0.0500		mg/L		08/04/26 07:30	08/13/26 20:30	1
Barium	<0.500		0.500		mg/L		08/04/26 07:30	08/13/26 20:30	1
Cadmium	<0.00500		0.00500		mg/L		08/04/26 07:30	08/13/26 20:30	1
Chromium	<0.0250		0.0250		mg/L		08/04/26 07:30	08/13/26 20:30	1
Lead	<0.0500		0.0500		mg/L		08/04/26 07:30	08/13/26 20:30	1

Lab Sample ID: LB 500-877556/1-F

Matrix: Solid

Analysis Batch: 879610

Client Sample ID: Method Blank

Prep Type: TCLP

Prep Batch: 877923

Analyte	LB LB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Selenium	<0.0500		0.0500		mg/L		08/04/26 07:30	08/14/26 16:26	1

Lab Sample ID: 310-337367-1 MS

Matrix: Solid

Analysis Batch: 879399

Client Sample ID: MW7839

Prep Type: TCLP

Prep Batch: 877923

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Silver	<0.0250		0.0500	0.05410		mg/L		108	75 - 125
Arsenic	<0.0500		0.100	0.09917		mg/L		99	75 - 125
Barium	0.571		0.500	1.027		mg/L		91	75 - 125
Cadmium	<0.00500		0.0500	0.05092		mg/L		100	75 - 125
Chromium	<0.0250		0.200	0.1984		mg/L		99	75 - 125
Lead	<0.0500		0.100	0.1012		mg/L		96	75 - 125

Eurofins Cedar Falls

QC Sample Results

Client: Marine Pollution Control Corp
Project/Site: Nevada North

Job ID: 310-337367-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: 310-337367-1 MS

Matrix: Solid

Analysis Batch: 879610

Client Sample ID: MW7839

Prep Type: TCLP

Prep Batch: 877923

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Selenium	<0.0500		0.100	0.1148		mg/L		115	75 - 125

Lab Sample ID: 310-337367-1 DU

Matrix: Solid

Analysis Batch: 879399

Client Sample ID: MW7839

Prep Type: TCLP

Prep Batch: 877923

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Silver	<0.0250		<0.0250		mg/L		NC	20
Arsenic	<0.0500		<0.0500		mg/L		NC	20
Barium	0.571		0.5737		mg/L		0.4	20
Cadmium	<0.00500		<0.00500		mg/L		NC	20
Chromium	<0.0250		<0.0250		mg/L		NC	20
Lead	<0.0500		<0.0500		mg/L		NC	20

Lab Sample ID: 310-337367-1 DU

Matrix: Solid

Analysis Batch: 879610

Client Sample ID: MW7839

Prep Type: TCLP

Prep Batch: 877923

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Selenium	<0.0500		<0.0500		mg/L		NC	20

Method: 7470A - Mercury (CVAA)

Lab Sample ID: MB 500-877852/12-A

Matrix: Solid

Analysis Batch: 878023

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 877852

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000200		0.000200		mg/L		08/03/26 12:55	08/04/26 11:00	1

Lab Sample ID: LCS 500-877852/14-A

Matrix: Solid

Analysis Batch: 878023

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 877852

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Mercury	0.00200	0.001901		mg/L		95	80 - 120

Lab Sample ID: LB 500-877556/1-D

Matrix: Solid

Analysis Batch: 878023

Client Sample ID: Method Blank

Prep Type: TCLP

Prep Batch: 877852

Analyte	LB Result	LB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.000200		0.000200		mg/L		08/03/26 12:55	08/04/26 11:02	1

Eurofins Cedar Falls

QC Association Summary

Client: Marine Pollution Control Corp
Project/Site: Nevada North

Job ID: 310-337367-1

GC VOA

Prep Batch: 495969

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-337367-1	MW7839	Total/NA	Solid	5030B	
MB 310-495969/1-A	Method Blank	Total/NA	Solid	5030B	
LCS 310-495969/2-A	Lab Control Sample	Total/NA	Solid	5030B	

Analysis Batch: 495971

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-337367-1	MW7839	Total/NA	Solid	OA-1 (GC)	495969
MB 310-495969/1-A	Method Blank	Total/NA	Solid	OA-1 (GC)	495969
LCS 310-495969/2-A	Lab Control Sample	Total/NA	Solid	OA-1 (GC)	495969

GC Semi VOA

Prep Batch: 496183

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-337367-1	MW7839	Total/NA	Solid	3546	
MB 310-496183/1-A	Method Blank	Total/NA	Solid	3546	
LCS 310-496183/2-A	Lab Control Sample	Total/NA	Solid	3546	

Prep Batch: 496422

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-337367-1	MW7839	Total/NA	Solid	3546	
MB 310-496422/1-A	Method Blank	Total/NA	Solid	3546	
LCS 310-496422/2-A	Lab Control Sample	Total/NA	Solid	3546	
310-337367-1 MS	MW7839	Total/NA	Solid	3546	
310-337367-1 MSD	MW7839	Total/NA	Solid	3546	

Analysis Batch: 496456

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-337367-1	MW7839	Total/NA	Solid	OA-2	496422
MB 310-496422/1-A	Method Blank	Total/NA	Solid	OA-2	496422
LCS 310-496422/2-A	Lab Control Sample	Total/NA	Solid	OA-2	496422
310-337367-1 MS	MW7839	Total/NA	Solid	OA-2	496422
310-337367-1 MSD	MW7839	Total/NA	Solid	OA-2	496422

Analysis Batch: 496470

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 310-496183/1-A	Method Blank	Total/NA	Solid	8082A	496183
LCS 310-496183/2-A	Lab Control Sample	Total/NA	Solid	8082A	496183

Analysis Batch: 496549

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-337367-1	MW7839	Total/NA	Solid	8082A	496183

Metals

Leach Batch: 877556

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-337367-1	MW7839	TCLP	Solid	1311	
LB 500-877556/1-D	Method Blank	TCLP	Solid	1311	
LB 500-877556/1-F	Method Blank	TCLP	Solid	1311	
310-337367-1 MS	MW7839	TCLP	Solid	1311	
310-337367-1 DU	MW7839	TCLP	Solid	1311	

Eurofins Cedar Falls

QC Association Summary

Client: Marine Pollution Control Corp
Project/Site: Nevada North

Job ID: 310-337367-1

Metals

Prep Batch: 877852

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-337367-1	MW7839	TCLP	Solid	7470A	877556
LB 500-877556/1-D	Method Blank	TCLP	Solid	7470A	877556
MB 500-877852/12-A	Method Blank	Total/NA	Solid	7470A	
LCS 500-877852/14-A	Lab Control Sample	Total/NA	Solid	7470A	

Prep Batch: 877923

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-337367-1	MW7839	TCLP	Solid	3010A	877556
LB 500-877556/1-F	Method Blank	TCLP	Solid	3010A	877556
LCS 500-877923/2-A	Lab Control Sample	Total/NA	Solid	3010A	
310-337367-1 MS	MW7839	TCLP	Solid	3010A	877556
310-337367-1 DU	MW7839	TCLP	Solid	3010A	877556

Analysis Batch: 878023

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-337367-1	MW7839	TCLP	Solid	7470A	877852
LB 500-877556/1-D	Method Blank	TCLP	Solid	7470A	877852
MB 500-877852/12-A	Method Blank	Total/NA	Solid	7470A	877852
LCS 500-877852/14-A	Lab Control Sample	Total/NA	Solid	7470A	877852

Analysis Batch: 879399

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-337367-1	MW7839	TCLP	Solid	6020B	877923
LB 500-877556/1-F	Method Blank	TCLP	Solid	6020B	877923
LCS 500-877923/2-A	Lab Control Sample	Total/NA	Solid	6020B	877923
310-337367-1 MS	MW7839	TCLP	Solid	6020B	877923
310-337367-1 DU	MW7839	TCLP	Solid	6020B	877923

Analysis Batch: 879610

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
310-337367-1	MW7839	TCLP	Solid	6020B	877923
LB 500-877556/1-F	Method Blank	TCLP	Solid	6020B	877923
LCS 500-877923/2-A	Lab Control Sample	Total/NA	Solid	6020B	877923
310-337367-1 MS	MW7839	TCLP	Solid	6020B	877923
310-337367-1 DU	MW7839	TCLP	Solid	6020B	877923

Lab Chronicle

Client: Marine Pollution Control Corp
Project/Site: Nevada North

Job ID: 310-337367-1

Client Sample ID: MW7839

Lab Sample ID: 310-337367-1

Date Collected: 07/27/26 12:40

Matrix: Solid

Date Received: 07/27/26 16:05

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030B			495969	GP2V	EET CF	07/29/26 10:50
Total/NA	Analysis	OA-1 (GC)		1	495971	GP2V	EET CF	07/30/26 02:11
Total/NA	Prep	3546			496183	RHL8	EET CF	07/30/26 21:09
Total/NA	Analysis	8082A		1	496549	BW2O	EET CF	08/04/26 20:05
Total/NA	Prep	3546			496422	LHWG	EET CF	08/03/26 15:02
Total/NA	Analysis	OA-2		1	496456	C3AA	EET CF	08/04/26 14:45
TCLP	Leach	1311			877556	TJ	EET CHI	07/31/26 16:58 - 08/01/26 10:58 ¹
TCLP	Prep	3010A			877923	BDE	EET CHI	08/04/26 07:30 - 08/04/26 13:30 ¹
TCLP	Analysis	6020B		1	879399	RN	EET CHI	08/13/26 20:35
TCLP	Leach	1311			877556	TJ	EET CHI	07/31/26 16:58 - 08/01/26 10:58 ¹
TCLP	Prep	3010A			877923	BDE	EET CHI	08/04/26 07:30 - 08/04/26 13:30 ¹
TCLP	Analysis	6020B		1	879610	S1Z	EET CHI	08/14/26 16:30
TCLP	Leach	1311			877556	TJ	EET CHI	07/31/26 16:58 - 08/01/26 10:58 ¹
TCLP	Prep	7470A			877852	MJG	EET CHI	08/03/26 12:55 - 08/03/26 14:55 ¹
TCLP	Analysis	7470A		1	878023	MJG	EET CHI	08/04/26 11:16

¹ This procedure uses a method stipulated length of time for the process. Both start and end times are displayed.

Laboratory References:

EET CF = Eurofins Cedar Falls, 3019 Venture Way, Cedar Falls, IA 50613, TEL (319)277-2401

EET CHI = Eurofins Chicago, 18410 Crossing Drive, Suite E, Tinley Park, IL 60487, TEL (708)534-5200

Accreditation/Certification Summary

Client: Marine Pollution Control Corp
Project/Site: Nevada North

Job ID: 310-337367-1

Laboratory: Eurofins Cedar Falls

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Iowa	State	007	12-01-27
The following analytes are included in this report, but the laboratory is not certified by Iowa State 007. This list may include analytes for which the agency does not offer certification :			
Analysis Method	Prep Method	Matrix	Analyte
8082A	3546	Solid	PCB-1268
Kansas	NELAP	E-10341	01-31-27
The following analytes are included in this report, but the laboratory is not certified by Kansas NELAP E-10341. This list may include analytes for which the agency does not offer certification :			
Analysis Method	Prep Method	Matrix	Analyte
OA-1 (GC)	5030B	Solid	Benzene
OA-1 (GC)	5030B	Solid	Ethylbenzene
OA-1 (GC)	5030B	Solid	Toluene
OA-1 (GC)	5030B	Solid	Xylenes, Total
OA-2	3546	Solid	Diesel
OA-2	3546	Solid	Gasoline
OA-2	3546	Solid	Total Extractable Hydrocarbons
OA-2	3546	Solid	Waste Oil

Laboratory: Eurofins Chicago

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Georgia	State	N/A	05-31-27
Georgia (DW)	State	939	05-31-27
Illinois	NELAP	100201	05-25-27
Indiana	State	C-IL-02	05-31-27
Iowa	State	082	05-01-28
Kansas	NELAP	E-10161	10-31-26
Kentucky (UST)	State	108083	05-31-27
Kentucky (WW)	State	KY90023	12-31-26
Louisiana (All)	NELAP	02046	06-30-27
Minnesota	NELAP	017-999-506	12-31-26
Mississippi	State	NA	05-31-26 *
North Carolina (WW/SW)	State	291	12-31-26
North Dakota	State	R-194	05-30-27
Oklahoma	State	8908	12-31-26
South Carolina	State	77001	05-31-26 *
USDA	US Federal Programs	525-25-237-16455	08-25-28
Wisconsin	State	399172840	08-31-26
Wyoming	State	8TMS-Q	05-31-27

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins Cedar Falls

Method Summary

Client: Marine Pollution Control Corp
Project/Site: Nevada North

Job ID: 310-337367-1

Method	Method Description	Protocol	Laboratory
OA-1 (GC)	Volatile Petroleum Hydrocarbons (GC)	Iowa DNR	EET CF
8082A	Polychlorinated Biphenyls (PCBs) by Gas Chromatography	SW846	EET CF
OA-2	Iowa - Extractable Petroleum Hydrocarbons (GC)	Iowa DNR	EET CF
6020B	Metals (ICP/MS)	SW846	EET CHI
7470A	Mercury (CVAA)	SW846	EET CHI
1311	TCLP Extraction	SW846	EET CHI
3010A	Preparation, Total Metals	SW846	EET CHI
3546	Microwave Extraction	SW846	EET CF
5030B	Purge and Trap	SW846	EET CF
7470A	Preparation, Mercury	SW846	EET CHI

Protocol References:

Iowa DNR = Iowa Department of Natural Resources

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CF = Eurofins Cedar Falls, 3019 Venture Way, Cedar Falls, IA 50613, TEL (319)277-2401

EET CHI = Eurofins Chicago, 18410 Crossing Drive, Suite E, Tinley Park, IL 60487, TEL (708)534-5200



310-337367 Chain of Custody

Cooler/Sample Receipt and Temperature Log Form

Client Information		
Client: <u>MPC Environmental</u>		
City/State: <u>CITY</u> <u>STATE</u>		Project:
Receipt Information		
Date/Time Received: <u>7-27-26</u> <u>1605</u>		Received By: <u>EGC</u>
Delivery Type: ☐ UPS ☐ FedEx ☐ FedEx Ground ☐ US Mail ☐ Spee-Dee ☐ Lab Courier ☐ Lab Field Services ☒ Client Drop-off ☐ Other: _____		
Condition of Cooler/Containers		
Sample(s) received in Cooler? ☒ Yes ☐ No If yes: Cooler ID: _____		
Multiple Coolers? ☐ Yes ☒ No If yes: Cooler # _____ of _____		
Cooler Custody Seals Present? ☐ Yes ☒ No If yes: Cooler custody seals intact? ☐ Yes ☐ No		
Sample Custody Seals Present? ☐ Yes ☒ No If yes: Sample custody seals intact? ☐ Yes ☐ No		
Trip Blank Present? ☐ Yes ☒ No If yes: Which VOA samples are in cooler? ↓		
Temperature Record		
Coolant: ☒ Wet ice ☐ Blue ice ☐ Dry ice ☐ Other: _____ ☐ NONE		
Thermometer ID: <u>U</u>		Correction Factor (°C): <u>0</u>
• Temp Blank Temperature – If no temp blank, or temp blank temperature above criteria, proceed to Sample Container Temperature		
Uncorrected Temp (°C): <u>1.0</u>		Corrected Temp (°C): <u>1.0</u>
• Sample Container Temperature		
Container(s) used:	<u>CONTAINER 1</u>	<u>CONTAINER 2</u>
Uncorrected Temp (°C):		
Corrected Temp (°C):		
Exceptions Noted		
1) If temperature exceeds criteria, was sample(s) received same day of sampling? ☐ Yes ☐ No a) If yes: Is there evidence that the chilling process began? ☐ Yes ☐ No		
2) If temperature is <0°C, are there obvious signs that the integrity of sample containers is compromised? (e.g., bulging septa, broken/cracked bottles, frozen solid?) ☐ Yes ☐ No		
NOTE: If yes, contact PM before proceeding If no, proceed with login		
Additional Comments		

MPC[®] **MPC ENVIRONMENTAL**
 DIVISION OF MARINE POLLUTION CONTROL
 8631 WEST JEFFERSON DETROIT, MI 48209
 (313) 849-2333 FAX (313) 849-1623

8631 WEST JEFFERSON DETROIT, MI 48209
313) 849-2333 FAX (313) 849-1623

[illegible]

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

eurofins



Login Sample Receipt Checklist

Client: Marine Pollution Control Corp

Job Number: 310-337367-1

Login Number: 337367

List Source: Eurofins Cedar Falls

List Number: 1

Creator: Homolar, Dana J

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Login Sample Receipt Checklist

Client: Marine Pollution Control Corp

Job Number: 310-337367-1

Login Number: 337367

List Number: 2

Creator: Scott, Sherri L

List Source: Eurofins Chicago

List Creation: 07/29/26 12:55 PM

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	5.7
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	True	