



IOWA DEPARTMENT OF NATURAL RESOURCES
REQUEST FOR SPECIAL WASTE
AUTHORIZATION



Check one of the following: ☐ New Application ☒ Renewal, Existing SWA #: 07-SWA-111-18

The intent of a special waste authorization is to provide safe and proper management for disposal of wastes which present a threat to human health or the environment or a waste with inherent properties which make the disposal of the waste in a sanitary landfill difficult to manage. It is each landfill's responsibility to inform the waste generator if a waste should be handled as a special waste and to ensure that special wastes delivered to the landfill conform to the Special Waste Acceptance Criteria (SWAC) on file with the Department. It is the Department's responsibility to review each application for a special waste authorization to verify that the proposed waste can be landfilled under the current regulations in Iowa.

READ THE FOLLOWING INSTRUCTIONS BEFORE COMPLETING THIS APPLICATION

Waste Generator:

1. Complete Sections 1-3 of this application applicable to the waste characterization and disposal information.
2. Attach Toxicity Characteristic Leaching Procedure (TCLP) test results, material safety data sheet(s) (MSDS), or evidence of "processor knowledge" when appropriate that demonstrates the waste is not considered a characteristic hazardous waste exhibiting the properties of flammability, corrosivity, reactivity or toxicity or a listed hazardous waste as defined in 40 CFR Part 261, Subpart D.
3. Provide signature in Section 3 to verify that the information provided is true, accurate and complete.
4. Mail or deliver (2) copies of the completed application with attachments to the requested disposal destination (must be a landfill that is authorized to accept waste from the service area of where the waste was generated). Please contact Sue Johnson at (515) 725-8317 for a list of landfills authorized to accept waste from the service area in which your facility is located.

Receiving Landfill:

Prior review of this application by the receiving landfill allows the department to more quickly process and evaluate the application.

1. Complete Section 5 of this application applicable to the landfill.
2. Indicate by signing the application that the landfill is willing to accept the waste if a Special Waste Authorization is issued by the department and if instructions for disposal of the waste, as contained in the landfill's SWAC, are followed by the generator.
3. Attach SWAC procedures for disposal of the waste.
4. Keep 1 copy for your records and submit the remaining one copy of the completed application with attachments (TCLP, MSDS, SWAC, etc.) to the department at the following address:

Iowa Department of Natural Resources
Land Quality Bureau- Attn: Susan Johnson
502 East 9th Street
Des Moines, IA 50319-0034

Applications will be considered incomplete if not signed by both the waste generator and receiving landfill. The receiving landfill must attach a copy of the SWAC for the particular waste for which the application has been submitted.

Written notification of approval or rejection will be mailed or faxed to the generator and landfill. If approved, a copy of the authorization must accompany the waste hauler to the landfill.

For questions concerning this application contact Sue Johnson at (515) 725-8317 or susan.johnson@dnr.iowa.gov

SECTION 1: WASTE GENERATOR INFORMATION

Name of Primary Contact* Sarah Robinson Title Office Manager
*SWA approvals will be sent to this person at the address provided below.

Company Name Quality Plus Manufacturing

Mailing Address 1007 Industrial Park Drive

City Oelwein State IA Zip Code 50662

Telephone # 888-529-8768 Fax # _____

Address or location of the point of generation of the waste, if different from the company address:

Address _____

City _____ State _____ Zip Code _____

SECTION 2: WASTE CHARACTERIZATION

Waste determined to be hazardous may not be landfilled in Iowa. Attach TCLP analysis that demonstrates the waste is not considered hazardous. For raw or virgin materials being disposed of, a MSDS that indicates the waste is not hazardous may be submitted in lieu of a TCLP analysis.

The generator may also apply knowledge of the hazardous characteristic(s) of the waste in light of the materials or the processes used ("knowledge of process"). In order to use knowledge to characterize the waste, the knowledge that is applied must be valid and verifiable and the generator must be able to demonstrate the basis for their claim by providing supporting information to justify that conclusion.

Name and description of waste:
Paint filters (PF) and Blast media (BM)

Has any pretreatment been utilized? If so, please describe the pretreatment process:
No

List the alternatives to disposal that were analyzed and reason not utilized (*attach extra sheets if necessary*):

Physical state at room temperature?	Percent (%) Solid:	pH:	Flashpoint: (PF)>200 (BM) non- flammable
☒ Solid ☐ Semi-Solid ☐ Liquid	100	(PF)6.8 (BM) 8.7	

Does this waste pass the paint filter liquids test?

Free liquids are prohibited from landfill disposal. Free liquids are defined as the liquid produced when a 100-millimeter or 100-gram representative sample is placed on a standard mesh number 60 (fine mesh size) conical paint filter for five minutes.

☒ Yes
☐ No

Is this waste a listed hazardous waste as identified in 40 CFR 261, Subpart D? Refer to the following web link to find listed hazardous wastes: <http://www.gpoaccess.gov/cfr/index.html>

☐ Yes
☒ No

SECTION 2: WASTE CHARACTERIZATION (Continued)

Does this waste exhibit the property of *ignitability* as defined in 40 CFR 261, Subpart C?

☐ Yes
☒ No

Does this waste exhibit the property of *corrosivity* as defined in 40 CFR 261, Subpart C?

☐ Yes
☒ No

Does this waste exhibit the property of *reactivity* as defined in 40 CFR 261, Subpart C?

☐ Yes
☒ No

Does this waste exhibit the property of *toxicity* as defined in 40 CFR 261, Subpart C?

☐ Yes

SECTION 3: WASTE DISPOSAL INFORMATION

Indicate the proposed disposal location and if this is a request for an on going disposal of a special waste or a one-time disposal. If on going, indicate the approximate amount in pounds to be disposed of quarterly.

Landfill Name* Black Hawk County Landfill

**List only a landfill that is authorized to accept waste from the service area of where the waste was generated. Sue Johnson at (515) 725-8317 or susan.johnson@dnr.iowa.gov for a list of landfills authorized to accept waste from your facility.*

☒ On going (or intermittent) with an average disposal rate per quarter of (PF) 600
(BM) 4000-
7000 pounds

Indicate the amount on hand to be disposed of immediately: (PF) 600
(BM) 3000 pounds

☐ One time only, with an estimated quantity of _____ pounds

SECTION 4: WASTE GENERATOR CERTIFICATION

"I certify under penalty of law (§455B.417.1(c), Code of Iowa) that I have examined and am familiar with the information submitted in this document concerning hazardous waste, and all attachments, and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete."

Applicant Signature: Sarah Robinson Date: 9/4/2026

Printed Name: Sarah Robinson Title: Office Manager

SECTION 5: LANDFILL INFORMATION

The following section is to be completed by the receiving landfill. By signing below, the landfill verifies that the application has been examined and if approved by the department, is willing to accept the waste described within, provided that instructions for disposal of the waste, as contained in the landfill's Special Waste Acceptance Criteria, are followed by the generator.

Prior review of this application by the receiving landfill will allow the department to more quickly process and evaluate the application. Please address the following:

Indicate the properties that lead you to believe this is a special waste:
See Next page

See Next Page

Indicate any special handling procedures that the waste generator must follow prior to delivery at the landfill:

Name of Responsible Official*:

**SWA approvals will be sent to this person at the address given below.*

Solid Waste Agency Name _____

Mailing Address _____

City _____ State _____ Zip Code _____

Telephone # _____ Fax # _____

Responsible Official Signature: _____ Date: _____

SECTION 5: LANDFILL INFORMATION

The following section is to be completed by the receiving landfill. By signing below, the landfill verifies that the application has been examined and, if approved by the department, is willing to accept the waste described within, provided that the generator follows the instructions for disposal of the waste, as contained in the landfill's Special Waste Acceptance Criteria.

The receiving landfill's prior review of this application will allow the department to process and evaluate it more quickly.

Indicate the properties that lead you to believe this is a special waste:

This pollution control waste may contain RCRA-regulated hazardous materials and is hazardous if it exceeds TCLP limits. Paint filters may be prone to spontaneous combustion.

Indicate any special handling procedures that the waste generator must follow prior to delivery at the landfill:

The generator is required to separate the material from other waste. If mixed, the entire load will be considered as special waste. Exercise all efforts to prevent spontaneous combustion of paint filters and minimize dust generation before delivery. The material must be thoroughly dried. Waste cannot contain free liquids and must pass the paint filter test.

Arrangements for delivery must be made 24 hours in advance to the landfill at (319) 296-2524. Upon arrival, the driver shall identify the material by the SWA number to the scale house operator. Documentation must be presented to the scale house operator while on the inbound scale.

The waste will be deposited in the designated area, worked into the active face, and covered as required.

The Generator must test the waste material periodically and notify the BHCSWC Administrator of any process change or deviations from the submitted sampled parameters. The generator must inform the receiving landfill for re-evaluation.

Name of Responsible Official*: John A. Foster

*SWA approvals will be sent to this person at the address given below

Solid Waste Agency Name: Black Hawk County Solid Waste Management Commission

Mailing Address 229 E. Park Ave., P.O. Box 208

City Waterloo

State IA

Zip Code 50704

Telephone # 319-234-8115

Fax # jfoster@wastetrac.org

Responsible Official Signature:



Date: September 7, 2026

ANALYTICAL REPORT

PREPARED FOR

Attn: Sarah Robinson
Quality Plus Mfg.Inc
1007 Industrial Park Drive
Oelwein, Iowa 50662

Generated 8/10/2026 10:29:51 AM

JOB DESCRIPTION

TCLP

JOB NUMBER

310-336546-1

Eurofins Cedar Falls

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
8/10/2026 10:29:51 AM

Authorized for release by
Charlotte Collins, Project Management Assistant I
Charlotte.Collins@et.eurofinsus.com
Designee for
Conner Calhoun, Client Service Manager
Conner.Calhoun@et.eurofinsus.com
(319)277-2401



Table of Contents

Cover Page	1
Table of Contents	3
Case Narrative	4
Sample Summary	5
Client Sample Results	6
Chronicle	8
Definitions	9
Certification Summary	10
Method Summary	12
Chain of Custody	13
Receipt Checklists	20
Action Limit Summary	22

Case Narrative

Client: Quality Plus Mfg.Inc
Project: TCLP

Job ID: 310-336546-1

Job ID: 310-336546-1

Eurofins Cedar Falls

Job Narrative 310-336546-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 7/15/2026 3:15 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 2.1°C.

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC/MS Semi VOA

Method 8270E - TCLP: The continuing calibration verification (CCV) associated with batch 310-496431 recovered outside acceptance criteria, low biased, for pentachlorophenol (-25%D). A reporting limit (RL) standard was analyzed, and the target analytes are detected. Since the associated samples were non-detect for the analyte(s), the data are reported.

Method 8270E - TCLP: The continuing calibration verification (CCV) analyzed in 310-496491 was outside the method criteria for the following analyte(s): 2,4,6-Tribromophenol (Surr) (27 %D). As indicated in the reference method, sample analysis may proceed; however, any detection for the affected analyte(s) is considered estimated.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Organic Prep

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Metals

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

General Chemistry

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cedar Falls

Sample Summary

Client: Quality Plus Mfg.Inc
Project/Site: TCLP

Job ID: 310-336546-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
310-336546-1	Blast Media	Solid	07/15/26 09:00	07/15/26 15:15	Iowa
310-336546-2	Paint Filters	Solid	07/15/26 09:00	07/15/26 15:15	Iowa

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

Client Sample Results

Client: Quality Plus Mfg.Inc
Project/Site: TCLP

Job ID: 310-336546-1

Client Sample ID: Blast Media

Lab Sample ID: 310-336546-1

Date Collected: 07/15/26 09:00

Matrix: Solid

Date Received: 07/15/26 15:15

Method: SW846 6020B - Metals (ICP/MS) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	<50.0		50.0		ug/L		07/22/26 06:57	07/28/26 19:02	1
Barium	1630		500		ug/L		07/22/26 06:57	07/28/26 19:02	1
Cadmium	9.96		5.00		ug/L		07/22/26 06:57	07/28/26 19:02	1
Chromium	<25.0		25.0		ug/L		07/22/26 06:57	07/28/26 19:02	1
Lead	<50.0		50.0		ug/L		07/22/26 06:57	07/28/26 19:02	1
Selenium	<50.0		50.0		ug/L		07/22/26 06:57	07/28/26 19:02	1
Silver	<25.0		25.0		ug/L		07/22/26 06:57	07/28/26 19:02	1

Method: SW846 7470A - Mercury (CVAA) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.200		0.200		ug/L		07/22/26 11:30	07/23/26 11:11	1

General Chemistry - Soluble

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH (SW846 9045D)	8.4	HF	1.0		SU			07/17/26 00:02	1

Client Sample ID: Paint Filters

Lab Sample ID: 310-336546-2

Date Collected: 07/15/26 09:00

Matrix: Solid

Date Received: 07/15/26 15:15

Method: SW846 8260D - Volatile Organic Compounds by GC/MS - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	<0.100		0.100		mg/L			07/31/26 01:27	20
1,2-Dichloroethane	<0.100		0.100		mg/L			07/31/26 01:27	20
2-Butanone (MEK)	<2.00		2.00		mg/L			07/31/26 01:27	20
Benzene	<0.100		0.100		mg/L			07/31/26 01:27	20
Carbon tetrachloride	<0.100		0.100		mg/L			07/31/26 01:27	20
Chlorobenzene	<0.100		0.100		mg/L			07/31/26 01:27	20
Chloroform	<0.100		0.100		mg/L			07/31/26 01:27	20
Tetrachloroethene	<0.200		0.200		mg/L			07/31/26 01:27	20
Trichloroethene	<0.100		0.100		mg/L			07/31/26 01:27	20
Vinyl chloride	<0.100		0.100		mg/L			07/31/26 01:27	20

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	97		80 - 126		07/31/26 01:27	20
Toluene-d8 (Surr)	81		80 - 120		07/31/26 01:27	20
4-Bromofluorobenzene (Surr)	110		80 - 120		07/31/26 01:27	20

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dichlorobenzene	<0.0157		0.0157		mg/L		07/30/26 11:36	08/05/26 13:23	1
2,4-Dinitrotoluene	<0.0157		0.0157		mg/L		07/30/26 11:36	08/05/26 13:23	1
2-Methylphenol	<0.0157		0.0157		mg/L		07/30/26 14:11	08/04/26 16:23	1
4-Methylphenol (and/or 3-Methylphenol)	<0.0157		0.0157		mg/L		07/30/26 14:11	08/04/26 16:23	1
Hexachlorobenzene	<0.0157		0.0157		mg/L		07/30/26 11:36	08/05/26 13:23	1
Pentachlorophenol	<0.0393	+	0.0393		mg/L		07/30/26 14:11	08/04/26 16:23	1
Hexachlorobutadiene	<0.0157		0.0157		mg/L		07/30/26 11:36	08/05/26 13:23	1
Hexachloroethane	<0.0157		0.0157		mg/L		07/30/26 11:36	08/05/26 13:23	1
Total Cresols	<0.0157		0.0157		mg/L		07/30/26 14:11	08/04/26 16:23	1
Nitrobenzene	<0.0157		0.0157		mg/L		07/30/26 11:36	08/05/26 13:23	1

Eurofins Cedar Falls

Client Sample Results

Client: Quality Plus Mfg.Inc
Project/Site: TCLP

Job ID: 310-336546-1

Client Sample ID: Paint Filters

Lab Sample ID: 310-336546-2

Date Collected: 07/15/26 09:00

Matrix: Solid

Date Received: 07/15/26 15:15

Method: SW846 8270E - Semivolatile Organic Compounds (GC-MS/MS) - TCLP (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2,4,5-Trichlorophenol	<0.0157		0.0157		mg/L		07/30/26 14:11	08/04/26 16:23	1
2,4,6-Trichlorophenol	<0.0157		0.0157		mg/L		07/30/26 14:11	08/04/26 16:23	1
Pyridine	<0.0157		0.0157		mg/L		07/30/26 11:36	08/05/26 13:23	1

Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorophenol (Surr)	68		10 - 110				07/30/26 14:11	08/04/26 16:23	1
2-Fluorobiphenyl (Surr)	88		13 - 150				07/30/26 11:36	08/05/26 13:23	1
Phenol-d5 (Surr)	45		10 - 110				07/30/26 14:11	08/04/26 16:23	1
2,4,6-Tribromophenol (Surr)	93		10 - 150				07/30/26 14:11	08/04/26 16:23	1
Nitrobenzene-d5 (Surr)	98		22 - 150				07/30/26 11:36	08/05/26 13:23	1
Terphenyl-d14 (Surr)	87		10 - 150				07/30/26 11:36	08/05/26 13:23	1

Method: SW846 6020B - Metals (ICP/MS) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	<0.0500		0.0500		mg/L		07/31/26 14:00	08/03/26 18:50	1
Barium	<0.500		0.500		mg/L		07/31/26 14:00	08/03/26 18:50	1
Cadmium	<0.0500		0.0500		mg/L		07/31/26 14:00	08/03/26 18:50	1
Chromium	<0.0500		0.0500		mg/L		07/31/26 14:00	08/03/26 18:50	1
Lead	<0.0500		0.0500		mg/L		07/31/26 14:00	08/03/26 18:50	1
Selenium	<0.0500		0.0500		mg/L		07/31/26 14:00	08/03/26 18:50	1
Silver	<0.0500		0.0500		mg/L		07/31/26 14:00	08/03/26 18:50	1

Method: SW846 7470A - Mercury (CVAA) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00200		0.00200		mg/L		07/31/26 14:00	08/03/26 12:11	1

General Chemistry

Analyte	Result	Qualifier	NONE	NONE	Unit	D	Prepared	Analyzed	Dil Fac
Free Liquid (SW846 9095B)	CNF				NONE			07/29/26 12:50	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Flashpoint (ASTM D92)	>201		65.0		Degrees F			07/29/26 15:47	1

General Chemistry - Soluble

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH (SW846 9045D)	7.8	HF	1.0		SU			07/30/26 23:31	1

Method: Part Size Red - Particle Size Reduction Preparation

Analyte	Result	Qualifier	NONE	NONE	Unit	D	Prepared	Analyzed	Dil Fac
PSR sample generated	DONE				NONE			07/23/26 14:00	1

Eurofins Cedar Falls

Lab Chronicle

Client: Quality Plus Mfg.Inc
Project/Site: TCLP

Job ID: 310-336546-1

Client Sample ID: Blast Media

Date Collected: 07/15/26 09:00

Date Received: 07/15/26 15:15

Lab Sample ID: 310-336546-1

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
TCLP	Leach	1311			875894	AC	EET CHI	07/20/26 15:36 - 07/21/26 09:36 ¹
TCLP	Prep	3010A			876226	BDE	EET CHI	07/22/26 06:57 - 07/22/26 12:57 ¹
TCLP	Analysis	6020B		1	877166	S1Z	EET CHI	07/28/26 19:02
TCLP	Leach	1311			875894	AC	EET CHI	07/20/26 15:36 - 07/21/26 09:36 ¹
TCLP	Prep	7470A			876316	MJG	EET CHI	07/22/26 11:30 - 07/22/26 13:30 ¹
TCLP	Analysis	7470A		1	876523	MJG	EET CHI	07/23/26 11:11
Soluble	Leach	DI Leach			494737	KNJC	EET CF	07/16/26 08:19
Soluble	Analysis	9045D		1	494847	ZJX4	EET CF	07/17/26 00:02

Client Sample ID: Paint Filters

Date Collected: 07/15/26 09:00

Date Received: 07/15/26 15:15

Lab Sample ID: 310-336546-2

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
TCLP	Leach	1311			496011	U8FK	EET CF	07/29/26 16:00 - 07/30/26 08:00 ¹
TCLP	Analysis	8260D		20	496155	WSE8	EET CF	07/31/26 01:27
TCLP	Leach	1311			496012	U8FK	EET CF	07/29/26 16:00 - 07/30/26 08:00 ¹
TCLP	Prep	3511			496121	ZRI4	EET CF	07/30/26 11:36
TCLP	Analysis	8270E		1	496583	P5ZC	EET CF	08/05/26 13:23
TCLP	Leach	1311			496012	U8FK	EET CF	07/29/26 16:00 - 07/30/26 08:00 ¹
TCLP	Prep	3511			496149	ZRI4	EET CF	07/30/26 14:11
TCLP	Analysis	8270E		1	496491	D2YP	EET CF	08/04/26 16:23
TCLP	Leach	1311			711981	DRJ	EET CLE	07/30/26 17:10 - 07/31/26 09:15 ¹
TCLP	Prep	3010A			712062	BN	EET CLE	07/31/26 14:00
TCLP	Analysis	6020B		1	712260	RKT	EET CLE	08/03/26 18:50
TCLP	Leach	1311			711981	DRJ	EET CLE	07/30/26 17:10 - 07/31/26 09:15 ¹
TCLP	Prep	7470A			712063	BN	EET CLE	07/31/26 14:00
TCLP	Analysis	7470A		1	712317	S4FJ	EET CLE	08/03/26 12:11
Soluble	Leach	DI Leach			496070	KNJC	EET CF	07/30/26 08:14
Soluble	Analysis	9045D		1	496185	ZJX4	EET CF	07/30/26 23:31
Total/NA	Analysis	9095B		1	495995	DGU1	EET CF	07/29/26 12:50
Total/NA	Analysis	D92		1	496018	ENB7	EET CF	07/29/26 15:47
Total/NA	Analysis	Part Size Red		1	710985	DRJ	EET CLE	07/23/26 14:00

¹ This procedure uses a method stipulated length of time for the process. Both start and end times are displayed.

Laboratory References:

EET CF = Eurofins Cedar Falls, 3019 Venture Way, Cedar Falls, IA 50613, TEL (319)277-2401

EET CHI = Eurofins Chicago, 18410 Crossing Drive, Suite E, Tinley Park, IL 60487, TEL (708)534-5200

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Eurofins Cedar Falls

Definitions/Glossary

Client: Quality Plus Mfg.Inc
Project/Site: TCLP

Job ID: 310-336546-1

Qualifiers

GC/MS Semi VOA

Qualifier	Qualifier Description
*+	LCS and/or LCSD is outside acceptance limits, high biased.

General Chemistry

Qualifier	Qualifier Description
HF	Parameter with a holding time of 15 minutes. Test performed by laboratory at client's request. Sample was analyzed outside of hold time.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Accreditation/Certification Summary

Client: Quality Plus Mfg.Inc
Project/Site: TCLP

Job ID: 310-336546-1

Laboratory: Eurofins Cedar Falls

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Iowa	State	007	12-01-27
The following analytes are included in this report, but the laboratory is not certified by Iowa State 007. This list may include analytes for which the agency does not offer certification:			
Analysis Method	Prep Method	Matrix	Analyte
8270E	3511	Solid	Pyridine
8270E	3511	Solid	Total Cresols
D92		Solid	Flashpoint

Laboratory: Eurofins Chicago

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Georgia	State	N/A	05-31-27
Georgia (DW)	State	939	05-31-26 *
Illinois	NELAP	100201	05-25-27
Indiana	State	C-IL-02	05-31-27
Iowa	State	082	05-01-28
Kansas	NELAP	E-10161	10-31-26
Kentucky (UST)	State	108083	05-31-27
Kentucky (WW)	State	KY90023	12-31-26
Louisiana (All)	NELAP	02046	06-30-27
Minnesota	NELAP	017-999-506	12-31-26
Mississippi	State	NA	05-31-26 *
North Carolina (WW/SW)	State	291	12-31-26
North Dakota	State	R-194	05-30-27
Oklahoma	State	8908	12-31-26
South Carolina	State	77001	05-31-26 *
USDA	US Federal Programs	525-25-237-16455	08-25-28
Wisconsin	State	399172840	08-31-26
Wyoming	State	8TMS-Q	05-31-27

Laboratory: Eurofins Cleveland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Arizona	State	AZ0859	05-05-27
Connecticut	State	PH-0806	09-30-26
Georgia	State	4062	02-27-27
Illinois	NELAP	200004	08-31-26
Iowa	State	421	06-01-27
Kansas	NELAP	E-10336	01-31-27
Kentucky (UST)	State	112225	02-28-27
Kentucky (WW)	State	KY98016	12-31-26
Michigan	State	9135	01-10-27
Minnesota	NELAP	039-999-348	12-31-26
New Hampshire	NELAP	2250	09-30-26
New Jersey	NELAP	OH001	06-30-27
New York	NELAP	10975	04-01-27
Ohio	State	8303	02-28-27

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins Cedar Falls

Accreditation/Certification Summary

Client: Quality Plus Mfg.Inc
Project/Site: TCLP

Job ID: 310-336546-1

Laboratory: Eurofins Cleveland (Continued)

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Ohio VAP	State	ORELAP 4062	02-28-27
Oregon	NELAP	4062	02-27-27
Pennsylvania	NELAP	68-00340	08-31-26
Texas	NELAP	T104704517	08-31-26
US Fish & Wildlife	US Federal Programs	A26406	02-28-27
USDA	US Federal Programs	525-24-5-34740	01-05-27
Virginia	NELAP	460175	09-30-26
West Virginia DEP	State	210	12-31-26
Wisconsin	State	399167560	08-31-26

Method Summary

Client: Quality Plus Mfg.Inc
Project/Site: TCLP

Job ID: 310-336546-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CF
8270E	Semivolatile Organic Compounds (GC-MS/MS)	SW846	EET CF
Part Size Red	Particle Size Reduction Preparation	None	EET CLE
6020B	Metals (ICP/MS)	SW846	EET CHI
6020B	Metals (ICP/MS)	SW846	EET CLE
7470A	Mercury (CVAA)	SW846	EET CHI
7470A	Mercury (CVAA)	SW846	EET CLE
9045D	pH	SW846	EET CF
9095B	Paint Filter Liquids Test	SW846	EET CF
D92	Flashpoint	ASTM	EET CF
1311	TCLP Extraction	SW846	EET CF
1311	TCLP Zero Headspace Extraction	SW846	EET CF
1311	TCLP Extraction	SW846	EET CHI
1311	TCLP Extraction	SW846	EET CLE
3010A	Preparation, Total Metals	SW846	EET CHI
3010A	Preparation, Total Metals	SW846	EET CLE
3511	Microextraction of Organic Compounds	SW846	EET CF
5030B	Purge and Trap	SW846	EET CF
7470A	Preparation, Mercury	SW846	EET CHI
7470A	Preparation, Mercury	SW846	EET CLE
DI Leach	Deionized Water Leaching Procedure	ASTM	EET CF

Protocol References:

ASTM = ASTM International

None = None


SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CF = Eurofins Cedar Falls, 3019 Venture Way, Cedar Falls, IA 50613, TEL (319)277-2401

EET CHI = Eurofins Chicago, 18410 Crossing Drive, Suite E, Tinley Park, IL 60487, TEL (708)534-5200

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396





Cooler/Sample Receipt and Temperature Log Form

Client Information			
Client: <u>Quality Plus MFG</u>			
City/State:	CITY <u>Orlando</u>	STATE <u>FL</u>	Project: <u>123097</u>
Receipt Information			
Date/Time Received:	DATE <u>7/15/26</u>	TIME <u>1515</u>	Received By: <u>[Signature]</u>
Delivery Type: ☐ UPS ☐ FedEx ☐ FedEx Ground ☐ US Mail ☐ Spee-Dee ☐ Lab Courier ☐ Lab Field Services ☒ Client Drop-off ☐ Other: _____			
Condition of Cooler/Containers			
Sample(s) received in Cooler?		☒ Yes ☐ No	If yes: Cooler ID: _____
Multiple Coolers?		☐ Yes ☒ No	If yes: Cooler # _____ of _____
Cooler Custody Seals Present?		☒ Yes ☐ No	If yes: Cooler custody seals intact? ☒ Yes ☐ No
Sample Custody Seals Present?		☐ Yes ☒ No	If yes: Sample custody seals intact? ☐ Yes ☐ No
Trip Blank Present?		☐ Yes ☒ No	If yes: Which VOA samples are in cooler? ↓
Temperature Record			
Coolant: ☒ Wet ice ☐ Blue ice ☐ Dry ice ☐ Other: _____ ☐ NONE			
Thermometer ID: <u>U</u>		Correction Factor (°C): <u>0.0</u>	
• Temp Blank Temperature – If no temp blank, or temp blank temperature above criteria, proceed to Sample Container Temperature			
Uncorrected Temp (°C): <u>2.1</u>		Corrected Temp (°C): <u>2.1</u>	
• Sample Container Temperature			
Container(s) used:	CONTAINER 1		CONTAINER 2
Uncorrected Temp (°C):			
Corrected Temp (°C):			
Exceptions Noted			
1) If temperature exceeds criteria, was sample(s) received same day of sampling? ☐ Yes ☐ No a) If yes: Is there evidence that the chilling process began? ☐ Yes ☐ No			
2) If temperature is <0°C, are there obvious signs that the integrity of sample containers is compromised? (e.g., bulging septa, broken/cracked bottles, frozen solid?) ☐ Yes ☐ No			
NOTE: If yes, contact PM before proceeding. If no, proceed with login			
Additional Comments			

Phone (319) 277-2401 Phone (319) 277-2425

Chain of Custody Record

[illegible]



310-336546 Chain of Custody

Cooler/Sample Receipt and Temperature Log

Client Information			
Client: <u>Cleveland</u>			
City/State: <u>CITY</u> <u>STATE</u>		Project:	
Receipt Information			
Date/Time Received:	DATE <u>7-25-20</u>	TIME <u>945</u>	Received By: <u>PH</u>
Delivery Type: ☐ UPS ☒ FedEx ☐ FedEx Ground ☐ US Mail ☐ Spee-Dee ☐ Lab Courier ☐ Lab Field Services ☐ Client Drop-off ☐ Other: _____			
Condition of Cooler/Containers			
Sample(s) received in Cooler?		☒ Yes ☐ No If yes: Cooler ID: _____	
Multiple Coolers?		☐ Yes ☒ No If yes: Cooler # _____ of _____	
Cooler Custody Seals Present?		☒ Yes ☐ No If yes: Cooler custody seals intact? ☒ Yes ☐ No	
Sample Custody Seals Present?		☐ Yes ☒ No If yes: Sample custody seals intact? ☐ Yes ☐ No	
Trip Blank Present?		☐ Yes ☒ No If yes: Which VOA samples are in cooler? ↓	
Temperature Record			
Coolant: ☒ Wet ice ☐ Blue ice ☐ Dry ice ☐ Other: _____ ☐ NONE			
Thermometer ID: <u>CC</u>		Correction Factor (°C): <u>0</u>	
• Temp Blank Temperature – If no temp blank, or temp blank temperature above criteria, proceed to Sample Container Temperature			
Uncorrected Temp (°C): <u>1.3</u>		Corrected Temp (°C): <u>1.3</u>	
• Sample Container Temperature			
Container(s) used:	<u>CONTAINER 1</u>		<u>CONTAINER 2</u>
Uncorrected Temp (°C):			
Corrected Temp (°C):			
Exceptions Noted			
1) If temperature exceeds criteria, was sample(s) received same day of sampling? ☐ Yes ☐ No a) If yes: Is there evidence that the chilling process began? ☐ Yes ☐ No			
2) If temperature is <0°C, are there obvious signs that the integrity of sample containers is compromised? (e.g., bulging septa, broken/cracked bottles, frozen solid?) ☐ Yes ☐ No			
NOTE: If yes, contact PM before proceeding If no, proceed with login			
Additional Comments			
<u>336546 no Cd</u>			

$$\frac{4.1}{4.7}$$


Environmental Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

Eurofins Cleveland Sample Receipt Form/Narrative
Barberton Facility

Client Amstar Site Name _____ Login # _____
Cooler Received on 7/17/16 Opened on 7/17/16 Cooler unpacked by: MS

FedEx: 1* Grd-Exp UPS: FAS Waypoint Client-Drop Off - Eurofins Courier Other _____
Receipt After-hours: Drop-off Date/Time _____ Storage Location _____

Eurofins Cooler # EC Foam Box Client Cooler Box Other _____
Packing material used: Bubble Wrap Foam Plastic Bag None Other _____
COOLANT: Water Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt ☐ See Multiple Cooler Form

IR GUN # 3 (CF 4.7 °C) Observed Cooler Temp. 4.1 °C Corrected Cooler Temp. 4.1 °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1 ☒ Yes ☒ No ☐ NA

-Were the seals on the outside of the cooler(s) signed & dated? ☒ Yes ☒ No ☐ NA

-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)? ☒ Yes ☒ No ☐ NA

-Were tamper/custody seals intact and uncompromised? ☒ Yes ☒ No ☐ NA

3. Shippers' packing slip attached to the cooler(s)? ☒ Yes ☒ No ☐ NA

4. Did custody papers accompany the sample(s)? ☒ Yes ☒ No ☐ NA

5. Were the custody papers relinquished & signed in the appropriate place? ☒ Yes ☒ No ☐ NA

6. Was/were the person(s) who collected the samples clearly identified on the COC? ☒ Yes ☒ No ☐ NA

7. Did all bottles arrive in good condition (Unbroken)? ☒ Yes ☒ No ☐ NA

8. Could all bottle labels (ID/Date/Time) be reconciled with the COC? ☒ Yes ☒ No ☐ NA

9. For each sample, does the COC specify preservative(s) (Y/~~NO~~), # of containers (~~2~~1), and sample type of grab/comp (~~2~~AN)? ☒ Yes ☒ No ☐ NA

10. Were correct bottle(s) used for the test(s) indicated? ☒ Yes ☒ No ☐ NA

11. Sufficient quantity received to perform indicated analyses? ☒ Yes ☒ No ☐ NA

12. Are these work share samples and all listed on the COC? ☒ Yes ☒ No ☐ NA

If yes, Questions 13-17 have been checked at the originating laboratory.

13. Were all preserved sample(s) at the correct pH upon receipt? ☒ Yes ☒ No ☐ NA pH Strip Lot# HC574455

14. Were VOAs on the COC? ☒ Yes ☒ No ☐ NA

15. Were air bubbles >6 mm in any VOA vials? ☒ Yes ☒ No ☐ NA Larger than this.

16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____ Yes ☒ No ☐ NA

17. Was a LL Hg or Me Hg trip blank present? ☒ Yes ☒ No ☐ NA

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other _____

Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES ☐ additional next page
Labeled by: _____
Labels Verified by: _____

19. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.

Sample(s) _____ were received in a broken container.

Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory.
Time preserved: _____ Preservative(s) added/Lot number(s): _____

VOA Sample Preservation - Date/Time VOAs Frozen: _____

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

TRK# 0201

5257 1839 5154

NS CAKA

FRI - 17 JUL
 10:30A
 PRIORITY OVERNIGHT

44208
 OH-US CLE

• eurofins

Ver 03/20/2026 8/10/2026

Login Sample Receipt Checklist

Client: Quality Plus Mfg.Inc

Job Number: 310-336546-1

Login Number: 336546

List Source: Eurofins Cedar Falls

List Number: 1

Creator: Schaufenbuel, Erin

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Login Sample Receipt Checklist

Client: Quality Plus Mfg.Inc

Job Number: 310-336546-1

Login Number: 336546

List Number: 2

Creator: Scott, Sherri L

List Source: Eurofins Chicago

List Creation: 07/17/26 01:32 PM

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	1.8
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	True	

Action Limit Summary

Client: Quality Plus Mfg.Inc
Project/Site: TCLP

Job ID: 310-336546-1

Client Sample ID: Blast Media

Lab Sample ID: 310-336546-1

Action Limits

Results have been compared against the following action or regulatory limits. Any results or detection limits which exceed the limit are highlighted in bold.

Analyte	Result	Qualifier	Unit	Limit	TCLP Waste Limit	RL	Method	Prep Type
Arsenic	<50.0		ug/L	5000	5000	50.0	6020B	TCLP
Barium	1630		ug/L	100000	100000	500	6020B	TCLP
Cadmium	9.96		ug/L	1000	1000	5.00	6020B	TCLP
Chromium	<25.0		ug/L	5000	5000	25.0	6020B	TCLP
Lead	<50.0		ug/L	5000	5000	50.0	6020B	TCLP
Selenium	<50.0		ug/L	1000	1000	50.0	6020B	TCLP
Silver	<25.0		ug/L	5000	5000	25.0	6020B	TCLP
Mercury	<0.200		ug/L	200.0	200.0	0.200	7470A	TCLP

Client Sample ID: Paint Filters

Lab Sample ID: 310-336546-2

Action Limits

Results have been compared against the following action or regulatory limits. Any results or detection limits which exceed the limit are highlighted in bold.

Analyte	Result	Qualifier	Unit	Limit	TCLP Waste Limit	RL	Method	Prep Type
1,1-Dichloroethene	<0.100		mg/L	0.7	0.7	0.100	8260D	TCLP
1,2-Dichloroethane	<0.100		mg/L	0.5	0.5	0.100	8260D	TCLP
2-Butanone (MEK)	<2.00		mg/L	200	200	2.00	8260D	TCLP
Benzene	<0.100		mg/L	0.5	0.5	0.100	8260D	TCLP
Carbon tetrachloride	<0.100		mg/L	0.5	0.5	0.100	8260D	TCLP
Chlorobenzene	<0.100		mg/L	100	100	0.100	8260D	TCLP
Chloroform	<0.100		mg/L	6	6	0.100	8260D	TCLP
Tetrachloroethene	<0.200		mg/L	0.7	0.7	0.200	8260D	TCLP
Trichloroethene	<0.100		mg/L	0.5	0.5	0.100	8260D	TCLP
Vinyl chloride	<0.100		mg/L	0.2	0.2	0.100	8260D	TCLP
1,4-Dichlorobenzene	<0.0157		mg/L	7.5	7.5	0.0157	8270E	TCLP
2,4-Dinitrotoluene	<0.0157		mg/L	0.13	0.13	0.0157	8270E	TCLP
2-Methylphenol	<0.0157		mg/L	200	200	0.0157	8270E	TCLP
4-Methylphenol (and/or 3-Methylphenol)	<0.0157		mg/L	200	200	0.0157	8270E	TCLP
Hexachlorobenzene	<0.0157		mg/L	0.13	0.13	0.0157	8270E	TCLP
Pentachlorophenol	<0.0393	*+	mg/L	100	100	0.0393	8270E	TCLP
Hexachlorobutadiene	<0.0157		mg/L	0.5	0.5	0.0157	8270E	TCLP
Hexachloroethane	<0.0157		mg/L	3	3	0.0157	8270E	TCLP
Nitrobenzene	<0.0157		mg/L	2	2	0.0157	8270E	TCLP
2,4,5-Trichlorophenol	<0.0157		mg/L	400	400	0.0157	8270E	TCLP
2,4,6-Trichlorophenol	<0.0157		mg/L	2	2	0.0157	8270E	TCLP
Pyridine	<0.0157		mg/L	5	5	0.0157	8270E	TCLP
Arsenic	<0.0500		mg/L	5	5	0.0500	6020B	TCLP
Barium	<0.500		mg/L	100	100	0.500	6020B	TCLP
Cadmium	<0.0500		mg/L	1	1	0.0500	6020B	TCLP
Chromium	<0.0500		mg/L	5	5	0.0500	6020B	TCLP
Lead	<0.0500		mg/L	5	5	0.0500	6020B	TCLP
Selenium	<0.0500		mg/L	1	1	0.0500	6020B	TCLP
Silver	<0.0500		mg/L	5	5	0.0500	6020B	TCLP
Mercury	<0.00200		mg/L	0.2	0.2	0.00200	7470A	TCLP
Flashpoint	>201		Degrees F	140		65.0	D92	Total/NA

Eurofins Cedar Falls