



1690 All-State Court
Suite 100
West Des Moines, Iowa 50265
515-631-6160
File No. 27224360.00

September 29, 2026

Mr. Brad Davison
Iowa Department of Natural Resources
Land Quality Bureau
6200 Park Avenue
Des Moines, Iowa 50321

Subject: Methane Exceedance Notification
Original/C&D and Meinders/Hartog MSWLF Units
Mahaska County Sanitary Landfill
Permit No. 62-SDP-07-93C

Dear Brad:

During subsurface methane monitoring of the closed municipal solid waste landfill units at the Mahaska County Sanitary Landfill on September 25, 2026, a concentration of greater than 100% of the lower explosive limit was measured in landfill gas probe GP-3, located west of the Original Landfill Area. This was the first gas detection at GP-3 since the gas probes were installed in 2020. The gas probe is located over 500 feet from the nearest buildings.

The Iowa Department of Natural Resources, in a phone conversation on September 28, 2026, stated that no action to address the detection is necessary at this time. If subsequent monitoring of gas probe GP-3 indicates continued evidence of subsurface methane migration, remedial strategies will be evaluated as appropriate.

If you have any questions regarding this notification, please contact Nathan Ohrt at the number below.

Sincerely,

A handwritten signature in blue ink that reads "Nathan Ohrt".

Nathan Ohrt
Senior Project Professional
SCS Engineers
319-331-9613
nohrt@scsengineers.com

A handwritten signature in blue ink that reads "Timothy C. Buelow".

Timothy C. Buelow, P.E.
VP, Senior Project Advisor
SCS Engineers
515-681-5455
tbuelow@scsengineers.com

CC: Mr. Joe Farris, Mahaska County Sanitary Landfill