



**CITY of
SPENCER**

101 West 5th Street • Spencer, IA 51301
Phone: 712.580.7200 • Fax: 712.580.7236
info@spenceriowacity.com
spenceriowacity.com

October 16, 2026

Michael Smith, P.E.
Environmental Engineer Senior
Solid Waste and Contaminated Sites Section
Iowa Department of Natural Resources
6200 Park Ave Ste 200, Des Moines IA 50321

Re: Northern Plains Regional Landfill
Permit #74-SDP-02-76P
WSR Test Results

Dear Mr. Smith,

Please find the enclosed Quarter 3, 2026 - WSR test results provided by Shine Bros. corp.

Respectfully,

Mark White
Public Works Director
City of Spencer

Cc: Eva Shine, Shine Bros. Corp.

ANALYTICAL REPORT

PREPARED FOR

Attn: Mr. Keith Forrester
Forrester Environmental Services
78 Tracy Way
Meredith, New Hampshire 03253

Generated 10/6/2026 8:18:19 AM

JOB DESCRIPTION

Disposal Analyses

JOB NUMBER

310-341157-1

Eurofins Cedar Falls

1

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
10/6/2026 8:18:19 AM

Authorized for release by
Charlotte Collins, Project Management Assistant I
Charlotte.Collins@et.eurofinsus.com
(319)595-2025

Table of Contents

Cover Page	1
Table of Contents	3
Case Narrative	4
Sample Summary	5
Client Sample Results	6
Definitions	8
QC Sample Results	9
Chronicle	10
Certification Summary	13
Method Summary	14
Chain of Custody	15
Receipt Checklists	19

Case Narrative

Client: Forrester Environmental Services
Project: Disposal Analyses

Job ID: 310-341157-1

Job ID: 310-341157-1

Eurofins Cedar Falls

3

Job Narrative 310-341157-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 9/18/2026 8:55 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 0.6°C.

Metals

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

General Chemistry

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Cedar Falls

Sample Summary

Client: Forrester Environmental Services
Project/Site: Disposal Analyses

Job ID: 310-341157-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
310-341157-1	1	Solid	09/17/26 09:20	09/18/26 08:55	Iowa
310-341157-2	2	Solid	09/17/26 09:30	09/18/26 08:55	Iowa
310-341157-3	3	Solid	09/17/26 09:40	09/18/26 08:55	Iowa
310-341157-4	4	Solid	09/17/26 09:50	09/18/26 08:55	Iowa
310-341157-5	5	Solid	09/17/26 10:00	09/18/26 08:55	Iowa
310-341157-6	6	Solid	09/17/26 10:10	09/18/26 08:55	Iowa
310-341157-7	7	Solid	09/17/26 10:20	09/18/26 08:55	Iowa
310-341157-8	8	Solid	09/17/26 10:30	09/18/26 08:55	Iowa
310-341157-9	9	Solid	09/17/26 10:40	09/18/26 08:55	Iowa
310-341157-10	10	Solid	09/17/26 10:50	09/18/26 08:55	Iowa
310-341157-11	11	Solid	09/17/26 11:00	09/18/26 08:55	Iowa

4

Client Sample Results

Client: Forrester Environmental Services
Project/Site: Disposal Analyses

Job ID: 310-341157-1

Client Sample ID: 1

Date Collected: 09/17/26 09:20

Date Received: 09/18/26 08:55

Lab Sample ID: 310-341157-1

Matrix: Solid

Method: SW846 6010D - Metals (ICP) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	0.80		0.0050	0.0027	mg/L		10/02/26 08:12	10/05/26 13:47	1

5

Client Sample ID: 2

Date Collected: 09/17/26 09:30

Date Received: 09/18/26 08:55

Lab Sample ID: 310-341157-2

Matrix: Solid

Method: SW846 6010D - Metals (ICP) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	1.1		0.0050	0.0027	mg/L		10/02/26 08:12	10/05/26 13:50	1

Client Sample ID: 3

Date Collected: 09/17/26 09:40

Date Received: 09/18/26 08:55

Lab Sample ID: 310-341157-3

Matrix: Solid

Method: SW846 6010D - Metals (ICP) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	1.5		0.0050	0.0027	mg/L		10/02/26 08:12	10/05/26 13:53	1

Client Sample ID: 4

Date Collected: 09/17/26 09:50

Date Received: 09/18/26 08:55

Lab Sample ID: 310-341157-4

Matrix: Solid

Method: SW846 6010D - Metals (ICP) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	1.6		0.0050	0.0027	mg/L		10/02/26 08:12	10/05/26 13:56	1

Client Sample ID: 5

Date Collected: 09/17/26 10:00

Date Received: 09/18/26 08:55

Lab Sample ID: 310-341157-5

Matrix: Solid

Method: SW846 6010D - Metals (ICP) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	1.0		0.0050	0.0027	mg/L		10/02/26 08:12	10/05/26 13:59	1

Client Sample ID: 6

Date Collected: 09/17/26 10:10

Date Received: 09/18/26 08:55

Lab Sample ID: 310-341157-6

Matrix: Solid

Method: SW846 6010D - Metals (ICP) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	2.1		0.0050	0.0027	mg/L		10/02/26 08:12	10/05/26 14:07	1

Client Sample ID: 7

Date Collected: 09/17/26 10:20

Date Received: 09/18/26 08:55

Lab Sample ID: 310-341157-7

Matrix: Solid

Method: SW846 6010D - Metals (ICP) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	1.9		0.0050	0.0027	mg/L		10/02/26 08:12	10/05/26 14:10	1

Eurofins Cedar Falls

Client Sample Results

Client: Forrester Environmental Services
Project/Site: Disposal Analyses

Job ID: 310-341157-1

Client Sample ID: 8

Lab Sample ID: 310-341157-8

Date Collected: 09/17/26 10:30

Matrix: Solid

Date Received: 09/18/26 08:55

Method: SW846 6010D - Metals (ICP) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	1.7		0.0050	0.0027	mg/L		10/02/26 08:12	10/05/26 14:13	1

5

Client Sample ID: 9

Lab Sample ID: 310-341157-9

Date Collected: 09/17/26 10:40

Matrix: Solid

Date Received: 09/18/26 08:55

Method: SW846 6010D - Metals (ICP) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	0.78		0.0050	0.0027	mg/L		10/02/26 08:12	10/05/26 14:16	1

Client Sample ID: 10

Lab Sample ID: 310-341157-10

Date Collected: 09/17/26 10:50

Matrix: Solid

Date Received: 09/18/26 08:55

Method: SW846 6010D - Metals (ICP) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	3.7		0.0050	0.0027	mg/L		10/02/26 08:12	10/05/26 14:19	1

Client Sample ID: 11

Lab Sample ID: 310-341157-11

Date Collected: 09/17/26 11:00

Matrix: Solid

Date Received: 09/18/26 08:55

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Flashpoint (ASTM D92)	>201		65.0	65.0	Degrees F			09/23/26 15:29	1

Definitions/Glossary

Client: Forrester Environmental Services
Project/Site: Disposal Analyses

Job ID: 310-341157-1

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☐	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

QC Sample Results

Client: Forrester Environmental Services
Project/Site: Disposal Analyses

Job ID: 310-341157-1

Method: 6010D - Metals (ICP)

Lab Sample ID: LCS 500-886166/2-A
Matrix: Solid
Analysis Batch: 886559

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 886166

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Lead	0.100	0.0990		mg/L		99	80 - 120

Lab Sample ID: LB 500-885282/1-B
Matrix: Solid
Analysis Batch: 886559

Client Sample ID: Method Blank
Prep Type: TCLP
Prep Batch: 886166

Analyte	LB Result	LB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	<0.0027		0.0050	0.0027	mg/L		10/02/26 08:12	10/05/26 13:44	1

7

Lab Chronicle

Client: Forrester Environmental Services
Project/Site: Disposal Analyses

Job ID: 310-341157-1

Client Sample ID: 1

Lab Sample ID: 310-341157-1

Date Collected: 09/17/26 09:20

Matrix: Solid

Date Received: 09/18/26 08:55

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
TCLP	Leach	1311			885282	AC	EET CHI	09/25/26 17:33 - 09/26/26 10:10 ¹
TCLP	Prep	3010A			886166	BDE	EET CHI	10/02/26 08:12 - 10/02/26 14:12 ¹
TCLP	Analysis	6010D		1	886559	SJ	EET CHI	10/05/26 13:47

Client Sample ID: 2

Lab Sample ID: 310-341157-2

Date Collected: 09/17/26 09:30

Matrix: Solid

Date Received: 09/18/26 08:55

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
TCLP	Leach	1311			885282	AC	EET CHI	09/25/26 17:33 - 09/26/26 10:10 ¹
TCLP	Prep	3010A			886166	BDE	EET CHI	10/02/26 08:12 - 10/02/26 14:12 ¹
TCLP	Analysis	6010D		1	886559	SJ	EET CHI	10/05/26 13:50

Client Sample ID: 3

Lab Sample ID: 310-341157-3

Date Collected: 09/17/26 09:40

Matrix: Solid

Date Received: 09/18/26 08:55

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
TCLP	Leach	1311			885282	AC	EET CHI	09/25/26 17:33 - 09/26/26 10:10 ¹
TCLP	Prep	3010A			886166	BDE	EET CHI	10/02/26 08:12 - 10/02/26 14:12 ¹
TCLP	Analysis	6010D		1	886559	SJ	EET CHI	10/05/26 13:53

Client Sample ID: 4

Lab Sample ID: 310-341157-4

Date Collected: 09/17/26 09:50

Matrix: Solid

Date Received: 09/18/26 08:55

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
TCLP	Leach	1311			885282	AC	EET CHI	09/25/26 17:33 - 09/26/26 10:10 ¹
TCLP	Prep	3010A			886166	BDE	EET CHI	10/02/26 08:12 - 10/02/26 14:12 ¹
TCLP	Analysis	6010D		1	886559	SJ	EET CHI	10/05/26 13:56

Client Sample ID: 5

Lab Sample ID: 310-341157-5

Date Collected: 09/17/26 10:00

Matrix: Solid

Date Received: 09/18/26 08:55

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
TCLP	Leach	1311			885282	AC	EET CHI	09/25/26 17:33 - 09/26/26 10:10 ¹
TCLP	Prep	3010A			886166	BDE	EET CHI	10/02/26 08:12 - 10/02/26 14:12 ¹
TCLP	Analysis	6010D		1	886559	SJ	EET CHI	10/05/26 13:59

Eurofins Cedar Falls

Lab Chronicle

Client: Forrester Environmental Services
Project/Site: Disposal Analyses

Job ID: 310-341157-1

Client Sample ID: 6

Lab Sample ID: 310-341157-6

Date Collected: 09/17/26 10:10

Matrix: Solid

Date Received: 09/18/26 08:55

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
TCLP	Leach	1311			885282	AC	EET CHI	09/25/26 17:33 - 09/26/26 10:10 ¹
TCLP	Prep	3010A			886166	BDE	EET CHI	10/02/26 08:12 - 10/02/26 14:12 ¹
TCLP	Analysis	6010D		1	886559	SJ	EET CHI	10/05/26 14:07

Client Sample ID: 7

Lab Sample ID: 310-341157-7

Date Collected: 09/17/26 10:20

Matrix: Solid

Date Received: 09/18/26 08:55

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
TCLP	Leach	1311			885282	AC	EET CHI	09/25/26 17:33 - 09/26/26 10:10 ¹
TCLP	Prep	3010A			886166	BDE	EET CHI	10/02/26 08:12 - 10/02/26 14:12 ¹
TCLP	Analysis	6010D		1	886559	SJ	EET CHI	10/05/26 14:10

Client Sample ID: 8

Lab Sample ID: 310-341157-8

Date Collected: 09/17/26 10:30

Matrix: Solid

Date Received: 09/18/26 08:55

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
TCLP	Leach	1311			885282	AC	EET CHI	09/25/26 17:33 - 09/26/26 10:10 ¹
TCLP	Prep	3010A			886166	BDE	EET CHI	10/02/26 08:12 - 10/02/26 14:12 ¹
TCLP	Analysis	6010D		1	886559	SJ	EET CHI	10/05/26 14:13

Client Sample ID: 9

Lab Sample ID: 310-341157-9

Date Collected: 09/17/26 10:40

Matrix: Solid

Date Received: 09/18/26 08:55

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
TCLP	Leach	1311			885282	AC	EET CHI	09/25/26 17:33 - 09/26/26 10:10 ¹
TCLP	Prep	3010A			886166	BDE	EET CHI	10/02/26 08:12 - 10/02/26 14:12 ¹
TCLP	Analysis	6010D		1	886559	SJ	EET CHI	10/05/26 14:16

Client Sample ID: 10

Lab Sample ID: 310-341157-10

Date Collected: 09/17/26 10:50

Matrix: Solid

Date Received: 09/18/26 08:55

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
TCLP	Leach	1311			885282	AC	EET CHI	09/25/26 17:33 - 09/26/26 10:10 ¹
TCLP	Prep	3010A			886166	BDE	EET CHI	10/02/26 08:12 - 10/02/26 14:12 ¹
TCLP	Analysis	6010D		1	886559	SJ	EET CHI	10/05/26 14:19

Client Sample ID: 11

Lab Sample ID: 310-341157-11

Date Collected: 09/17/26 11:00

Matrix: Solid

Date Received: 09/18/26 08:55

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	D92		1	501030	NFT2	EET CF	09/23/26 15:29

¹ This procedure uses a method stipulated length of time for the process. Both start and end times are displayed.

Eurofins Cedar Falls

Lab Chronicle

Client: Forrester Environmental Services
Project/Site: Disposal Analyses

Job ID: 310-341157-1

Laboratory References:

EET CF = Eurofins Cedar Falls, 3019 Venture Way, Cedar Falls, IA 50613, TEL (319)277-2401

EET CHI = Eurofins Chicago, 18410 Crossing Drive, Suite E, Tinley Park, IL 60487, TEL (708)534-5200

Accreditation/Certification Summary

Client: Forrester Environmental Services
Project/Site: Disposal Analyses

Job ID: 310-341157-1

Laboratory: Eurofins Cedar Falls

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Iowa	State	007	12-01-27

Laboratory: Eurofins Chicago

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Georgia	State	N/A	05-31-27
Georgia (DW)	State	939	05-31-27
Illinois	NELAP	100201	05-31-27
Indiana	State	C-IL-02	05-31-27
Iowa	State	082	05-01-28
Kansas	NELAP	E-10161	10-31-26
Kentucky (UST)	State	108083	05-31-27
Kentucky (WW)	State	KY90023	12-31-26
Louisiana (All)	NELAP	02046	06-30-27
Minnesota	NELAP	017-999-506	12-31-26
Mississippi	State	NA	05-31-27
North Carolina (WW/SW)	State	291	12-31-26
North Dakota	State	R-194	05-30-27
Oklahoma	State	8908	12-31-26
South Carolina	State	77001	05-31-27
USDA	US Federal Programs	525-25-237-16455	08-25-28
Wisconsin	State	399172840	08-31-27
Wyoming	State	8TMS-Q	05-31-27

9

Method Summary

Client: Forrester Environmental Services
Project/Site: Disposal Analyses

Job ID: 310-341157-1

Method	Method Description	Protocol	Laboratory
6010D	Metals (ICP)	SW846	EET CHI
D92	Flashpoint	ASTM	EET CF
1311	TCLP Extraction	SW846	EET CHI
3010A	Preparation, Total Metals	SW846	EET CHI

Protocol References:

ASTM = ASTM International

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CF = Eurofins Cedar Falls, 3019 Venture Way, Cedar Falls, IA 50613, TEL (319)277-2401

EET CHI = Eurofins Chicago, 18410 Crossing Drive, Suite E, Tinley Park, IL 60487, TEL (708)534-5200

10



Environment Testing



310-341157 Chain of Custody

Cooler/Sample Receipt and Temperature L

Client Information			
Client: <u>Shine Bios Corp.</u>			
City/State:	CITY <u>Spencer</u>	STATE <u>IA</u>	Project:
Receipt Information			
Date/Time Received:	DATE <u>09/18/14</u>	TIME <u>0855</u>	Received By: <u>ES</u>
Delivery Type: ☒ UPS ☐ FedEx ☐ FedEx Ground ☐ US Mail ☐ Spee-Dee ☐ Lab Courier ☐ Lab Field Services ☐ Client Drop-off ☐ Other: _____			
Condition of Cooler/Containers			
Sample(s) received in Cooler? ☒ Yes ☐ No If yes: Cooler ID: _____			
Multiple Coolers? ☐ Yes ☒ No If yes: Cooler # _____ of _____			
Cooler Custody Seals Present? ☒ Yes ☐ No If yes: Cooler custody seals intact? ☒ Yes ☐ No			
Sample Custody Seals Present? ☐ Yes ☒ No If yes: Sample custody seals intact? ☐ Yes ☐ No			
Trip Blank Present? ☐ Yes ☒ No If yes: Which VOA samples are in cooler? ↓			
Temperature Record			
Coolant: ☒ Wet ice ☐ Blue ice ☐ Dry ice ☐ Other: _____ ☐ NONE			
Thermometer ID: <u>CC</u>		Correction Factor (°C): <u>0</u>	
• Temp Blank Temperature – If no temp blank, or temp blank temperature above criteria, proceed to Sample Container Temperature			
Uncorrected Temp (°C): <u>0.6</u>		Corrected Temp (°C): <u>0.6</u>	
• Sample Container Temperature			
Container(s) used:	<u>CONTAINER 1</u>		<u>CONTAINER 2</u>
Uncorrected Temp °C:			
Corrected Temp °C:			
Exceptions Noted			
1) If temperature exceeds criteria, was sample(s) received same day of sampling? ☐ Yes ☐ No a) If yes: Is there evidence that the chilling process began? ☐ Yes ☐ No			
2) If temperature is <0°C, are there obvious signs that the integrity of sample containers is compromised? (e.g., bulging septa, broken/cracked bottles, frozen solid?) ☐ Yes ☐ No			
NOTE: If yes, contact PM before proceeding If no, proceed with login			
Additional Comments			

Chain of Custody Record



Cedar Falls, IA 50613
phone 319 277.2401 fax 319 277.2425

TestAmerica Laboratories, Inc. d/b/a Eurofins TestAmerica

Client Contact		Regulatory Program: ☐ DW ☐ NPDES ☐ RCRA ☐ Other		Project Manager: Mockler, Diana J		Site Contact: Mike Wycoff		COC No		
Shine Bros Corp		Tel/Fax:		Analysis Turnaround Time		Lab Contact:		TALS Project #		
225 10th Avenue SE		☐ CALENDAR DAYS ☐ WORKING DAYS		TAT if different from Below		Carrier:		Sampler		
Spencer, IA 51301		☐ 2 weeks ☐ 1 week ☐ 2 days ☐ 1 day		Sample Date		1030-ignitability		For Lab Use Only:		
Phone (712)262-5579 Ext. 121 Email Mike@shinebros.com		Sample Time		Sample Type (C=Comp, G=Gab)		6010c-TCLP Metals-lead only		Walk-in Client:		
(xxx) xxx-xxxx FAX		Matrix		# of Cont.		Perform MS / MSD (Y / N)		Lab Sampling		
Project Name Disposal Analysis						Filtered Sample (Y / N)		Job / SDG No		
Site Iowa										
P O #										
Sample Identification	1	9/17/26	9:20	G	Solid	1	n	X		Sample Specific Notes
	2	9/17/26	9:30	G	Solid	1	n	X		
	3	9/17/26	9:40	G	Solid	1	n	X		
	4	9/17/26	9:50	G	Solid	1	n	X		
	5	9/17/26	10:00	G	Solid	1	n	X		
	6	9/17/26	10:10	G	Solid	1	n	X		
	7	9/17/26	10:20	G	Solid	1	n	X		
	8	9/17/26	10:30	G	Solid	1	n	X		
	9	9/17/26	10:40	G	Solid	1	n	X		
	10	9/17/26	10:50	G	Solid	1	n	X		
	11	9/17/26	11:00	C	Solid	1	n	X		

Preservation Used: 1= Ice, 2= HCl; 3= H2SO4; 4=HNO3; 5=NaOH; 6= Other

Possible Hazard Identification: Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample

☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison 8 ☐ Unknown

Special Instructions/QC Requirements & Comments: Please send results to Keith Forrester, Forrester Environmental Services Inc., 78 Tracy Way, Meredith, NH, 03253, fesi@worldpath.net. 1-603-279-3407. PLEASE DO NOT SEND RESULTS BACK TO Shine Bros. Corp. Please return cooler and bottleware(11 glass 1 liter jars) to sender

Custody Seal No		Cooler Temp (°C)		Obs'd		Corr'd		Therm ID No	
Relinquished by	Shine Bros Corp	Date/Time	9/17/26 2:30 PM	Received by	ES	Company	Forrester	Date/Time	9/17/26 0855
Relinquished by	Company	Date/Time		Received by		Company		Date/Time	
Relinquished by	Company	Date/Time		Received in Laboratory by		Company		Date/Time	

Eurofins Cedar Falls
 3019 Venture Way
 Cedar Falls, IA 50613
 Phone: 319-277-2401 Fax: 319-277-2425

Chain of Custody Record



eurofins Environment Testing

Client Information (Sub Contract Lab)		Sampler N/A		Lab PM Collins, Charlotte G		Carrier Tracking No(s) N/A		COC No: 310-98746.1	
Client Contact: Shipping/Receiving		Phone: N/A		E-Mail: Charlotte.Collins@eurofinsus.com		State of Origin: Iowa		Page: Page 1 of 2	
Company: Eurofins Environment Testing North Central		Due Date Requested: 9/29/2026		Accreditations Required (See note): State Program Iowa		Job #: 310-341157 1		Preservation Codes:	
Address: 18410 Crossing Drive, Suite E, City: Tinley Park State, Zip: IL, 60487 Phone: 708-534-5200(Tel) 708-534-5211(Fax) Email: N/A Project Name: Disposal Analyses Site: N/A		TAT Requested (days): N/A		Analysis Requested		Total Number of containers: N/A		Other: N/A	
PO #: N/A WO #: N/A Project #: 31005536 SSOW#: N/A		Field Filtered Sample (Yes or No) Perform MS/MSD (Yes or No)		8628/1311_TICLP Lead					
Sample Identification Client ID (Lab ID)		Sample Date		Sample Time		Sample Type (C=Comp, G=grab)		Matrix (W=water, S=solid, O=other)	
						Preservation Code:		Special Instructions/Note:	
1 (310-341157-1)		9/17/26		09:20 Central		G		Solid	
2 (310-341157-2)		9/17/26		09:30 Central		G		Solid	
3 (310-341157-3)		9/17/26		09:40 Central		G		Solid	
4 (310-341157-4)		9/17/26		09:50 Central		G		Solid	
5 (310-341157-5)		9/17/26		10:00 Central		G		Solid	
6 (310-341157-6)		9/17/26		10:10 Central		G		Solid	
7 (310-341157-7)		9/17/26		10:20 Central		G		Solid	
8 (310-341157-8)		9/17/26		10:30 Central		G		Solid	
9 (310-341157-9)		9/17/26		10:40 Central		G		Solid	
Note: Since laboratory accreditations are subject to change, Eurofins Environment Testing North Central, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins Environment Testing North Central, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Environment Testing North Central, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Environment Testing North Central, LLC.									
Possible Hazard Identification Unconfirmed					Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)				
Deliverable Requested: I II III IV Other (specify)					Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months				
Primary Deliverable Rank: 2					Special Instructions/QC Requirements:				
Empty Kit Relinquished by:		Date:		Time:		Method of Shipment:			
Relinquished by: <i>[Signature]</i>		Date/Time: 9/18/26 1405		Company:		Received by: <i>[Signature]</i>		Date/Time: 9/21/26 1130	
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:	
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:	
Custody Seals Intact: A Yes A No		Custody Seal No.		Cooler Temperature(s) °C and Other Remarks: <i>Unchilled</i>					

Eurofins Cedar Falls

3019 Venture Way
Cedar Falls, IA 50613
Phone: 319-277-2401 Fax: 319-277-2425

Chain of Custody Record



Environment Testing

Client Information (Sub Contract Lab)		Sampler: N/A		Lab PM: Collins, Charlotte G		Carrier Tracking No(s): N/A		COC No: 310-98746.2		
Client Contact: Shipping/Receiving		Phone: N/A		E-Mail: Charlotte.Collins@eurofinsus.com		State of Origin: Iowa		Page: Page 2 of 2		
Company: Eurofins Environment Testing North Central				Accreditations Required (See note): State Program Iowa				Job #: 310-341157 1		
Address: 18410 Crossing Drive, Suite E, City: Tinley Park State, Zip: IL, 60487 Phone: 708-534-5200(Tel) 708-534-5211(Fax) Email: N/A		Due Date Requested: 9/29/2026 TAT Requested (days): N/A		Analysis Requested					Preservation Codes:	
Project Name: Disposal Analyses		Project #: 31005536		Field Filtered Sample (Yes or No) Perform MS/MSD (Yes or No) 6020B1311_JTCLP Lead					Total Number of Containers	
Site: N/A		SSOW#: N/A							Other: N/A	
Sample Identification Client ID (Lab ID)		Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=Water, S=solid, O=organic, A=air)	Special Instructions/Note				
10 (310-341157 10)		9/17/26	10:50 Central	G	Solid	1				
Note: Since laboratory accreditations are subject to change, Eurofins Environment Testing North Central, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins Environment Testing North Central, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Environment Testing North Central, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Environment Testing North Central, LLC.										
Possible Hazard Identification						Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)				
Unconfirmed						☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months				
Deliverable Requested: I, II III IV Other (specify) _____ Primary Deliverable Rank: 2						Special Instructions/QC Requirements.				
Empty Kit Relinquished by:		Date:		Time:		Method of Shipment:				
Relinquished by:		Date/Time: 9/26/26 1400		Company:		Received by:		Date/Time: 9/21/26 1130		
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:		
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:		
Custody Seals Intact: ☐ Yes ☐ No		Custody Seal No.		Cooler Temperature(s) °C and Other Remarks:						

Login Sample Receipt Checklist

Client: Forrester Environmental Services

Job Number: 310-341157-1

Login Number: 341157

List Source: Eurofins Cedar Falls

List Number: 1

Creator: Homolar, Dana J

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

12

Login Sample Receipt Checklist

Client: Forrester Environmental Services

Job Number: 310-341157-1

Login Number: 341157

List Number: 2

Creator: Scott, Sherri L

List Source: Eurofins Chicago

List Creation: 09/21/26 12:41 PM

Question	Answer	Comment
Radioactivity wasn't checked or is <= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	Unchilled
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	True	

12